

hyperapp.hyper

COLLABORATORS

	TITLE : hyperapp.hyper		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 18, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	hyperapp.hyper	1
1.1	HyperApp Help	1
1.2	quit	1
1.3	Transmogrify gadget	1
1.4	Cancel button	2
1.5	OK button	2

Chapter 1

hyperapp.hyper

1.1 HyperApp Help

```
Gadget
OK
Cancel
intuition.h
RXS
Help
Quit
```

1.2 quit

Format: Quit

Template: ,

Purpose: To shut down the application.

Specification:

This command is used to close the application. This indicates acceptance of the Gadget command (if used).

1.3 Transmogrify gadget

Format: Gadget

Template: ,

Purpose: Transmogrify things.

Specification:

This command is used to transmogrify things. Concentrate on what you want while you press this gadget, and just see what happens!

1.4 Cancel button

Format: Cancel

Template: ,

Purpose: Cancel the actions of Gadget

Specification:

Use this button to cancel the effects of the Transmogrify gadget.

1.5 OK button

Format: OK

Template: ,

Purpose: Accept the actions of Gadget

Specification:

Use this button to accept the effects of the Transmogrify gadget.
