

**AmigaMail**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> AmigaMail		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 19, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>AmigaMail</b>	<b>1</b>
1.1	II-107: Even Faster AmigaDOS I/O . . . . .	1

## Chapter 1

# AmigaMail

### 1.1 II-107: Even Faster AmigaDOS I/O

Even Faster AmigaDOS I/O

In the September/October 1992 Amiga Mail issue, there is an article by Martin Taillefer called, ``Fast AmigaDOS I/O''. Most of the article consists of a code listing. The code listing is a series of special I/O routines (plus their Autodocs) that are similar in appearance to the dos.library synchronous I/O functions `Open()`, `Close()`, `Read()`, and `Write()`, but they use asynchronous I/O instead. These functions shield the programmer from the complicated, lower-level DOS work, allowing the application programmer to easily take advantage of the performance of asynchronous I/O. They are as easy to use as the synchronous dos.library I/O calls, but they yield much higher performance.

Of course, Martin Taillefer, the guy who wrote the asynchronous I/O routines, had to improve upon his work. Besides working out one or two minor bugs, he has further improved the performance of the code and has also added a new feature. There is a new routine called `SeekAsync()`, which allows an application to seek into a file while using Martin's asynchronous DOS I/O calls.

In making these improvements, Martin has made significant changes to the file that contains the asynchronous I/O functions, `AsyncIO.c` and can be found at the end of this article. The Autodocs for the original asynchronous I/O functions have not changed, so they have not been reprinted here. This article contains only the Autodoc for `SeekAsync()`. See the original article, ``Fast AmigaDOS I/O'' for the remaining files.

```
ASync.doc
ASyncExample.c
ASyncIO.c
ASyncIO.h
```