

FunctionXREF

COLLABORATORS

	TITLE : FunctionXREF		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 18, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	FunctionXREF	1
1.1	2.0 Structure Index	1

Chapter 1

FunctionXREF

1.1 2.0 Structure Index

AnalogSignalInterval	<graphics/monitor.h>
AnchorPath	<dos/dosasl.h>
AnimComp	<graphics/gels.h>
AnimOb	<graphics/gels.h>
AppMenuItem	<workbench/workbench.h>
AppMessage	<workbench/workbench.h>
AppWindow	<workbench/workbench.h>
AreaInfo	<graphics/rastport.h>
AssignList	<dos/dosextens.h>
AvailFonts	<libraries/diskfont.h>
AvailFontsHeader	<libraries/diskfont.h>
BadBlockBlock	<devices/hardblocks.h>
BadBlockEntry	<devices/hardblocks.h>
BitMap	<graphics/gfx.h>
BitScaleArgs	<graphics/scale.h>
bltnode	<hardware/blit.h>
Bob	<graphics/gels.h>
BoolInfo	<intuition/intuition.h>
BootBlock	<devices/bootblock.h>
BootNode	<libraries/expansionbase.h>
Border	<intuition/intuition.h>
CIA	<hardware/cia.h>
ClipboardHandle	<libraries/iffparse.h>
ClipboardUnitPartial	<devices/clipboard.h>
ClipHookMsg	<devices/clipboard.h>
ClipRect	<graphics/clip.h>
CliProcList	<dos/dosextens.h>
ClockData	<utility/date.h>
CollectionItem	<libraries/iffparse.h>
collTable	<graphics/gels.h>
ColorFontColors	<graphics/text.h>
ColorMap	<graphics/view.h>
ColorSpec	<intuition/intuition.h>
ColorTextFont	<graphics/text.h>
CommandLineInterface	<dos/dosextens.h>
ConfigDev	<libraries/configvars.h>

ContextNode	<libraries/iffparse.h>
ConUnit	<devices/conunit.h>
copinit	<graphics/copper.h>
CopIns	<graphics/copper.h>
CopList	<graphics/copper.h>
cpplist	<graphics/copper.h>
CSource	<dos/rdargs.h>
CurrentBinding	<libraries/configvars.h>
Custom	<hardware/custom.h>
DateStamp	<dos/dos.h>
DateTime	<dos/datetime.h>
DBufPacket	<graphics/gels.h>
Device	<exec/devices.h>
DeviceData	<devices/prtbase.h>
DeviceList	<dos/dosextens.h>
DeviceNode	<dos/filehandler.h>
DevInfo	<dos/dosextens.h>
DevProc	<dos/dosextens.h>
DiagArea	<libraries/configregs.h>
DimensionInfo	<graphics/displayinfo.h>
DiscResource	<resources/disk.h>
DiscResourceUnit	<resources/disk.h>
DiskFontHeader	<libraries/diskfont.h>
DiskObject	<workbench/workbench.h>
DisplayInfo	<graphics/displayinfo.h>
DosEnvec	<dos/filehandler.h>
DosInfo	<dos/dosextens.h>
DosLibrary	<dos/dosextens.h>
DosList	<dos/dosextens.h>
DosPacket	<dos/dosextens.h>
DrawerData	<workbench/workbench.h>
DrawInfo	<intuition/screens.h>
DriveGeometry	<devices/trackdisk.h>
EasyStruct	<intuition/intuition.h>
EClockVal	<devices/timer.h>
ErrorString	<dos/dosextens.h>
ExAllControl	<dos/exall.h>
ExAllData	<dos/exall.h>
ExecBase	<exec/execbase.h>
ExpansionBase	<libraries/expansionbase.h>
ExpansionControl	<libraries/configregs.h>
ExpansionRom	<libraries/configregs.h>
ExtendedNode	<graphics/gfxnodes.h>
ExtNewScreen	<intuition/screens.h>
ExtNewWindow	<intuition/intuition.h>
FileHandle	<dos/dosextens.h>
FileInfoBlock	<dos/dos.h>
FileLock	<dos/dosextens.h>
FileRequester	<libraries/asl.h>
FileSysEntry	<resources/filesysres.h>
FileSysHeaderBlock	<devices/hardblocks.h>
FileSysResource	<resources/filesysres.h>
FileSysStartupMsg	<dos/filehandler.h>
FontContents	<libraries/diskfont.h>

FontContentsHeader	<libraries/diskfont.h>
FontRequester	<libraries/asl.h>
FreeList	<workbench/workbench.h>
Gadget	<intuition/intuition.h>
GadgetInfo	<intuition/cghooks.h>
GamePortTrigger	<devices/gameport.h>
GelsInfo	<graphics/rastport.h>
GfxBase	<graphics/gfxbase.h>
gpGoInactive	<intuition/gadgetclass.h>
gpHitTest	<intuition/gadgetclass.h>
gpInput	<intuition/gadgetclass.h>
gpRender	<intuition/gadgetclass.h>
Hook	<utility/hooks.h>
IBox	<intuition/intuition.h>
IEPointerPixel	<devices/inputevent.h>
IEPointerTablet	<devices/inputevent.h>
IFFHandle	<libraries/iffparse.h>
IFFStreamCmd	<libraries/iffparse.h>
Image	<intuition/intuition.h>
impDraw	<intuition/imageclass.h>
impErase	<intuition/imageclass.h>
impFrameBox	<intuition/imageclass.h>
impHitTest	<intuition/imageclass.h>
InfoData	<dos/dos.h>
InputEvent	<devices/inputevent.h>
InputXpression	<libraries/commodities.h>
Interrupt	<exec/interrupts.h>
IntuiMessage	<intuition/intuition.h>
IntuiText	<intuition/intuition.h>
IntuitionBase	<intuition/intuitionbase.h>
IntVector	<exec/interrupts.h>
IOAudio	<devices/audio.h>
IoBuff	<rexx/rexxio.h>
IOClipReq	<devices/clipboard.h>
IODRPReq	<devices/printer.h>
IOExtTD	<devices/trackdisk.h>
IOPrtCmdReq	<devices/printer.h>
IORequest	<exec/io.h>
IOStdReq	<exec/io.h>
Isrvstr	<graphics/graphint.h>
KeyMap	<devices/keymap.h>
KeyMapNode	<devices/keymap.h>
KeyMapResource	<devices/keymap.h>
Layer	<graphics/clip.h>
Layer_Info	<graphics/layers.h>
Library	<exec/libraries.h>
List	<exec/lists.h>
LoadSegBlock	<devices/hardblocks.h>
LocalContextItem	<libraries/iffparse.h>
LocalVar	<dos/var.h>
MathIEEEBase	<libraries/mathlibrary.h>

MathIEEEResource	<libraries/mathresource.h>
MathIEEEResource	<resources/mathresource.h>
MemChunk	<exec/memory.h>
MemEntry	<exec/memory.h>
MemHeader	<exec/memory.h>
MemList	<exec/memory.h>
Menu	<intuition/intuition.h>
MenuItem	<intuition/intuition.h>
Message	<exec/ports.h>
MinList	<exec/lists.h>
MinNode	<exec/nodes.h>
MonitorInfo	<graphics/displayinfo.h>
MonitorSpec	<graphics/monitor.h>
mouth_rb	<devices/narrator.h>
MsgPort	<exec/ports.h>
NameInfo	<graphics/displayinfo.h>
narrator_rb	<devices/narrator.h>
NewBroker	<libraries/commodities.h>
NewGadget	<libraries/gadtools.h>
NewMenu	<libraries/gadtools.h>
NewScreen	<intuition/screens.h>
NewWindow	<intuition/intuition.h>
NexxStr	<rexx/storage.h>
Node	<exec/nodes.h>
NotifyMessage	<dos/notify.h>
NotifyRequest	<dos/notify.h>
OldDrawerData	<workbench/workbench.h>
opAddTail	<intuition/classusr.h>
opGet	<intuition/classusr.h>
opMember	<intuition/classusr.h>
opSet	<intuition/classusr.h>
opUpdate	<intuition/classusr.h>
PartitionBlock	<devices/hardblocks.h>
PGX	<intuition/cghooks.h>
Preferences	<intuition/preferences.h>
PrinterData	<devices/prtbase.h>
PrinterExtendedData	<devices/prtbase.h>
PrinterSegment	<devices/prtbase.h>
Process	<dos/dosextens.h>
PropInfo	<intuition/intuition.h>
PrtInfo	<devices/prtgfx.h>
PubScreenNode	<intuition/screens.h>
QueryHeader	<graphics/displayinfo.h>
RastPort	<graphics/rastport.h>
RDArgs	<dos/rdargs.h>
RecordLock	<dos/record.h>
Rect32	<graphics/gfx.h>
Rectangle	<graphics/gfx.h>
Region	<graphics/regions.h>
RegionRectangle	<graphics/regions.h>
Remember	<intuition/intuition.h>
Requester	<intuition/intuition.h>

Resident	<exec/resident.h>
RexxArg	<rex/storag.h>
RexxMsg	<rex/storag.h>
RexxMsgPort	<rex/rexxio.h>
RexxRsrc	<rex/storag.h>
RexxTask	<rex/storag.h>
RigidDiskBlock	<devices/hardblocks.h>
RootNode	<dos/dosextens.h>
RxsLib	<rex/rxslib.h>
SatisfyMsg	<devices/clipboard.h>
Screen	<intuition/screens.h>
SCSICmd	<devices/scsidisk.h>
Segment	<dos/dosextens.h>
Semaphore	<exec/semaphores.h>
SemaphoreRequest	<exec/semaphores.h>
SGWork	<intuition/sghooks.h>
SignalSemaphore	<exec/semaphores.h>
SimpleSprite	<graphics/sprite.h>
SoftIntList	<exec/interrupts.h>
SpecialMonitor	<graphics/monitor.h>
SrcNode	<rex/storag.h>
StackSwapStruct	<exec/tasks.h>
StandardPacket	<dos/dosextens.h>
StoredProperty	<libraries/iffparse.h>
StringExtend	<intuition/sghooks.h>
StringInfo	<intuition/intuition.h>
TagItem	<utility/tagitem.h>
Task	<exec/tasks.h>
TAvailFonts	<libraries/diskfont.h>
TDU_PublicUnit	<devices/trackdisk.h>
TextAttr	<graphics/text.h>
TextExtent	<graphics/text.h>
TextFont	<graphics/text.h>
TextFontExtension	<graphics/text.h>
TFontContents	<libraries/diskfont.h>
timerequest	<devices/timer.h>
timeval	<devices/timer.h>
TmpRas	<graphics/rastport.h>
TTextAttr	<graphics/text.h>
UCopList	<graphics/copper.h>
Unit	<exec/devices.h>
View	<graphics/view.h>
ViewExtra	<graphics/view.h>
ViewPort	<graphics/view.h>
ViewPortExtra	<graphics/view.h>
VSprite	<graphics/gels.h>
WBArg	<workbench/startup.h>
WBStartup	<workbench/startup.h>
Window	<intuition/intuition.h>
_Object	<intuition/classes.h>