

FunctionXREF

COLLABORATORS

	TITLE : FunctionXREF		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 18, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	FunctionXREF	1
1.1	2.0 Function Index	1

Chapter 1

FunctionXREF

1.1 2.0 Function Index

--background--	(filesysres.resource)
--background--	(timer.device)
AbleICR()	(cia.resource)
AbortIO()	(audio.device)
AbortIO()	(exec.library)
AbortIO()	(narrator.device)
AbortIO()	(serial.device)
AbortIO()	(timer.device)
AbortPkt()	(dos.library)
ActivateCxObj()	(commodities.library)
ActivateGadget()	(intuition.library)
ActivateWindow()	(intuition.library)
ADCMD_ALLOCATE	(audio.device)
ADCMD_FINISH	(audio.device)
ADCMD_FREE	(audio.device)
ADCMD_LOCK	(audio.device)
ADCMD_PERVOL	(audio.device)
ADCMD_SETPREC	(audio.device)
ADCMD_WAITCYCLE	(audio.device)
AddAnimOb()	(graphics.library)
AddAppIconA()	(wb.library)
AddAppMenuItemA()	(wb.library)
AddAppWindowA()	(wb.library)
AddBob()	(graphics.library)
AddBootNode()	(expansion.library)
AddBuffers()	(dos.library)
AddClass()	(intuition.library)
AddConfigDev()	(expansion.library)
AddDevice()	(exec.library)
AddDosEntry()	(dos.library)
AddDosNode()	(expansion.library)
AddFont()	(graphics.library)
AddFreeList()	(icon.library)
AddGadget()	(intuition.library)
AddGList()	(intuition.library)
AddHead()	(exec.library)
AddICRVector()	(cia.resource)

AddIEvents()	(commodities.library)
AddIntServer()	(exec.library)
AddLibrary()	(exec.library)
AddMemList()	(exec.library)
AddPart()	(dos.library)
AddPort()	(exec.library)
AddResource()	(exec.library)
AddSegment()	(dos.library)
AddSemaphore()	(exec.library)
AddTail()	(exec.library)
AddTask()	(exec.library)
AddTime()	(timer.device)
AddTOF()	(amiga_lib.library)
AddVSprite()	(graphics.library)
afp()	(amiga_lib.library)
Alert()	(exec.library)
AllocAbs()	(exec.library)
AllocAslRequest()	(asl.library)
Allocate()	(exec.library)
AllocateTagItems()	(utility.library)
AllocConfigDev()	(expansion.library)
AllocDosObject()	(dos.library)
AllocEntry()	(exec.library)
AllocExpansionMem()	(expansion.library)
AllocFileRequest()	(asl.library)
AllocIFF()	(iffparse.library)
AllocLocalItem()	(iffparse.library)
AllocMem()	(exec.library)
AllocMiscResource()	(misc.resource)
AllocPotBits()	(potgo.resource)
AllocRaster()	(graphics.library)
AllocRemember()	(intuition.library)
AllocSignal()	(exec.library)
AllocTrap()	(exec.library)
AllocUnit()	(disk.resource)
AllocVec()	(exec.library)
Amiga2Date()	(utility.library)
AndRectRegion()	(graphics.library)
AndRegionRegion()	(graphics.library)
Animate()	(graphics.library)
AreaCircle()	(graphics.library)
AreaDraw()	(graphics.library)
AreaEllipse()	(graphics.library)
AreaEnd()	(graphics.library)
AreaMove()	(graphics.library)
ArgArrayDone()	(amiga_lib.library)
ArgArrayInit()	(amiga_lib.library)
ArgInt()	(amiga_lib.library)
ArgString()	(amiga_lib.library)
arnd()	(amiga_lib.library)
AskFont()	(graphics.library)
AskKeyMapDefault()	(keymap.library)
AskSoftStyle()	(graphics.library)
AslRequest()	(asl.library)
AssignAdd()	(dos.library)
AssignLate()	(dos.library)
AssignLock()	(dos.library)

AssignPath()	(dos.library)
AttachCxObj()	(commodities.library)
AttemptLockDosList()	(dos.library)
AttemptLockLayerRom()	(graphics.library)
AttemptSemaphore()	(exec.library)
AutoRequest()	(intuition.library)
AvailFonts()	(diskfont.library)
AvailMem()	(exec.library)
BeginIO()	(amiga_lib.library)
BeginIO()	(audio.device)
BeginIO()	(serial.device)
BeginRefresh()	(intuition.library)
BeginUpdate()	(layers.library)
BehindLayer()	(layers.library)
BitMapScale()	(graphics.library)
BltBitMap()	(graphics.library)
BltBitMapRastPort()	(graphics.library)
BltClear()	(graphics.library)
BltMaskBitMapRastPort()	(graphics.library)
BltPattern()	(graphics.library)
BltTemplate()	(graphics.library)
BuildEasyRequestArgs()	(intuition.library)
BuildSysRequest()	(intuition.library)
BumpRevision()	(icon.library)
CacheClearE()	(exec.library)
CacheClearU()	(exec.library)
CacheControl()	(exec.library)
CachePostDMA()	(exec.library)
CachePreDMA()	(exec.library)
CallHook()	(amiga_lib.library)
CallHookA()	(amiga_lib.library)
CallHookPkt()	(utility.library)
Cause()	(exec.library)
CBD_CHANGEHOOK	(clipboard.device)
CBD_CURRENTREADID	(clipboard.device)
CBD_CURRENTWRITEID	(clipboard.device)
CBD_POST	(clipboard.device)
CBump()	(graphics.library)
CDInputHandler()	(console.device)
CD_ASKDEFAULTKEYMAP	(console.device)
CD_ASKKEYMAP	(console.device)
CD_SETDEFAULTKEYMAP	(console.device)
CD_SETKEYMAP	(console.device)
CEND	(graphics.library)
ChangeMode()	(dos.library)
ChangeSprite()	(graphics.library)
ChangeWindowBox()	(intuition.library)
CheckDate()	(utility.library)
CheckIO()	(exec.library)
CheckRexxMsg()	(amiga_lib.library)
CheckSignal()	(dos.library)
CINIT	(graphics.library)
ClearCxObjError()	(commodities.library)
ClearDMRequest()	(intuition.library)
ClearEOL()	(graphics.library)

ClearMenuStrip()	(intuition.library)
ClearPointer()	(intuition.library)
ClearRectRegion()	(graphics.library)
ClearRegion()	(graphics.library)
ClearRexxMsg()	(rexsyslib.library)
ClearScreen()	(graphics.library)
Cli()	(dos.library)
CliInitNewcli()	(dos.library)
CliInitRun()	(dos.library)
ClipBlit()	(graphics.library)
CloneTagItems()	(utility.library)
Close()	(dos.library)
CloseClipboard()	(iffparse.library)
CloseDevice()	(audio.device)
CloseDevice()	(exec.library)
CloseDevice()	(narrator.device)
CloseDevice()	(serial.device)
CloseFont()	(graphics.library)
CloseIFF()	(iffparse.library)
CloseLibrary()	(exec.library)
CloseMonitor()	(graphics.library)
CloseScreen()	(intuition.library)
CloseWindow()	(intuition.library)
CloseWorkBench()	(intuition.library)
CMD_CLEAR	(audio.device)
CMD_CLEAR	(console.device)
CMD_CLEAR	(keyboard.device)
CMD_CLEAR	(parallel.device)
CMD_CLEAR	(serial.device)
CMD_CLEAR	(trackdisk.device)
CMD_FLUSH	(audio.device)
CMD_FLUSH	(narrator.device)
CMD_FLUSH	(parallel.device)
CMD_FLUSH	(printer.device)
CMD_FLUSH	(serial.device)
CMD_INVALID	(printer.device)
CMD_READ	(audio.device)
CMD_READ	(clipboard.device)
CMD_READ	(console.device)
CMD_READ	(narrator.device)
CMD_READ	(parallel.device)
CMD_READ	(serial.device)
CMD_READ	(trackdisk.device)
CMD_RESET	(audio.device)
CMD_RESET	(narrator.device)
CMD_RESET	(parallel.device)
CMD_RESET	(printer.device)
CMD_RESET	(serial.device)
CMD_START	(audio.device)
CMD_START	(narrator.device)
CMD_START	(parallel.device)
CMD_START	(printer.device)
CMD_START	(serial.device)
CMD_STOP	(audio.device)
CMD_STOP	(narrator.device)
CMD_STOP	(parallel.device)
CMD_STOP	(printer.device)

CMD_STOP	(serial.device)
CMD_UPDATE	(audio.device)
CMD_UPDATE	(clipboard.device)
CMD_UPDATE	(trackdisk.device)
CMD_WRITE	(audio.device)
CMD_WRITE	(clipboard.device)
CMD_WRITE	(console.device)
CMD_WRITE	(narrator.device)
CMD_WRITE	(parallel.device)
CMD_WRITE	(printer.device)
CMD_WRITE	(serial.device)
CMD_WRITE	(trackdisk.device)
CMOVE	(graphics.library)
CmpTime()	(timer.device)
CoerceMethod()	(amiga_lib.library)
CoerceMethodA()	(amiga_lib.library)
ColdReboot()	(exec.library)
CollectionChunk()	(iffparse.library)
CollectionChunks()	(iffparse.library)
CompareDates()	(dos.library)
ConfigBoard()	(expansion.library)
CopyMem()	(exec.library)
CopyMemQuick()	(exec.library)
CopySBitMap()	(graphics.library)
CreateArgstring()	(rexxsyslib.library)
CreateBehindHookLayer()	(layers.library)
CreateBehindLayer()	(layers.library)
CreateContext()	(gadtools.library)
CreateCxObj()	(commodities.library)
CreateDir()	(dos.library)
CreateExtIO()	(amiga_lib.library)
CreateGadgetA()	(gadtools.library)
CreateIORequest()	(exec.library)
CreateMenusA()	(gadtools.library)
CreateMsgPort()	(exec.library)
CreateNewProc()	(dos.library)
CreatePort()	(amiga_lib.library)
CreateProc()	(dos.library)
CreateRexxMsg()	(rexxsyslib.library)
CreateStdIO()	(amiga_lib.library)
CreateTask()	(amiga_lib.library)
CreateUpfrontHookLayer()	(layers.library)
CreateUpfrontLayer()	(layers.library)
CurrentChunk()	(iffparse.library)
CurrentDir()	(dos.library)
CurrentTime()	(intuition.library)
CWAIT	(graphics.library)
CxBroker()	(commodities.library)
CxCustom()	(amiga_lib.library)
CxDebug()	(amiga_lib.library)
CxFilter()	(amiga_lib.library)
CxMsgData()	(commodities.library)
CxMsgID()	(commodities.library)
CxMsgType()	(commodities.library)
CxObjError()	(commodities.library)
CxObjType()	(commodities.library)
CxSender()	(amiga_lib.library)

CxSignal ()	(amiga_lib.library)
CxTranslate ()	(amiga_lib.library)
Date2Amiga ()	(utility.library)
DateStamp ()	(dos.library)
DateToStr ()	(dos.library)
dbf ()	(amiga_lib.library)
DDoFmt ()	(ddebug_lib.library)
Deallocate ()	(exec.library)
Debug ()	(exec.library)
Delay ()	(dos.library)
DeleteArgstring ()	(rexxsyslib.library)
DeleteCxObj ()	(commodities.library)
DeleteCxObjAll ()	(commodities.library)
DeleteDiskObject ()	(icon.library)
DeleteExtIO ()	(amiga_lib.library)
DeleteFile ()	(dos.library)
DeleteIORequest ()	(exec.library)
DeleteLayer ()	(layers.library)
DeleteMsgPort ()	(exec.library)
DeletePort ()	(amiga_lib.library)
DeleteRexxMsg ()	(rexxsyslib.library)
DeleteStdIO ()	(amiga_lib.library)
DeleteTask ()	(amiga_lib.library)
DeleteVar ()	(dos.library)
DeviceProc ()	(dos.library)
DGetChar ()	(ddebug_lib.library)
DGetNum ()	(ddebug_lib.library)
Disable ()	(exec.library)
DisownBlitter ()	(graphics.library)
DisplayAlert ()	(intuition.library)
DisplayBeep ()	(intuition.library)
DisposeCxMsg ()	(commodities.library)
DisposeFontContents ()	(diskfont.library)
DisposeLayerInfo ()	(layers.library)
DisposeObject ()	(intuition.library)
DisposeRegion ()	(graphics.library)
DivertCxMsg ()	(commodities.library)
DMayGetChar ()	(ddebug_lib.library)
DoCollision ()	(graphics.library)
DoIO ()	(exec.library)
DoMethod ()	(amiga_lib.library)
DoMethodA ()	(amiga_lib.library)
DoPkt ()	(dos.library)
DoSuperMethod ()	(amiga_lib.library)
DoSuperMethodA ()	(amiga_lib.library)
DoubleClick ()	(intuition.library)
DPutChar ()	(ddebug_lib.library)
DPutFmt ()	(ddebug_lib.library)
DPutStr ()	(ddebug_lib.library)
Draw ()	(graphics.library)
DrawBevelBoxA ()	(gadtools.library)
DrawBorder ()	(intuition.library)
DrawEllipse ()	(graphics.library)
DrawGList ()	(graphics.library)
DrawImage ()	(intuition.library)
DrawImageState ()	(intuition.library)

DupLock ()	(dos.library)
DupLockFromFH ()	(dos.library)
EasyRequestArgs ()	(intuition.library)
Enable ()	(exec.library)
EndNotify ()	(dos.library)
EndRefresh ()	(intuition.library)
EndRequest ()	(intuition.library)
EndUpdate ()	(layers.library)
Enqueue ()	(exec.library)
EnqueueCxObj ()	(commodities.library)
EntryHandler ()	(iffparse.library)
EraseImage ()	(intuition.library)
EraseRect ()	(graphics.library)
ErrorReport ()	(dos.library)
ExAll ()	(dos.library)
Examine ()	(dos.library)
ExamineFH ()	(dos.library)
Execute ()	(dos.library)
Exit ()	(dos.library)
ExitHandler ()	(iffparse.library)
ExNext ()	(dos.library)
Expunge ()	(audio.device)
ExtendFont ()	(graphics.library)
FastRand ()	(amiga_lib.library)
FattenLayerInfo ()	(layers.library)
Fault ()	(dos.library)
FGetC ()	(dos.library)
FGets ()	(dos.library)
FilePart ()	(dos.library)
FillRexxMsg ()	(rexsyslib.library)
FilterTagChanges ()	(utility.library)
FilterTagItems ()	(utility.library)
FindArg ()	(dos.library)
FindCliProc ()	(dos.library)
FindCollection ()	(iffparse.library)
FindConfigDev ()	(expansion.library)
FindDisplayInfo ()	(graphics.library)
FindDosEntry ()	(dos.library)
FindLocalItem ()	(iffparse.library)
FindName ()	(exec.library)
FindPort ()	(exec.library)
FindProp ()	(iffparse.library)
FindPropContext ()	(iffparse.library)
FindResident ()	(exec.library)
FindSegment ()	(dos.library)
FindSemaphore ()	(exec.library)
FindTagItem ()	(utility.library)
FindTask ()	(exec.library)
FindToolType ()	(icon.library)
FindVar ()	(dos.library)
Flood ()	(graphics.library)
Flush ()	(dos.library)
FontExtent ()	(graphics.library)
Forbid ()	(exec.library)
Format ()	(dos.library)

fpa ()	(amiga_lib.library)
FPutC ()	(dos.library)
Fputs ()	(dos.library)
FRead ()	(dos.library)
FreeArgs ()	(dos.library)
FreeAslRequest ()	(asl.library)
FreeClass ()	(intuition.library)
FreeColorMap ()	(graphics.library)
FreeConfigDev ()	(expansion.library)
FreeCopList ()	(graphics.library)
FreeCprList ()	(graphics.library)
FreeDeviceProc ()	(dos.library)
FreeDiskObject ()	(icon.library)
FreeDosEntry ()	(dos.library)
FreeDosObject ()	(dos.library)
FreeEntry ()	(exec.library)
FreeExpansionMem ()	(expansion.library)
FreeFileRequest ()	(asl.library)
FreeFreeList ()	(icon.library)
FreeGadgets ()	(gadtools.library)
FreeGBuffers ()	(graphics.library)
FreeIEvents ()	(amiga_lib.library)
FreeIFF ()	(iffparse.library)
FreeLocalItem ()	(iffparse.library)
FreeMem ()	(exec.library)
FreeMenus ()	(gadtools.library)
FreeMiscResource ()	(misc.resource)
FreePotBits ()	(potgo.resource)
FreeRaster ()	(graphics.library)
FreeRemember ()	(intuition.library)
FreeScreenDrawInfo ()	(intuition.library)
FreeSignal ()	(exec.library)
FreeSprite ()	(graphics.library)
FreeSysRequest ()	(intuition.library)
FreeTagItems ()	(utility.library)
FreeTrap ()	(exec.library)
FreeUnit ()	(disk.resource)
FreeVec ()	(exec.library)
FreeVisualInfo ()	(gadtools.library)
FreeVPortCopLists ()	(graphics.library)
FWrite ()	(dos.library)
GadgetMouse ()	(intuition.library)
GetArgStr ()	(dos.library)
GetAttr ()	(intuition.library)
GetCC ()	(exec.library)
GetColorMap ()	(graphics.library)
GetConsoleTask ()	(dos.library)
GetCurrentBinding ()	(expansion.library)
GetCurrentDirName ()	(dos.library)
GetDefaultPubScreen ()	(intuition.library)
GetDefDiskObject ()	(icon.library)
GetDefPrefs ()	(intuition.library)
GetDeviceProc ()	(dos.library)
GetDiskObject ()	(icon.library)
GetDiskObjectNew ()	(icon.library)
GetDisplayInfoData ()	(graphics.library)

GetFileSysTask()	(dos.library)
GetGBuffers()	(graphics.library)
GetMsg()	(exec.library)
GetPrefs()	(intuition.library)
GetProgramDir()	(dos.library)
GetProgramName()	(dos.library)
GetPrompt()	(dos.library)
GetRexxVar()	(amiga_lib.library)
GetRGB4()	(graphics.library)
GetScreenData()	(intuition.library)
GetScreenDrawInfo()	(intuition.library)
GetSprite()	(graphics.library)
GetSysTime()	(timer.device)
GetTagData()	(utility.library)
GetUnit()	(disk.resource)
GetUnitID()	(disk.resource)
GetVar()	(dos.library)
GetVisualInfoA()	(gadtools.library)
GetVPMODEID()	(graphics.library)
GfxAssociate()	(graphics.library)
GfxFree()	(graphics.library)
GfxLookUP()	(graphics.library)
GfxNew()	(graphics.library)
GiveUnit()	(disk.resource)
GoodID()	(iffparse.library)
GoodType()	(iffparse.library)
GPD_ASKCTYPE	(gameport.device)
GPD_ASKTRIGGER	(gameport.device)
GPD_READEVENT	(gameport.device)
GPD_SETCTYPE	(gameport.device)
GPD_SETTRIGGER	(gameport.device)
GT_BeginRefresh()	(gadtools.library)
GT_EndRefresh()	(gadtools.library)
GT_FilterIMsg()	(gadtools.library)
GT_GetIMsg()	(gadtools.library)
GT_PostFilterIMsg()	(gadtools.library)
GT_RefreshWindow()	(gadtools.library)
GT_ReplyIMsg()	(gadtools.library)
GT_SetGadgetAttrsA()	(gadtools.library)
HookEntry()	(amiga_lib.library)
HookEntry()	(iffparse.library)
HotKey()	(amiga_lib.library)
IDtoStr()	(iffparse.library)
IEEEDPabs()	(mathieeedoubbas.library)
IEEEDPacos()	(mathieeedoubtrans.library)
IEEEDPadd()	(mathieeedoubbas.library)
IEEEDPasin()	(mathieeedoubtrans.library)
IEEEDPatan()	(mathieeedoubtrans.library)
IEEEDPceil()	(mathieeedoubbas.library)
IEEEDPcmp()	(mathieeedoubbas.library)
IEEEDPcos()	(mathieeedoubtrans.library)
IEEEDPcosh()	(mathieeedoubtrans.library)
IEEEDPdiv()	(mathieeedoubbas.library)
IEEEDPexp()	(mathieeedoubtrans.library)
IEEEDPfiieee()	(mathieeedoubtrans.library)

IEEEDPFix()	(mathieeedoubbas.library)
IEEEDPFloor()	(mathieeedoubbas.library)
IEEEDPFlt()	(mathieeedoubbas.library)
IEEEDPLog()	(mathieeedoubtrans.library)
IEEEDPLog10()	(mathieeedoubtrans.library)
IEEEDPMul()	(mathieeedoubbas.library)
IEEEDPNeg()	(mathieeedoubbas.library)
IEEEDPPow()	(mathieeedoubtrans.library)
IEEEDPSin()	(mathieeedoubtrans.library)
IEEEDPSincos()	(mathieeedoubtrans.library)
IEEEDPSinh()	(mathieeedoubtrans.library)
IEEEDPSqrt()	(mathieeedoubtrans.library)
IEEEDPSub()	(mathieeedoubbas.library)
IEEEDPTan()	(mathieeedoubtrans.library)
IEEEDPTanh()	(mathieeedoubtrans.library)
IEEEDPTieee()	(mathieeedoubtrans.library)
IEEEDPTst()	(mathieeedoubbas.library)
IEEESPAbs()	(mathieeesingbas.library)
IEEESPAcos()	(mathieeesingtrans.library)
IEEESPAdd()	(mathieeesingbas.library)
IEEESPAsin()	(mathieeesingtrans.library)
IEEESPAtan()	(mathieeesingtrans.library)
IEEESPCeil()	(mathieeesingbas.library)
IEEESPCmp()	(mathieeesingbas.library)
IEEESPCos()	(mathieeesingtrans.library)
IEEESPCosh()	(mathieeesingtrans.library)
IEEESPDiv()	(mathieeesingbas.library)
IEEESPExp()	(mathieeesingtrans.library)
IEEESPFieee()	(mathieeesingtrans.library)
IEEESPFix()	(mathieeesingbas.library)
IEEESPFloor()	(mathieeesingbas.library)
IEEESPFlt()	(mathieeesingbas.library)
IEEESPLog()	(mathieeesingtrans.library)
IEEESPLog10()	(mathieeesingtrans.library)
IEEESPMul()	(mathieeesingbas.library)
IEEESPNeg()	(mathieeesingbas.library)
IEEESPPow()	(mathieeesingtrans.library)
IEEESPSin()	(mathieeesingtrans.library)
IEEESPSincos()	(mathieeesingtrans.library)
IEEESPSinh()	(mathieeesingtrans.library)
IEEESPSqrt()	(mathieeesingtrans.library)
IEEESPSub()	(mathieeesingbas.library)
IEEESPTan()	(mathieeesingtrans.library)
IEEESPTanh()	(mathieeesingtrans.library)
IEEESPTieee()	(mathieeesingtrans.library)
IEEESPTst()	(mathieeesingbas.library)
IND_ADDHANDLER	(input.device)
IND_REMHANDLER	(input.device)
IND_SETMPORT	(input.device)
IND_SETMTRIG	(input.device)
IND_SETMTYPE	(input.device)
IND_SETPERIOD	(input.device)
IND_SETTHRESH	(input.device)
IND_WRITEEVENT	(input.device)
Info()	(dos.library)
Inhibit()	(dos.library)
InitArea()	(graphics.library)

InitBitMap ()	(graphics.library)
InitCode ()	(exec.library)
InitGels ()	(graphics.library)
InitGMasks ()	(graphics.library)
InitIFF ()	(iffparse.library)
InitIFFasClip ()	(iffparse.library)
InitIFFasDOS ()	(iffparse.library)
InitLayers ()	(layers.library)
InitMasks ()	(graphics.library)
InitRastPort ()	(graphics.library)
InitRequester ()	(intuition.library)
InitResident ()	(exec.library)
InitSemaphore ()	(exec.library)
InitStruct ()	(exec.library)
InitTmpRas ()	(graphics.library)
InitView ()	(graphics.library)
InitVPort ()	(graphics.library)
Input ()	(dos.library)
Insert ()	(exec.library)
InsertCxObj ()	(commodities.library)
InstallClipRegion ()	(layers.library)
InstallLayerHook ()	(layers.library)
InternalLoadSeg ()	(dos.library)
InternalUnLoadSeg ()	(dos.library)
IntuiTextLength ()	(intuition.library)
InvertKeyMap ()	(commodities.library)
InvertString ()	(amiga_lib.library)
IoErr ()	(dos.library)
IsFileSystem ()	(dos.library)
IsInteractive ()	(dos.library)
IsRexxMsg ()	(rexsyslib.library)
ItemAddress ()	(intuition.library)
KBD_ADDRESETHANDLER	(keyboard.device)
KBD_READEVENT	(keyboard.device)
KBD_READMATRIX	(keyboard.device)
KBD_REMRESETHANDLER	(keyboard.device)
KBD_RESETHANDLERDONE	(keyboard.device)
KCmpStr ()	(ddebug_lib.library)
KCmpStr ()	(debug_lib.library)
KGetChar ()	(debug_lib.library)
KGetNum ()	(debug_lib.library)
KMayGetChar ()	(debug_lib.library)
KPrintf ()	(debug_lib.library)
KPutChar ()	(debug_lib.library)
KPutStr ()	(debug_lib.library)
LayoutMenuItemsA ()	(gadtools.library)
LayoutMenusA ()	(gadtools.library)
LengthArgstring ()	(rexsyslib.library)
LoadRGB4 ()	(graphics.library)
LoadSeg ()	(dos.library)
LoadView ()	(graphics.library)
LocalItemData ()	(iffparse.library)
Lock ()	(dos.library)
LockDosList ()	(dos.library)
LockIBase ()	(intuition.library)

LockLayer ()	(layers.library)
LockLayerInfo ()	(layers.library)
LockLayerRom ()	(graphics.library)
LockLayers ()	(layers.library)
LockPubScreen ()	(intuition.library)
LockPubScreenList ()	(intuition.library)
LockRecord ()	(dos.library)
LockRecords ()	(dos.library)
LockRexxBase ()	(rexsyslib.library)
MakeClass ()	(intuition.library)
MakeDosEntry ()	(dos.library)
MakeDosNode ()	(expansion.library)
MakeFunctions ()	(exec.library)
MakeLibrary ()	(exec.library)
MakeLink ()	(dos.library)
MakeScreen ()	(intuition.library)
MakeVPort ()	(graphics.library)
MapANSI ()	(keymap.library)
MapRawKey ()	(keymap.library)
MapTags ()	(utility.library)
MatchEnd ()	(dos.library)
MatchFirst ()	(dos.library)
MatchNext ()	(dos.library)
MatchPattern ()	(dos.library)
MatchPatternNoCase ()	(dos.library)
MatchToolValue ()	(icon.library)
MaxCli ()	(dos.library)
ModeNotAvailable ()	(graphics.library)
ModifyIDCMP ()	(intuition.library)
ModifyProp ()	(intuition.library)
Move ()	(graphics.library)
MoveLayer ()	(layers.library)
MoveLayerInFrontOf ()	(layers.library)
MoveScreen ()	(intuition.library)
MoveSizeLayer ()	(layers.library)
MoveSprite ()	(graphics.library)
MoveWindow ()	(intuition.library)
MoveWindowInFrontOf ()	(intuition.library)
MrgCop ()	(graphics.library)
NameFromFH ()	(dos.library)
NameFromLock ()	(dos.library)
NewFontContents ()	(diskfont.library)
NewLayerInfo ()	(layers.library)
NewList ()	(amiga_lib.library)
NewLoadSeg ()	(dos.library)
NewModifyProp ()	(intuition.library)
NewObject ()	(intuition.library)
NewRegion ()	(graphics.library)
NewScaledDiskFont ()	(diskfont.library)
NextDisplayInfo ()	(graphics.library)
NextDosEntry ()	(dos.library)
NextObject ()	(intuition.library)
NextPubScreen ()	(intuition.library)
NextTagItem ()	(utility.library)

ObtainBattSemaphore()	(battmem.resource)
ObtainConfigBinding()	(expansion.library)
ObtainGIRPort()	(intuition.library)
ObtainSemaphore()	(exec.library)
ObtainSemaphoreList()	(exec.library)
ObtainSemaphoreShared()	(exec.library)
OffGadget()	(intuition.library)
OffMenu()	(intuition.library)
OldOpenLibrary()	(exec.library)
OnGadget()	(intuition.library)
OnMenu()	(intuition.library)
Open()	(dos.library)
OpenClipboard()	(iffparse.library)
OpenDevice()	(audio.device)
OpenDevice()	(console.device)
OpenDevice()	(exec.library)
OpenDevice()	(narrator.device)
OpenDevice()	(parallel.device)
OpenDevice()	(serial.device)
OpenDiskFont()	(diskfont.library)
OpenFont()	(graphics.library)
OpenFromLock()	(dos.library)
OpenIFF()	(iffparse.library)
OpenLibrary()	(exec.library)
OpenMonitor()	(graphics.library)
OpenResource()	(exec.library)
OpenScreen()	(intuition.library)
OpenScreenTagList()	(intuition.library)
OpenWindow()	(intuition.library)
OpenWindowTagList()	(intuition.library)
OpenWorkBench()	(intuition.library)
OrRectRegion()	(graphics.library)
OrRegionRegion()	(graphics.library)
Output()	(dos.library)
OwnBlitter()	(graphics.library)
PackBoolTags()	(utility.library)
ParentChunk()	(iffparse.library)
ParentDir()	(dos.library)
ParentOfFH()	(dos.library)
ParseIFF()	(iffparse.library)
ParseIX()	(commodities.library)
ParsePattern()	(dos.library)
ParsePatternNoCase()	(dos.library)
PathPart()	(dos.library)
PDCMD_QUERY	(parallel.device)
PDCMD_SETPARAMS	(parallel.device)
PeekQualifier()	(input.device)
Permit()	(exec.library)
PointInImage()	(intuition.library)
PolyDraw()	(graphics.library)
PopChunk()	(iffparse.library)
PRD_DUMPRPORT	(printer.device)
PRD_PRTCOMMAND	(printer.device)
PRD_QUERY	(printer.device)
PRD_RAWWRITE	(printer.device)
printf()	(amiga_lib.library)

PrintFault ()	(dos.library)
PrintIText ()	(intuition.library)
Procure ()	(exec.library)
PropChunk ()	(iffparse.library)
PropChunks ()	(iffparse.library)
PubScreenStatus ()	(intuition.library)
PushChunk ()	(iffparse.library)
PutDefDiskObject ()	(icon.library)
PutDiskObject ()	(icon.library)
PutMsg ()	(exec.library)
PutStr ()	(dos.library)
PWrite ()	(printer.device)
QBlit ()	(graphics.library)
QBSBlit ()	(graphics.library)
QueryOverscan ()	(intuition.library)
RangeRand ()	(amiga_lib.library)
RawDoFmt ()	(exec.library)
RawKeyConvert ()	(console.device)
Read ()	(dos.library)
ReadArgs ()	(dos.library)
ReadBattClock ()	(battclock.resource)
ReadBattMem ()	(battmem.resource)
ReadChunkBytes ()	(iffparse.library)
ReadChunkRecords ()	(iffparse.library)
ReadEClock ()	(timer.device)
ReadExpansionByte ()	(expansion.library)
ReadExpansionRom ()	(expansion.library)
ReadItem ()	(dos.library)
ReadLink ()	(dos.library)
ReadPixel ()	(graphics.library)
ReadPixelArray8 ()	(graphics.library)
ReadPixelLine8 ()	(graphics.library)
ReadUnitID ()	(disk.resource)
RectFill ()	(graphics.library)
RefreshGadgets ()	(intuition.library)
RefreshGList ()	(intuition.library)
RefreshTagItemClones ()	(utility.library)
RefreshWindowFrame ()	(intuition.library)
Relabel ()	(dos.library)
ReleaseBattSemaphore ()	(battmem.resource)
ReleaseConfigBinding ()	(expansion.library)
ReleaseGIRPort ()	(intuition.library)
ReleaseSemaphore ()	(exec.library)
ReleaseSemaphoreList ()	(exec.library)
RemakeDisplay ()	(intuition.library)
RemAssignList ()	(dos.library)
RemBob ()	(graphics.library)
RemConfigDev ()	(expansion.library)
RemDevice ()	(exec.library)
RemDosEntry ()	(dos.library)
RemFont ()	(graphics.library)
RemHead ()	(exec.library)
RemIBob ()	(graphics.library)
RemICRVector ()	(cia.resource)
RemIntServer ()	(exec.library)

RemLibrary()	(exec.library)
Remove()	(exec.library)
RemoveAppIcon()	(wb.library)
RemoveAppMenuItem()	(wb.library)
RemoveAppWindow()	(wb.library)
RemoveClass()	(intuition.library)
RemoveCxObj()	(commodities.library)
RemoveGadget()	(intuition.library)
RemoveGList()	(intuition.library)
RemPort()	(exec.library)
RemResource()	(exec.library)
RemSegment()	(dos.library)
RemSemaphore()	(exec.library)
RemTail()	(exec.library)
RemTask()	(exec.library)
RemTOF()	(amiga_lib.library)
RemVSprite()	(graphics.library)
Rename()	(dos.library)
ReplyMsg()	(exec.library)
ReplyPkt()	(dos.library)
ReportMouse()	(intuition.library)
Request()	(intuition.library)
RequestFile()	(asl.library)
ResetBattClock()	(battclock.resource)
ResetMenuStrip()	(intuition.library)
RethinkDisplay()	(intuition.library)
RouteCxMsg()	(commodities.library)
RunCommand()	(dos.library)
SameDevice()	(dos.library)
SameLock()	(dos.library)
ScalerDiv()	(graphics.library)
ScreenToBack()	(intuition.library)
ScreenToFront()	(intuition.library)
ScrollLayer()	(layers.library)
ScrollRaster()	(graphics.library)
ScrollVPort()	(graphics.library)
SDCMD_BREAK	(serial.device)
SDCMD_QUERY	(serial.device)
SDCMD_SETPARAMS	(serial.device)
SDivMod32()	(utility.library)
Seek()	(dos.library)
SelectInput()	(dos.library)
SelectOutput()	(dos.library)
SendIO()	(exec.library)
SendPkt()	(dos.library)
SetAPen()	(graphics.library)
SetArgStr()	(dos.library)
SetAttrrsA()	(intuition.library)
SetBPen()	(graphics.library)
SetCollision()	(graphics.library)
SetComment()	(dos.library)
SetConsoleTask()	(dos.library)
SetCurrentBinding()	(expansion.library)
SetCurrentDirName()	(dos.library)
SetCxObjPri()	(commodities.library)
SetDefaultPubScreen()	(intuition.library)

SetDMRequest ()	(intuition.library)
SetDrMd ()	(graphics.library)
SetEditHook ()	(intuition.library)
SetExcept ()	(exec.library)
SetFileDate ()	(dos.library)
SetFileSize ()	(dos.library)
SetFileSysTask ()	(dos.library)
SetFilter ()	(commodities.library)
SetFilterIX ()	(commodities.library)
SetFont ()	(graphics.library)
SetFunction ()	(exec.library)
SetGadgetAttrsA ()	(intuition.library)
SetICR ()	(cia.resource)
SetIntVector ()	(exec.library)
SetIoErr ()	(dos.library)
SetKeyMapDefault ()	(keymap.library)
SetLocalItemPurge ()	(iffparse.library)
SetMenuStrip ()	(intuition.library)
SetMode ()	(dos.library)
SetMouseQueue ()	(intuition.library)
SetOPen ()	(graphics.library)
SetPointer ()	(intuition.library)
SetPrefs ()	(intuition.library)
SetProgramDir ()	(dos.library)
SetProgramName ()	(dos.library)
SetPrompt ()	(dos.library)
SetProtection ()	(dos.library)
SetPubScreenModes ()	(intuition.library)
SetRast ()	(graphics.library)
SetRexxVar ()	(amiga_lib.library)
SetRGB4 ()	(graphics.library)
SetRGB4CM ()	(graphics.library)
SetSignal ()	(exec.library)
SetSoftStyle ()	(graphics.library)
SetSR ()	(exec.library)
SetSuperAttrs ()	(amiga_lib.library)
SetTaskPri ()	(exec.library)
SetTranslate ()	(commodities.library)
SetVar ()	(dos.library)
SetVBuf ()	(dos.library)
SetWindowTitles ()	(intuition.library)
ShowTitle ()	(intuition.library)
Signal ()	(exec.library)
SizeLayer ()	(layers.library)
SizeWindow ()	(intuition.library)
SMult32 ()	(utility.library)
SortGList ()	(graphics.library)
SPAbs ()	(mathffp.library)
SPAcos ()	(mathtrans.library)
SPAdd ()	(mathffp.library)
SPAsin ()	(mathtrans.library)
SPAtan ()	(mathtrans.library)
SPCeil ()	(mathffp.library)
SPCmp ()	(mathffp.library)
SPCos ()	(mathtrans.library)
SPCosh ()	(mathtrans.library)
SPDiv ()	(mathffp.library)

SPExp()	(mathtrans.library)
SPFieee()	(mathtrans.library)
SPFix()	(mathffp.library)
SPFloor()	(mathffp.library)
SPFlt()	(mathffp.library)
SplitName()	(dos.library)
SPLog()	(mathtrans.library)
SPLog10()	(mathtrans.library)
SPMul()	(mathffp.library)
SPNeg()	(mathffp.library)
SPPow()	(mathtrans.library)
sprintf()	(amiga_lib.library)
SPSin()	(mathtrans.library)
SPSincos()	(mathtrans.library)
SPSinh()	(mathtrans.library)
SPSqrt()	(mathtrans.library)
SPSub()	(mathffp.library)
SPTan()	(mathtrans.library)
SPTanh()	(mathtrans.library)
SPTieee()	(mathtrans.library)
SPTst()	(mathffp.library)
StackSwap()	(exec.library)
StartNotify()	(dos.library)
stdio()	(amiga_lib.library)
StopChunk()	(iffparse.library)
StopChunks()	(iffparse.library)
StopOnExit()	(iffparse.library)
StoreItemInContext()	(iffparse.library)
StoreLocalItem()	(iffparse.library)
Stricmp()	(utility.library)
StripFont()	(graphics.library)
Strnicmp()	(utility.library)
StrToDate()	(dos.library)
StrToLong()	(dos.library)
SubTime()	(timer.device)
SumKickData()	(exec.library)
SumLibrary()	(exec.library)
SuperState()	(exec.library)
Supervisor()	(exec.library)
SwapBitsRastPortClipRect()	(layers.library)
SyncSBitMap()	(graphics.library)
SysReqHandler()	(intuition.library)
SystemTagList()	(dos.library)
TagInArray()	(utility.library)
TD_ADDCHANGEINT	(trackdisk.device)
TD_CHANGENUM	(trackdisk.device)
TD_CHANGESTATE	(trackdisk.device)
TD_EJECT	(trackdisk.device)
TD_FORMAT	(trackdisk.device)
TD_GETDRIVETYPE	(trackdisk.device)
TD_GETGEOMETRY	(trackdisk.device)
TD_GETNUMTRACKS	(trackdisk.device)
TD_MOTOR	(trackdisk.device)
TD_PROTSTATUS	(trackdisk.device)
TD_RAWREAD	(trackdisk.device)
TD_RAWWRITE	(trackdisk.device)

TD_REMCHANGEINT	(trackdisk.device)
TD_SEEK	(trackdisk.device)
Text ()	(graphics.library)
TextExtent ()	(graphics.library)
TextFit ()	(graphics.library)
TextLength ()	(graphics.library)
ThinLayerInfo ()	(layers.library)
TimeDelay ()	(amiga_lib.library)
ToLower ()	(utility.library)
ToUpper ()	(utility.library)
Translate ()	(translator.library)
TR_ADDREQUEST	(timer.device)
TR_GETSYSTIME	(timer.device)
TR_SETSYSTIME	(timer.device)
TypeOfMem ()	(exec.library)
UDivMod32 ()	(utility.library)
UMult32 ()	(utility.library)
UnGetC ()	(dos.library)
UnLoadSeg ()	(dos.library)
UnLock ()	(dos.library)
UnLockDosList ()	(dos.library)
UnLockIBase ()	(intuition.library)
UnLockLayer ()	(layers.library)
UnLockLayerInfo ()	(layers.library)
UnLockLayerRom ()	(graphics.library)
UnLockLayers ()	(layers.library)
UnLockPubScreen ()	(intuition.library)
UnLockPubScreenList ()	(intuition.library)
UnLockRecord ()	(dos.library)
UnLockRecords ()	(dos.library)
UnLockRexxBase ()	(rexxsyslib.library)
UpfrontLayer ()	(layers.library)
UserState ()	(exec.library)
Vacate ()	(exec.library)
VBeamPos ()	(graphics.library)
VFPrintf ()	(dos.library)
VFWritef ()	(dos.library)
VideoControl ()	(graphics.library)
ViewAddress ()	(intuition.library)
ViewPortAddress ()	(intuition.library)
VPrintf ()	(dos.library)
Wait ()	(exec.library)
WaitBlit ()	(graphics.library)
WaitBOVP ()	(graphics.library)
WaitForChar ()	(dos.library)
WaitIO ()	(exec.library)
WaitPkt ()	(dos.library)
WaitPort ()	(exec.library)
WaitTOF ()	(graphics.library)
WBenchToBack ()	(intuition.library)
WBenchToFront ()	(intuition.library)
WeighTAMatch ()	(graphics.library)
WhichLayer ()	(layers.library)
WindowLimits ()	(intuition.library)

WindowToBack()	(intuition.library)
WindowToFront()	(intuition.library)
Write()	(dos.library)
WriteBattClock()	(battclock.resource)
WriteBattMem()	(battmem.resource)
WriteChars()	(dos.library)
WriteChunkBytes()	(iffparse.library)
WriteChunkRecords()	(iffparse.library)
WriteExpansionByte()	(expansion.library)
WritePixel()	(graphics.library)
WritePixelArray8()	(graphics.library)
WritePixelLine8()	(graphics.library)
WritePotgo()	(potgo.resource)
XorRectRegion()	(graphics.library)
XorRegionRegion()	(graphics.library)
ZipWindow()	(intuition.library)
