

relations

COLLABORATORS

	TITLE : relations		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 20, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	relations	1
1.1	A CD record example that uses relations between files	1

Chapter 1

relations

1.1 A CD record example that uses relations between files

This example shows how db can use ARexx to implement simple relations between files, in this case a file with information on CDs and another file with songs. If you understand this example then there is nothing stopping you from making your very own customer-invoice system.

Instructions:

By splitting the data into two files like this we gain some advantages:

- * Each CD can have any number of songs.
- * No information is duplicated.

The two files are "connected" via a common field; the CD number (CD #). This field represents the relation between the files.

To play with this example read this:

You can start any of the files by doubleclicking them. You don't have to start both. db will load the other automatically when needed.

If you view the data for a specific CD and want to see the songs on that CD, then just doubleclick on the CD # field and voilà, the Songs file will pop up showing the first song that exist in that CD. Use Enter and Shift-Enter to view the other songs.

To go in the other direction, i.e. to view the CD that corresponds to a song, just doubleclick on the CD # field in the Song file. The CD database will be loaded if it isn't loaded already.

To add CD's read this:

(in the CD database)

1. Select "New" from db's menu and select the CD # field.
2. Enter a unique CD number. If you don't do that you will be warned.
Or just press Enter or Tab to have db select a unique number for you.
3. Enter information in the other fields.

To add songs read this:

(in the Songs database)

1. Select "New" from db's menu and select the CD # field.
 2. Enter the number that corresponds to the desired CD.
-

db will look for the corresponding CD and warn you if it isn't there.
3. Enter information in the other fields.

To make your own databases with relations, read this:
This is quite simple as I use a generic ARexx script to
do look-ups in a database based upon the value in another.
Examine the files in this drawer and you'll figure out how it works.

Enjoy!