

Dolcon 1.5 documentation

COLLABORATORS

	TITLE : Dolcon 1.5 documentation		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 20, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	DoIcon 1.5 documentation	1
1.1	--- DoIcon 1.5 documentation ---	1
1.2	welcome	1
1.3	distribution	2
1.4	disclaimer	2
1.5	features	3
1.6	requirements	4
1.7	installation	4
1.8	usage	5
1.9	file	6
1.10	destinationfile	6
1.11	type	7
1.12	newtype	7
1.13	copytype	8
1.14	position	8
1.15	copyposition	8
1.16	NewPosition	8
1.17	UnSnapshot	9
1.18	NewDrawerPosition	9
1.19	NewDrawerDimensions	9
1.20	copydrawerposition	10
1.21	stacksize	10
1.22	newstacksize	10
1.23	copystacksize	10
1.24	defaulttool	11
1.25	newdefaulttool	11
1.26	copydefaulttool	11
1.27	searchdefaulttool	12
1.28	depth	12
1.29	stripdepth	12

1.30	depthto8	13
1.31	remap	13
1.32	remapmwb	13
1.33	highlight	13
1.34	newhighlight	14
1.35	copyimage	14
1.36	swapimage	14
1.37	tooltypes	15
1.38	changetooltype	15
1.39	addtooltype	15
1.40	copytooltypes	15
1.41	updatetooltypes	16
1.42	toggletooltype	16
1.43	deletetooltype	17
1.44	cleartooltypes	17
1.45	sorttooltypes	17
1.46	searchtooltypes	17
1.47	checktooltypevalue	18
1.48	wbinfo	18
1.49	imagetosource	19
1.50	delete	19
1.51	killoldinfo	19
1.52	deep	20
1.53	quiet	20
1.54	locale	20
1.55	address	21
1.56	History	21
1.57	future	23
1.58	bugs	24
1.59	thanks	24
1.60	PrettyGoodPrivacy	25

Chapter 1

Dolcon 1.5 documentation

1.1 --- Dolcon 1.5 documentation ---

```
<>>> DOICON 1.5 <<<>

Icon information and manipulation tool

<>>> ANYWARE! <<<>

(since version 1.4 DoIcon is no longer FREEWARE!)

Welcome          --- Welcome to DoIcon!
Distribution      --- Please read this first.
Disclaimer        --- Legal stuff.
Features          --- What can it do?
Requirements      --- What you need to run DoIcon.
Installation      --- How to install DoIcon.
Usage            --- Getting familiar with DoIcon.
Localization      --- Using DoIcon with different languages.
Author's Address  --- How you can reach me.
History          --- What has happened to DoIcon.
Future           --- Is there a future for it?
known Bugs       --- Oh no!
Thanks           --- Whom I must say "Thanks".
PGP stuff        --- Ignore this, if you don't use PGP.
```

DoIcon and this documentation are Copyright © 1994-1995 by Lars Eilebrecht.

1.2 welcome

Welcome to the DoIcon documentation.

Please read this documentation before you use DoIcon, otherwise DoIcon may modifies your icons in an unrecoverable way you did not intend!

When reading this guide, please remember:

All translation- and typing-errors are intentional

and belong to the whole work of art. ;-))

DoIcon is only a small tool, but I hope you will like it,
if not... just delete it... ;-)

DoIcon was successfully tested on the following Amigas:

- A3000 / 030 / OS 3.1
- A4000 / 040 / OS 3.1
- A2000 / 030 / OS 2.1
- A2000 / 000 / OS 2.1
- A500+ / 000 / OS 2.1
- A600 / 000 / OS 2.1

1.3 distribution

Since version 1.4 DoIcon is ANYWARE ;-), this means you MUST send me anything to register DoIcon, if you want to use it longer than one week (evaluation time).

It's not important what you send me, it can be really anything...

For example a bar of chocolate, any kind of computer items

(how about an A4000T? :-), but a CD-Caddy is always welcome...),

some bucks, a keyfile of a selfmade program, a nice letter, an interesting postcard or just some lines via EMail.

(All people who wrote to me about a previous version are automatically registered.)

DoIcon may be freely distributed as long as no charge is made other than to cover time and copying costs.

This should be not higher than what Fred Fish charges from one of his freely redistributable disks.

The program, documents and catalogs must be distributed in their original unmodified form.

Distribution of single parts of the DoIcon packet is not allowed.

Distribution via Meeting Pearls CDs, Fred Fish CDs/disks and Aminet CDs/disks is explicitly allowed.

If you would like to distribute DoIcon together with own programs (especially commercial packages) you need my permission for it!

Please see my Address on how you can reach me.

DoIcon and this documentation are Copyright © 1994-1995 by Lars Eilebrecht.

Amiga, Kickstart and Workbench are trademarks of Amiga Technologies GmbH

1.4 disclaimer

DISCLAIMER:

This product is distributed "as is" without representation or warranty of any kind, either expressed or implied.

The user assumes all risks and responsibilities related to its use.

(So don't blame me, if DoIcon blows-up your Amiga or eats your HD... ;-)

1.5 features

DoIcon is yet another icon tool, but it's designed for quick shell-usage and can perfectly work together with DirOpus or any similar tool. DoIcon is pure and can be made resident.

Features:

- Displaying of icon related values...
type, defaulttool, stacksize, highlightmethod, position, dimensions, tooltypes and number of bit-planes
 - Manipulation of the above listed values...
 - NEW! • Copying of stacksize, type, position, defaulttool and icon image into an other icon
 - Search & replace of a specified defaulttool (with pattern-support)
 - Manipulation of tooltypes (add, change, toggle, delete, clear all)
 - Search & replace of specified tooltypes (with pattern-support)
 - Search & delete of a specified tooltype (with pattern-support)
 - NEW! • Copying of all tooltypes into an other icon
 - NEW! • Sorting of tooltype array
 - NEW! • Updating of tooltypes (automatic copying of new tooltypes from a source into a destination icon)
 - Checking of tooltype-values for specified tooltypes
 - Strip number of bit-planes.
 - Converting icons to 8 bit-planes
(For icons which are not displayed correctly on >8 color WBs)
 - Remapping icon colors (1.x style <-> 2.x/3.x style)
 - Remapping icon colors (MagicWB 8 color -> Standard 4 color)
(Two different remap-methods are available, for best look of MagicWB icons on a 4 color Workbench)
-

- NEW! • Swapping icon images (normal/select)
- Deleting icons (with Workbench refresh)
 - Calling of Workbench information-requester from Shell
 - Converting icon-ImageData to C-Sourcecode
 - All above mentioned functions can be used together with a file pattern (with optional recursive directory scanning)
 - Recursively deleting of the old 1.x ".info"-drawerfiles
 - Full locale support, you can use DoIcon in your preferred language

1.6 requirements

DoIcon needs:

- any Amiga :-)
- Workbench 2.04 or higher
- some bytes of memory during usage... ;)
- and of course, lots of icons... :-)
- and it must be run from shell, if you try to run it from Workbench it will just exit

1.7 installation

Installation is very easy:

If you want to use the Installer, simply double-click on "Install-DoIcon"!

If you want to install DoIcon by hand, just do the following:

- 1) Copy "DoIcon" in any directory you want.
I recommend a directory within your search path (eg. C:)
- 2) When a catalog for your preferred language is available, just copy the appropriate DoIcon.catalog to "Locale:Catalogs/<language>".
- 3) This documentation may copied to the directory, where you store your guide files.

just do it!

1.8 usage

Usage: DoIcon < FROM/A/M > [< TO/K >] [<options>]
NEW!

Options:	Type=T	(switch)
	newType=newT	(string-option)
NEW!	copyType=copyT	(switch)
	Position=XY	(switch)
NEW!	copyPosition=copyXY	(switch)
	newX / newY	(number-option)
	freeX / freeY	(switch)
	newDX / newDY	(number-option)
	newDWidth / newDHeight	(number-option)
NEW!	copyDrawerPosition=copyDXY	(switch)
	Stacksize=SS	(switch)
	newStacksize=newSS	(number-option)
NEW!	copyStacksize=copySS	(switch)
	Defaulttool=DT	(switch)
	newDefaulttool=newDT	(string-option)
NEW!	copyDefaulttool=copyDT	(switch)
	searchDefaulttool=searchDT	(string-option)
	Depth=D	(switch)
	stripDepth=stripD	(number-option)
	DepthTo8	(switch)
	Remap	(switch)
	RemapMWB	(number-option)
	Highlight=HL	(switch)
	newHighlight=newHL	(string-option)
NEW!	swapImage=sIMG	(switch)
NEW!	copyImage=copyIMG	(switch)
	Tooltypes=TT	(switch)
	changeTooltype=cTT	(string/number-option)
	addTooltype=aTT	(string-option)
NEW!	copyTooltypes=copyTT	(switch)
NEW!	updateTooltypes=upTT	(switch)
	toggleTooltype=tTT	(number-option)
	deleteTooltype=delTT	(number-option)
	clearTooltypes=clearTT	(switch)
NEW!	sortTooltypes=sortTT	(switch)
	searchTooltypes=searchTT	(string-option)
	checkTooltypeValue=cTTV	(string-option)
	WBInfo=GUI	(switch)
	ImageToSource=IMGtoSRC	(switch)
	Delete	(switch)
	KillOldInfo	(switch)
	Deep=All	(switch)
	Quiet	(switch)

If you supply no options, DoIcon will display all icon values, depending on the icon-type.

1.9 file

FROM

DoIcon needs this argument for any operation.

You can supply the suffix ".info" to the filename, but you need not.

Since version 1.1 you can supply standard AmigaDOS-patterns (wildcards) as a file-argument.

All specified operations are used on the matching icons.

If you use the Deep/All switch together with a pattern, all sub-directories are entered and checked for matching icons.

Since version 1.2 you can supply multiple files/patterns as a file-argument.

Since version 1.4 you can give a destination icon via the TO option for some operations.

If you use the KillOldInfo-option you need to supply a device- or directory-name where DoIcon should start with the search.

Examples: "DoIcon sys:disk" will show you some information about this disk-icon.

"DoIcon sys:disk.info" will do the same.

"DoIcon sys:wbstartup/#? checktooltypevalue=cx_popkey"
This will output the values of the CX_PopKey-tooltype of the icons.

"DoIcon sys:#? delete deep" will delete all icons...
(This is just an example, DON'T really try this... ;-)

"DoIcon icon1 icon2 icon3" will show some info about these icons.

"DoIcon dir1/#? dir2/#?" will show info about all icons in these dirs.

"DoIcon sys: KillOldInfo" will delete all ".info"-files
on your system-device.

1.10 destinationfile

TO

You can supply the suffix ".info" to the filename, but you need not.

If you give a destination icon via TO you can only have one source icon. File patterns are not possible resp. allowed. The Deep/All has no effect when a destination icon is given.

Options that can be used with a destination icon are copyType, copyPosition, copyDrawerPosition, copyStacksize, copyDefaulttool, copyImage, copyTooltypes and updateTooltypes.

Examples: "DoIcon sys:disk to work:disk copyImage"

This copies the icon image.

"DoIcon icon1 to icon2 copyTooltypes"

This copies all tooltypes from icon1.info to icon2.info.

1.11 type

TYPE

minimum acceptable abbreviation: "T"

This switch shows you the icon-type of the supplied iconfile. This can be DISK, DRAWER, TOOL, PROJECT, TRASHCAN, DEVICE, KICK or APPICON. (eh... but DEVICE, KICK and APPICON may not appear very often... ;-))

Example: "DoIcon sys:disk type" will return DISK as icon-type

1.12 newtype

NEWTTYPE

minimum acceptable abbreviation: "newT"

This option changes the icon-type. It needs one of the following strings as input: DISK, DRAWER, TOOL, PROJECT, TRASHCAN, DEVICE, KICK or APPICON. (DEVICE, KICK and APPICON may not be used normally...)

Dependand on the supplied icon and the new icon-type default values like stacksize, window-position, window-dimensions... are set automatically during conversion.

If you convert an icon to DISK or DRAWER DoIcon tries to use the window-position and dimensions from "ENV:SYS/def_disk.info" resp.

"ENV:SYS/def_drawer.info".

If DoIcon don't find this icon, system defaults are used.

Example: "DoIcon sys:disk newtype=trashcan" will transform your disk-icon into a trashcan-icon. (just an example, don't try it... ;-)

1.13 copytype

COPYTYPE

minimum acceptable abbreviation: "copyT"

This option can only be used together with the TO-Option !

The value of the icon type is copied from a source to a destination icon.

Example: "DoIcon source_icon to dest_icon copyt"
'dest_icon' get the same type as 'source_icon'.

1.14 position

POSITION

minimum acceptable abbreviation: "XY"

This switch shows you the icon-position (relative to the window it's in) and the icon-dimensions in pixels.

If you have supplied a DISK or DRAWER icon the window-position and window-dimensions are automatically displayed.

Example: "DoIcon sys:disk xy" (just try it)

1.15 copyposition

COPYPOSITION

minimum acceptable abbreviation: "COPYXY"

This option can only be used together with the TO-Option !

The icon position is copied from the source to the destination icon.

Example: "DoIcon source_icon to dest_icon copyxy"

1.16 NewPosition

NEWX / NEWY

With newX and newY you can change the position of the icon.

NewX stands for the left edge of the icon and newY for the top edge.

Example: "DoIcon sys:disk newx=100 newy=100"
This will move your disk-icon to an other position...

1.17 UnSnapshot

FREEX / FREEY

With the freeX and freeY switch you can free the icon-position.
In other words, you can unsnapshot the icon with these switches.

Example: "DoIcon sys:disk freeX freeY" will unsnapshot your disk-icon

Restrictions: It's possible to free the x- and y-position separately.
With freeY everything goes fine, but when only the x-position is freed the Workbench even behaves like both positions are free!
When the Workbench finds a free x-position it concludes that the y-position must be free too... :-)

1.18 NewDrawerPosition

NEWDX / NEWDY

With newDX and newDY you can change the window-position of the icon.
NewDX stands for the left edge of the drawer-window and newDY for the top edge.
The supplied icon should be of type DISK or DRAWER.

Example: "DoIcon sys:disk newdx=100 newdy=100"
This will change the position of your system-window.

Restrictions: The window-position (if it's open) is not refreshed automatically. If you want the changes to take effect, you should "update" the window with the icon (NOT the window you have changed!).

1.19 NewDrawerDimensions

NEWDWIDTH / NEWDHEIGHT

With newDWidth and newDHeight you can change the window-dimensions of the icon.
The supplied icon should be of type DISK or DRAWER.

Example: "DoIcon sys:disk newdwidth=200 newdheight=200"
This will change the dimensions of your system-window.

Restrictions: The window-dimensions (if it's open) are not refreshed automatically. If you want the changes to take effect,

you should "update" the window with the icon
(NOT the window you have changed!).

1.20 copydrawerposition

COPYDRAWERPOSITION

minimum acceptable abbreviation: "COPYDXY"

This option can only be used together with the TO-Option !

Example: "DoIcon source_drawer to dest_drawer copydxy"

Restrictions: The window-dimensions (if it's open) are not refreshed automatically. If you want the changes to take effect, you should "update" the window with the destination icon (NOT the window you have changed!).

1.21 stacksize

STACKSIZE

minimum acceptable abbreviation: "SS"

This switch displays the Stacksize of the supplied icon.
The icon should be of type TOOL or PROJECT.

Example: "DoIcon sys:yourtool ss" (easy, isn't it? :-)

1.22 newstacksize

NEWSTACKSIZE

minimum acceptable abbreviation: "NEWSS"

This option changes the stacksize of the supplied icon.
You should pass the new stacksize in bytes to this option.

Example: "DoIcon sys:yourtool newss=8192"
Yeah... now yourtool has a stacksize of 8192 bytes... :)

1.23 copystacksize

COPYSTACKSIZE

minimum acceptable abbreviation: "COPYSS"

This option can only be used together with the TO-Option !

The value of the stacksize is copied from a source into a destination icon.

Example: "DoIcon source_icon to dest_icon copyss"

1.24 defaulttool

DEFAULTTOOL

minimum acceptable abbreviation: "DT"

This switch displays the Defaulttool of the supplied icon.
The icon should be of type DISK or PROJECT.
But ALL icon-types are checked, because even a TOOL-icon can have a defaulttool! The Tool does not use it, but there may be one stored in the iconfile!

Example: "DoIcon sys:disk dt" should return "SYS:System/DiskCopy"

1.25 newdefaulttool

NEWDEFAULTTOOL

minimum acceptable abbreviation: "NEWDT"

This option changes the defaulttool of the supplied icon.
The icon should be of type DISK or PROJECT.
You can pass any string to this option, but if there are spaces in the string you must embrace it with quotation-marks.

If you want search for a specific defaulttool and replace it with a new one you can use this option together with searchDefaulttool.

Example: "DoIcon sys:disk newdt=SYS:myDiskCopy"

1.26 copydefaulttool

COPYDEFAULTTOOL

minimum acceptable abbreviation: "COPYDT"

This option can only be used together with the TO-Option !

The value of the defaulttool is copied from a source into a destination icon.

Example: "DoIcon source_icon to dest_icon copydt"

1.27 searchdefaulttool

SEARCHDEFAULTTOOL

minimum acceptable abbreviation: "SEARCHDT"

This option is used for searching a specific defaulttool and replacing it with a new one. The new defaulttool must be supplied via the newDefaulttool option.

As a search argument you can use either the complete name of the defaulttool or simply a pattern.

Examples: "DoIcon sys:#? searchdt=c:less newdt=c:muchmore deep"

This checks every icon on your system-partition and replaces any occurrence of "c:less" with "c:muchmore".

"DoIcon sys:#? searchdt=#?less newdt=c:muchmore deep"

This checks all icons and replaces any defaulttool that ends with "less" with "c:muchmore".

1.28 depth

DEPTH

minimum acceptable abbreviation: "D"

This switch displays the number of bit-planes of the supplied icon. Icon-images normally consist of 1, 2, 3, 4 or 8 bit-planes. This refers to 2, 4, 8, 16 or 256 colors.

1.29 stripdepth

STRIPDEPTH

minimum acceptable abbreviation: "STRIPD"

This option strips an icon down to a specified number of bit-planes. You can use 1, 2, 3, or 4 bit-planes.

Example: `"DoIcon sys:disk stripd=2"`

This strips your icon down to 2 bit-planes (4 colors), provided that the original icon consisted of 3 or more bit-planes.

1.30 depthto8

DEPTHTO8

This switch converts an 3 bit-plane icon to an 8 bit-plane icon. On a Workbench with more than 8 colors some icons with 3 bit-planes are not displayed correctly, but with "DepthTo8" you can convert these icons.

After conversion the icon should be displayed correctly.

1.31 remap

REMAP

This switch exchanges color 1 and 2 of the icon.

WB 1.x uses as standard color scheme "orange/white/black/blue", but with WB2.0+ the scheme changed to "grey/black/white/blue" and old icons appeared weird with this new color scheme.

So you can use the Remap-switch on these icons and make them look normal.

1.32 remapmwb

REMAPMWB

This option is usefull for people that use a 4 color Workbench and are tired of all this MagicWB icons, that look so bad with 4 colors! If you use this option on a MagicWB icon the colors are remapped in a way that the icon looks even with 4 colors nice and it is stripped down to 2 bit-planes (4 colors).

Two remap-methods are supported. Method 1 looks always acceptable, but method 2 looks maybe better in some cases.

Example: `"DoIcon sys:sampleicon remapmwb=1"` (remap-method 1)
`"DoIcon sys:othericon remapmwb=2"` (remap-method 2)

1.33 highlight

HIGHLIGHT

minimum acceptable abbreviation: "HL"

This switch displays the highlight-method of the supplied icon.
This can be IMAGE, COMPLEMENT or BACKFILL.

Example: "DoIcon sys:disk hl" may return IMAGE

1.34 newhighlight

NEWHIGHLIGHT

minimum acceptable abbreviation: "NEWHL"

This option changes the highlightmethod of the supplied icon.
It needs one of the following strings as input:
IMAGE, COMPLEMENT, BACKFILL.

Example: "DoIcon sys:disk newhl=backfill"
This will change the disk-icon to BACKFILL-mode.

1.35 copyimage

COPYIMAGE

minimum acceptable abbreviation: "COPYIMG"

This option can only be used together with the TO-Option !

The icon image is copied from a source to a destination icon.

Example: "DoIcon source_icon to dest_icon copyimage"

1.36 swapimage

SWAPIMAGE

minimum acceptable abbreviation: "SIMG"

With this switch the icon images (normal-/select-image) are swapped.

Example: "DoIcon youricon swapimage"

1.37 tooltypes

TOOLTYPES

minimum acceptable abbreviation: "TT"

This switch displays all tooltypes found in the iconfile.

1.38 changetooltype

CHANGETOOLTYPE + NUM

minimum acceptable abbreviation: "CTT"

With this option you can change an existing tooltype to a new one.

Simply pass the new tooltype to the option and the number of the old tooltype as an additional option.

If there are any spaces or a "=" in the new tooltype string you must embrace it in quotation-marks.

If you want search for a specific tooltype and replace it with a new one, you can use this option together with searchTooltypes.

Examples: "DoIcon sys:yourtool ctt=DONOTWAIT num=1"

This will change the tooltype at position 1 to "DONOTWAIT".

"DoIcon sys:yourtool ctt="STARTPRI=5" num=2"

This will change the tooltype at position 2 to "STARTPRI=5".

1.39 addtooltype

ADDTOOLTYPE

minimum acceptable abbreviation: "ATT"

With this option you can add a tooltype to the tooltype-list of the icon.

Simply pass the new tooltype to the option.

If there are any spaces or a "=" in the new tooltype string you must embrace it in quotation-marks.

Example: "DoIcon sys:yourtool att=DONOTWAIT"

This will append "DONOTWAIT" to the tooltype-list of "yourtool".

1.40 copytooltypes

COPYTOOLTYPES

minimum acceptable abbreviation: "COPYTT"

This option can only be used together with the TO-Option !

The complete tooltype array is copied from a source to a destination icon.

Example: "DoIcon source_icon to dest_icon copytt"

1.41 updatetooltypes

UPDATETOOLTYPES

minimum acceptable abbreviation: "UPTT"

This option can only be used together with the TO-Option !

The tooltype array from the source icon is compared with the tooltype array of the destination icon. Every tooltype that is in the source icon, but not in the destination icon is added to it.

Sometimes this option is useful if you got a new version of a program and want to copy it over the old program. Maybe there are new tooltypes in the new version, but if you copy it over your old icon you lose your custom tooltype settings.

With "updateTooltypes" you can manage this little problem, because only new tooltypes are copied and the values of the old tooltypes stay untouched.

Example: "DoIcon source_icon to dest_icon uptt"

With these given tooltype arrays the result would look like this:

source_icon	dest_icon (before)	dest_icon (after)
(DONOTWAIT)	DONOTWAIT	DONOTWAIT
CX_POPKEY=F1	CX_POPKEY=F9	CX_POPKEY=F9
(CX_PRIORITY=-1)	CX_PRIORITY=-1	CX_PRIORITY=-1
(PORTNAME=ABC)		(PORTNAME=ABC)
FASTMODE		FASTMODE
	STARTPRI=-20	STARTPRI=-20
FOOBAR	(FOOBAR)	(FOOBAR)

1.42 toggletooltype

TOGGLETOOLTYPE

minimum acceptable abbreviation: "TTT"

With this option you can toggle a tooltype on or off.
You should pass the number of the tooltype to the option.
If the specified tooltype is enabled it's turned off and
if it's disabled it's turned on.

Example: "DoIcon sys:yourtool ttt=1" will toggle tooltype number one.

1.43 deletetooltype

DELETETOOLTYPE

minimum acceptable abbreviation: "DELTT"

With this option you can delete the given tooltype.
You must pass the number of the tooltype to the option.

If you want search for a specific tooltype and delete it from the
tooltype-list, then you can use this option together with searchTooltypes.

Example: "DoIcon sys:yourtool deltt=5" will delete tooltype number five.

1.44 cleartooltypes

CLEARTOOLTYPES

minimum acceptable abbreviation: "CLEARTT"

This switch clears the complete tooltype array of the supplied icon!
Yes, ALL tooltypes are deleted!

1.45 sorttooltypes

SORTTOOLTYPES

minimum acceptable abbreviation: "SORTTT"

This switch sorts the complete tooltype array of the supplied icon!

1.46 searchtooltypes

SEARCHTOOLTYPES

minimum acceptable abbreviation: "SEARCHTT"

With this option you can search for a specific tooltype and either replace it with a new one (supplied via `changeTooltype`) or delete it with `deleteTooltype`.

If you use `"deleteTooltype"` (`deltt`) without the search-function you have to supply the number of the tooltype to delete, but together with the search-function `"deltt"` is used like a switch. This means, you have to supply any number, but this number is not used within DoIcon. (So simply type something like `"deltt=1"` if you supplied a tooltype via the `"searchTooltypes"` argument.)

As a search argument you can use either the complete name of the tooltype or simply a pattern.

Examples: `"DoIcon sys:yourtool searchtt=donotwait deltt=1"`
 This deletes the tooltype `"donotwait"` in the icon `"yourtool"`.

`"DoIcon sys:#? searchtt=(#?) deltt=1 deep"`
 This scans all icons on your system-partition and deletes all disabled tooltypes!

`"DoIcon sys:wbstartup/#? searchtt=cx_popup#? ctt="cx_popup=no" "`
 This scans all icons in your wbstartup-drawer and replaces all tooltypes beginning with `"cx_popup"` with `"cx_popup=no"`.

1.47 checktooltypevalue

CHECKTOOLTYPEVALUE

minimum acceptable abbreviation: `"CTTV"`

With this option you can check icons for a specific tooltype-name. If DoIcon finds the given tooltype-name in the checked icon, the value of this tooltype is returned. You must supply the complete tooltype-name to this option!

Example: `"DoIcon sys:wbstartup/#? cttv=startpri"`
 This checks the icons in your wbstartup-drawer for the tooltype `"startpri"` and outputs its value, if it is found in the tooltype list.

1.48 wbinfo

WBINFO

acceptable alias: `"GUI"`

With this switch you can call the Workbench information-requester.

OS 3.x is needed for this operation!

Example: "DoIcon sys:yourtool wbinfo"

1.49 imagetosource

IMAGETOSOURCE

minimum acceptable abbreviation: "IMGTOSRC"

With this switch you can create C-sourcecode from a given icon image. DoIcon outputs a complete image-struct (LeftEdge, TopEdge, Width, Height, Depth, ImageData, PlanePick, PlaneOnOff, NextImage) for the gadget-image and the select-image (if necessary). The sourcecode is written to "RAM:IconImageData.c".

This option may only be usefull for programers... :-)

1.50 delete

DELETE

If one delete an icon with the AmigaDOS "Delete" command the icon does not disappear from the Workbench (if it's currently displayed).

If you use the Delete-switch, the Workbench is updated automatically (the icon disappears immediatly).

Example: "DoIcon sys:yourdir/#? delete deep"
This deletes all icons in "yourdir", including all sub-directories.

Restrictions: The Delete-funktion does not work on DISK-icons.
The iconfile is deleted, but the icon does not disappear from the Workbench.

1.51 killoldinfo

KILLOLDINFO

With this switch set, DoIcon recursively scans the supplied directory or device and deletes all ".info" files. This files are used under Kickstart/Workbench 1.x only, they are useless on 2.0+ systems. To get rid of them and to save some disk-space "KillOldInfo" can be used. With CTRL-C you can abort the scan.

Examples: "DoIcon sys: killoldinfo" scans your whole system-partition.

```
"DoIcon yourdir killoldinfo"
  scans the directory "yourdir" and all it's subdirectories and
  deletes all ".info"-files.
```

1.52 deep

DEEP

acceptable alias: "ALL"

This switch can be used if you supply a pattern to the File-argument.
If the switch is set DoIcon enters all sub-directories it finds and scans for icons matching the given pattern.

(Examples can be found in the explanation of the File-argument.)

1.53 quiet

QUIET

This switch forces DoIcon to suppress all text-output.
This is mainly usefull if you are workings with patterns and don't want DoIcon to comment every operation.

1.54 locale

Localization

DoIcon provides full locale support when used with Workbench 2.1 or higher.

Currently supported languages:

- English (builtin)
- German
- Finish
- French
- (Danish will come soon)

Included guides:

- English
- German

If your language is not supported, you can translate the provided "DoIcon.ct" file and send it back to me.
I will compile it and include it into the next release of DoIcon.
Translation is very easy, just fill in your translations above

the original english texts in the DoIcon.ct file.

If you use accents or umlauts please uuencode your email, because these characters don't survive 7-Bit transmissions!

Please see `Author's Address` on how to reach me.

1.55 address

Author's Address:

standard mail:

Lars Eilebrecht
Glück-Auf-Str. 23

57223 Kreuztal
GERMANY

electronic mail:

SFX@appl2.hrz.uni-siegen.de
SFX@appl1.hrz.uni-siegen.de (offline!)
SFX@studm.hrz.uni-siegen.de
SFX@vespa.unix-ag.uni-siegen.de

(PGP encrypted email is welcome.)

World Wide Web:

<http://vespa.unix-ag.uni-siegen/~sfx>
(and soon www.uni-siegen.de)

or simply meet me on IRC: Nickname: Shadowfox
(Internet-Relay-Chat)

1.56 History

Program history:

Version 1.5 (23.08.95):

- Fixed bug with 'depthto8' option that lead to loss of icon.
ARGH I hate those kind of bugs... :-(
(reported by Norman Casagrande)
 - Danish catalog included
(contributed by Martin Rix)
 - Updated German and English guide
-

Version 1.4 (19.08.95):

- Now it's possible to use some options on a destination icon
DoIcon-template changed to "FROM/A/M,TO/K,..."
(suggested by various)
- Added SwapImage function
(suggested by Christoph Gülicher)
- Added UpdateTooltype function
- Added CopyTooltype function
- Added SortTooltype function
- Rewrote some of the old tooltype functions
- Rewrote internal multi-option handling
- Restrictions of WBINFO option removed
(reported/requested by Georges Goncalves)
- Bug in pattern matching routine fixed,
filenames are sometimes converted to "lowercase"
(reported by various)
- French DoIcon.catalog included
(contributed by Georges Goncalves)
- Catalog files updated
- Updated German and English guide

Version 1.3 (12.02.95): (only released on Meeting Pearls II CD)

- Problem in save- and delete-routines fixed, that caused enforcer
hits with locked (shared lock) icons
(reported by Klaus A. Seistrup)
- Catalog files updated
- Updated German and English guide

Version 1.2 (12.11.94):

- Multiple files/patterns at the command line can now be used
(new Template: FILE/A/M,...)
(suggested by Osma 'Tau' Ahvenlampi)
 - Bug in pattern-matching routine removed
-

(some memory wasn't freed...)
(reported by Nick Christie)

- Optimized pattern-matching routine a little
- Problem with ShowToolTypes-function solved, which caused an Enforcer-hit on "bad" icons.
(reported by Osma 'Tau' Ahvenlampi)
- Finish DoIcon.catalog included
(contributed by Osma Ahvenlampi)
- Updated German and English guide

Version 1.1 (29.10.94):

- Added Pattern-matching (wildcards) for filename
- Added RemapMWB function ((MagicWB 8 color -> standard 4 color)
- Added checkTooltypeValue function
- Added search & replace function for tooltypes
- Added search & delete function for tooltypes
- Added search & replace function for defaulttool
- Calling of "showDefaulttool" not longer possible, when icontype is wrong
- Added ImageToSource function
- Added Deep switch for pattern-matching (dir-scanning)
- Added Quiet switch for pattern-matching (silent running... ;-)
- Added WBInfo function (needs OS 39+)
- Catalogs updated and typos fixed
- Optimized internal argument-handling a bit
- Updated German and English guide

Version 1.0 (16.08.94):

- --- Initial release ---

1.57 future

- NewIcon support/functions
- more functions/options (any suggestions? :-)
- GUI version
(v2.0 will provide a GUI, but I have currently no time frame for it)

If you have any further ideas, suggestions, catalogs or bug-reports, don't keep it a secret! :)

Please see `Author's Address` on how to reach me.

1.58 bugs

Currently DoIcon does not support NewIcons, so you cannot use any icon image modifying function on a NewIcon like `swapImage` or `stripDepth`. The next version of DoIcon will support NewIcons!

Did you found any other bugs?

Please see `Author's Address` on how to reach me.

1.59 thanks

Thanks must go to:

my Beta-testers: (who were courageous enough to test it... ;-))

- Andreas Heimel
- Christoph Gülicher
- Dominik Hohaus
- Fionn Behrens (hmm... ;-))
- Tobias Hain

Osma 'Tau' Ahvenlampi: for the finish `DoIcon.catalog`

Georges 'Melkor' Goncalves: for the french `DoIcon.catalog` and some hints

Martin Rix: for the danish `DoIcon.catalog`

Michael van Elst: for the hint about remapping

all people who send me some lines about DoIcon and especially to Jen Allen (England) for the nice letter... :-)

all IRC-freaks, channels #Amiga and #AmigaGER...

1.60 PrettyGoodPrivacy

my public PGP key:

```
-----BEGIN PGP PUBLIC KEY BLOCK-----
Version: 2.6ui (Amiga)
```

```
mQCKAi6+wOsAAAED53PJgrIYS7iHbZn0ycrnzS03fwvwsDpoAVouoqqBSVNoVXH+
1L+8HzX/fADvNykl1Yi5kTiYR2meKB1p0qpvj4bQ8ZEmcBemhV0FbESJ4CxIgy6V
euxOD3v9gauyflu4lkfyLIScepuJqpkH+aOviE9VhTcE/D6Pt/L4g0HZAURtDNM
YXJzIGBTRlgnIEVpbGVicmVjaHQgPFNGWEBhcHBsMi5ocnoudW5pLXNpZWdlbi5k
ZT60M0xhcnMgYFNGWCcgRWlsZWJyZWNoCA8U0ZYQGFwcGwxLmhyei5lbmktc2l1
Z2VuLmRlPokAVQIFEC/S7ZyZNU6jaP3/TQEB25sCAJyZCXeC915C4DbNKAoc2sIR
d2aMgiW05ZzxYUI8mMO3pzZwF2a7Cg5iSdZYYMwpe9OWHqU+AhXHd+GWGhvHEUqJ
AJUCBRAv0z5HRrGJ++Deqm0BAXu0A/sHvzL3eBqiMMwLw3B+I0qHuXlwGHQ40D5b
WDc7tgsTlbtn986DgfeK660epTsfc2wKGYPG0EpAgiJlemc2Dg23cXvrn3wQ+sya
ONAnhr7wId+Ze81Jao8x20AlbjKQydRqwaGAXVnx+U02R8fmB9b0avxRwKWAqp
rnG+SELlZIkAVQMFEC/TO8pDBndHH+0DowEBWzQB/3VwSMfehK8hrJ1JnE9SMXVI
Ten3c2djoDeYpLHW+R7AbqxGpVrgw7iXDzDwBTuB7au/C6kXfB4XVn0MbZtq4aaJ
AJUCBRAv0zhK5cuGDKtEoMkBAf+9BACMYzfvQzBwh+a1D17/SPSf01DBDXx1cwD5
0zI0eIatz4kLvW7nOPHCY7tHVW/tlIBp/0+yUX/XXzBLp8WD0E/4s7lPgPjjAw1N
+Iwy/fRDhJ/Gf0Nf03eJjMvU9MeaUI58JBCq8LjnVdtxcQKqapYcSogjz//jD+H3
KuX/kX+5eYkAVQIFEC/SVx/9mEr5stbwpQEBz+sB/2uYnno7jRBUPzTf5tTXNKJI
TXH4VRG35x4CyjOqj21oWhEgZdNrwmzBK3IAuckqnIOQYSdn9F0BFVC1wTNgmeJ
AFUCBRAv0ko/ErkJHPqUz38BAbbHaf4hAAkS+V00fn6KR7PXxPHLXYScn2T7Nra
uM9WeVfv614hjdU07WGiZSDCqOg4elmR0aB052a586CVPdGquTkViQCVAgUQL9G3
7U1JpiwTnZDhAQHNRgQAYidzdQU2MaifwX+iZzQ88Det8fyhLobfUU3p9FqtBU/C
TsJaXHfCAebqA73F9XmUOMEn6VWZuYvP/UxmGDrjp4VFu6C0Fhs5fATrOY2soGFy
FW55U43PBY8gDwFmlHYvDoKKQA6EqCXid2Dw87xRSDyCHRvQoZM8MrQwpHtkKkaJ
AFUCBRAv0hc+eYwYDHu3XYkBAakgAf9muXXpQvDf+CXtPXURudsD1PcuNe4PhMbc
gZ4RXfPXbtGnbvI3XZrc9tq8QomPWZ9atlpPzle3WyZgFoJBfhqiQCVAgUQLxgZ
6khfqy8j2SvjAQGc7QP/VHgeVQzjcJSPF2KfNyKM4nFE17uJ5emnve2f1K4mi0NV
4IsNEVKmYXYQVvQoPKhfZtjXze9P2xa0gxi/heKBIHB+5H5Kn4nUIt0/7POYhltk
Fz7cbnEzqeKm9oqXUOSFKUup51bh2aDwsqAI5dgod3MdRxqd40TiuShaVXAbmuGJ
AJUCBRAuzX6/HilwjsxqEmVEBAfBcA/wIosNYUsnsVzclnQye4/Fbv0z2dFDavZMj
9V3iUJRKIM5R0S+NTjkwYuBT7g5k095doFIuQ3jPw9STEYQS9J4IUTu7ThU2rUY
nZoL58dUXO5ZunQux7OoNKebrG8HHPjTIRpmeRe7f7rqRdlX8TgE0iQJoHlXapfG
sEiDQPXSIIkAlAIFEC7Htq4PRy9bNNdNwQEBM1UD+NT5tNSqeV12t/oqAK/6EM6z
pU7nfxwTFA2wGxvHzYONunxDm3bVgRXwuIU3Wka4tiodeoMQe3uq2ug1oFheCdHb
hCMje6t6X6RgyJtlbEaurfzYLZqlF5oQOZDWq0TM/6Rd7FprADMoyjxUpYydeNBg
EtmiG5Sp9yIT0Ds5AXWJAEUCBRAuvsWtldOLUWZxqVUBAU4tAX9YK5N9ywRzvPVY
rkExCW0KCC2+7PSGKY0/YXE+XiDmure7yLTd2o9u5XB+vFLPL6Y=
=7p3t
```

```
-----END PGP PUBLIC KEY BLOCK-----
```

My public PGP key is also available on request.

Please see `Author's Address` on how to reach me.

The following signature is related to the "DoIcon"-executable.
With the signature you can verify, if someone has modified the File
in any form. (see PGP-documentation)
If PGP doesn't accept this signature as mine, you should try to get
a new version of the DoIcon-archive!

DoIcon-signature:

-----BEGIN PGP MESSAGE-----

Version: 2.6ui (Amiga)

iQCSAgUAMDwQPT6Pt/L4g0HZAQGZUwPnb7J7/ImOHyNxXSWel89MRuXtNZ0I0hbB
s2te3ld/wfwOq+XAleGcbfaWgP9AGQ6IokwLKkQJpImFcPndATYMNxfDz2fHK3KZ
ZqOGOv8JGsHrspAM5hJeXa6fM4eXQszgMev6AqghCNiTREFr0QXiiLaWooJBWjDO
K8Dt3hE=
=bSKt

-----END PGP MESSAGE-----
