PGPtoGUI

COLLABORATORS

	TITLE : PGPtoGUI		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 20, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

PGPtoGUI

1.1 PGPtoGUI.guide

```
        *** Documentation to PGPtoGUI Version 1.4e from 19.09.1995 ***
                  *** Copyright (c) '95 by Sascha Ott ***



            PGPtoGUI makes easier the use of the program
              ~PGP~-~Pretty~Good~Privacy~ (c) 1990-1993
        Phillip Zimmermann", with a graphicle userinterface.
```

```
This~documentation
~Please~Read~!!!~
~Hardware~Requirements~
~Installation~
~Configuration~
~Available~Functions~
CLI-parameters
~Tooltypes~
~The~Menus~
~Program~History~
~Thanks~to~

~Author~
```

1.2 This documentation

```
                    -- About this documentation --
```

Sorry, for this worse documentation. I'm a german and my ability to write in ←
   english
is not the best.

Perhaps you are a german and english speaking person and want help me to write a
better doc. Please contact me via EMail at my address.

Thanks a lot !

1.3   PleaseRead

                        --- Conditions of use ---

This program is 'Cardware' ! I want to beg everyone, who like PGPtoGUI to send me ←
    a
picture postcard of their hometown to my address. Many thanks !

Nevertheless you can (should :-) copy and spread the program world-wide.

1.4   HardwareRequirements

                        --- Hardware Requirements ---

PGPtoGUI is constructed with a fontsensitive layout, so it requires Kickstart 2+. ←
    No
other hardware is needed.

PGPtoGUI was programed on an Amiga 2000/030 with 7MB RAM and Kickstart 3.1 It was
tested on an Amiga 4000/40 with 6MB and an Amiga 2000 with 1 MB and Kickstart ←
    2.04.

1.5   Installation

                        --- Installation of PGPtoGUI ---

Nothing is easier ! Simply copy PGPtoGUI and the icon-file in a directory of your
choice. There are two versions of the icons. One 4-coloured and one 8-coloured
Magic WB-Icon.

Please don't lose the documentation - perhaps (I hope :-) you may want to pass it
onto your friends.

Within the archive is a signature from the binaryfile "PGPtoGUI". With PGP you ←
    now
able to check if the program is original from the author.

1.6   Configuration

--- Configuration of PGPtoGUI ---

To get to the configuration window choose the menu option "Prefs..." in the " ←
    Project"
menu.

"PGP-Path" must show the path to the program "PGP". You can type it easily by ←
    hand
or use the "?" button to get a filerequester.

"Output" contains the Device, Coordinates, Windowtitle and the options for the
outputwindow. For the device you can use CON: or the more advanced KCON: from ←
    David
Larsson. The next parameters specifies the position, size, title and the options ←
    of
the outputwindow. The template is:

CON:LeftEdge/TopEdge/Width/Height/Title Of Window/Options/...

At "Options" you can combine the tooltype~feature. Use it to divert PGPtoGUI to ←
    the
specified public screen.

EG. CON:0/10/1024/250/Output/WAIT/CLOSE/SCREEN%s

The parameter "%s" is used to divert the outputwindow automaticly to the named
pubscreen which is specified in the tooltype or CLI-parameters.

The field "Keypath" shows the path, where the keys will be saved which can be ←
    chosen
from PGPtoGUI. There is for default "RAM:" as the keypath, every key will saved ←
    to
RAM:. The filename is equal to UserID + extension (extension = ".asc") when you
click "Save ASCII-Key", or the extension ".pgp" when you click "Save key".

PGPtoGUI saves a configurationfile in the S: directory named "PGPtoGUIprefs". It
searches also in PROGDIR: for its configfile.

1.7 AvailableFunctions

--- Available Functions ---

You can use PGPtoGUI "only" for PGP key management. The commands for the
de-encryption are built into most Point-programs which eliminates the need for ←
    this
program to do those functions.

Now here are all build in commands:

```
 – Generate key~                      (-kg)
 – Check certyfing of signature       (-kc)
 – Edit key~                          (-ke)
 – View contents                      (-kvv)
 – View fingerprint                   (-kvc)
 – Save ASCII-key~                    (-kxa)
 – Save key~                          (-kx)
 – Add key~                           (-ka)
 – Delete key~                        (-kr)
 – Sign key~                          (-ks)
 – Remove signature                   (-krs)
 – Revoke key                         (-kd)
```

Sorry, I haven't time to describe all the actions of these commands. But for ←
   detailed
explanation see the documentation that comes with PGP. EVERYONE who uses PGP ←
   should
read the documentation at least 2 times.

1.8 CLI-parameters

                         -- CLI-parameters --

At this time PGPtoGUI supports the CLI-parameter:

- PUBSCREEN/M   Opens the GUI on the named public screen

1.9 Tooltypes

                      --- Tooltypes of PGPtoGUI ----

At this time PGPtoGUI supports the tooltype:

– PUBSCREEN=<Pubscreen>   Opens the GUI on the named public screen

1.10 Menus

                         --- Menus ---

At the Project Menu are following entrys :

– Info
  Opens a requester displaying information which is very informative.

– Prefs
  By clicking this you get to the configuration window of PGPtoGUI.

– Quit
  Oops... I don't know.

1.11 History

```
                      --- Program History ---



V 0.9   - First public release in germany 11.02.95

V 1.0   - The keyrings "pubring.pgp" and "secring.pgp" will
            now search in the path which is given in "PGPPATH"
          - A lot of enforcer-hits killed.
          - Tooltype "PUBSCREEN" build in.

V 1.1   - Pubscreen feature improved.
          - Menucolours for Kick 3.1 changed.

V 1.2   - The Outputwindow mustn't be CON:,
            you can give now KCON: on

V 1.3   - Improvements of the GUI
          - At the User-ID-window now it's possible to show max. 1000 Keys
            not only 100 like in previous versions
          - Documentation improved and converted to Amigaguide.

V1.4e   - All German strings changed to English text.
            (Locale support isn't possible because a bug in BlitzBasic :-((( )
          - Configuration file is searched where the program is started or S:
          - Now you can give a "%s" Parameter in the CON: Prefs-String.
          - The PUBSCREEN argument is available from CLI/Shell.
          - The information requester will be shown on the specified public
            screen.
```


1.12 Thanks

```
                      --- Thanks to ---



My thank-you goes to:

 Paul B. Demark
 Peter Eisenlohr
```

```
Ralph Seichter
Die BB2-Cracks aus der Rally
Dirk von Schmudde
Andreas Visper
```

```
Special greetings to :
```

```
 Jens Uwe Theilen
 Thomas Frohnert
 Eric Schlicker
 Peter Sälzer
 Norbert Saal
 Bodo Schulz
 Thomas Donner
 Reinhold Rietz
```

1.13 Author

```
                       --- My address ---
```

For improvements, bugreports, picture postcards or what ever you want, I am
contactable at:

```
 Sascha Ott
 Hans-Böckler-Ring 46
 38228 Salzgitter
```

```
 GERMANY
```

```
 EMail:Ott@Salzgitter.netsurf.de
       OTTI@Trashcan.mcnet.de
```