SwazBlanker/Lines

David Swasbrook

COLLABORATORS			
	TITLE : SwazBlanker/Lines		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY	David Swasbrook	July 20, 2024	

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

SwazBlanker/Lines

1.1   Lines (08.01.95)

```
SWAZBLANKER : Lines
===================

(C) 1992-95 David Swasbrook,
     All Rights Reserved.

 Introduction           What it actually does

 Interface              Configuration preferences

 History                Bug fixes and updates
```

1.2   What it actually does...

```
Lines/Introduction
==================

This blanker blanks the screen.
```

1.3   Configuration preferences...

```
Lines/Interface
===============

        Save - save and use the current settings.

         Use - use the current settings.

        Test - test the blanker under the current settings

      Cancel - cancel all changes.
```

```
   Control Points - number of points to control the line. Normally you would
                    chose 2 control points to get a line. You may choose up to
                    10 points. 3 control points will make the object a triangle.
                    You must have at least 2 control points.
                    Default: 2.

Number of Trails - ???
                    Default: 20.

      Copper List - if checked then a copper list will be used to change the
                    color of the text. This may not be available for some screen
                    modes and the gadget will be ghosted to indicate this. In the  ←
                       case
                    that the screen mode does not support copper lists or you do  ←
                       not
                    want to use a copper then the text will have the color cycled.
                    Default: Yes.

     Display Mode - the screen mode to use. If the preferred screen cannot
                    be opened then the default screen mode will be tried, if
                    this fails then the minimum screen mode required for this
                    blanker will be tried, if that fails then the blanker will
                    quit and let SwazBlanker choose an alternative blank
                    method.
                    Default: Hires-Resoloution Laced
```

1.4 Bug fixes and updates...

```
  Lines/History
  =============
```

'1.0' o Localized

1.5 index

```
  Lines/Index
  ===========
```