

New Technical Notes

Macintosh



®

Developer Support

Subject Index

Index

M.IX.SubjectIndex

This index expounds upon each of the topics covered in Technical Notes.

16-bit off-screen graphics environment. *See* off-screen graphics environments

32-bit cleanliness

M.OV.32BitClean

32-bit mode

M.ME.SwapMMUMode

32-bit off-screen graphics environment. *See* off-screen graphics environments

32-Bit QuickDraw

M.IM.32BitQD

M.IM.BitMatToRegion

32-Bit QuickDraw INIT

M.IM.BitMatToRegion

32-Bit QuickDraw version 1.0

M.IM.32BitQD

32-Bit QuickDraw version 1.2

M.IM.32BitQD

64K ROM machines. *See* Macintosh

64K ROMs

M.TE.FontHeight

68000. See MC68000

68040. See MC68040

68881. See MC68881

68882. See MC68882

8•24 GC Display Card. See Apple 8•24 GC Display Card

A/UX

M.FL.FullPathName

M.OV.32BitClean

M.PT.AUXComapt
M.PT.AUXSysCalls
M.PT.SerialUnderAUX

A/UX 1.1

M.OV.32BitClean
M.PT.AUXComapt

A/UX 2.0

M.PT.AUXComapt

A/UX 2.0.1

M.PT.AUXComapt

A0 register

M.DV.AddDrive

A5 register

M.ME.GrowZoneA5
M.OV.A5
M.OV.A5TrapPatching
M.TB.MultifinderMisc

AAddNode

M.NW.AppleTalk2

absolute pointing devices

M.DV.AbsolutePtDev

acceleration

M.IM.GCQDCopybits

accessories. *See* desk accessories**adapter cables**

monitor adapter cables
M.HW.ColorMonitors

ADB keyboards

M.TB.KeyMapping

ADB Manager

M.HW.ADB

ADB. *See* Apple Desktop Bus**ADBOp**

M.HW.ADB

ADBReInit

M.HW.ADBReInit

ADBS resource

M.HW.ADB

_AddDrive

M.DV.AddDrive

addresses

M.HW.SE30

ADelNode

M.NW.AppleTalk2

ADEVs. See AppleTalk Device files**AFP. See AppleTalk Filing Protocol****AGetNodeRef**

M.NW.AppleTalk2

Alarm Clock

M.TB.GetNextEvent

alerts

M.TB.NotificationManager

alias files

M.FL.AliasFiles

Allegro Common Lisp. See Macintosh Allegro Common Lisp**alternate bus masters**

M.ME.VMMemoryMapping

APDA

M.DV.AddDrive

M.PT.CommonLisp

Apple 8•24 GC Display Card

M.IM.GCQDCopybits

Apple CD-ROM device driver

M.DV.CDNotes

Apple Computer, Inc.

M.IM.FontFamilies

M.PT.CommonLisp

M.PT.Installer

Apple Desktop Bus

M.DV.AbsolutePtDev

M.HW.ADB

Apple Developer Technical Support U.K.

M.FL.PBCatMove

Apple Events

M.IA.SendToSelf

Apple menu

M.TB.GetNextEvent

Apple Software Licensing

M.IM.BitMatToRegion

AppleCD SC drive

M.DV.CDNotes

AppleLink

M.PT.MacAPPBugs

AppleShare

M.NW.AppleShareLimits

M.NW.AppleShareOldFinder

M.OV.StationaryPads

AppleShare 1.1

M.NW.AppleShareApp

M.NW.AppleShareLimits

AppleShare 2.0

M.NW.AppleShareLimits

M.TB.DeskTopFile

AppleShare applications

M.NW.AppleShareApps

AppleShare drop folders

M.FL.CreateInDrop

AppleShare foreground applications

M.NW.AppleShareApp

AppleShare server volumes

M.NW.AppleShareApps

AppleShare servers

M.NW.AppleShareLimits

AppleShare volumes

M.FL.ActiveFS

M.FL.LockRange

AppleTalk

M.NW.AppleTalk

M.NW.AppleTalk2

M.NW.AppleTalkTimer

M.NW.Internets

M.NW.OpenAppleTalk

M.NW.RegisterName

M.NW.Servers

AppleTalk Device files
M.NW.AppleTalk2

AppleTalk Filing Protocol
M.NW.ASPvsAFP

AppleTalk ImageWriter
M.IM.ImageWriter

AppleTalk Manager

- M.NW.AppleTalk
- M.NW.ASPvsAFP

AppleTalk Multiple Node Architecture

- M.NW.AppleTalk2

AppleTalk Phase 2

- M.NW.AppleTalk2
- M.NW.AppleTalk2Mac

AppleTalk resources

- M.NW.AppleTalk2

AppleTalk routines

- high-level AppleTalk routines
 - M.NW.HLAppleTalk

AppleTalk Session Protocol

- M.NW.ASPvsAFP

AppleTalk Transition events

- Speed Change AppleTalk Transition event
 - M.NW.AppleTalk2

AppleTalk Transition Queue event

- M.HW.Cache

AppleTalk Transitions

- M.NW.AppleTalk2

AppleTalk version 57

- M.NW.AppleTalk2

application bytes

- M.TB.ResHeaderAppBytes

application globals

- M.TB.MultifinderMisc

applications

- M.DV.AbsolutePtDev
- M.DV.BusErrorHandler
- M.FL.Compatibility
- M.FL.CreateInDrop
- M.FL.Volumes
- M.HW.MacIfx
- M.IM.AppPictComments
- M.IM.ColorPrinting
- M.IM.DocNames

M.IM.FontFamilies
M.IM.LaserWriterROM
M.IM.PictAndPrinting
M.IM.PRGeneral
M.IM.PrincipiaOffScreen
M.ME.HandleVSPointer
M.ME.PurgeProc
M.NW.Internets

- M.NW.NoNetEvents
- M.NW.Servers
- M.OV.A5TrapPatching
- M.OV.GetInfoMasks
- M.OV.StationaryPads
- M.PS.SubLaunching
- M.PT.AUXComapt
- M.PT.AUXSysCalls
- M.PT.InsideObjPascal
- M.PT.MPWmc68881
- M.TB.ColorWindowsIn7
- M.TB.MovableModalDialog
- M.TB.NotificationManager
- AppleShare applications
 - M.NW.AppleShareApps
- foreground applications
 - M.NW.AppleShareApp
- off-the-shelf applications
 - M.PT.Customs

Arabic text

- M.TE.PrintAction

arguments

- M.PT.CFuncArgs

array-dialog-item

- M.PT.CommonLisp

ASP. See AppleTalk Session Protocol**assembler**

- M.FL.PBSharePBUnshare
- MPW Assembler
 - M.PT.MPW202Bugs
 - M.PT.MPWasmGlobals

assembly code

- floating-point assembly code
 - M.HW.MathCoProc

assembly language

- M.ME.MaxApplZone&MoveHHiASM
- M.PS.SubLaunching
- M.PT.ASMInitGraf
- M.PT.MPWasmGlobals

'atkv' gestalt selector

- M.NW.AppleTalk2

.ATP driver

M.NW.OpenAppleTalk

ATTransSpeedChange

M.HW.Cache

auxiliary break tables

M.TE.WordBreakTables

availability

- port availability
 - M.DV.SerialDriver

background

- M.TB.MultiFinder1Bug

background colors

- M.IM.ColorCopyBits

backpatching

- M.OS.OmegaSANE

bad block sparing

- M.FL.Sparing

base classes

- PascalObject base class
 - M.PT.PascalObjects

Baumwell, Mark

- M.PT.StandAloneCode

Berry, Jim

- M.ME.SwapMMUMode

binary-decimal conversions

- M.OS.OmegaSANE

_BitClr

- M.DV.DriverTime

bitmaps

- M.IM.BitMatToRegion
- off-screen bitmaps
 - M.IM.OffscreenBitMap

BitMapToRegion

- M.IM.BitMatToRegion

_BitSet

- M.DV.DriverTime

Blair, Rick

- M.IM.PrincipiaOffScreen

blessed folder

- M.FL.BlessedFolder

blinking

M.TB.GetNextEvent

block transfers

M.HW.sResources

BlockMove

M.FL.FullPathName

blocks

- bad block sparing
 - M.FL.Sparing
- Boot Blocks
 - M.DV.BootBlocks
- volume control block
 - M.FL.VCBandDriveNum

boards

- M.HW.Boardkits
- NuBus boards
 - M.HW.sResources

Boot Blocks

- M.DV.BootBlocks

boot process

- M.HW.ADB

break tables

- auxiliary break tables
 - M.TE.WordBreakTables

break/CTS status change

- M.HW.BreakCTSEvent

buffers

- video display buffers
 - M.HW.SE30

bugs

- M.DV.ChecksumBounce
- M.DV.SCSI
- M.FL.FullPathName
- M.IM.LaserWriterROM
- M.IM.PrGeneralBug
- M.IM.PrincipiaOffScreen
- M.PT.AUXComapt
- M.PT.CplusplusPitfalls
- M.PT.Hypercard
- M.PT.MacAPPBugs
- M.PT.MacPaintDoc
- M.PT.MPW202Bugs
- M.PT.PascalObjects
- M.TB.CDEFParams
- M.TB.MenuFlashing
- M.TB.MultiFinder1Bug
- M.TB.StripOpenResFile
- M.TB.ZoomWindow
- M.TE.ScriptDateTime

M.TE.TEScrollBug
M.TE.TextEditAdvice
M.TE.TextEditBugs

built-in video

M.HW.ColorMonitors

bundles

M.IM.FontIcons

M.OV.GetInfoMasks

M.TB.Bundles

bus error handlers

M.DV.BusErrorHandler

bus masters

alternate bus masters

M.ME.VMMemoryMapping

buttons

Feeder button

M.IM.Feeder

bytes

application bytes

M.TB.ResHeaderAppBytes

flag-counter byte

M.IM.PackBits

C

M.FL.FullPathName

M.FL.MixingHFSandC

M.FL.PBSharePBUnshare

M.FL.VCBandDriveNum

M.OV.A5

M.PT.CFuncArgs

M.PT.PascalToCProcParams

M.TB.MultifinderMisc

MPW C

M.FL.MixingHFSandC

M.OV.Vers

M.PS.SubLaunching

M.PT.CFuncArgs

M.PT.CFunctions

M.PT.MPW202Bugs

M.PT.MPWasmGlobals

MPW C 3.0

M.TB.DialogUserItems

MPW C 3.1

M.OV.Vers

C++

M.PT.PascalObjects

M.PT.PascalToCProcParams

MPW C++

M.PT.CplusplusPitfalls

M.PT.HandleObjects

MPW C++ 3.1

M.PT.PascalObjects

cables

- M.HW.MacPlusPinouts
- M.HW.Pinouts
- adapter cables
 - M.HW.ColorMonitors
- network cable range
 - M.NW.AppleTalk2

caches

- M.HW.Cache
- external caches
 - M.HW.Cache
- File System cache
 - M.FL.Caching
- processor caches
 - M.HW.Cache

caching

- disk caching
 - M.FL.Caching
- File System caching
 - M.FL.Caching

calls

- control calls
 - M.DV.SonyDriver
- high-level Control calls
 - M.DV.HLControlAndStatus
- high-level PBStatus calls
 - M.DV.HLControlAndStatus
- high-level Status calls
 - M.DV.HLControlAndStatus
- printing calls
 - M.IM.ImageWriter
- status calls
 - M.DV.SonyDriver
- system calls
 - M.PT.AUXSysCalls

CancelClosePrep

- M.NW.AppleTalk2Mac

canceling

- M.TE.InternationalCancel

cards

- expansion cards
 - M.HW.NuBusPower
- NuBus cards
 - M.HW.NuBusDesign
 - M.PT.NonMacMPW
- PDS cards
 - M.HW.CMOSonLCPDS
- video cards
 - M.HW.ColorMonitors

CatchSignal

- M.PT.Signals

_CatMove

M.FL.PBCatMove

'cctb' resource

M.TB.ColorWindowsIn7

CD ROM formats

- High Sierra CD ROM format
 - M.FL.ISO9660
- ISO 9660 CD ROM format
 - M.FL.ISO9660

'CDEF' resources. *See* control definition functions

CDEFs

- M.OV.32BitClean

CDEV

- M.OV.ExtraCDEVRes

cdevs. *See* Control Panel devices

CDs

- M.DV.CDNotes

CGrafPorts

- M.TB.ColorWindowsIn7

ChangedResource

- M.TB.ChangedResource

changes

- status changes
 - M.HW.BreakCTSEvent

character operations

- M.TE.FONDS

characters

- M.TE.TextInNarrowGP

CharWidth

- M.TE.FONDS

checksums

- M.DV.ChecksumBounce

childDiedEvents

- M.OV.Multifinder

Chooser version 3.2

- M.OV.Chooser

ci. See Macintosh IIci

'ckid' resource

M.PT.ProjectorResource

classes

base classes

M.PT.PascalObjects

Classic. *See* **Macintosh Classic**

clicking

M.TB.ClicklessSound

clip regions

M.IM.PictClipRegions

ClosePrep

M.NW.AppleTalk2Mac

'clut' resources

purgeable 'clut' resources
M.IM.ColorCursor

CMOS

M.HW.CMOSonLCPDS

code

M.IM.PrJobMerge
M.ME.VMMemoryMapping
M.PT.Customs
M.PT.PascalObjects
assembly code
M.HW.MathCoProc
opcode
M.IM.PictureOpCodes
script code
M.TE.FontsAndScripts
stand-alone code modules
M.PT.StandAloneCode

CODE segment 1

M.ME.MoreMasters

codes

error codes
M.IM.PrintLoop

coercion. *See* **type coercion**

Collyer, Rich

M.IM.PrincipiaOffScreen

color

M.IM.ColorCopyBits
M.IM.OldColors
M.TB.ColorWindowsIn7
background colors
M.IM.ColorCopyBits

foreground colors
M.IM.ColorCopyBits

color cursors
M.IM.ColorCursor

Color Disk
M.IM.32BitQD

color monitors

M.HW.ColorMonitors

color printing

M.IM.ColorPrinting

Color QuickDraw

M.IM.32BitQD

M.IM.PrincipiaOffScreen

Command key

M.TE.InternationalCancel

Command-Shift-number keys

M.OS.CommandShiftKeys

Command-period key

M.TE.InternationalCancel

Command-Shift-number keys

M.OS.CommandShiftKeys

comments

M.IM.PrJobMerge

picture comments

M.IM.AppPictComments

M.IM.SetLineWidth

Common Lisp. See Macintosh Allegro Common Lisp**CompactMem**

M.OV.PurgeNComactDebug

comparisons

string comparisons

M.TE.NewStringComp

compatibility

M.FL.Compatibility

M.FL.Sparing

M.HW.MacIIfx

M.HW.QuadraFPU

M.IM.DocNames

M.ME.VMMemoryMapping

M.NW.AppleTalk2

M.NW.OpenAppleTalk

M.OS.OmegaSANE

m.ov.compatibility

M.OV.CompatibilityWhy

M.OV.LargeScreens

M.PS.SubLaunching

M.PT.AUXComapt
M.PT.MacAPPBugs
M.PT.MPWmc68881
M.TB.Karma

compilers

M.OV.A5
M.PT.CplusplusPitfalls

conditions

- error conditions
 - M.PT.SerialUnderAUX

configuration files

- M.OV.StationaryPads

configurations

- memory configurations
 - M.HW.MemConfigs

conflicts

- M.IM.AppPictComments

connectors

- video connectors
 - M.HW.ColorMonitors

constants

- M.IM.LaserPrep
- M.IM.OldColors

context switching

- M.TB.Multifinder

continuous sound

- M.TB.ClicklessSound

Control

- high-level Control calls
 - M.DV.HLControlAndStatus

control calls

- M.DV.SonyDriver

control definition functions

- M.TB.CDEFParams

Control Manager

- M.TB.CDEFParams

Control Panel

- M.OV.ExtraCDEVRes
- M.TB.NewCDEVMsg

Control Panel devices

- M.TB.NewCDEVMsg
- M.TE.SafeCDEV

controls

M.OV.Chooser

conversion utilities

TextEdit conversion utility

M.TE.TextEditConvert

conversions

- binary-decimal conversions
 - M.OS.OmegaSANE
- point conversions
 - M.PT.CFuncArgs
- string conversions
 - M.PT.CFuncArgs

coprocessor. See MC68881; MC68882

CopyBits

- M.IM.ColorCopyBits

_CopyBits

- M.IM.GCQDCopybits
- M.IM.TimeSpaceCopyBits

copying

- M.IM.OffscreenBitMap

CopyMask

- M.IM.ColorCopyBits

Coral Software

- M.PT.CommonLisp

crashes

- M.ME.MFandSetGrowZone
- M.ME.SwapMMUMode
- M.TB.ZoomWindow
- system crashes
 - M.OV.LargeScreens
 - M.TB.StripOpenResFile

CreateOffScreen

- M.IM.PrincipiaOffScreen

CreateResFile

- M.FL.CreateResFilePMSP

CTS status change. See break/CTS status change

cursor

- color cursors
 - M.IM.ColorCursor
- system cursor rendering software
 - M.DV.AbsolutePtDev

cursor rendering

- M.HW.NuBusLatency

CUST

M.PT.Customs

custom 'MDEF' resource

M.TB.MenuFlashing

custom menu flashing

M.TB.MenuFlashing

custom WDEF

M.TB.WDEFwDraw

custom window definition functions

M.TB.WDEFwDraw

customizing

M.FL.SFCustomize

DA Mover. See Font/Desk Accessory Mover**DAs. See desk accessories****data**

M.FL.NoDataInResFork

data access extensions

M.NW.DAMExtensions

Data Access Manager

M.NW.DAMExtensions

data servers

M.NW.Servers

data structures

M.PT.MPWmc68881

memory data structures

M.DV.AbsolutePtDev

picture data structure

M.IM.PictureOpCodes

_DataInit

M.PT.MPWLoad

date routines

M.TE.ScriptDateTime

DCE

M.DV.FindingDrivers

dCtlDriver

M.DV.FindingDrivers

Debug

M.PT.MacAPPBugs

debuggers

- M.PT.StandAloneCode
- ROM debugger
 - M.PT.ROMDebugger

debugging

- M.OV.Debugging
- M.OV.PurgeNComactDebug

decimal conversions. *See* **binary-decimal conversions**

declaration ROMs

M.DV.BusErrorHandler
M.HW.sResources

declarations

M.PT.CFunctions

default record

M.PT.ASMInitGraf

defaults

M.OV.GetInfoMasks

deferred tasks

M.HW.NuBusLatency

depth

M.DV.MonitorDepth

design

M.HW.NuBusDesign

desk accessories

M.DV.DriverTime
M.OV.A5TrapPatching
M.PS.DialogsInDAs
M.PT.FontDAMover
M.TB.GetNextEvent
M.TB.NotificationManager

Desk Accessory Mover. *See* **Font/Desk Accessory Mover**

DeskHook

M.OS.DeskHookINIT

Desktop

M.TB.ColorWindowsIn7

Desktop file

M.OV.DesktopFile
M.TB.DeskTopFile

destination name pointer

M.FL.PBCatMove

Developer Services Bulletin Board

M.PT.MacAPPBugs

Developer Technical Support

M.IM.AppPictComments

M.PS.SubLaunching

developers

M.HW.Boardkits

M.HW.CMOSonLCPDS

development tools

- M.PT.PerfTuning

device drivers

- M.DV.PBClose
- Apple CD-ROM device driver
 - M.DV.CDNotes
- NuBus device drivers
 - M.DV.ChecksumBounce
- SCSI device drivers
 - M.DV.ChecksumBounce

Device Manager

- M.HW.SlotInterruptPrior

device-independent printing

- M.IM.DevIndPrinting

devices

- Control Panel devices
 - M.TB.NewCDEVMsg
 - M.TE.SafeCDEV
- graphics devices
 - M.DV.MonitorDepth
- input devices
 - M.DV.AbsolutePtDev
- peripheral devices
 - M.PT.NonMacMPW
- pointing devices
 - M.DV.AbsolutePtDev

dialog hook

- M.FL.SFCustomize

Dialog Manager

- M.TB.DialogUserItems
- M.TB.PendingUpdates

dialog text items

- M.TE.TextEditTech

dialogs

- M.IM.AddPrintDialog
- M.TB.ColorWindowsIn7
- M.TB.DialogUserItems
- modal dialogs
 - M.TB.MovableModalDialog
 - M.TB.PendingUpdates
- modeless dialogs
 - M.PS.DialogsInDAs

user identity dialog
M.FL.AliasFiles

dictionaries

LaserPrep dictionary
M.IM.LaserPrep
PostScript dictionaries
M.IM.DictionaryLoading

Dierks, Tim

M.FL.PBCatMove

direction

text direction

M.TE.TextEditTech

directories

working directories

M.TN.WDMultifinder

DirID

M.FL.FullPathName

disk caching

M.FL.Caching

disk drives

foreign disk drives

M.TB.FindersDrives

Sony disk drives

M.TB.FindersDrives

Disk Initialization Package

M.FL.Sparing

disks

hard disks

M.DV.HDHacking

M.FL.DiskMedic

displays

large-screen displays

M.OV.LargeScreens

document names

M.IM.DocNames

documents

MacPaint documents

M.PT.MacPaintDoc

downloading

M.IM.DictionaryLoading

DoWZoom

M.TB.ZoomWindow

DragHook

M.OS.DeskHookINIT

DRAM SIMMs. *See* **Single In-line Memory Modules**

drawing

M.IM.DrawingIcons

M.IM.IconDrawing

M.IM.OffscreenBitMap

M.IM.PrincipiaOffScreen
M.TB.WMgrPort
M.TE.TextInNarrowGP

drive queue

M.DV.DrvQEI

driver installation

M.HW.ADB

drivers

M.DV.AbsolutePtDev
M.DV.BusErrorHandler
M.DV.DriverTime
M.DV.FindingDrivers
M.PT.AUXSysCalls
M.TB.NotificationManager
.ATP driver
 M.NW.OpenAppleTalk
device drivers
 M.DV.CDNotes
 M.DV.ChecksumBounce
 M.DV.PBClose
LaserWriter driver
 M.IM.DictionaryLoading
 M.IM.Feeder
LaserWriter driver 5.2
 M.IM.FontIcons
LaserWriter driver 6.1
 M.IM.Feeder
LaserWriter driver 7.0
 M.IM.Feeder
 M.IM.PrJobMerge
LaserWriter driver 7.1
 M.IM.PrJobMerge
LaserWriter driver version 4.0
 M.IM.PrGeneralBug
MIDI drivers
 M.DV.PollProc
.MPP driver
 M.NW.AppleTalk2Mac
 M.NW.OpenAppleTalk
print drivers
 M.IM.pIdleProc
 M.TE.PrintAction
SCC driver
 M.PT.SerialUnderAUX
SCSI drivers
 M.DV.AddDrive
 M.DV.HDHacking
 M.ME.VMMemoryMapping

serial drivers

 M.DV.SerialDriver

 M.HW.BreakCTSEvent

 M.PT.SerialUnderAUX

Sony driver

 M.DV.SonyDriver

drives

- AppleCD SC drive
 - M.DV.CDNotes
- disk drives
 - M.TB.FindersDrives
- SCSI drives
 - M.DV.HDHacking

drop folders

- AppleShare drop folders
 - M.FL.CreateInDrop

_DrvInstall

- M.DV.AddDrive

_DrvRemove

- M.DV.AddDrive

DTS

- M.PT.MacAPPBugs

dupFNErr error

- M.FL.CreateResFilePMSP

Edit

- M.PT.EditFileFormat

Edit version 1.x

- M.PT.EditFileFormat

Edit version 2.0

- M.PT.EditFileFormat

EditText fields

- M.TE.SafeCDEV

eight-color model. *See* color**emulation mode**

- M.PT.AUXSysCalls

enabled items

- M.TB.DialogUserItems

entries

- sResource entries
 - M.HW.sResources

environment

- M.PT.AUXSysCalls

M.TE.Appearance
Macintosh environment
 M.PT.PerfTuning
graphics environments
 M.IM.PrincipiaOffScreen

EOL

M.TE.EOLAmbiguity

_EraseRect

M.TB.ZoomWindow

error checking

M.IM.PrintLoop

error codes

M.IM.PrintLoop

error conditions

M.PT.SerialUnderAUX

error handlers

bus error handlers

M.DV.BusErrorHandler

error handling

M.TB.NotificationManager

error messages

M.DV.SonyDriver

error returns

m.tb.GetNewDialogErrs

error trapping

M.PT.Signals

errors

M.FL.FCBPBBRec

M.IM.PictureOpCodes

M.IM.PrintLoop

M.IM.SmallIcons

dupFNErr error

M.FL.CreateResFilePMSP

system error 33

M.ME.SysError33

event record

M.HW.BreakCTSEvent

events

M.HW.BreakCTSEvent

AppleTalk Transition events

M.NW.AppleTalk2

AppleTalk Transition Queue event

M.HW.Cache

network events

 M.NW.NoNetEvents

update events

 M.TB.PendingUpdates

exception handlers

floating point exception handlers

 M.HW.MathCoProc

expansion cards

- NuBus expansion cards
 - M.HW.NuBusPower

expansion ROM. *See* ROM**Extended values**

- M.PT.MPWmc68881

extensions

- data access extensions
 - M.NW.DAMExtensions
- software extensions
 - M.DV.CDNotes
- System 7 Tuner extension
 - M.NW.AppleTalk2

external caches

- M.HW.Cache

external video connectors

- Macintosh LC external video connector
 - M.HW.ColorMonitors

Factoring

- Factoring applications for AppleScript
 - M.IA.SendToSelf

families

- font family numbers
 - M.IM.FontFamilies

FCBPBRec

- M.FL.FCBPBRec

Feeder button

- M.IM.Feeder

feeders

- sheet feeders
 - M.IM.Feeder

fields

- EditText fields
 - M.TE.SafeCDEV
- purgeProc field
 - M.ME.PurgeProc

file filter

- M.FL.SFCustomize

file I/O

M.FL.MixingHFSandC

File Manager

M.DV.DrvQEI

M.FL.FileShare

- M.FL.ioNamePtr
- M.FL.PBCatMove
- M.FL.PBSharePBUnshare
- M.FL.VCBandDriveNum
- M.TB.HFSTidbits

file modification

- M.PT.ProjectorResource

file servers

- M.NW.Servers

File Sharing

- M.FL.FileShare

File System cache

- high-level File System cache
 - M.FL.Caching

File System caching

- M.FL.Caching

file systems

- M.FL.ActiveFS
- M.FL.MixingHFSandC

file-system tags

- M.FL.Tags

filenames

- M.FL.NullInFilename

files

- M.FL.CreateInDrop
- M.FL.LockRange
- M.FL.Volumes
- M.PT.EditFileFormat
- M.PT.Hypercard
- alias files
 - M.FL.AliasFiles
- AppleTalk Device files
 - M.NW.AppleTalk2
- configuration files
 - M.OV.StationaryPads
- Desktop file
 - M.OV.DesktopFile
 - M.TB.DeskTopFile
- font files
 - M.IM.FontIcons
- include files
 - M.PT.CFunctions

PICT files

M.IM.LargePict

M.IM.PackBits

resource files

M.FL.CreateResFilePMSP

M.OV.StationaryPads

M.TB.MaxResInFile

M.TB.NewResourceMgrCalls

- M.TB.SeparateResFiles
- SysErr.a file
 - M.ME.SysError33
- System file
 - M.FL.BlessedFolder
- System file 4.1
 - M.TB.KeyMapping
 - M.TE.IUChanges

file servers. See AppleShare

filters

- file filter
 - M.FL.SFCustomize

FindDItem

- M.TB.FindDItem

Finder

- M.FL.BlessedFolder
- M.NW.AppleShareOldFinder
- M.OV.GetInfoMasks
- M.TB.FindersDrives

Finder 1.1g

- M.TB.FindersDrives

Finder 4.1

- M.TB.FindersDrives

Finder 5.0

- M.TB.FindersDrives

Finder 6.1

- M.OV.Vers

Finder flags

- M.TB.FinderFlags

FindFolder

- M.FL.BlessedFolder

FindWord

- M.TE.WordBreakTables

FKEY

- M.PT.StandAloneCode

flag-counter byte

- M.IM.PackBits

flags

- M.DV.MonitorDepth
- Finder flags
 - M.TB.FinderFlags

Flagship name

- M.NW.AppleTalk2

Flagship Naming Service

M.NW.AppleTalk2

flashing

custom menu flashing

M.TB.MenuFlashing

floating point exception handlers

hardware floating point exception handlers

M.HW.MathCoProc

floating-point assembly code

M.HW.MathCoProc

floating-point instructions

M.PT.MPWmc68881

floating-point numbers

M.HW.MathCoProc

floating-point patch

M.PT.CommonLisp

floating-point unit instruction support

M.HW.QuadraFPU

folders

blessed folders

M.FL.BlessedFolder

drop folders

M.FL.CreateInDrop

shared folders

M.FL.FileShare

FollowFinderAlias

M.FL.AliasFiles

'FOND's. *See* font family resources**font family ID**

M.TE.FontsAndScripts

font family ID numbers. *See* font family numbers**font family numbers**

M.IM.FontFamilies

M.TE.FONDS

font family resources

M.TE.FONDS

font files

M.IM.FontIcons

font icons

M.IM.FontIcons

Font Manager

- M.TE.FONDS
- M.TE.FontHeight

font names

- M.IM.FontNames
- M.TE.FONDS

font numbers

- M.IM.FontNames

Font/DA Mover. *See* Font/Desk Accessory Mover**Font/Desk Accessory Mover**

- M.PT.FontDAMover
- M.TE.FONDS

fonts

- M.IM.FontFamilies
- M.TE.FontHeight
- M.TE.FontsAndScripts
- outline fonts
 - M.IM.FontFamilies
- styled fonts
 - M.TE.FONDS

foreground applications

- AppleShare foreground applications
 - M.NW.AppleShareApp

foreground colors

- M.IM.ColorCopyBits

foreign disk drives

- M.TB.FindersDrives

Foreign File Access software extension

- M.DV.CDNotes

fork()

- M.PT.AUXSysCalls

forks

- resource fork
 - M.FL.NoDataInResFork

formats

- CD ROM formats
 - M.FL.ISO9660

four megabit DRAM SIMMs. *See* **Single In-line Memory Modules**

FPU

M.PT.MPWmc68881

M.PT.MPWmc68881

FPU instruction support. *See* floating-point unit instruction support

frames

- stack frames
 - M.PT.Signals

freeBytes

- M.FL.GetVInfo

Friedlander, Jim

- M.IM.PrincipiaOffScreen
- M.PT.StandAloneCode

fsFromLEOF

- M.FL.LockRange

fsRtDir

- M.FL.FullPathName

fsRtDirID

- M.FL.FullPathName

full pathnames

- M.FL.FullPathName

full-size NuBus cards. *See* NuBus cards

functionality

- M.OV.ChkForFunction

functions

- M.PT.CFuncArgs
- M.PT.CFunctions
- control definition functions
 - M.TB.CDEFParams
- high-level printing functions
 - M.PT.CommonLisp
- transcendental functions
 - M.OS.OmegaSANE
- window definition functions
 - M.TB.WDEFwDraw

'fwst' resource

- M.OV.ExtraCDEVRes

fx. *See* Macintosh IIfx

GDevice records

- M.TB.ZoomWindow

gdRect

M.TB.ZoomWindow

general-purpose input. *See* GPI

_Gestalt

M.OV.GestaltSysenvirons

Gestalt

- M.OV.GestaltSysenvirons
- 'atkv' gestalt selector
 - M.NW.AppleTalk2

gestaltHardwareAttr selector

- M.OV.GestaltSysenvirons

Get Info

- M.OV.GetInfoMasks

GetDepth

- M.DV.MonitorDepth

GetGray

- M.TB.ColorWindowsIn7

GetNewDialog

- m.tb.GetNewDialogErrs

GetNextEvent

- M.TB.GetNextEvent

GetPhysical

- M.ME.VMMemoryMapping

GetRslData opcode

- M.IM.PrGeneralBug

GetVInfo

- M.FL.GetVInfo

gHaveAUX

- M.FL.FullPathName

global script variables

- M.TE.ScriptVars

global variables

- M.PT.ASMInitGraf

globals

- M.OV.A5TrapPatching
- M.PT.MacAPPBugs
- M.PT.MPWasmGlobals
- application globals
 - M.TB.MultifinderMisc
- low-memory globals
 - M.TE.TextEditTech

GPi

M.DV.SerialGPi

GrafPort

M.IM.SmallIcons

M.TE.TextInNarrowGP

graphics devices

M.DV.MonitorDepth

graphics environments

off-screen graphics environments
M.IM.PrincipiaOffScreen

grow zone procedure. See _SetGrowZone

GrowZone

M.ME.GrowZoneA5

guidelines

m.ov.compatibility
M.OV.LargeScreens
M.PT.AUXComapt
compatibility guidelines
M.FL.Compatibility

GWorlds

M.IM.PrincipiaOffScreen

HandleObject

M.PT.HandleObjects

handlers

error handlers
M.DV.BusErrorHandler
exception handlers
M.HW.MathCoProc

handles

M.ME.HandleVSPointer
M.TE.TextEditConvert

hard disks

M.DV.HDHacking
M.FL.DiskMedic

hardware

M.DV.BootBlocks
master hardware
M.ME.VMMemoryMapping

hardware floating point exception handlers

M.HW.MathCoProc

headers

resource header
M.TB.ResHeaderAppBytes

heap zone

M.ME.PurgeProc

heaps

M.ME.SysError33

height tables

M.TE.FontHeight

Help Manager

M.TB.MovableModalDialog

HFS

M.FL.Compatibility
M.FL.GetVInfo
M.FL.HFSElucidations
M.FL.HFSRuminations
M.FL.MixingHFSandC
M.TB.HFSTidbits

HFS volumes

M.FL.BlessedFolder
M.FL.SearchingVols

Hierarchical File System. HFS**High Sierra CD ROM format**

M.FL.ISO9660

high-level AppleTalk routines

M.NW.HLAppleTalk

high-level Control calls

M.DV.HLControlAndStatus

high-level File System cache

M.FL.Caching

high-level languages

M.PS.SubLaunching

high-level PBStatus calls

M.DV.HLControlAndStatus

high-level printing functions

M.PT.CommonLisp

high-level Status calls

M.DV.HLControlAndStatus

hints

M.TB.ZoomWindow

'hmnv' resource

M.TB.MovableModalDialog

Howard, Brian

M.HW.MemConfigs

human interface. *See* interface

HyperCard

M.PT.Hypercard

HyperCard 1.0.1

M.PT.Hypercard

HyperCard 1.1

M.PT.Hypercard

HyperCard 2.0

M.PT.Hypercard

I/O

file I/O

M.FL.MixingHFSandC

ICN# resources

M.IM.DrawingIcons

icon drawing utility

M.IM.IconDrawing

icon masks

M.OV.GetInfoMasks

ICON resources

M.IM.DrawingIcons

icons

M.IM.DrawingIcons

M.IM.FontIcons

M.IM.IconDrawing

M.IM.SmallIcons

font icons

M.IM.FontIcons

large icons

M.TB.SICNinMenu

reduced icons

M.TB.SICNinMenu

Return Physical Drive Icon

M.DV.SonyDriver

small icons

M.TB.SICNinMenu

IDs

M.FL.ActiveFS

font family ID

M.TE.FontsAndScripts

printer IDs

M.IM.LaserWriterOpt

system error 33

M.ME.SysError33

Working Directory ID
M.FL.FullPathName

images

M.IM.ColorCopyBits

ImageWriter

AppleTalk ImageWriter
M.IM.ImageWriter

ImageWriter II

M.IM.ImgWrtrPaper

include files

M.PT.CFunctions

indexed search routines

M.FL.SearchingVols

inheritance

multiple inheritance

M.PT.HandleObjects

_InitGraf

M.PT.ASMInitGraf

INITs

M.OS.DeskHookINIT

32-Bit QuickDraw INIT

M.IM.BitMatToRegion

input

GPi

M.DV.SerialGPi

input devices

serial input devices

M.DV.AbsolutePtDev

input values

ioObjType input values

M.FL.PBSharePBUnshare

insertion point

M.TE.EOLAmbiguity

installation

driver installation

M.HW.ADB

Installer. See Multidisk Installer**instruction support**

floating-point unit instruction support

M.HW.QuadraFPU

instructions

floating-point instructions

M.PT.MPWmc68881

interface

- M.IM.IconDrawing
- M.NW.AppleTalk
- M.NW.HLAppleTalk
- M.PT.CFuncArgs
- M.TB.MovableModalDialog

OS Interface Libraries
M.PT.MPW202Bugs

Interface.o

M.TB.PendingUpdates

international keyboards

M.TE.InternationalCancel

international resources

M.TE.IUChanges

International Utilities package

M.TE.IUChanges

internets

M.NW.AppleTalkTimer

M.NW.Internets

interrupt latency

NuBus interrupt latency

M.HW.NuBusLatency

interrupt priorities

M.HW.SlotInterruptPrior

interrupts

M.HW.MathCoProc

M.ME.VMMemoryMapping

M.PT.Signals

M.TB.MultifinderMisc

slot interrupt queue priorities

M.HW.SlotInterruptPrior

ioCompletion

M.FL.ioCompletion

ioFDirIndex

M.FL.IOFDirIndexSetting

ioNamePtr

M.FL.ioNamePtr

ioObjType input values

M.FL.PBSharePBUnshare

IOP-based serial driver

M.PT.SerialUnderAUX

ioPosMode

M.FL.LockRange

ioPosOffset

M.FL.ioPosOffset

ioVDRefNum

M.FL.VCBandDriveNum

ioVDrvInfo

M.FL.VCBandDriveNum

IsAliasFile

M.FL.AliasFiles

ISO 9660 CD ROM format

M.FL.ISO9660

items

dialog text items

M.TE.TextEditTech

enabled items

M.TB.DialogUserItems

menu items

M.TB.MenuFlashing

user items

M.TB.DialogUserItems

itl2 resource

M.TE.NewStringComp

Japanese text

M.TE.PrintAction

“juggle”. See context switching**Juggler. See MultiFinder****jump table**

M.OS.SegmentLoader

key mapping

M.TB.KeyMapping

keyboards

M.TB.KeyMapping

ABD keyboards

M.TB.KeyMapping

international keyboards

M.TE.InternationalCancel

Macintosh keyboard

M.TB.KeyMapping

Macintosh Plus keyboard

M.TB.KeyMapping

keys

Command key

M.TE.InternationalCancel

Command-Shift-number keys
 M.OS.CommandShiftKeys
period key
 M.TE.InternationalCancel

KillNBP

 M.NW.KillNBP

'KMAP' resources

M.TB.KeyMapping

languages

high-level languages

M.PS.SubLaunching

LAP Manager

M.NW.AppleTalk2

LAPAddATQ

M.NW.AppleTalk2

large icons

M.TB.SICNinMenu

large-screen displays

M.OV.LargeScreens

Laser Prep dictionary

M.IM.LaserPrep

LaserShare

M.IM.DocNames

See also spoolers

LaserWriter

M.IM.Feeder

M.IM.LaserWriterOpt

M.IM.LaserWriterROM

LaserWriter driver

M.IM.DictionaryLoading

M.IM.Feeder

LaserWriter driver 5.2

M.IM.FontIcons

LaserWriter driver version 4.0

M.IM.PrGeneralBug

LaserWriter driver version 6.1

M.IM.Feeder

LaserWriter driver version 7.0

M.IM.Feeder

M.IM.PrJobMerge

LaserWriter driver version 7.1

M.IM.PrJobMerge

LaserWriter ROM 1.0

M.IM.LaserWriterROM

LaserWriter ROM 2.0

M.IM.LaserWriterROM

LaserWriter spooler. *See* **LaserShare**

latency

interrupt latency
M.HW.NuBusLatency

_Launch

M.PS.SubLaunching

launching

M.PS.SubLaunching

layers

link layers
M.NW.SourceRouting

LC II. *See* **Macintosh LC II**

LC. *See* **Macintosh LC**

'LDEF'

M.TB.LDEFs

Leak, Bruce

M.IM.PrincipiaOffScreen

libraries

OS Interface Libraries
M.PT.MPW202Bugs

lines

M.TE.EOLAmbiguity

link layers

token ring link layers
M.NW.SourceRouting

Lisp. *See* **Macintosh Allegro Common Lisp**

list definition procedures

M.TB.LDEFs

{\$LOAD}

M.PT.MPWLoad

local script variables

M.TE.ScriptVars

local volumes

M.FL.LockRange

shared local volumes
M.FL.PBSharePBUnshare

LocalTalk
M.HW.Cache

low-level printing calls

M.IM.ImageWriter

low-memory globals

M.TE.TextEditTech

MABuild

M.PT.MacAPPBugs

MacApp

M.OS.SegmentLoader

M.PT.InsideObjPascal

M.PT.MacAPPBugs

M.PT.ObjPascal

M.PT.PascalObjects

MacApp 2.0

M.PT.MacAPPBugs

M.PT.PascalObjects

MacApp 2.0.1

M.PT.MacAPPBugs

M.PT.PascalObjects

MacinTalk

M.PT.MacInTalk

Macintosh

M.DV.SCSITermination

M.DV.SerialGPi

M.DV.SonyDriver

M.FL.Caching

M.FL.FileShare

M.HW.ADB

M.HW.Cache

M.HW.ColorMonitors

M.HW.MemConfigs

M.HW.NuBusDesign

M.HW.NuBusLatency

M.HW.NuBusPower

M.HW.Pinouts

M.IM.ColorPrinting

M.IM.LaserWriterROM

M.IM.OldColors

M.IM.PrincipiaOffScreen

M.NW.AppleTalk2Mac

M.NW.Servers

M.OV.32BitClean

M.OV.CompatibilityWhy

M.OV.LargeScreens

M.OV.ManagerAbuse
M.PT.AUXComapt
M.PT.AUXSysCalls
M.PT.TeachText
M.TB.ColorWindowsIn7
M.TB.Karma
M.TB.KeyMapping

Macintosh 128K

M.HW.MacPlusPinouts

Macintosh 512K

M.HW.MacPlusPinouts

Macintosh Allegro Common Lisp

M.PT.CommonLisp

Macintosh Allegro Common Lisp 1.2.2

M.PT.CommonLisp

Macintosh Allegro Common Lisp 1.3.1

M.PT.CommonLisp

Macintosh Classic

M.HW.MemConfigs

Macintosh environment

M.PT.PerfTuning

Macintosh II

M.HW.Boardkits

M.IM.LargePict

M.ME.SwapMMUMode

Macintosh II Video Card

M.HW.ColorMonitors

Macintosh IICI

M.HW.ColorMonitors

Macintosh IIx

M.DV.SCSITermination

M.HW.MacIIx

M.PT.SerialUnderAUX

Macintosh keyboard

M.TB.KeyMapping

Macintosh LC

M.HW.CMOSonLCPDS

M.HW.ColorMonitors

Macintosh LC external video connector

M.HW.ColorMonitors

Macintosh LC II

M.OV.GestaltSysenvirons

Macintosh LC to VGA monitor adapter cable

M.HW.ColorMonitors

Macintosh Plus

- M.DV.SonyDriver
- M.HW.MacPlusPinouts
- M.HW.MemConfigs
- M.HW.PlusROMVers

Macintosh Plus keyboard

- M.TB.KeyMapping

Macintosh Portable

- M.HW.MemConfigs
- M.HW.PortablePDS
- M.HW.PortableROMExp

Macintosh PowerBook

- M.OV.GestaltSysenvirons
- M.HW.PowerBookSerial

Macintosh PowerBook 140

- M.DV.PollProc

Macintosh PowerBook 170

- M.DV.PollProc

Macintosh Programmer's Workshop. *See* MPW**Macintosh Quadra**

- M.DV.SCSITermination
- M.HW.QuadraFPU

Macintosh Quadra 900

- M.HW.MemConfigs

Macintosh SE

- M.HW.ADBReInit
- M.HW.MemConfigs

Macintosh SE/30

- M.HW.SE30

Macintosh 21" Color Display

- M.HW.21rgbSpec

MacPaint

- M.IM.PackBits

MacPaint documents

- M.PT.MacPaintDoc

Managers

- M.OV.ManagerAbuse

mapping

- M.TB.MovableModalDialog
- key mapping
 - M.TB.KeyMapping

masks

icon masks

M.OV.GetInfoMasks

master hardware

NuBus master hardware

M.ME.VMMemoryMapping

master pointers

M.ME.MoreMasters

masters

bus masters

M.ME.VMMemoryMapping

NuBus masters

M.HW.sResources

math coprocessor. See MC68881; MC68882**MaxApplZone**

M.ME.MaxApplZone&MoveHHiASM

MC68000

M.PT.NonMacMPW

MC68040

M.DV.BusErrorHandler

M.HW.Cache

M.PT.MPWmc68881

MC68881

M.HW.SpeedyMathCoProc

-mc68881 option

M.PT.MPWmc68881

MC68882

M.HW.SpeedyMathCoProc

MDEF message #3

M.TB.MDEFMessage3

'MDEF' resources

custom 'MDEF' resource

M.TB.MenuFlashing

measuring

text measuring

M.TE.FONDS

memory

low-memory globals

M.TE.TextEditTech

Virtual Memory

M.ME.VMMemoryMapping

memory configurations

M.HW.MemConfigs

memory data structures

M.DV.AbsolutePtDev

memory management unit

M.HW.Cache

Memory Manager

- M.ME.SysError33

menu items

- M.TB.MenuFlashing

Menu Manager

- M.TB.MenuFlashing
- M.TB.SICNinMenu

menus

- M.TB.SICNinMenu
- custom menu flashing
 - M.TB.MenuFlashing

messages

- M.TB.NewCDEVMsg
- error messages
 - M.DV.SonyDriver
- MDEF message #3
 - M.TB.MDEFMessage3
- posCntl
 - M.TB.CDEFParams
- thumbCntl
 - M.TB.CDEFParams
- wDraw message
 - M.TB.WDEFwDraw

%_MethTables

- M.PT.MPWLoad

MFS volumes

- M.FL.SearchingVols

MIDI drivers

- M.DV.PollProc

MMU mode

- M.ME.SwapMMUMode

modal dialogs

- M.TB.PendingUpdates
- movable modal dialogs
 - M.TB.MovableModalDialog

modeless dialogs

- M.PS.DialogsInDAs

modes

- 32-bit mode
 - M.ME.SwapMMUMode
- emulation mode
 - M.PT.AUXSysCalls
- MMU mode
 - M.ME.SwapMMUMode
- srcOr mode
 - M.IM.DrawingIcons

modification

- file modification
 - M.PT.ProjectorResource

modules

- stand-alone code modules
 - M.PT.StandAloneCode

monitor adapter cables

- Macintosh LC to VGA monitor adapter cable
 - M.HW.ColorMonitors

monitors

- M.DV.MonitorDepth
- color monitors
 - M.HW.ColorMonitors
- third-party monitors
 - M.HW.ColorMonitors

MoreMasters

- M.ME.MoreMasters

movable modal dialogs

- M.TB.MovableModalDialog

MoveHHi

- M.ME.MaxApplZone&MoveHHiASM
- M.ME.MoveHHiSetResPurge

.MPP driver

- M.NW.AppleTalk2Mac
- M.NW.OpenAppleTalk

MPW

- M.DV.AddDrive
- M.FL.FCBPBBRec
- M.IM.BitMatToRegion
- M.PT.ASMInitGraf
- M.PT.MPWasmGlobals
- M.PT.MPWLoad
- M.PT.MPWmc68881
- M.PT.NonMacMPW
- M.PT.ObjPascal
- M.PT.PerfTuning
- M.PT.ProjectorResource

MPW 1.0

- M.FL.FCBPBBRec

MPW 2.0

M.NW.AppleTalk

M.PT.CFuncArgs

MPW 2.0.2

M.PT.MPW202Bugs

MPW 3.0

M.OV.A5

M.PT.MPW202Bugs
M.PT.NonMacMPW
M.TB.MultifinderMisc

MPW 3.2

M.PT.PascalObjects

MPW Assembler

M.PT.MPW202Bugs
M.PT.MPWasmGlobals

MPW C

M.FL.MixingHFSandC
M.OV.Vers
M.PS.SubLaunching
M.PT.CFuncArgs
M.PT.CFunctions
M.PT.MPW202Bugs
M.PT.MPWasmGlobals

MPW C 3.0

M.TB.DialogUserItems

MPW C 3.1

M.OV.Vers

MPW C++

M.PT.CplusplusPitfalls
M.PT.HandleObjects

MPW C++ 3.1

M.PT.PascalObjects

MPW Pascal

M.PT.MPW202Bugs
M.PT.MPWasmGlobals
M.TE.TextEditConvert

MPW tools

M.PT.InsideObjPascal

Multidisk Installer

M.PT.Installer

Multidisk Installer version 3.1

M.PT.Installer

Multidisk Installer version 3.2

M.PT.Installer

MultiFinder

- M.ME.MFandSetGrowZone
- M.PS.SubLaunching
- M.PT.AUXSysCalls
- M.TB.Multifinder
- M.TB.MultifinderMisc
- M.TB.WMgrPort
- M.TN.WDMultifinder

MultiFinder 1.0

M.TB.MultiFinder1Bug

MultiFinder 6.0

M.OV.Multifinder

MultiFinder 6.1bx

M.OV.Multifinder

multiple inheritance

M.PT.HandleObjects

Multiple Node Architecture. *See* AppleTalk Multiple Node Architecture**Musical Instrument Digital Interface drivers.** *See* MIDI drivers**Name Binding Protocol**

M.NW.KillNBP

names

document names

M.IM.DocNames

filenames

M.FL.NullInFilename

Flagship name

M.NW.AppleTalk2

font names

M.IM.FontNames

M.TE.FONDS

signal names

M.HW.ColorMonitors

negZcbFreeErr

M.ME.SysError33

nested procedures

M.PT.PascalToCProcParams

network cable range

M.NW.AppleTalk2

network events

M.NW.NoNetEvents

networks

M.NW.Internets

'NFNT's

M.TE.FONDS

NIL

M.FL.PBCatMove

_NMInstall

M.TB.NotificationManager

no component area

M.HW.NuBusDesign

non-relocatable objects

M.ME.HandleVSPointer

Norstad, John

M.FL.SearchingVols

Northwestern University

M.FL.SearchingVols

notes

release notes

M.PT.TeachText

Notification Manager

M.TB.NotificationManager

NuBus

M.DV.BusErrorHandler

M.HW.psltResource

M.HW.sResources

NuBus cards

M.HW.NuBusDesign

M.PT.NonMacMPW

NuBus device drivers

M.DV.ChecksumBounce

NuBus expansion cards

M.HW.NuBusPower

NuBus interrupt latency

M.HW.NuBusLatency

NuBus master hardware

M.ME.VMMemoryMapping

nulls

M.FL.NullInFilename

number keys

Command-Shift-number keys

M.OS.CommandShiftKeys

numbers

floating-point numbers

M.HW.MathCoProc

numbers

- font family numbers
 - M.IM.FontFamilies
 - M.TE.FONDS
- font numbers
 - M.IM.FontNames

reference number
M.DV.FindingDrivers

Object Pascal

M.PT.InsideObjPascal
M.PT.ObjPascal
M.PT.PascalObjects

objects

non-relocatable objects
M.ME.HandleVSPointer

off-screen bitmaps

M.IM.OffscreenBitMap

off-screen graphics environments

M.IM.PrincipiaOffScreen

off-the-shelf applications

M.PT.Customs

old-style color. *See* color**OmegaSANE**

M.OS.OmegaSANE

opcode

M.IM.PictureOpCodes
GetRslData opcode
M.IM.PrGeneralBug

_OpenResFile

M.TB.StripOpenResFile

OpenRFPPerm

M.TB.OpenRFPPerm

_OpenRFPPerm

M.TB.StripOpenResFile

operating system

M.OV.ManagerAbuse
M.TB.NotificationManager

operations

canceling
M.TE.InternationalCancel
character operations
M.TE.FONDS
string operations
M.TE.FONDS

optimizing

M.IM.LaserWriterOpt

options

- mc68881 option
 - M.PT.MPWmc68881

Ortiz, Guillermo

- M.IM.PrincipiaOffScreen

OS Interface Libraries

- M.PT.MPW202Bugs

OS Utilities

- M.ME.StripAddress

Othmer, Konstantin

- M.IM.PrincipiaOffScreen

outline fonts

- M.IM.FontFamilies

owned resources

- m.tb.OwnedResources

Pack 4 SANE traps

- M.OS.OmegaSANE

_PackBits

- M.IM.PackBits

Palette Manager

- M.IM.PaletteManagerChanges

paper

- M.IM.ImgWrtrPaper

paramErr

- M.IM.PrincipiaOffScreen

parameters

- M.TB.MDEFMessage3
- 'CDEF' parameters
 - M.TB.CDEFParams
- PROCEDURE parameters
 - M.PT.PascalToCProcParams

parts

- M.HW.Boardkits

Pascal

- M.FL.FullPathName
- M.FL.PBSharePBUnshare

M.FL.VCBandDriveNum
M.IM.SmallIcons
M.NW.AppleTalk2
M.OV.A5
M.PT.MPWLoad
M.PT.PascalByPointer
M.PT.PascalToCProcParams
M.TB.DialogUserItems

- M.TB.LDEFs
- M.TB.MultifinderMisc
- MPW Pascal
 - M.PT.MPW202Bugs
 - M.PT.MPWasmGlobals
 - M.TE.TextEditConvert
- Object Pascal
 - M.PT.InsideObjPascal
 - M.PT.ObjPascal
 - M.PT.PascalObjects
- THINK Pascal
 - M.PT.MacAPPBugs

Pascal strings

- M.TE.TextEditConvert

PascalObject base class

- M.PT.PascalObjects

patches

- M.ME.MFandSetGrowZone
- M.ME.StripAddress
- M.OV.A5TrapPatching
- floating-point patch
 - M.PT.CommonLisp

patching

- backpatching
 - M.OS.OmegaSANE

pathnames

- full pathnames
 - M.FL.FullPathName

_PBCatMove

- M.FL.PBCatMove

PBCatSearch

- M.FL.SearchingVols

_PBClose

- M.DV.PBClose

PBGetCatInfo

- M.FL.FileShare
- M.FL.IOFDirIndexSetting

PBGetUGEntry

- M.FL.PBSharePBUnshare

PBGetVInfo

M.FL.GetVInfo

PBGetDirAccess

M.FL.FileShare

PBGetVInfo

M.FL.VCBandDriveNum

PBHRstFLock

M.FL.FileShare

PBHSetDirAccess

M.FL.FileShare

PBHSetFLock

M.FL.FileShare

PBHSetVol

M.FL.PBHSetVol

_PBLockRange

M.FL.LockRange

PBShare

M.FL.PBSharePBUnshare

PBStatus

high-level PBStatus calls

M.DV.HLControlAndStatus

_PBUnlockRange

M.FL.LockRange

PBUnshare

M.FL.PBSharePBUnshare

PCL. See Portable Common LOOPS**PDS cards**

M.HW.CMOSonLCPDS

PDS. See Processor Direct Slot**pending update events**

M.TB.PendingUpdates

performance

M.HW.QuadraFPU

M.PT.PerfTuning

M.TB.MovableModalDialog

period key

M.TE.InternationalCancel

periodic time

M.DV.DriverTime

peripheral devices

M.PT.NonMacMPW

PICT files

M.IM.LargePict

M.IM.PackBits

See also pictures

PICT resource

M.IM.LargePict

picture comments

M.IM.AppPictComments

SetLineWidth picture comment

M.IM.SetLineWidth

picture data structure

M.IM.PictureOpcodes

pictures

M.IM.PictAndPrinting

M.IM.PictClipRegions

M.IM.PosIndPS

M.PT.TeachText

See also PICT files

pIdle procedure

M.IM.pIdleProc

pinouts

M.HW.ColorMonitors

M.HW.MacPlusPinouts

M.HW.Pinouts

M.HW.PortablePDS

Pixel2Char

M.TE.Pixel2Char

plotting

M.IM.SmallIcons

Plus. *See* Macintosh Plus**PMSP. *See* Poor Man's Search Path****point conversions**

M.PT.CFuncArgs

pointers

M.ME.HandleVSPointer

M.PT.PascalByPointer

destination name pointer

M.FL.PBCatMove

master pointers

M.ME.MoreMasters

pointing devices

absolute pointing devices
M.DV.AbsolutePtDev

points

M.PT.CFuncArgs

PollProc

serial PollProc
M.DV.PollProc

Poor Man's Search Path

M.FL.CreateResFilePMSP

port availability

M.DV.SerialDriver

Portable Common LOOPS

M.PT.CommonLisp

Portable. See Macintosh Portable**porting**

M.PT.AUXSysCalls

ports

M.HW.MacPlusPinouts

M.HW.Pinouts

M.TB.WMgrPort

posCntl message

M.TB.CDEFParams

position-independent PostScript

M.IM.PosIndPS

_PostEven t

M.TB.MultifinderMisc

PostScript

position-independent PostScript

M.IM.PosIndPS

PostScript dictionaries

M.IM.DictionaryLoading

power

M.HW.NuBusPower

PowerBook 140. See Macintosh PowerBook 140**PowerBook 170. See Macintosh PowerBook 170****PowerBook. See Macintosh PowerBook****_PrClose**

M.IM.PrintLoop

PREC(103) resource

M.IM.DictionaryLoading

PREC(201) resource

M.IM.DictionaryLoading

PrGeneral

M.IM.PRGeneral

M.IM.PrGeneralBug

Print Action routine

M.TE.PrintAction

print drivers

M.IM.pIdleProc

M.TE.PrintAction

Print Manager

M.IM.AddPrintDialog

print-a-page printing. *See* spool-a-page/print-a-page printing

printer IDs

M.IM.LaserWriterOpt

printer resolution

M.IM.PRGeneral

printing

M.IM.LaserWriterROM

M.IM.pIdleProc

M.IM.PrintLoop

color printing

M.IM.ColorPrinting

device-independent printing

M.IM.DevIndPrinting

high-level printing functions

M.PT.CommonLisp

spool-a-page/print-a-page printing

M.IM.Spooler

M.NW.Spooler

printing calls

low-level printing calls

M.IM.ImageWriter

Printing Manager

M.IM.DocNames

M.IM.PictAndPrinting

M.IM.PRGeneral

M.IM.PrintLoop

priorities

interrupt priorities

M.HW.SlotInterruptPrior

slot interrupt queue priorities

M.HW.SlotInterruptPrior

PrJobMerge

M.IM.PrJobMerge

problems

- M.FL.GetVInfo
- M.FL.HFSElucidations
- M.FL.SearchingVols
- M.IM.PictClipRegions
- M.IM.PrGeneralBug
- M.PT.CplusplusPitfalls

- M.TB.LDEFs
- M.TB.MenuFlashing
- M.TB.MultiFinder1Bug
- M.TB.PendingUpdates
- M.TB.ResourceTips
- M.TB.StripOpenResFile
- M.TE.TextEditBugs
- M.TE.TextEditTech

PROCEDURE parameters

- M.PT.PascalToCProcParams

procedures

- M.IM.LaserPrep
- list definition procedures
 - M.TB.LDEFs
- nested procedures
 - M.PT.PascalToCProcParams
- pIdle procedure
 - M.IM.pIdleProc

processes

- boot process
 - M.HW.ADB

processor caches

- M.HW.Cache

Processor Direct Slot

- M.HW.PortablePDS

processor speed

- M.NW.AppleTalk2

Programmer's Guide to MultiFinder

- M.TB.MultifinderMisc

programs

- M.IM.PrincipiaOffScreen
- M.ME.MFandSetGrowZone
- M.ME.MoreMasters
- M.OV.32BitClean
- M.OV.CompatibilityWhy
- M.PT.Signals

Projector

- M.PT.ProjectorResource

_PrOpen

- M.IM.PrintLoop

proprietary systems. *See* **systems**

“pseudo-VBL” tasks

M.HW.NuBusLatency

'pslt' resource

M.HW.psltResource

pStrCat

M.FL.FullPathName

pStrecpy

M.FL.FullPathName

“pure” text

M.TE.TextEditConvert

purgeable 'clut' resources

M.IM.ColorCursor

PurgeMem

M.OV.PurgeNComactDebug

purgeProc fields

M.ME.PurgeProc

Quadra 900. See Macintosh Quadra 900**Quadra. See Macintosh Quadra****queues**

drive queue

M.DV.DrvQEI

slot interrupt queue priorities

M.HW.SlotInterruptPrior

QuickDraw

M.IM.GCQDCopybits

M.IM.OldColors

M.IM.PictAndPrinting

M.IM.PictClipRegions

M.IM.PictureOpCodes

M.IM.PosIndPS

M.PT.ASMInitGraf

M.TE.FONDS

32-Bit QuickDraw

M.IM.32BitQD

M.IM.BitMatToRegion

32-Bit QuickDraw INIT

M.IM.BitMatToRegion

32-Bit QuickDraw version 1.0

M.IM.32BitQD

32-Bit QuickDraw version 1.2

M.IM.32BitQD

Color QuickDraw

M.IM.32BitQD

M.IM.PrincipiaOffScreen

Radius FPD

M.OV.LargeScreens

Radius Inc.

M.OV.LargeScreens

RAM

M.HW.MemConfigs

ranges

- M.FL.LockRange
- network cable range
 - M.NW.AppleTalk2

records

- default record
 - M.PT.ASMInitGraf
- event record
 - M.HW.BreakCTSEvent
- GDevice records
 - M.TB.ZoomWindow
- TextEdit record
 - M.TE.RecordSizeLimit

reduced icons

- M.TB.SICNinMenu

reference number

- M.DV.FindingDrivers

regions

- M.IM.BitMatToRegion
- clip regions
 - M.IM.PictClipRegions

RegisterName

- M.NW.RegisterName

registers

- A0 register
 - M.DV.AddDrive
- A5 register
 - M.ME.GrowZoneA5
 - M.OV.A5
 - M.OV.A5TrapPatching
 - M.TB.MultifinderMisc

registration

- M.IM.AppPictComments

release notes

- M.PT.TeachText

remapping. *See* mapping**remote volumes**

- M.FL.AliasFiles

rendering

cursor rendering

M.HW.NuBusLatency

rendering software

system cursor rendering software

M.DV.AbsolutePtDev

ResEdit

- M.PT.TeachText
- M.TB.FinderFlags

ResEdit 1.2

- M.TB.FinderFlags

reserved resource types

- M.TB.RervedResTypes

resolution

- printer resolution
 - M.IM.PRGeneral

ResolveAliasFile

- M.FL.AliasFiles

ResolveAliasFileMountOption

- M.FL.AliasFiles

resource files

- M.FL.CreateResFilePMSP
- M.OV.StationaryPads
- M.TB.MaxResInFile
- M.TB.NewResourceMgrCalls
- M.TB.SeparateResFiles

resource fork

- M.FL.NoDataInResFork

resource header

- M.TB.ResHeaderAppBytes

Resource Manager

- M.NW.AppleShareApps
- M.TB.NewResourceMgrCalls
- M.TB.OpenRFPPerm
- M.TB.ResourceTips

resource types

- reserved resource types
 - M.TB.RervedResTypes

resources

- M.OV.ExtraCDEVRes
- M.TB.ColorWindowsIn7
- M.TB.DeskTopFile
- M.TB.MaxResInFile
- ADBS resource
 - M.HW.ADB

- AppleTalk resources
 - M.NW.AppleTalk2
- 'cctb' resource
 - M.TB.ColorWindowsIn7
- 'CDEF' resources
 - M.TB.CDEFParams
- 'ckid' resource
 - M.PT.ProjectorResource

- 'clut' resources
 - M.IM.ColorCursor
- font family resources
 - M.TE.FONDS
- 'fwst' resource
 - M.OV.ExtraCDEVRes
- 'hmnv' resource
 - M.TB.MovableModalDialog
- ICN# resources
 - M.IM.DrawingIcons
- ICON resources
 - M.IM.DrawingIcons
- international resources
 - M.TE.IUChanges
- itl2 resource
 - M.TE.NewStringComp
- 'KMAP' resources
 - M.TB.KeyMapping
- 'MDEF' resources
 - M.TB.MenuFlashing
- owned resources
 - m.tb.OwnedResources
- PICT resource
 - M.IM.LargePict
- PREC(103) resource
 - M.IM.DictionaryLoading
- PREC(201) resource
 - M.IM.DictionaryLoading
- 'pslt' resource
 - M.HW.psltResource
- 'SICN' resource
 - M.IM.SmallIcons
- 'snd ' resources
 - M.PT.Hypercard
- system resources
 - M.TB.ColorWindowsIn7
- 'vers' resource
 - M.OV.Vers
- 'wctb' resource
 - M.TB.ColorWindowsIn7

RestoreA5

- M.OV.A5

restrictions

- M.PT.CplusplusPitfalls
- M.PT.PascalObjects

retry mechanisms

- M.NW.AppleTalkTimer

retry timers

M.NW.Internets

Return Physical Drive Icon

M.DV.SonyDriver

returns

- error returns
 - m.tb.GetNewDialogErrs

Rollin, Keith

- M.PT.StandAloneCode

ROM

- M.FL.Caching
- M.HW.PlusROMVers
- M.HW.PortableROMExp
- M.PT.CFuncArgs
- 64K ROMs
 - M.TE.FontHeight
- declaration ROM
 - M.DV.BusErrorHandler
 - M.HW.sResources
- LaserWriter ROM 1.0
 - M.IM.LaserWriterROM
- LaserWriter ROM 2.0
 - M.IM.LaserWriterROM

ROM debugger

- M.PT.ROMDebugger

router status

- M.NW.AppleTalk2

routines

- M.PT.PascalByPointer
- AppleTalk routines
 - M.NW.HLAppleTalk
- date routines
 - M.TE.ScriptDateTime
- Print Action routine
 - M.TE.PrintAction
- search routines
 - M.FL.SearchingVols
- time routines
 - M.TE.ScriptDateTime

routing

- source routing
 - M.NW.SourceRouting

SADE

- M.PT.MacAPPBugs
- M.PT.MPWmc68881
- OmegaSANE
 - M.OS.OmegaSANE

SANE package

M.HW.MathCoProc

SANE traps

Pack 4 SANE traps

M.OS.OmegaSANE

savePort

M.TB.ZoomWindow

SCC driver

M.PT.SerialUnderAUX

screen

M.IM.OffscreenBitMap

M.TB.MovableModalDialog

script code

M.TE.FontsAndScripts

Script Manager

M.TE.FontsAndScripts

M.TE.IUChanges

M.TE.Pixel2Char

M.TE.PrintAction

M.TE.ScriptVars

M.TE.WordBreakTables

Script Manager 2.0

M.TE.ScriptDateTime

script systems

M.IM.FontFamilies

script variables

global script variables

M.TE.ScriptVars

local script variables

M.TE.ScriptVars

ScriptCheck version 3.2.1

M.PT.Installer

scripts

M.PT.Installer

SCSI Development Package

M.DV.AddDrive

SCSI device drivers

M.DV.ChecksumBounce

SCSI drivers

M.DV.AddDrive

M.DV.HDHacking

M.ME.VMMemoryMapping

SCSI drives

M.DV.HDHacking

SCSI Manager

M.DV.ChecksumBounce

M.DV.SCSI

SCSI termination

M.DV.SCSITermination

SE. See Macintosh SE**SE/30. See Macintosh SE/30****search routines**

indexed search routines

M.FL.SearchingVols

Segment Loader

M.OS.SegmentLoader

selectors

'atkv' gestalt selector

M.NW.AppleTalk2

gestaltHardwareAttr selector

M.OV.GestaltSysenvirons

Send to Self

M.IA.SendToSelf

serial drivers

M.DV.SerialDriver

M.HW.BreakCTSEvent

IOP-based serial driver

M.PT.SerialUnderAUX

serial general-purpose input. See GPi**serial input devices**

M.DV.AbsolutePtDev

serial PollProc

M.DV.PollProc

seriop.c

M.PT.SerialUnderAUX

server volumes

AppleShare server volumes

M.NW.AppleShareApps

servers

AppleShare servers

M.NW.AppleShareLimits

data servers

M.NW.Servers

file servers
M.NW.Servers

SetA5
M.OV.A5

SetCurrentA5
M.OV.A5

SetDepth

M.DV.MonitorDepth

_SetGrowZone

M.ME.MFandSetGrowZone

SetItemCmd

M.TB.SICNinMenu

SetItmCmd

M.TB.SICNinMenu

SetLineWidth picture comment

M.IM.SetLineWidth

_SetPort

M.TB.DialogUserItems

SetResLoad

M.TB.SetResLoad

SetResPurge

M.ME.MoveHHiSetResPurge

SetupA5

M.OV.A5

SetWordBreak

M.TE.TextEditTech

SFPGetFile

M.FL.SFCustomize

shared folders

M.FL.FileShare

shared local volumes

M.FL.PBSharePBUnshare

shared volumes

M.FL.LockRange

sheet feeders

M.IM.Feeder

Shift key

Command-Shift-number keys

M.OS.CommandShiftKeys

shortcuts

m.tb.OwnedResources

'SICN'

M.TB.SICNinMenu

'SICN' resource

M.IM.SmallIcons

Signal

- M.PT.Signals

signal names

- M.HW.ColorMonitors
- M.HW.PortablePDS
- M.PT.Signals

SIMMs. See Single In-line Memory Modules**Single In-line Memory Modules**

- M.HW.MemConfigs

slot interrupt queue priorities

- M.HW.SlotInterruptPrior

_SlotVInstall

- M.PT.MPW202Bugs

_SlotVRemove

- M.PT.MPW202Bugs

small icons

- M.TB.SICNinMenu

'snd ' resources

- M.PT.Hypercard

software

- M.HW.MacIfx
- M.OV.A5TrapPatching
- M.PT.AUXSysCalls
- M.PT.NonMacMPW
- rendering software
 - M.DV.AbsolutePtDev
- system software
 - M.DV.BootBlocks
 - M.FL.BlessedFolder
 - M.HW.Cache
 - M.NW.NoNetEvents
 - M.OV.32BitClean
 - M.TE.TextEditTech

software extensions

- Foreign File Access software extension
 - M.DV.CDNotes

Sony disk drives

- M.TB.FindersDrives

Sony driver

M.DV.SonyDriver

sound

continuous sound

M.TB.ClicklessSound

Sound Driver

M.TB.ClicklessSound

Sound Manager

M.HW.MathCoProc

source routing

M.NW.SourceRouting

specifications

M.HW.NuBusDesign

speed

M.IM.TimeSpaceCopyBits

processor speed

M.NW.AppleTalk2

Speed Change AppleTalk Transition event

M.NW.AppleTalk2

spool-a-page/print-a-page printing

M.IM.Spooler

M.NW.Spooler

spoolers

M.IM.IsASpooler

See also LaserShare**srcBytes**

M.IM.PackBits

srcOr mode

M.IM.DrawingIcons

sResource entries

M.HW.sResources

stack frames

M.PT.Signals

stackware

M.PT.Hypercard

stand-alone code modules

M.PT.StandAloneCode

Standard Apple Numerics Environment. *See* SANE**Standard File**

M.FL.FullPathName

M.FL.SFCustomize

M.FL.SFTips

M.FL.Volunes

standard string comparison

M.TE.NewStringComp

Status

- high-level Status calls
 - M.DV.HLControlAndStatus

status

- router status
 - M.NW.AppleTalk2

status calls

- M.DV.SonyDriver

status changes

- break/CTS status change
 - M.HW.BreakCTSEvent

StdFilterProc

- M.TB.PendingUpdates

Stearns, Bryan

- M.TE.FONDS

string comparisons

- standard string comparison
 - M.TE.NewStringComp

string conversions

- M.PT.CFuncArgs

string operations

- M.TE.FONDS

strings

- M.PT.CFuncArgs
- Pascal strings
 - M.TE.TextEditConvert

StringWidth

- M.TE.FONDS

_StripAddress

- M.ME.StripAddress

structures

- data structures
 - M.DV.AbsolutePtDev
 - M.IM.PictureOpCodes
 - M.PT.MPWmc68881

styled fonts

- M.TE.FONDS

Styled TextEdit

M.TE.TextEditBugs

M.TE.TextEditChanges

sublaunching

M.PS.SubLaunching

suppliers

M.HW.Boardkits

support

instruction support

M.HW.QuadraFPU

swapping

M.ME.SwapMMUMode

switching

context switching

M.TB.Multifinder

_SysEnvirons

M.OV.GestaltSysenvirons

SysErr.a file

M.ME.SysError33

System \$04FF

M.TB.MultiFinder1Bug

System 3.2

M.ME.SysError33

System 4.1

M.DV.SCSI

M.HW.ADBReInit

M.TE.TextEditBugs

System 4.2

M.DV.SCSI

M.TE.TextEditBugs

System 6.0

M.TE.TextEditChanges

System 6.0.2

M.IM.PaletteManagerChanges

System 6.0.5

M.IM.32BitQD

M.TE.TextEditTech

System 6.0.x

M.TB.DeskTopFile

System 7 Tuner extension

M.NW.AppleTalk2

System 7.0

- M.FL.FileShare
- M.FL.SearchingVols
- M.FL.Sparing
- M.IM.IconDrawing
- M.ME.VMMemoryMapping
- M.NW.AppleTalk2

- M.OV.ExtraCDEVRes
- M.TB.ColorWindowsIn7
- M.TB.DeskTopFile
- M.TB.PendingUpdates

System 7.0.1

- M.OS.OmegaSANE

system calls

- M.PT.AUXSysCalls

system crashes

- M.OV.LargeScreens
- M.TB.StripOpenResFile

system cursor rendering software

- M.DV.AbsolutePtDev

system error 33

- M.ME.SysError33

System file

- M.FL.BlessedFolder

System file 4.1

- M.TB.KeyMapping
- M.TE.IUChanges

system resources

- M.TB.ColorWindowsIn7

system software

- M.DV.BootBlocks
- M.FL.BlessedFolder
- M.HW.Cache
- M.NW.NoNetEvents
- M.OV.32BitClean

systems

- M.HW.ADB
- M.TB.WDEFwDraw
- file systems
 - M.FL.ActiveFS
 - M.FL.MixingHFSandC
- MC68000-based systems
 - M.PT.NonMacMPW
- operating system
 - M.OV.ManagerAbuse
 - M.TB.NotificationManager
- script systems
 - M.IM.FontFamilies

tables

- break tables
 - M.TE.WordBreakTables
- height tables
 - M.TE.FontHeight

- jump table
 - M.OS.SegmentLoader
- unit table
 - M.DV.FindingDrivers
- word-break tables
 - M.TE.WordBreakTables

tags

- file-system tags
 - M.FL.Tags

TApplication

- M.PT.MacAPPBugs

tasks

- deferred tasks
 - M.HW.NuBusLatency
- “pseudo-VBL” tasks
 - M.HW.NuBusLatency

TCommand

- M.PT.MacAPPBugs

TCtlMgr

- M.PT.MacAPPBugs

TDeskScrapView

- M.PT.MacAPPBugs

TeachText

- M.PT.TeachText

TEDispatchRec

- M.TE.TextEditChanges

TEditText

- M.PT.MacAPPBugs

templates

- M.TB.ColorWindowsIn7

termination

- SCSI termination
 - M.DV.SCSITermination

termio(7)

- M.PT.SerialUnderAUX

TEScroll

- M.TE.TEScrollBug

_TETSetJust

M.TE.TextEditTech

TETSetSelect

M.TE.EOLAmbiguity

TESysJust

M.TE.TextEditTech

TEvtHandler

M.PT.MacAPPBugs

text

M.TE.Appearance

M.TE.TextEditConvert

Arabic text

M.TE.PrintAction

dialog text items

M.TE.TextEditTech

Japanese text

M.TE.PrintAction

“pure” text

M.TE.TextEditConvert

text direction

M.TE.TextEditTech

text measuring

M.TE.FONDS

TextEdit

M.OV.ChkForFunction

M.TE.EOLAmbiguity

M.TE.TextEditAdvice

M.TE.TextEditBugs

M.TE.TextEditChanges

M.TE.TextEditTech

Styled TextEdit

M.TE.TextEditBugs

M.TE.TextEditChanges

TextEdit conversion utility

M.TE.TextEditConvert

TextEdit record

M.TE.RecordSizeLimit

TGridView

M.PT.MacAPPBugs

THINK Pascal

M.PT.MacAPPBugs

third-party monitors

M.HW.ColorMonitors

THPrint

M.IM.PrJobMerge

thumbCntl message

M.TB.CDEFParams

TIcon

M.PT.MacAPPBugs

time

- periodic time
 - M.DV.DriverTime

time routines

- M.TE.ScriptDateTime

timers

- M.NW.AppleTalkTimer
- retry timers
 - M.NW.Internets

tips

- M.FL.SFTips
- M.OV.Debugging
- M.TB.ResourceTips

token ring link layers

- M.NW.SourceRouting

Toolbox

- M.IM.PackBits
- M.PT.AUXComapt
- M.PT.MPW202Bugs
- M.TB.Karma

tools

- development tools
 - M.PT.PerfTuning
- MPW tools
 - M.PT.InsideObjPascal

TPopup

- M.PT.MacAPPBugs

_TrackControl

- M.TB.CDEFParams

transcendental functions

- M.OS.OmegaSANE

transfers

- block transfers
 - M.HW.sResources

Transitions. See AppleTalk Transitions**trapping**

- error trapping
 - M.PT.Signals

traps

- M.IM.BitMatToRegion
- M.ME.StripAddress
- M.OV.A5TrapPatching
- SANE traps
 - M.OS.OmegaSANE

TScroller

M.PT.MacAPPBugs

TStdPrintHandler

M.PT.MacAPPBugs

TTEView

M.PT.MacAPPBugs

Tuner extension. See System 7 Tuner extension**tuning**performance tuning
M.PT.PerfTuning**TView**

M.PT.MacAPPBugs

TView.Focus

M.PT.MacAPPBugs

TWindow

M.PT.MacAPPBugs

type coercion

M.PT.PascalToCProcParams

typesresource types
M.TB.RervedResTypes**unit table**

M.DV.FindingDrivers

_UnPackBits

M.IM.PackBits

update eventspending update events
M.TB.PendingUpdates**UpdateOffScreen**

M.IM.PrincipiaOffScreen

updateswindow updates
M.IM.OffscreenBitMap**user identity dialog**

M.FL.AliasFiles

user items

M.TB.DialogUserItems

users

M.TB.NotificationManager

utilities

- conversion utilities
 - M.TE.TextEditConvert
- icon drawing utility
 - M.IM.IconDrawing
- International Utilities package
 - M.TE.IUChanges
- OS Utilities
 - M.ME.StripAddress
- _PackBits
 - M.IM.PackBits

values

- Extended values
 - M.PT.MPWmc68881
- input values
 - M.FL.PBSharePBUnshare

variables

- M.TE.ScriptVars
- global variables
 - M.PT.ASMInitGraf
- script variables
 - M.TE.ScriptVars

vcbDRefNum

- M.FL.VCBandDriveNum

vcbDrvNum

- M.FL.VCBandDriveNum

verify flag indicator byte

- M.NW.RegisterName

verifyFlag. *See* verify flag indicator byte

'vers' resource

- M.OV.Vers

version 1 pictures. *See* PICT files

version 2 pictures. *See* PICT files

VGA monitor adapter cable. *See* Macintosh LC to VGA monitor adapter cable

Victoria-Day release

- M.PT.CommonLisp

video

- M.HW.ColorMonitors

built-in video
M.HW.ColorMonitors

video cards

Macintosh II Video Card
M.HW.ColorMonitors

video connectors

- external video connectors
 - M.HW.ColorMonitors

video display buffers

- M.HW.SE30

Virtual Memory

- M.ME.VMMemoryMapping

visual human interface. *See* interface**VM. *See* Virtual Memory****volume control block**

- M.FL.VCBandDriveNum

volumes

- M.FL.ActiveFS
- M.FL.FileShare
- M.FL.Volumes
- AppleShare volumes
 - M.FL.ActiveFS
 - M.FL.LockRange
- HFS volumes
 - M.FL.BlessedFolder
 - M.FL.SearchingVols
- local volumes
 - M.FL.LockRange
 - M.FL.PBSharePBUnshare
- MFS volumes
 - M.FL.SearchingVols
- remote volumes
 - M.FL.AliasFiles
- server volumes
 - M.NW.AppleShareApps
- shared volumes
 - M.FL.LockRange

vRefNum

- M.FL.FullPathName

WaitNextEvent

- M.TB.MultiFinder1Bug

'wctb' resource

- M.TB.ColorWindowsIn7

'WDEF'

- M.TB.ColorWindowsIn7

WDEF

 custom WDEF

 M.TB.WDEFwDraw

wDraw

 M.TB.WDEFwDraw

wDraw message

M.TB.WDEFwDraw

Weston, Dan

M.ME.SwapMMUMode

window definition functions

custom window definition functions

M.TB.WDEFwDraw

Window Manager

M.TB.WMgrPort

window updates

M.IM.OffscreenBitMap

windows

M.IM.OffscreenBitMap

M.TB.ColorWindowsIn7

M.TB.PendingUpdates

M.TB.WMgrPort

M.TB.ZoomWindow

WMgrPort

M.TB.WMgrPort

word-break tables

M.TE.WordBreakTables

word-opcode pictures. *See* PICT files**working directories**

M.TN.WDMultifinder

Working Directory ID

M.FL.FullPathName

Zap, Jon

M.IM.PrincipiaOffScreen

zones

heap zone

M.ME.PurgeProc

_ZoomWindow

M.TB.ZoomWindow