

# NewWait4Port

## Documentation

### Contents:

|                       |   |
|-----------------------|---|
| Introduction          | <i>What is it all about ?</i>             |
| Features              | <i>What's so special with</i>             |
| <i>NewWait4Port ?</i> |   |
| Installation          | <i>How to make it work</i>                |
| Usage                 | <i>How to use it</i>                      |
| Bugs                  | <i>No program is perfect</i>              |
| History               | <i>Have a look back</i>                   |
| Contact               | <i>How you can get in contact with me</i> |

## Introduction

### So what does it do ?

NewWait4Port is a replacement of the WaitForPort command provided with Amiga-OS. It waits for a Message Port to appear and then end itself. This is useful for batch scripts. Here's an example:

```
run <>NIL: Miami:Miami          ;start Miami TCP/IP-Stack as background task
NewWait4Port MIAMI.1            ;wait for its Msg port to appear
rx "ADDRESS MIAMI.1 ONLINE"    ;send a rexx command to this port
```

This script waits till Miami has been started and its ARexx Port is available. Then it tells Miami to go online. Without NewWait4Port you would try to send a rexx message before the Port is available as it needs some time for Miami to start. Of course you could use a simple `wait 5` . But you never really know how long Miami will need to start.

## Features

**The original WaitForPort command** of Amiga-OS has two major disadvantages:

- it ends itself if the port isn't available within 10 seconds.
- it uses an endless loop of FindPort() calls resulting in a massive loss of CPU performance.

**NewWait4Port** waits for the Port to appear even if it has to wait for hours. It also allows you to define a delay time between FindPort() calls preventing a loss of CPU performance.

## Installation

Nothing's as simple as that.

Copy NewWait4Port to sys:rexxc/  
Rename it to WaitForPort if you like.

Copy the documentation to wherever you want.

PORT/A DELAYTICKS/N

PORT/A is the name of the message port to wait for. This argument must be provided. If the name includes spaces you need to enclose it with "". Consider that Amiga-OS port names are case sensitive !

DELAYTICKS/N is the delay time between the single FindPort() calls. The value given must be the number of 1/50 seconds (=1 tick).

Defaults to 0 (behaviour of the original WaitForPort command). 25 is probably a good value here.

Example:

NewWait4Port MIAMI.1 10 ; waits for MIAMI.1 port to appear. It checks its availability every 10/50 second (=200 milli seconds).

If you start NewWait4Port without any arguments Amiga-DOS will show you the template and ask you for input. If you input a ? now you will get a more detailed explanation of the arguments.

You can cancel NewWait4Port by sending a CTRL\_C break. This can be done by pressing Ctrl C or by the following commandline:

```
break `status COM=newwait4port` C
```

Note that it can take up to DELAYTICKS time for the program to quit as the program cannot quit within a Delay() call.

## **Bugs**

No bugs known (so far...).

Tell me if you find one.

## **History**

1.00 First Version, first Aminet Release

Page 4 of  
**Copyright Notice**

©1999 by Jean Holzammer

This Programm is **Freeware**.

You may use it for free for private and commercial use.

You may distribute it as long as you provide the full and unmodified archive.

If you distribute it commercially you may not charge more than 1 EUR per disc or 5 E per CD-ROM.

Otherwise you need my explicit permission.

Permission is hereby granted to Aminet CD-ROMs and Aminet Set CD-ROMs.

**Contact information**

Do you want to report bugs, make suggestions or show me you like this product you can contact me at

*jholzammer@bene.baynet.de*

snailmail:

Jean Holzammer  
Ringstraße 20  
92369 Sengenthal  
Germany

fax: (0049 for Germany) 089/6661 713 498

<http://Jean.Holzammer.home.pages.de>

You can also contact me if you are interested in the source of the programm.

Thanks to:

|                            |  |
|----------------------------|--|
| ·Wouter van Oortmerssen    | for his implementation of the E language.                          |
| ·Dietmar Eilert            | for the best text editor available on any platform.                |
| ·Urban Müller and his team | for the Aminet that initiated a boom of freely available software. |

- Richard Körber for GuideML.
- everyone else supporting the idea of free software and open source technology.