

**CommanderE**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> CommanderE		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 31, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>CommanderE</b>	<b>1</b>
1.1	Main . . . . .	1
1.2	Copyrights . . . . .	1
1.3	Introduction . . . . .	2
1.4	Requirements . . . . .	2
1.5	Installation . . . . .	2
1.6	Menus . . . . .	2
1.7	Main window . . . . .	3
1.8	Options . . . . .	3
1.9	Command history . . . . .	4
1.10	Function keys . . . . .	4
1.11	Arexx commands . . . . .	4
1.12	History . . . . .	5
1.13	To do . . . . .	6
1.14	Contact . . . . .	6
1.15	Authors . . . . .	6

## Chapter 1

# CommanderE

### 1.1 Main

Commander 1.1

(c) 2001 Magic Software

Copyrights  
Introduction  
Requirements

Installation  
Menus  
Main window  
Options  
Command history  
Function keys

Arexx commands

History  
To do  
Contact  
Authors

### 1.2 Copyrights

Copyrights

This program is freeware. You may freely distribute it.

You may not modify the program or any file which comes with it.

You use this program for your own responsibility. Authors are not responsible for any damage or loss caused by using it.

---

## 1.3 Introduction

### Introduction

Commander is a tool which makes running AmigaDOS commands much easier than the standard requester does. Its main features are: ability to insert file names by dropping their icons on the window or by selecting them with the requester, command history, ability to change command's options and ability to define commands which will be inserted after pressing different key combinations.

## 1.4 Requirements

### Requirements

Program requires:

- Workbench 3.0
- MUI 3.8
- utilities.library 1.2 (included)
- wbstart.library 2 (optionally, included)

## 1.5 Installation

### Installation

To install the program just run the installation program from the "Install" directory.

## 1.6 Menus

### Menus

Program:

- |                      |   |
|----------------------|---|
| - Informations...    | Show informations about program                                   |
| - Command options... | Edit options  |
| - Function keys...   | Edit function keys settings                                       |
| - Complete name...   | Complete name after which the cursor is set in the command string |
| - Hide               | Hide  |
| - Quit               | Quit  |

MUI:

- |                   |                             |
|-------------------|-----------------------------|
| - Informations... | Show informations about MUI |
| - Settings...     | Edit MUI settings           |

## 1.7 Main window

Main window

"Command"

Here (as you probably can guess ;) ) you have to enter the command. File names can be inserted by dropping their icons on the window or by selecting them with the requester. If it's necessary program will automatically insert spaces and quartermark

When the gadget is active, you can move through the command history by pressing up and down keys (up - previous command, down - next command) and you can insert defined command by pressing the proper key combination

After pressing the popup button on the right side of the command string the command history window will be opened.

"Execute"

Execute command

"Cancel"

Hide

## 1.8 Options

Options

"Output"

Window or file where all messages from the command will be directed to

"Current directory"

Home directory for the command

"Stack"

Stack size in bytes

"Priority"

Priority of the command

"Number of commands"

Maximal number of commands in the command history buffer

"WB mode"

If this option is on, all programs which have icons will be run in WB mode, and the arguments from the command line will be passed as the program was run together with selecting other icons. This option to work requires wbstart.library in version 2 or higher

"Save"

Save options

"Use"

---

Use options

"Cancel"

Cancel changes and close the window

## 1.9 Command history

Command history

Command list

This is a list of executed commands (their number depends on the options settings). The last executed command is on the top. To insert any command just double click on it

## 1.10 Function keys

Function keys

"Key"

"And"

These gadget are used to select the key combination

"Mode"

This gadget lets you select the way in which the defined command will be inserted. There are two possibilities:

- "Replace" - entered command (in the main window) will be deleted
- "Insert" - the command will be inserted in the cursor position
- "Execute" - the command will be executed immediatly after pressing the function key (even if the command string isn't active) and it won't be added to the command history

"Command"

Here you have to enter the command which will be inserted after pressing the selected key combination. Just like in the main window you can insert file names by dropping their icons on the window or by selecting them with the requester

"Save"

Save settings

"Cancel"

Cancel changes and close the window

## 1.11 Arexx commands

Arexx commands

OpenWindow

Open program's window (uniconify)

InsertString string  
Insert string into the command in the current buffer position

InsertName name  
Insert name into the command in the current buffer position.  
If it's necessary, program will automatically add spaces and use quartermark

SetCommand command  
Clear entered command and set its contents to 'command'

ExecuteCommand  
Execute entered command

SetOutput output  
Set output

SetCurrentDir dir  
Set current directory

SetStack stack  
Set stack size

SetPriority pri  
Set priority

GetCmdStr  
Get command string

GetBufPos  
Get cursor position in the command string

SetBufPos position  
Set cursor position in the command string

## 1.12 History

History

1.1:

- programs with icons can be run in WB mode
- name completion function is available
- in the function keys settings a new mode which will cause immediately command execution is available
- many files can be now selected with the requester
- there is more function key combinations available
- command string is cleared after executing the command
- empty commands aren't added to the command history any more
- three new Arexx commands have been added

Thanks to Andreas Kuerzinger for some nice suggestions

1.0:

---



- first version

## 1.13 To do

To do

Here are some features which we may add in the next program versions.  
If you think that they would be useful or maybe have your own ideas,  
let us know about it.

1. Opening drawers - after entering a directory name, it would be opened like you double clicked on it
2. Opening www sites - after entering a name beginning with http:// or www the selected browser would be run and the page would be loaded into it

## 1.14 Contact

Contact

Any comments and questions send to:

email@magicsoftware.prv.pl

If you would like to get updates or our other productions, visit our page:

<http://www.magicsoftware.prv.pl>

## 1.15 Authors

Authors

Here's a list of authors of extra files coming together with the program:

wbstart.library (c) Stefan Becker <stefanb@yello.ping.de>

Full version of this library can be found on Aminet  
(util/libs/WBStart.lha)

German catalog (c) Andreas Kuerzinger <satanas666@freenet.de>

---