

PrintManager

COLLABORATORS

	TITLE : PrintManager		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 31, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	PrintManager	1
1.1	PrintManager v39 - © 1997-1999 by Stephan Rupprecht	1
1.2	PrintManager.guide/Copyright	1
1.3	PrintManager.guide/Overview	2
1.4	PrintManager.guide/Shareware	2
1.5	PrintManager.guide/Author	3
1.6	PrintManager.guide/Requirements	3
1.7	PrintManager.guide/Installation	3
1.8	PrintManager.guide/Usage	4
1.9	PrintManager.guide/SetPUNT	12
1.10	PrintManager.guide/History	12
1.11	PrintManager.guide/Credits	15
1.12	PrintManager.guide/Bugs	15

Chapter 1

PrintManager

1.1 PrintManager v39 - © 1997-1999 by Stephan Rupprecht

Ää\$÷div\$äëñßäëï PrintManager

Import information:

Äëëäéþíáðá	Äëëäéþíáðá éäé íìëëÛ
Ðñëäñäöþ	PrintManager? Ôé åßíäé ?
ShareWare	Ôï PrintManager åßíäé SHAREWARE
Ðñíäñáìíäðéóððò	Ðùò ìðïñþ íá äñþ ôïí ðñíäñáìíäðéóòþ

Usage:

Äðäéððóäéò	Ôé áðäéððóäé äéä íá òñÝíäðä ôï PrintManager
ÄäëäðÛóðáóç	Ðùò íá ôï ääëäðáóððóäðä
\$\times\$ñþóç	Ðùò íá ôï \$\div\$ñþóéìððéððóäðä

Appendix:

SetPUNT	Ç åíðïëþ SetPUNT
ÉóðïñëëÛ	ÉóðïñëëÛ
Ðñíäëþíáðá	ÐéëäíÛ ðñíäëþíáðá éäé ç ëýóç ôïðò
Äð\$÷div\$äñéóðððäð	Ï ðñíäñáìíäðéóððò äðéëðíäß íá äð\$÷div\$äñéóðððäé...

~

1.2 PrintManager.guide/Copyright

Äëëäéþíáðá éäé íìëëÛ

Ôï ðáñþí ìðñäß íá áíðéäñÛðäðé éäé íá äéäíÝíäðäé äðüóíí ç ðáñíýóá äþëüóç éäé Ûääéä äéëäëùìÛðíí áíðéäñäððò óðìðäñëëäíäÛíäðäé óä üëä óä áíðäñäðá.

ÄÉÊÁËÜÌÁ ÁÍÔÉÃÑÄÖÇÓ

Copyright (C) 1997-1999 by Stephan Rupprecht

ÞÜóá áíáðãñüíáíá éáóáóééýíóá óþíáóá áßíáé öðü öuí éäéíêöçöpí ôíöð.

ìç ÐÃÑÏ\$\\times\$ç ÃÃÃÖÇÓÇÓ

Ï äçíêíõñäüð äáí áßíáé öðäýèöííð äéá ìðíéáäþðíóä æçíêÛ ðñíêêçèâß áðü öçí \$\\leftarrow\$
div\$ñþóç
Þ éáðÛ\$\\div\$ñçóç ôíö ðãñüíóíð áããñÜöíö Þ/éáé öíö ðñíãñÜííáóíð/uí ðíö ðãñéãñÜöáé.~

ÄÉÁííìç

~

Áðöü öí ðáéýöí ëíäéóíêéý (áðáíá-)äéáíýíáðáé äñãñÜí. Äáí áðéõñýðáðáé íá
áëéá\$\\div\$èâß íá ìðíéáäþðíóä öñüðí, áëöüð áðü öçí ðãñððöüóç óöíðßáóçð.

1.3 PrintManager.guide/Overview

PrintManager?~Ôé áßíáé?

To PrintManager áßíáé Ýíáð printer-spooler, óðëëáíäÜíáé óéð êëþóáéð öíö printer. \leftarrow
device
óöçí parallel-/serial.device éáé óþæáé óá äãäííýíá öíö áëöððüð óá Ýíá áñ\$\\leftarrow\$
div\$âßí.
,óóé, ðñíãñÜííáóá ðíö óðýéííóí äãäííýíá óöíí áëöððüð äáí \$\\div\$ñäéÜæáðáé íá öíí
ðãñéíýííóí äéá íá óöíá\$\\div\$þóíóí. Áðßóçð óáo áßíáé êÜðíéíí Ýëää\$\\div\$í ó\$\\leftarrow\$
div\$áðéêÛ íá óá
äãäííýíá ðíö óðýéíííóáé óöíí áëöððüð. Ìðíñãßóä áðßóçð íá áëöððóáðá áñ\$\\div\$âßá
áðáðéâáð áðü öí PrintManager~íýóü öuí datatypes.

Ðééáíþð íýñãðá öí PrintManager 2.0 áðü öíí Nikola Salmoria, óá äýí ðñíãñÜííáóá
áðóá ìíêÜæíóí ëßäí (äáí áßíáé öð\$\\div\$áßí :-), áëêÛ éáíýíá íýñíö öíö ðñíãñÜííáóüð \leftarrow
ííö
äáí ááóßæáðáé óöíí êþäééá öçð Ýëäíóçð öíö Nicola.

1.4 PrintManager.guide/Shareware

Öí PrintManager áßíáé Shareware

, \$\\div\$âðá öðíðçí üóé öí ðñüãñáííá áßíáé SHAREWARE, áÜí óáo áñýóáé ðãñáéäéâßóéä \leftarrow
íá
éáðá\$\\div\$ñþóáðá öí áíöðöððü óáo. Éáðá\$\\div\$ñçíýííé \$\\div\$ñþóðáð éá êÜäíóí Ýíá \leftarrow
áñ\$\\div\$âßí-êëééâß
ðíö áðáéñâß öíöð áíí\$\\div\$ëçðéêéýð áéöçöýð. Óá óöíé\$\\div\$âßá íáíýý ",ñäí/ \leftarrow
Áðíèþéâðóç üð
..." éáé "Ñðèíßóáéð/Fast Par?"~éá áíãñäíðíéçèíýí éáé áðöÜ.

ÐëçñùìÐ åããñáôÐò (ìúíí ìåñçôÛ/eurocheque Ð ôá\$÷div\$öäñîìéêÐ áðîóôîëÐ ðáñáéáëþ):

US\$ 8.-
DEM 15.-

Ãéá íá ðÛñåôå ôî åñ\$÷div\$åßî-ëëåéåß ìå éáíîíéëü ôá\$÷div\$öäñîìåßî, ðñîóëÝóôå US\$2 ←
.-/DEM 5.-
óôçí ðëçñùìÐ.

ÓçìÁíÔÉÊÏ: Ìçí ìå\$÷div\$Ûóåôå íá áíáöÝñåôå ôî üíîìå éáé ôçí
äéåýèðîíóÐ óåð üðáí åããñÛöåóôå.

1.5 PrintManager.guide/Author

Ðùò ìðñþ íá åñù ôîí äçìéíðñåü

Snailmail:

Stephan Rupprecht
Apfeldweg 1
D-44359 Dortmund
GERMANY

eMail:

stephan.rupprecht@gmx.de

1.6 PrintManager.guide/Requirements

Ôé áðåéôåßôåé äéá íá ðñÝìåôå ôî PrintManager

Ôî PrintManager áðåéôåß:

Ýíáí Òðñëîäéóð (óðìååöü ìå) Amiga ìå ôïðëÛ\$÷div\$éóôîí AmigaOS 3.0 éáé åëðððùð ←
:-)

1.7 PrintManager.guide/Installation

Ðùò íá ôî åãéååóåóðóåôå

\$\times\$ñçóéëîððóôå ôî åìðåñéå\$÷div\$üìåíí ÓáíÛñéí-ÅãéåöÛóóåóçò äéá íá ←
åãéååóåóðóåôå ôî
PrintManager.~

ÐÁÑÁÉÁÉÅÉÓÓÅ ÍÁ ÁÖÁÉÑÅÓÅÔÅ ÌÐÏÏÄÇÐÏÅ ÅÑÅÉÅÏ ÓÁÍ ÔÏ PRINTMANAGER ÐÏ Å\$ ÷ ←
\$\times\$ÅÔÅ

ÀÃÊÁÔÁÓÔÇÓÁÊ ÓÔÏ ÓÔÓÔÇÏÁ ÓÁÓ ÐÑÏÔÏÔ ÀÃÊÁÔÁÓÔÇÓÁÔÁ ÔÏ PRINTMANAGER (ð.\$\div\$. ôÏ PrintManager V2 áðü ôÏ Nicola Salmoria)!

1.8 PrintManager.guide/Usage

ÀÊÊßÍÇÓÇ

~ ÌðÏñÃßðÁ íÁ áñ\$\div\$ßðÁðÁ ôÏ PrintManager áðü ôÏ shell~Ð ôÏ workbench.
Óé áëüëïðèáð áðëëïÃÝð (cli/tooltypes) áíáãíùñßæííðáé:

CX_POPUP default: YES

ÊáèÏñßæáé ÅÛí èá áííé\$\div\$èáß ôÏ ðáñÜèõñÏ ôïð ðñíáñÜííáðïð üðáí ôÏ ðñÝ\$\div\$áðÁ ←
ãéá
ðñðç òíñÜ. ÅÛí áãéáðáóðßðáðÁ ôÏ PrintManager~óôï óõñòÜñé~WBStartup~ãéá íá
áíáñáïðïëéáßðáé áððüíáðÁ, ðüðá äðððÁ ôÏ ùñéóíá ÍÏ.

CX_POPKEY default: shift alt p

Áððü áßíáé ôÏ ~hotkey, Ç áëïëïðèßá áéóüäïð ðïð áííßááé ôÏ ðáñÜèõñÏ ÅÛí áßíáé
èéáéóðü, Ð ôÏ öÝñíáé áìðñüð ÅÛí áßíáé ÐäÇ áííé\$\div\$ðü.

CX_PRIORITY default: 0

Ç ðñíðáñáéüðçðÁ ôïð commodity. Äáí \$\div\$ñáéÜæáðÁ íá áëéá\$\div\$ðáß.

PUBSCREEN default: not defined

Ôï üíííá òçð äçíüóéáð ïèüíçð òðçí ïðïßá èá áííé\$\div\$ðáß ôÏ ðáñÜèõñÏ.

PRINTDRAWER default: not defined

Áñ\$\div\$ééü óõñòÜñé äéá òçí áßðççÇ áñ\$\div\$áßïð "Print ..."

SAVEDRAWER default: not defined

Áñ\$\div\$ééü óõñòÜñé äéá òçí áßðççÇ áñ\$\div\$áßïð "Save as ..."

SPOOLDRAWER default: T:spool

Ôï óõñòÜñé óôï ïðïßá èá ðñÝðáé íá òðæííðáé ðñíóüñéíÜ áñ\$\div\$áßá. ÅÛí Ý\$\div\$áðÁ ←
íáñééÜ
MB áëáýèáñÇ ïíðíá, \$\div\$ñçóéíïðïéðððÁ ôÏ T:~(ôï ïðïßá óðïðèüð áßíáé òç RAM:),
áëëïéðð ïñßððÁ Ýíá óõñòÜñé óôï óëëçñü. \$\times\$ñçóéíïðïéðððÁ ôÏ óëëçñü Ý\$ ←
div\$áðÁ òç
äðíáðððçðÁ óðïÝ\$\div\$éóçð ïéóïðáéèéèüíÝíüí áëððððáüí ïáðü áðü áðáíáèéßççç ôïð
ððïëéáéóðð. Óá ðáñßðððçç ðïð ôÏ óõñòÜñé äáí ððÜñ\$\div\$áé, äçíéíðñáßðáé.

KEYPATH default: DEVS:

Ôï óõñòÜñé óôï ïðïßá áñßðéáðáé ôÏ áñ\$\div\$áßïð-èéáéäß.

SPOOLPRI default: 0

ÅÜí ç æøýðuoç ònpæe üei öii ææýeãñi \$\\div\$ñüii öiö åðãíãñãáoð, \$\\div\$ñçóéííðíéðóðå öi
 SPOOLPRI æéá íá íæépóðåð öçí ðñiðãñãæüöçðå öçð æéãñãáoðåð öiö æøðææáoðð, Ýðóé
 þóðå íá ææðæãñþóðåð \$\\div\$ñüii æéá Üëëåð æéãñãáoðåð. Ç ðñiðãñãæüöçðå ðñÝðæé íá
 åðíáæ áíÜíåðå öå -5 éæé 5.
 ÖçíÅÉÜÖÇ: ¼ðáí eÝðåðå öi SPOOLPRI~ðå -1 Þ \$\\div\$áìçëüðåñå, ç æéãñãáoðå íðíñåð íá
 íçí ëÜåæe åñæåðü \$\\div\$ñüii æéá íá åñ\$\\div\$ðóæe áíÝóðö öçí æøýðuoç. Öüðå éå
 åìðáíéóðåð
 öi íýíçíå "ÁíÝðíéíìð æøðððüðð!?" íÝ\$\\div\$ñéð üöið üëå öå åååííÝíå öiö æøðððüðð
 ððíëíæéóðíýí áðü öi printer.device (Þ üðáí ððÜñ\$\\div\$æe ëÜðíéìð ææýeãñið
 \$\\div\$ñüiið:-).

BUFFERSIZE default: 4096

ÅðéðñÝðæe öçí æëëåð íåãÝëiðð öüí óðóóüñåððí ðið \$\\div\$ñçóéííðíéýííðæe æéå ãñåðð
 éæé áíÜáíüöç. ÍåååëþíííðÜð öi íæépíåðæe ç ðñüðååöç óðí óëëçñü, æëÜ Ý\$\\div\$æe üð
 ðåñåíÝñåæé öçí éæéðóðÝñçöç öçð æøýðuoçð íÝ\$\\div\$ñé íá ëçðëíýí åñæåðÜ åååííÝíå
 æéå
 íá ååíðóæe í óðóóüñåðð. Öi æÜ\$\\div\$éóðí íÝååëið åðíáé 4096 bytes.

ENUM

FULLNAME default: not active

¼ðáí åðíáé åíåñåü, ç óåððüöçðå ëÜëå Ýñåið (3 øçððå) ðñíåÜëëåðæe óðçí ëðóðå.
 ð.\$\\div\$.: Multiview -> Multiview.000

NODRAGNJ default: not active

Åðååíñåýæe öç íåðåöíñÜ öið "« Next Job »" (ëíéöÜíðå éæé ðåñåëÜðü).

ICONIFYGADGET default: YES

ÅÜí óæëåð óðí 'YES' éå ðñiðóðæåð Ýíå ëiðíð æëëííæëíðíðçöçð óðí ðÜíü üñéí öið
 ðåñåëýñið.

CHECKPRINTERSTATE default: YES

ÊÜíåe öi PrintManager~íå æëÝå\$\\div\$æe öçí éåðÜóðåöç öið æøðððüðð ðñéí óðåðæåe
 åååííÝíå.

CONFIGFILE default: none

Öi üíííå öið åñ\$\\div\$åðíð ñòëíðóåüí ðið éå öiñðüëåð üðáí æëëéíçëåð öi
 PrintManager
 (ÊíéöÜíðå éæé ðåñåëÜðü)

DATEFMT default: DOS

You can use this option to change the dateformat of the job list. The follow-
 ing keywords are accepted by DATEFMT:

Åðëëíåð æëëåðð öið ðñüðíð åððååéíçð öçð çíåñíìçíðåð óðçí ëðóðå. Íë æëüëíðæåð
 ëÝíæéð åðíííðæe áðíååëðÝð:

DOS çç-ííí-\$\\div\$\$\\div\$ (ie. 02-Jan-98)
 INT \$\\div\$\$\\div\$-ííí-çç (98-Jan-02)
 USA íí-çç-\$\\div\$\$\\div\$ (01-02-98)

CDN çç-ii-\$\div\$\$\div\$ (02-01-98)
DEF ňýèìéóç locale

SAFEREMOVE default: not activated

Ìà ôçí àðéèìāð áõõð, èá àñùõðóõā ēÜēā öïñÜ ðïõ èá ēÝēāõā íá áõāēñÝóāõā Ýíá Ýñāì ìā öï ēìõìðß "ÁðììÜēñõíóç"

COPYDUPLICATES default: not activated

ĀŪí áíáðāñāāŪāāõā Ýíá Ýñāì ìā öï ìāìíý ",ñāā/Áíáðāñāāūāð", öï PrintManager èá ēÜíāē Ýíá óýíāāõìì ööì āñ\$÷div\$āßì. ĀŪí ēÝóāõā áõõðí ôçí àðéèìāð óā ēāēõìõñāßā ←
,
õüõā èá äçìēìõñāāßõāē ðñāāìáõēēü áìõßāñāõì ēāē ü\$÷div\$ē óýíāāóç.
ÓçìĀēÜÓç: Óõçí ðāñßðõüóç ðïõ āßíāē āäýíāõì íá äçìēìõñāçēāß óýíāāóç, èá āßíāē áìõēāñāõð āñ\$÷div\$āßìõ!

PAUSED default: NO

Āñ\$÷div\$ēēð ēáõÜõõāóç öïõ "« Āðüìāìì ,ñāì »" (ēìēõÜîõā ðāñāēÜõü).

APPMENU default: NO

ĀŪí 'YES', öï PrintManager èá ðñìõēÝóāē Ýíá appmenuitem óõā ìāìíý öïõ wb.

POPWINDOW default: NEVER

ACTIVE: ¶ìíēāìā ðāñāēýñìõ üõáí āìõáíēõõāß ēāēììýñāēì Ýñāì.
ALWAYS: Óáí öï ACTIVE, áēēÜ áììßāē öï ðāñÜēõñì ēáõÜ ôçí āēēßíçóç,
üõáí ððŪñ\$÷div\$ìõì áíáðììāßíáíõā Ýñāā áðü ðñìçāìýìāíç öïñÜ.
NEVER: áðāíāñāìðìēāß öï POPWINDOW.

APPICON default: ACTIVE

NEVER: Öï PrintManager āāì äçìēìõñāāß appicon.
ACTIVE: Öï appicon āìõáíßæāõāē üõáí āìõáíēõõāß ēāēììýñāēì Ýñāì ēāē
āíáõáíßæāõāē üõáí õāēāēðóāē ç āēõýðüóç.
ALWAYS: Tì appicon āßíāē óõíā\$÷div\$ðò ìñāõü.

Āēðēü ēēßē āìõáíßæāē ēāē öÝñíāē ìðñìõõÜ öï ðāñÜēõñü.

APPICONNAME default: PrintManager/localized name

ĀðēõñÝðāē ôçí áēēāāð öïõ ìíüìáõìò öïõ āēēìíēāßìõ.

DELCOM default: off

ĀðēõñÝðāē öïí ðñìõāēìñēóìü ìēáõ āìõìēðò ðïõ èá āēõāēāßõāē üðìõā öï
PrintManager~ēÝēāē íá āēāāñŪðāē Ýíá āñ\$÷div\$āßì. ,õóē ìðìñāß íá \$\ ←
÷div\$ñçóéììðìēçēāß ð\$÷div\$
öï GlobalTrash~(áðü öïí Oliver Blumert) āēá āēāāñāõÝò.

ð\$÷div\$:
DELCOM="GlobalTrashClient %s"

Öï '%s' èá áìõēēāõáõõāēāß áðü öï āñ\$÷div\$āßì ðñìò áìõēāñāõð.

AUTOFF default: off

Ἀνῆ\div\$éeē ēáôÛóóáoç ôiō óóie\$ḥ\div\$áβiō iáíiý "Ἄôöüááoç áíôieē Form Feed" (←
 ēieôÛîôâ
 ḏáñáéÛôù) .

```
FASTPAR          default: off
```

Άν\$\\div\$έέΠ εΰόç ôïō óôïé\$\\div\$åßïō låííý "Fast Par". ÅŮí åßíáé áíåñāΠ, ôï ←
PrintManager

éá \$\\div\$ñçóéíïðíéþóáé ôçí äéééÛ ôïð parallel.device (fastpar.device) äéá ôçí
 áðïíóóíëþ äääïííýíuì óóíí äéóððùòç. Áóð ç óðóéäð ððíññáß íá óðáßéäé äääïííýíá
 óóíí äéóððùòç ðéí ãñþäíñá áðü ôçí éáíííééþ parallel.device.

ÐĚǺİÍǺÊÔÇÌÁÔÁ :-)

- Ìããáëýôãñç ôá\$\div\$ýôçôá.

- Éäéáßôâñá éäëþ äéá âêôôðüôÝò ìä ìääÛëïò óóóóñâóôÝò.

- Áðáéóáß ëéäüóáñï \$ \div \$ñüíï áðáíáñááóóð áðü öçí~parallel.device,~ïðïßóð ðïíñáßóð ↵

ía óõía\$\\div\$βóâôâ íá äïöëäýâôâ áíp ãßíáôáé âêôýðùóç.~

$$\dot{I} \dot{A} \dot{E} \ddot{I} \dot{I} \dot{A} \hat{E} \hat{O} \zeta \dot{I} \dot{A} \hat{O} \dot{A} : - ($$

- Ìüíî ãéá êáôá\$\\div\$ũñçìÝíîõò \$\\div\$ñƆóôâò

- 4eā ōā āāāīīYīā ōōYēīīīōāē ōōcī ōōŪñ\$\\div\$īī ōāñŪēēēcēç ēýñā, īōūōā ēā ōñYōāē īā ōōīāYōāōā ōīī āēōōōūōP ōāō āēāā.

- İdîñāḅ ıá ıçı äioēāyāē ıā ıāēēııōēēYō Amiga-Ḍıō āāı Yş\divşıōı Bāēı ōēēēü ḍāñüēēççō eyñāō (Ḍēēāıü ēēēēpıāōā ōḍıēıāēōōp)

```
- ÐñīāñÜlláóá ðīō áðáéðīýí ðēý $\\div$ñüüī āðāīāñāáoðÐ (ð.$\\div$. printer.device) ←  
~lðīñāß
```

ία όάιάόΠόϊόί όçí âêôýðùόç.

WINDOWX default: 0

İñéæüíôéá èÝóç ðañaèýñiõ.

WINDOWY default: below screen titlebar

ÊÛèâôç èÝóç ðáñáèýñiõ.

ICONX

ICONY

ÈÝóç áéêíéäßïð ãöáñììãðò. ÅÜí äái êáèĩñéóôĩý, ôïðïèãôãßôáé áõôüìáôá.

```
PRINTDELAY      default: 0
```

İñéóìüò \$ \div \$ñüíïõ áíáìïíÐò ìÝ\$ \div \$ñé ôcí âêêßícóc âêôýðùócò íÝïõ Ýñãïõ.

Examples:

```
PRINTDELAY=10
```

ĐãñéìÝíïé 10 äãõô. ìÝ\$\\div\$ñé ôcí âêêßícóc âêôýðùócò íÝï ÿñäï/

ÓCÌÀÉÙÓC: C áíáíiíP óôáíáôÜâé áôöüiáôá üôái Ý\$\\div\$ïöí ecöëâß üëá ôá äääiíÝíá.

```
PRINTDELAY=0
```

Áñ\$ \div \$βæǎé áìÝóùò ç âêôýðùóç.

PRINTDELAY=-1

Ç æøýðùóç èá áñ\$\\div\$ßóæ æöíý èçøèíýí üèá óá äääííýíá.

TIMEOUT default: 0

İñæææ ðüóí èá ðañéíýíáæ öí PrintManager~æéá íá äßíáæ ýðíéíìò ì æøððùòðò. ÅÜí
ì æøððùòðò äái äßíáæ ýðíéíìò óðíí èæèñéóíýíí \$\\div\$ñüíí, ←
öí
PrintManager~óðáíáðüáæ íá ðañéíýíáæ èæé àìöáíßææ ýíá ðañüèõñí ðíð óáo
áíçíáñþíáæ üðé äái äßíáæ äóíáðð ç æøýðùóç.

Examples:

TIMEOUT=0

Åðáíáñäíðíßçóç èæèþí èðíçò \$\\div\$ñüííð. (ðñíáðéèíäð)

TIMNEOUT=30

ÈÜèìò èðíçò \$\\div\$ñüííð íáðÜ 30 ääðð.

ÓçìÁíÓÉÉİ: Öí TIMEOUT äái äüðèäýáæ åÜí öí "CHECKPRINTERSTATE=NO" !

PRINTCOUNT default: 1 <1...999>

Öí Printmanager íðññâß íá óóýéíáæ öí ßæéí ýñäí ðíèèýð öññýò óðíí æøððùòðò.
Åððü åðéèýäææ ðüóðò öññýò èá æøðððíáðáæ èÜèä ýñäí.

DEVICE default: systemconfig

UNIT

ÈáíííéèÜ öí PrintManager~èá æéáèñßíáæ áððüíáðá óá ðíéÜ óðóèäðð ý\$\\div\$åðä ←
óðíáýóáæ
öíí æøððùòðò (ð\$\\div\$ parallel-/serial.device). İüíí èèðóáèð óçíí èáðÜèèçç ←
óðóèäðð
áíá\$\\div\$áèðßæííðáæ åÜí äßííðí áðü óçíí printer.device. Åðóðð\$\\div\$þòü èÜðíéá ←
ðñüäñÜíáðá
äái èá äüðèýðíðí íä öí PrintManager~åÜí äái ìñßóáðä áððíí óçíí åðéèíäð (ð\$\\ ←
div\$
datatypes.library)

Äßíííðáð ýíá üíííá óðóèäððò (èæé ðñíáñáéðéèÜ áñéèìü ìííÜäìò) èá èÜíáæ òò
PrintManager íá èáðá\$\\div\$ññþóáæ İÈÄÓ òéð èèðóáèð óçíí óðóèäðð. ð\$\\div\$~:
DEVICE=parallel.device

Åðü öí v39.21~èæé ýðæéðá öí PrintManager~ððíóçññææ óçíí èáðá\$\\div\$þñçóç ←
ðíèèäðèþí
óðóèäððí/ìííÜäüí. Åéá óçíí èáðá\$\\div\$þñçóç ð\$\\div\$ òüí parallel.device, ioblixpar. ←
device,

DEVICE=parallel.device,ioblixpar.device

Óá UNIT, DEVICEWEDGE and UNITWEDGE äý\$\\div\$ííðáæ òéð ðañáíýðññòò íä öíí ßæéí ←
òñüðí.

ÓçíÁÉÜÓÇ: Äái äßíáæ äóíáðð ç æøýðùóç ðañéóóüðaññüí áðü áíüð ýñäíð óçíí ßæéá
óðéäíð. ¼ðáí òðÜñ\$\\div\$íðí ýñäá óçíí èßóðá æøýðùóçò, İé åðéèíäýð DEVICE/UNIT~äái
èá ðñýðæé íá áèá\$\\div\$èíýí, æéüðé óçíí áðüíáíç öññÜ ðíð èá æèèéçèäß öí
PrintManager,~öí ðñüäñáííá èá óá óðäßèæé óçíí èÜèìò óðóèäðð~(æéá ðañáääéäíÜ,
ái èñáððóáðä óá ííííáðá òüí óðóèäððí áèèÜ áèèÜíáðä óçíí óáèñÜ ìñéóíüð öíðò)

DEVICETYPE

ÀŮİ ĲŲ\div\$āāā āāēāēāē āēōōōōō ēŲōōā ōī ōōī 'serial', āēēēēēō ōōī 'parallel' (ōŲ\div\$. DEVICETYPE=parallel). Āōōū āāīāē āāāāāāōōōī īūīī āŮİ ç ēāōŮōōāōç ōīō āēōōōōōō āāī āīāāīūñāāāāē ōūōōŮ.

DEVICEWEGE

```
UNITWEDGE      default: not active
```

ÆðeønÝðæé ôçí îâôäöîñÜ îäPäçòçò ôçò âêýðuóçò áðü ìßá óôóêâðP óå Üëëç (ð\$\\div\$ ←
 áðü
 ôçí parallel.device óôçí serial.device, P óå üðïéá Üëëç óôóêâðP èÝêââ!:)

IGNORETASK

Iâ ôçí ãðëëíãð áððð, íñëóíýíá ðñíãñüííãðá ãáí òðëãíãüíííðãë, üðüð
ëãëíñðæííðãë áðü ó\$\\div\$çíãðëóííýð AmigaDOS. Áðüü ãðíãë \$\\div\$ñðóëíí áüí ý\$\\leftarrow\$
div\$ãðã ð\$\\div\$ ýíá
óëüíãñ òóíããããíýíí òóçí ðãëá èýñã íã ôíí ãëðððüðð.

 $\mathbb{D} \setminus \text{div} \mathbb{D} :$

```
IGNORETASK=scanner.device - ÕÏ PrintManager ääí âêôääëåß áðü ôï scanner.device.
IGNORETASK=(scanner.device|dpaint|TPaint) - Ìçí âêôððþíáéð áðü scanner.device,
dpaint and tpaint.
```

ΌÇÏÃĒÛÒÇ: Ēāēōiōñāāš iüii iāæš iā ôçí āđēēiāP DEVICE. Āēá đēçñiöiñšāō óš\ ←
div\$āōēēŪ
iā ôiōō óš\div\$ciāōēōliŷō ôōiāiōēāōōāšōā ôi āā\$÷div\$āēñšāēi ôiō AmigaDOS!

```
PATCH      default: YES
```

```

ÉáíííéÜ òì PrintManager~ääéääéóòÜ Ýíá íðÜëüá òòì óýóòçíá áéá òçí éáðá$ \ ←
    div$pnçóç
óóóéáòpí. ÅÜí òì áðáíáñáðíðéíðóáðá áÜæííóáð òì PATCH òòì NO, òì PrtManager~éá
áíðéäýáé ðéí öééééÜ íá òì óýóòçíá áééÜ éá áðáéóáß òçí áðáíáñýéíéóç òçð
printer.device~áéá íá óðÝéíáé áääííÝíá òòçí íííÜää 0 òçð~spool.device. Áéá òì
TurboPrint~P òçí printer.device V42~áðòü áßíáðáé íÝóü òìð ðñíáñÜííáðìð
áðéëíäpí. Áéá òçí printer.device v39/40~$ \div$ñçóéííðíéáßóðá òì ðñüáñáííá SetPunt
òì PATCH=NO~áðáéóáß òíí íñéóíü òüí áðéëíäpí DEVICE/UNIT~òòçí óóóéáðP áíüäíð
(ð$ \div$ paralle.device)

```

\$\times\$ñcóéìïðïéíôáò ôï ðãñéâÛëëíí

* * * * *

[illegible]

Āī āōáēñŸōāōā īéá ü\$\\div\$ē öĕPñçò āñáoóá áđü öç ëßóōā (āāíí\$\\div\$āē āñüöçīáōēēŸ), ←
 öüōā
 öī ðñüāñāīīā ēā āđēóōñŸøāē ēŸēiò óóīī áđiíóōīēŸá, áēēŸ áōōü āāī óóīāđŸāāōāē üōē

ì áðìóóìëÝáò èá óóáìáòþóáé!Óá áóòþí ôçí ðãñððòùóç òá áéóãñ\$\\div\$ùìáíá äääììÝíá äáìììÝíóáé.

ÖðÛñ\$\\div\$áé ìáá áéääéþ éáóá\$\\div\$þñçóç óóç ëðóóá, « Áðùìáíì ññäì ». ¼éá òá áéóãñ\$\\div\$ùìáíá
Ýñäì èá ìðìóí ðñðí áðù áóòþí éáé èá áðíáé óóçí Òáéá éáóÛóóáóç (áíãñäÛ þ óá áíáìììþ). ÁÛí ëìéðùí ëÝóáóá áóòþí óá áíáìììþ äáí èá áéóððùéáð òððìóá ìÝ\$\\div\$ñé
íá
ôçí áééééþóáóá. Ìáóáéééþíóáò Ýíá Ýñäì áðù ëÛòù áðù òí Áðùìáíì ññäì, äáí èá áéóððùéáð. ññäì ðìó Ý\$\\div\$ìóí ìáðíáé áðù Ûééç öìñÛ èá ìðìóí éáé áóòÛ áðù ëÛòù.
Áéá
ôç áðìóððáþ éáíéáóìÝíçò áíãñäìðìðçóçò Ýñäì ëÛòù áðù òí Áðùìáíì ññäì ùóáí áóòÛ ìáóáéééçéíýí ðñìò óá áðÛíù, áóòÝò áóòùìá òðéáíóáé óá áíáìììþ. ¼óáí ìáóáéééþóá ùìò òí Áðùìáíì ññäì ðñìò óá ëÛòù, óá Ýñäì ðìó äääáðììóí áðù ðÛíù äáí òðéáíóáé óá áíáìììþ!

paused!

*\$^1\$ Ìá òí gtdrag.library ç ëðóóá ìðìñáð íá áéëÛíáé ìá Drag&Drop.
Öí NODRAGNJ áðáäìñáýáé ôçí ìáóáöìñÛ öìó « Next Job ».

The menu

Áñãáóóá

=====

ðãñð ðèçñìðìñðáò

ðñíãñáìíáóéóìò ... Áðáíãñäìðìéáð óá Ýñäì éáé óá áíãñäìðìéáð íáíÛ ìáòÛ
áðù ëÛðìéí ðñíéáéíñéóìÝíí \$\\div\$ññüí. ¼óáí áðíáé áíãñäìò, \$\\div\$
ðññçóéìðìéáðóóá
òí óðìé\$\\div\$áðì áóòù öìó ìáíìý áéá íá òí áðáíãñäìðìéþóáóá.

Áðùéñðøç Êéáðíáé òí ðãñÛéöññ \$\\div\$ùñðò íá ééáðóáé òí ðñüãñáìíá.
ÖÝëìò Êéáðíáé òí~PrintManager (ç ìöñÛ áéóýðùóçò ðñÝðáé íá áðíáé Ûääéá).

ññäì

=====

Áéóýðùóç ... Áðééìáþ áñ\$\\div\$áðìí áéá áéóýðùóç.
Ìðìñáðóá áðóçò íá áéóððþóáóá áñ\$\\div\$áðá ðìó ðãñéÝ\$\\div\$ìóí óéÝóá äääììÝíá
áéóððùóçò (áðù ",ññäì/Áääãñáð...") ìÝòù áóòìý öìó ìáíìý. Öí ó\$\\div\$üééí öìó
áñ\$\\div\$áðìò ðñÝðáé íá áðíáé "Raw Printer Data"!

Áíðáðáóá ... Áðééìáþ öìó áñééìý áíóéãñÛòùí öìó áðééááìÝííò Ýñäìò.
Áí áéëÛíáóá öíí áñééìù öìó « Áðùìáíì ññäìò», ùéá óá Ýñäì èá Ý\$\\div\$ìóí
öíí Òáéí áñééìù áéóýðùóçò.

Ìáðìíìíáóóá ... Áééááþ öìó ìíüìáóìò áíüò Ýñäìò.
Áìðéáýáé ìííì áéá Ýñäì ðìó áéáðíç ôç óóéáìþ äáí áéóððìíííóáé.

Áääãñáð ùò ... Áðìèþéáóóç Ýñäìò ùò äääììÝíá áéóððùóç. ÌáòÛ ìðìñáðóá íá
óóáðéáóá öí áñ\$\\div\$áðì óóíì áéóððùóç, áðóá ìÝòù öìó PAR: áðóá ìÝòù öìó
PrintManager. Öí ó\$\\div\$üééí öìó áñ\$\\div\$áðìò èá áðíáé "RAW PRINTERDATA".
(ìííí ÁÉÁ Öçí ÉÁÓÁ\$\\times\$ÛÑçÌÁíç ÁÉÄÌÓç)

Áíáðáñááùáþ ÁíóéãñÛóáé ôçí áìðéáéÛ óóç ëðóóá éáé áÛæáé áñééìù áéóððþóáùí 1.
Êéáðáùìá Áðáäìñáýáé ôçí áóáðñáóç öìó Ýñäìò.

ÁðììÛéñðìóç ùéùí Áóáéñáð ùéá óá Ýñäì áðù ôç ëðóóá

Ñõèìßóáéò

=====

Äçìéìõñāßā áééìíéäßùí? ¼ôáí óþæāôā Ýíá Ýñāì äçìéìõñāāßóáé áééìíßäéì

(Äðéëìāþ CREATEICONS).

Áõðùìáôç Áíôìëþ Form Feed Ôìðìèāôāß Ýíá form feed ìāôÛ áðü èÛèā Ýñāì (AUTOFF).

Fast Par? ÌāôāöìñÝò òðçëþò óáš\div\$ýôçôāò äéá āñþäìñìòò áéòððüòÝò (FASTPAR).

,èāā\$÷div\$ìò áéòððüòþ ,èāā\$÷div\$ìò éāôÛóóáóçò áéòððüòþ ðñéí ôçí áðìóðìëþ ←
äääììÝìùí

(CHECKPRINTERSTATE).

Áóðāëþò áðììÛèñòíóç? Äðéāāāāßùç 'ÁðììÛèñòíóç' (SAFEREMOVE).

Äāñāðþ Óþæé òéò òññéíÝò ñõèìßóáéò (üèāò òéò äðéëìāÝò cli/wb).

ÁíôìëÝò

=====

ÁíÛäìùç ñõèìßóáùí ...ÁíÛäìùç āñ\$÷div\$āßìò ñõèìßóáùí

ÄÛí Ý\$÷div\$äé áííé\$÷div\$ôāß āñ\$÷div\$āßì ñõèìßóáùí ìé áíôìëÝò āßíáé āþ

ÄéÛðìñā

Ôì PrintManager āßíáé commodity,éáé äéÝā\$÷div\$āôáé áðü ôì Exchange.

Ôì ESC èèāßíáé ôì ðāñÛèòññ,

Ôì RETURN áéèÛæé ôçí éāôÛóóáóç áíüò Ýñāìò (Áíāñāü/ÁíÁíāñāü). Óá āäèÛééá (ðÛíù/ ←
èÛòü)

äðééÝāìòí Ýñāā. Äéðëì èèèè èÛíáé ôì ßäéì ðñÛíá ìā ôì èìòìðß "Áíāñāü/ÁíÁíāñāü".

Ôì DEL áðáéñāß ôì Ýñāì áðü ôç èßóóá.

Ôì HELP áìðáíßæé ôì āā\$÷div\$äèñßäéì.

Ìðìñāßóā ìā áéòððóáôā āñ\$÷div\$āßā áðāðèāßāò áðü ôì PrintManager~ìā ôçí äðéëìāþ~" ←
,ñāā/Äèðýðüòç..."

óýñìíóáò áééìíßäéá óòì áééìíßäéì äðāñììāþò þ óòì ðāñÛèòññ ôìò ðññāñÛììāðìò.

Ôì āñ\$÷div\$āßì äðéëìāþì

ÄðéðéÝìí ôì PrintManager äðéòñÝðäé ôçí áðìóðìëþ áíôìëþì áéòððüòþ áðü ôì ←
ðññāññììā.

Ôì āñ\$÷div\$āßì äðéëìāþì āßíáé Ýíá áðèü āñ\$÷div\$āßì èāélÝììò ìā esc-sequences äéá ←
áéòððüòÝò.

ð\$÷times\$:

// Set font

Prestige: \$1b,'k',1

Draft: 27,'k',0

...

Óā ó\$÷div\$üèéá äéóÛäìíóáé ìā äýì '/'.

Ôì üíììá ôçò áíôìëþò Ý\$÷div\$äé üñéì 30 \$÷div\$āñāéòþñāò éáé \$÷div\$ññßæāôáé áðü ôçí ←
áéìèìòèßā

ìā Ýíá `:'. ÄÛí èÝèāôā ìā \$÷div\$ññßóāôā ìßā āñāìþ óā ðìèéÝò, äÛèôā Ýíá backlash~ ←
óòì

óÝèìò èÛèā āñāìþò. Ìðìñāßóā ìā äÛèāôā āñéèìüò óòì äāéāäéèü þ óòì äāéāáíāäéèü. ←
ÈÛèā

byte~ôçò áíôïëð ðñýðáé íá \$\\div\$ũñßæâôáé iâ ëüiíá.

1.9 PrintManager.guide/SetPUNT

Ç áíôïëð SetPUNT

Ôï SetPUNT áßiáé iéá áíôïëð cli-command ~ðïð áðéôñýðáé ôçí áëëáãð ôïð
PUNT-Chunk ôúi áðéëïäþí áëôððùôð. Áðü ëýáé óôï printer.device óá ðïéÜ
óðóéáðð éá óðýëiáé äääïiýiá. Áðü óóïðèùð äáí \$\\div\$ñçóéiïðïéáßôáé áðü ôï ←
óýóðçiá
áéáðß ié áðéëïäýð áëôððùôð áðéôñýðïi iüiï ôçí áðéëïäð iáðáíý
parraler/serial.device. Ôï SetPUNT~áðéôñýðáé ôçí áëëáãð ôúi ñëèïóáùí \$\\div\$ũñßð
iðýëüiá ôïð óðóððiáðïð.

Examples:

SetPUNT hyperPAR 0 ; send all printer data to 'hyperPAR.device' unit 0

SetPUNT "" 0 ; back to default settings

SetPUNT ; display current PUNT settings

ÓçíÁíÔÉËÏ: Áí äáí \$\\div\$ñçóéiïðïéáßôáé ôçí áðéëïäð DEVICE~éáé i áëôððùôðð
äáí áßiáé óóíäääáiýiï óôï serial/paraller.device~\$\\div\$ñçóéiïðïéáßôáé ôï
SetPUNT~äéá íá áëëüiáðá óéð áðéëïäýð ôïð áëôððùôð, þóðá ôï PrintManager~iá
iðïñáß íá éáðáéüäáé óá ðïéÜ óðóéáðð ý\$\\div\$áðá óóíäýóáé ôïi áëôððùôð.

1.10 PrintManager.guide/History

History

39.0 first public release

39.1 small changes in PrintManager and spool.device. Added APPICONNAME
option. When APPICON is set to ACTIVE, the icon is shown as long
as there is a job available, indepent of its state (active/paused).
polish catalog. Filerequester, no longer "forgets" last selected
path. removed catalogs/blank.cd. french catalog.

39.2 bugfix: system crash when trying to print a file from inside
prtman under non cybergfx systems. Added version number
to commodity name. Added "Rename ..." job option. New option
to change the dateformat of the job list.

39.3 Menuitems weren't always disabled/enabled, when the job list
changed. APPICON=ACTIVE didn't work when all jobs were placed
below « Next Job ». Norwegian catalog. DrawInfo wasn't released.
Changed gui of "rename ..." window. Printing text files from
inside PrtMan didn't work. Included SetPUNT command into the
archive. spool.device: sometimes crashed the system when removed
from memory.

39.4 new print count funtion, internal changes in spool.device. czech

- catalog. APPICONNAME tooltype wasn't saved correctly. SetPUNT saved the printer preferences only to ENV:. serbian catalog. security requester when trying to remove all jobs from list and when trying to overwrite an already existing file by 'Jobs/Save as ...'. reworked listview. spool.device process wasn't removed from memory on expunge. Added a compatibility kludge for printer.device v42, when printing files from inside PrtManager (not the best solution yet). Fixed rounding error.
- 39.5 PrintManager should work with pit.device (MFC) now. Updated serbian and swedish catalog files. Empty files in SPOOLDRAWER are automatically deleted on startup.
- 39.6 Now works with HyperPAR.device. Integrated spool.device into PrintManager. envvar SD_DEVICETYPE replaced by DEVICETYPE option. NSCMD_QUERY is used to determine the type of the output device (serial/parallel). Creates index file to speed up scanning of spooldrawer. New options: DEVICEWEDGE, UNITWEDGE
- 39.7 commodity crashed when started a second time (only in 39.6).
- 39.8 INTERNAL RELEASE
New option: APPMENU. bug when taskname contained full path (eg. SYS:Tools/xyz), AFAIK only occurred when using ToolManager 2.x.
- 39.9b New option DELCOM. Now your programs can use an API that allows to change a jobs' name (see directory Developer). Index file will be saved 30 seconds after the last change of the job list. Enforcerhit when settings were saved. Index reading function was broken. "Copies ..." / "Rename ..." window is now correctly centered within the main window. New functions "Print once" / "Scheduler". listview rounds up shown filesize now.
- 39.9b2 Fixed bugs in DELCOM and API. Moved menuitem "Project/Print ..." to "Jobs". Renamed "Print once" to "Duplicate". New button to abort the current print job. Function to send printer commands from within printmanager. AUTOFF is a bit smarter now, it doesn't add a formfeed if the job already has one at the end. New option: BUFFERSIZE.
- 39.9 Stop didn't work correctly when job was already paused. "Settings/Save" was broken. Some catalogs has been updated (thanks to the translators).
- 39.10 Now saves index after 15secs (before 30secs), this should solve some invalid index problems (eg. system reboot before index has been saved). Unregistered: SHAREWARE-Requester pops-up when you open the window for the first time, before it was opened whenever you started PrintManager. NEW OPTION: POPWINDOW - works similar to APPICON.
- 39.11 New options: CHECKPRINTERSTATE, SPOOLPRI. Swedish catalog has been updated. NOKLUDGE option for hyperPAR- and pit.devices that return the printer state correctly. spool.device: NSCMD_DEVICEQUERY was broken. DEL key will zip the window. A double-click on a job will've the same effect as pressing the "Active/Paused" cycle button. Additionally checks PARBUSY flag to make sure that your printer is really ONLINE.
- 39.12 Because of a small bug (?), the API and "Jobs / Print ..." didn't work without TurboPrint (since 39.9). SAFEREMOVE option forces PM to pop up a requester each time you want to delete a job by using the "Remove" button. Replaced "Settings / Save" function by a smaller and more comfortable (from the programmers p.o.v.) one. New option COPYDUPLICATES. « Next Job » is now displayed in boldstyle. Replaced calls to C:Copy by an internal routine. DEL will no longer zip the window but instead remove the selected job from the job list.
- 39.13 Standard WB tooltypes (DONOTWAIT, STARTPRI, TOOLPRI) wasn't set by
-

- "Settings / Save". SAFEREMOVE requester came up when prtman wanted to delete a job after printing <Mirko Lukas>.
- 39.14 ital. catalog by Matteo Cortese. Pressing HELP brings up the manual <Jens Rosenboom>. Added note concerning SPOOLPRI to the manual. Fixed a bug that could lead to crashes when the user was playing with one of the action buttons while a message was pending between PrintManager and spool.device.
- 39.15 spanish catalog by Damaso Dominguez. new KEYPATH option to change the home directory of the keyfile. 68020+ version.
- 39.16 window is now vertically resizeable (new option: WINDOWHEIGHT). looks at more places for its manual. WINDOWX/Y weren't updated saved.
- 39.17 corrected docs: WINDOWHEIGHT is implemented as WINHEIGHT. Just like MUI, BGUI, ... you can cycle through the gadgets using the TAB key. Added workaround for a bug in ioblixpar.device (PARBUSY flag works in reverse order).
- 39.17a fixed Installer script bug <Axel Teichmann>. Included dutch catalog by Roland de Herder.
- 39.18 fixed bug caused by IconifyGadget by Håkon Enger. Optionally adds an own iconify gadget to the window. speeded up internal copy command by using async reading/writing. Added additional options to the 'Settings' menu.
- 39.18a Added spanish guide, registrationform and catalog to the archive. 1000 'thank you's to Damaso Dominguez.
- 39.19 added three dummy LVOs (spool.device) to avoid that queryioblix crashes. used egcs for compilation, which produced a code that is around 10kb shorter than the one produced by MaxonC. miscellaneous internal changes.
- 39.20 because of some changes in 39.19, two bugs were introduced: pressing Esc could crash the machine, 'Rename ...' didn't work properly. compiled with egcs1.1.
- 39.21 finally, I fixed 'Rename ...' :) Now upto eight devices/units can be cached. Had to change the filenote of cachefiles from "Raw Printer Data" to "RAWPRINTERDATA", additional information are also saved in the comment. Improved recognition of invalid index files.
- 39.22 rewrote spool.device, jobs for all 8 devices allowed can be cached at the same time now. incomplete jobs can be removed from joblist. changed default drawer for SPOOLDRAWER from T: to T:spool, if the given drawer doesn't exist it will be created. removed NOKLUDGE option, CHECKPRINTERSTATE can be used instead!
- 39.23 new option ENUM=FULLNAME/S <Marcin Orlowski>. spool.device uses async doublebuffering to speed up saving and printing.
- 39.24 on some systems (locales) the time string created by dos.library/DateToStr() doesn't contain seconds, PRTMan didn't take care of this when drawing the listview contents. When available, tbiclass (VisualPrefs and titlebar_ic.lha) is used to draw the iconifyimage. Thanks to Francis Labrie for the bug report.
- 39.25 Menuitem "Jobs / Lock" can be used to protect a job from deletion, this includes removing the job from the list after it has been printed. Copyroutine did not always set the filenote. While copying, a progress indicator is shown. In order to make copying faster, async double-buffering is only used when source and dest aren't on the same physical device.
- 39.26 old jobs were printed twice because of a bug in the new index-reading routine <Alexander Doeller>. new serbian, polish and italian catalogs.
- 39.27 When gtdrag.library is installed, the joblist can be changed by Drag'N'Drop.
- 39.28 new czech catalog by Vit Sindlar. now ignores double-clicks on the joblist when there's no job under the mouse pointer <Alexander Doeller>.
-

NODRAGNJ/S forbids dragging of "Next Job" <Marcin Orlowski>. compiled using egcs 2.95.1.

39.29 now uses MatchNext() to scan the SPOOLDRAWER rather than the buggy ExAll(). filerequester better remembers last selected path now.

when trying to remove "Next Job" no requester will come up (SAFEREMOVE) <Marcin Orlowski>. When using OS3.5 the WB menu-item "Icons/Snapshot" can be used to save the current appicon position to disk. Dropped 68000/010 support.

1.11 PrintManager.guide/Credits

The author want to thank ...

all people, who will support the future of this program:-)

And especially ...

Marcin Orlowski (ATO) and

Miloslaw Smyk (ATO) for their suggestions and the polish catalog

Pascal Walers for the french catalog

Kimme Utsi (ATO) for the norwegian catalog

Terry Coles for the error report

Martin Hassel for the swed. catalog

Vit Sindlar (ATO) for the czech translation

John Kelly for his suggestion.

Ljubomir Jankoviá for the serbian catalog.

Stephan Riedelbeck for the bug-reports

Axel Gröger for the bug report concerning PM & PowerCache
and the donation of DM 10.- :)

Matteo Cortese for the italian catalog.

Roland de Herder for the dutch catalog.

Didier Giron for the french catalog (update).

Damaso Dominguez for the spanish translation of the program,
guide, installerscript and registration form. Thanks again.

1.12 PrintManager.guide/Bugs

Possible problems and their solution

If you discover any bugs, please send a detailed bug-report to the Author.
Don't forget to add a descprition of your configuration!

\textdegree{} Since I don't own a serial printer, I wasn't able to verify if ↵
PrintManager
correctly works with such a kind of printer.

\textdegree{} If PrintManager doesn't recognize some programs sending data to the ↵
printer,
you should activate the DEVICE option.

\textdegree{} While PrintManager is printing a file via the datatypes-system, the ↵
Workbench

Screen can't be closed. This is because PrintManager opens an invisible window on the screen.

\textdegree{} If the program seems to "hang" when trying to print a file via the ↵
datatypes-
system, you should activate the DEVICE option.

\textdegree{}~In the case that you use TurboPrint by IrseeSoft, you must ↵
deactivate the
TurboPAR option of TP. Otherwise PrtMan cannot recognize any job.

\textdegree{} pit.device: The PDCMD_QUERY of this device is broken this means ↵
that PM
cannot determine the printer state.

\textdegree{} PowerCache may cause block errors when PrintManager saves temporary ↵
data on
a cached disk. Seems that PC has some problems when reading and writing a
file at the same time. This is not a bug of PM!

\textdegree{} Problems with the HyperCOM io-boards have been reported, either the ↵
hardware
or software of these boards seem to be buggy (bad printerstate is returned).
CHECKPRINTERSTATE=NO might help to workaround the problem.
