

Picture

COLLABORATORS

	<i>TITLE :</i> Picture		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 31, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Picture	1
1.1	Picture V1.00	1
1.2	freepicture	1
1.3	initpicture	1
1.4	loadpicture	2
1.5	usepicture	2
1.6	picturetobitmap	2
1.7	picturewidth	3
1.8	pictureheight	3
1.9	picturedepth	3
1.10	pictureid	3

Chapter 1

Picture

1.1 Picture V1.00

PureBasic Picture library V1.00

Pictures handled by PureBasic are stored in the IFF-ILBM format, the Amiga's standard picture format. Both compressed and uncompressed pictures are supported. The read/decompression routines have been highly optimized and even big pictures load in less than a second on any Amiga. Enjoy!

Commands summary:

```
FreePicture
InitPicture
LoadPicture
PictureDepth
PictureHeight
PictureID
PictureToBitMap
PictureWidth
UsePicture
```

Example:

```
Picture viewer
```

1.2 freepicture

```
SYNTAX
FreePicture(#Picture)
```

```
STATEMENT
Removes the given Picture from memory.
```

1.3 initpicture

SYNTAX

```
result.l = InitPicture(#NumPictureMax)
```

FUNCTION

Init all the Picture environments for later use. You must put this function at the top of your source code if you want to use the Picture commands.

#NumPictureMax : Maximum number of Pictures to handle.

1.4 loadpicture

SYNTAX

```
PictureID.l = LoadPicture(#Picture, FileName$)
```

FUNCTION

LoadPicture() will attempt to load an IFF-ILBM picture into memory. If FAST RAM is available then the picture will be stored there. The picture will be kept in compressed form (if it is already a compressed IFF-ILBM file) to save memory.

The result from LoadPicture() can return 3 error values:

```
If PictureID = -1: File is not found
If PictureID = -2: File is not an IFF-ILBM picture
If PictureID = -3: Not enough free memory to load the picture

If PictureID >= 0: Picture was loaded successfully
```

1.5 usepicture

SYNTAX

```
UsePicture(#Picture)
```

STATEMENT

Changes the currently used picture to given #Picture.

1.6 pictoretobitmap

SYNTAX

```
Result.l = PictureToBitMap(#Picture, BitMapID)
```

COMMAND

Copies the given IFF-ILBM picture data to the given bitmap. Note, this function is very optimized. It supports compressed and uncompressed IFF pictures.

The result from PictureToBitmap can return 2 error values:

If Result = -1: BitmapHeader or Body chunk aren't found (ie: IFF palette only)
If Result = -2: Picture size is too big for the bitmap.

1.7 picturewidth

SYNTAX

Width.w = PictureWidth()

FUNCTION

Returns the current picture's width.

1.8 pictureheight

SYNTAX

Height.w = PictureHeight()

FUNCTION

Returns the current picture's height.

1.9 picturedepth

SYNTAX

Depth.b = PictureDepth()

FUNCTION

Returns the current picture's depth.

1.10 pictureid

SYNTAX

*PictureAddr.l = PictureID()

FUNCTION

Returns the current picture's memory location. It points to the start of the IFF file ('FORM' chunk).
