

PrintManager

COLLABORATORS

	TITLE : PrintManager		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 31, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	PrintManager	1
1.1	PrintManager v39 - © 1997-1999 by Stephan Rupprecht	1
1.2	PrintManager.guide/Copyright	1
1.3	PrintManager.guide/Overview	2
1.4	PrintManager.guide/Shareware	2
1.5	PrintManager.guide/Author	3
1.6	PrintManager.guide/Requirements	3
1.7	PrintManager.guide/Installation	3
1.8	PrintManager.guide/Usage	4
1.9	PrintManager.guide/SetPUNT	12
1.10	PrintManager.guide/History	12
1.11	PrintManager.guide/Credits	15
1.12	PrintManager.guide/Bugs	15

Chapter 1

PrintManager

1.1 PrintManager v39 - © 1997-1999 by Stephan Rupprecht

Ää\$div\$äëñßäëï PrintManager

Import information:

Äëëäéþíáðá	Äëëäéþíáðá éäé íìëëÛ
Ðñëäñäöþ	PrintManager? Ôé åßíäé ?
ShareWare	Ôï PrintManager åßíäé SHAREWARE
Ðñíäñáìíäðéóððò	Ðùò ìðïñþ íá äñþ ôïí ðñíäñáìíäðéóòþ

Usage:

Äðäéððóäéò	Ôé áðäéððóäé äéä íá òñÝíäðä ôï PrintManager
ÄäëäðÛóðáóç	Ðùò íá ôï ääëäðáóððóäðä
\$\times\$ñþóç	Ðùò íá ôï \$\div\$ñþóéìððéððóäðä

Appendix:

SetPUNT	Ç äíðïëþ SetPUNT
ÉóðïñëëÛ	ÉóðïñëëÛ
Ðñíäëþíáðá	ÐéëäíÛ ðñíäëþíáðá éäé ç ëýóç ôïðò
Äð\$div\$äñéóðððäð	Ï ðñíäñáìíäðéóððò äðéëðíäß íá äð\$div\$äñéóðððäé...

~

1.2 PrintManager.guide/Copyright

Äëëäéþíáðá éäé íìëëÛ

Ôï ðáñþí ìðñäß íá áíðéäñÛððäé éäé íá äéäíÝíäðäé äðüóíí ç ðáñíýóá äþëüóç éäé Ûääéä äéëäëùìÛðíí áíðéäñäððò óðìðäñëéäíäÛíäðäé óä üëä óä áíðäñäðá.

ÄÉÊÁËÛÌÁ ÁÍÔÉÃÑÄÖÇÓ

Copyright (C) 1997-1999 by Stephan Rupprecht

ÐÜóá áíáðñüíáíá éáóáóééýíóá óþíáóá áßíáé öðü öuí éäéíêöçöpí ôíöð.

ìç ÐÃÑî\$\\times\$ç ÃÃÃÖÇÓÇÓ

ï äçíêíõñäüð äáí áßíáé öðäýèöííð äéá îðíéáäþðíóä æçíêÛ ðñíêêçèâ áðü öçí \$\\leftarrow\$
div\$ñþóç
Ð éáðÛ\$\\div\$ñçóç ôíö ðañüíöíð äãññÜöíö Ð/éáé öíö ðñíññÜííáöíð/uí ðíö ðññéññÜöäé.~

ÄÉÁíîìç

~

Áðöü öí ðáéýöí ëíäéóíêéý (äðáíá-)äéáíýíáðáé äññáÛí. Äáí äðéõñýðáðáé íá äëéá\$\\div\$èâ íá îðíéíäþðíóä òñüðí, äêöüð áðü öçí ðññððöüóç óöíðßáóçð.

1.3 PrintManager.guide/Overview

PrintManager?~Ôé áßíáé?

To PrintManager áßíáé ýíáð printer-spooler, óðëëáíäÛíáé êéð êëþóáéð öíö printer. \leftarrow
device
óççí parallel-/serial.device éáé óþæáé óá äãäííýíá öíö äêöððüð óá ýíá áñ\$\\leftarrow\$
div\$âßí.
,óóé, ðñíññÜííáóá ðíö óðýéííóí äãäííýíá óöíí äêöððüð äáí \$\\div\$ññäéÛæáðáé íá öíí
ðññéíýííóí äéá íá óöíá\$\\div\$þóíóí. Äðßóçð óáo áßíáé êÛðíéíí ýëää\$\\div\$í ó\$\\leftarrow\$
div\$âðéêÛ íá óá
äãäííýíá ðíö óðýéíííóáé óöíí äêöððüð. Ìðíññáðá äðßóçð íá äêöððóáðá áñ\$\\div\$âßá
áðáðéâáð áðü öí PrintManager~íýóü öuí datatypes.

Ðééáíþð íýññáðá öí PrintManager 2.0 áðü öíí Nikola Salmoria, óá äýí ðñíññÜííáóá
áðóá ííêÛæíóí ëßäí (äáí áßíáé öð\$\\div\$áßí :-), áëêÛ éáíýíá íýñíð öíö ðñíññÜííáöüð \leftarrow
ííö
äáí äáóßæáðáé óöíí êþäééá öçð ýëäíóçð öíö Nicola.

1.4 PrintManager.guide/Shareware

Öí PrintManager áßíáé Shareware

, \$\\div\$âðá öðíøçí üðé öí ðñüññáííá áßíáé SHAREWARE, áÛí óáo áñýóáé ðañáéäéâßóéä \leftarrow
íá
éáðá\$\\div\$ñþóðáðá öí áíöðöððü óáo. Éáðá\$\\div\$ñçíýííé \$\\div\$ñþóðáðá éá êÛäíóí ýíá \leftarrow
áñ\$\\div\$âßí-êëäéâß
ðíö áðáéññáð öíðð áíí\$\\div\$ëçðéêéýð áéöçöýð. Óá óöíé\$\\div\$âßá íáííý ",ññí/ \leftarrow
Áðíèþéâðóç üð
..." éáé "Ñðèíßóáéð/Fast Par?"~éá áíññäíðíéçèíýí éáé áðöÛ.

ÐëçñùìÐ åããñáôÐò (ìüíí ìåññçôÛ/eurocheque Ð ôá\$÷div\$öäññìéêÐ áðñíóðñÐ ðáñáééäþ):

US\$ 8.-
DEM 15.-

Ãéá íá ðÛñåôå òñ åñ\$÷div\$åßñ-êêåéåß ìå éáñññéêü ôá\$÷div\$öäññìåßñ, ðññíóèÝóôå US\$2 ←
.-/DEM 5.-
óðçí ðëçñùìÐ.

ÓçìÁíÔÉÊÏ: Ìçí ìå\$÷div\$Ûóåôå ìå áñáöÝñåôå òñ ùññìå éåé òçí
äéåýèðñíóð óåð ùðáí åããñÛöåóôå.

1.5 PrintManager.guide/Author

Ðùò ìðññ ìå åññ òñí äçñéñðññü

Snailmail:

Stephan Rupprecht
Apfeldweg 1
D-44359 Dortmund
GERMANY

eMail:

stephan.rupprecht@gmx.de

1.6 PrintManager.guide/Requirements

Ôé áðåéðåßðåé äéá ìå òñÝñåôå òñ PrintManager

Ôñ PrintManager áðåéðåß:

Ýñáí ÒðñññåéóðÐ (óðñååöü ìå) Amiga ìå òñöèÛ\$÷div\$éóðññ AmigaOS 3.0 éåé åèðððùðÐ ←
:-)

1.7 PrintManager.guide/Installation

Ðùò ìå òñ åãéååóåóððåôå

\$\times\$ñçóéññðñóôå òñ åñðåñéå\$÷div\$ùñññ ÓáñÛññ-ÅãéåöÛóåóçò äéá ìå ←
åãéååóåóððåôå òñ
PrintManager.~

ÐÁÑÁÉÄÉÅÉÓÓ ÅÍ ÁÓÄÉÑÅÓÅ ÅÏ ÏÐÉÉÄÇÐÏ ÅÑÅÉÅÉ ÓÁÍ ÔÏ PRINTMANAGER ÐÏ Å\$ \ ←
\$\times\$ÅÅ

ÅÃÊÁÔÁÓÔÇÓÁÊ ÓÔÏ ÓÔÓÔÇÏÁ ÓÁÓ ÐÑÏÔÏÔ ÅÃÊÁÔÁÓÔÇÓÁÔÁ ÔÏ PRINTMANAGER (ð.\$\div\$. ôÏ PrintManager V2 áðü ôÏ Nicola Salmoria)!

1.8 PrintManager.guide/Usage

ÅÊÊßÍÇÇ

~ ÌðÏñÃßðÁ íÁ áñ\$\div\$ßðÁðÁ ôÏ PrintManager áðü ôÏ shell~Ð ôÏ workbench.
Óé áëüëïðèáð áðëëïÃÝð (cli/tooltypes) áíáãíùñßæïíðáé:

CX_POPUP default: YES

Êáëïñßææ áÛí èá áííé\$\div\$èáß ôÏ ðáñÜèõñÏ ôïð ðñíáñÜííáðïð üðáí ôÏ ðñÝ\$\div\$áðÁ ←
ãéá
ðñðÇÇ òïñÜ. ÁÛí áãéáðáóðßðáðÁ ôÏ PrintManager~óðï óõñðÜñé~WBStartup~ãéá íá
áíáñáïðïëéáßðáé áððüíáðá, ðüðá äðððÁ ôÏ üñéðíá ÍÏ.

CX_POPKEY default: shift alt p

Áððü áßíáé ôÏ ~hotkey, Ç áëïëïðèßá áéðüäïð ðïð áííßááé ôÏ ðáñÜèõñÏ áÛí áßíáé
èéáéððü, Ð ôÏ öÝñíáé áìðñüð áÛí áßíáé ÐäÇ áííé\$\div\$ðü.

CX_PRIORITY default: 0

Ç ðñïðáñáéüðÇðÁ ôïð commodity. Äáí \$\div\$ñáéÜæáðá íá áëéá\$\div\$ðáß.

PUBSCREEN default: not defined

Ôï üíííá ÇÇð äÇüüðéáð ïëüíÇÇ òÇÇí ïðïßá èá áííé\$\div\$ðáß ôÏ ðáñÜèõñÏ.

PRINTDRAWER default: not defined

Áñ\$\div\$éëü óõñðÜñé äéá ÇÇí áßÇÇÇÇ áñ\$\div\$áßïð "Print ..."

SAVEDRAWER default: not defined

Áñ\$\div\$éëü óõñðÜñé äéá ÇÇí áßÇÇÇÇ áñ\$\div\$áßïð "Save as ..."

SPOOLDRAWER default: T:spool

Ôï óõñðÜñé óðï ïðïßá èá ðñÝðáé íá óðæïíðáé ðñïüñéíÜ áñ\$\div\$áßá. ÁÛí Ý\$\div\$áðÁ ←
íáñéëÜ
MB áëáýèáñÇ ïíðíá, \$\div\$ñÇóéíïðïéðððÁ ôÏ T:~(ôï ïðïßá óðïðèüð áßíáé ÇÇÇ RAM:),
áëëïéðð ïñßððÁ Ýíá óõñðÜñé óðï óëëÇñü. \$\times\$ñÇóéíïðïéðððÁ ôÏ óëëÇñü Ý\$ ←
div\$áðÁ ÇÇ
äðíáððÇðÁ óðïÝ\$\div\$éÇÇ ïéóïðáëéëüíýíüí áëððððáüí ïáðÜ áðü áðáíáëëßÇÇÇ ôïð
ððïëéáéóðß. Óá ðáñßððüðÇ ðïð ôÏ óõñðÜñé äáí ððÜñ\$\div\$áé, äÇíéíðñáßðáé.

KEYPATH default: DEVS:

Ôï óõñðÜñé óðï ïðïßá áñßðéáðáé ôÏ áñ\$\div\$áßïð-ëéáéäß.

SPOOLPRI default: 0

ÅÜí ç æøýðuoç ònpæe üei öii ææýeæñi \$\\div\$ñüii öiö åðáíåñååóð, \$\\div\$ñçóéííðíéðóðå öi
 SPOOLPRI æéá íá íæépóðå òçí ðñiðåñåéüòçðå òçò æéåñååóðåð öiö æøðææåóð, Ýðóé
 þóðå íá ææðæñþóðå \$\\div\$ñüii æéá Üëëåð æéåñååóðåð. Ç ðñiðåñåéüòçðå ðñÝðæé íá
 åßíæé áíÜíåðå óå -5 éæé 5.
 ÓçìÅÉÜÓÇ: ¼ðáí eÝðåðå öi SPOOLPRI~ðå -1 Þ \$\\div\$áìçëüðåñå, ç æéåñååóðå íðññåß íá
 íçí ëÜåæé åñæåðü \$\\div\$ñüii æéá íá åñ\$\\div\$ßóæé áíÝóùð òçí æøýðuoç. Öüðå éá
 åìðáíéóðåß
 öi íýíçíå "ÁíÝðíéíìð æøððüðð!?" íÝ\$\\div\$ñéð üöiö üéå óå åååííÝíå öiö æøððüðð
 ððíëíæéóðíýí áðü öi printer.device (Þ üðáí ððÜñ\$\\div\$æé ëÜðíéìð ææýeæñið
 \$\\div\$ñüiið:-).

BUFFERSIZE default: 4096

ÅðéðñÝðæé òçí æëëååÞ íååÝèìðð öüí óðóóüñåððí ðið \$\\div\$ñçóéííðíéýííðæé æéå åñåð
 éæé áíÜáíüóç. ÍåååëþíííðÜð öi íæépíåðæé ç ðñüóååóç óöi óëëçñü, æëÜ Ý\$\\div\$æé üð
 ðåñåíÝñåæéá òçí éæéðóðÝñçóç òçò æøýðuoçð íÝ\$\\div\$ñé íá ëçðëíýí åñæåðÜ åååííÝíå
 æéå
 íá ååíßóæé í óðóóüñåðð. Öi æÜ\$\\div\$éóöi íÝååëìð åßíæé 4096 bytes.

ENUM

FULLNAME default: not active

¼ðáí åßíæé åíåñåü, ç óåððüòçðå ëÜèå Ýñåíö (3 øçðå) ðñíåÜëëåðæé óðçí ëßóðå.
 ð.\$\\div\$.: Multiview -> Multiview.000

NODRAGNJ default: not active

Åðååíñåýæé òç íåðåöíñÜ öið "« Next Job »" (ëíéöÜíðå éæé ðåñåëÜðü).

ICONIFYGADGET default: YES

ÅÜí óæëåß óöi 'YES' éå ðñiðóðæåß Ýíå ëìðìðß æëëíéæëíðíßçóçð óöi ðÜíü üñéí öið
 ðåñåëýñíö.

CHECKPRINTERSTATE default: YES

ÊÜíæé öi PrintManager~íå æëÝå\$\\div\$æé òçí éåðÜóðåóç öið æøððüðð ðñéí óðåßëæé
 åååííÝíå.

CONFIGFILE default: none

Öi üíííå öið åñ\$\\div\$åßíð ñòëíßóåüí ðið éå öiñðüèåß üðáí æëëéíçèåß öi
 PrintManager
 (ÊíéöÜíðå éæé ðåñåëÜðü)

DATEFMT default: DOS

You can use this option to change the dateformat of the job list. The follow-
 ing keywords are accepted by DATEFMT:

ÅðëëíåÞ æëëååÞð öið ðñüðíö åðßååéíçð òçò çíåñíìçíåð óðçí ëßóðå. Íë æëüëíðæåð
 ëÝíæéð åßíííðæé áðíååëÝð:

DOS çç-ííí-\$\\div\$\$\\div\$ (ie. 02-Jan-98)
 INT \$\\div\$\$\\div\$-ííí-çç (98-Jan-02)
 USA íí-çç-\$\\div\$\$\\div\$ (01-02-98)

CDN çç-ii-\$\div\$\$\div\$ (02-01-98)
 DEF ñýèìéóç locale

SAFEREMOVE default: not activated

Ìà ôçí áðéëíāð áððð, èá àñùððóðā èÛèā öïñÛ ðïð èá èÝèāðā íá áðáéñÝóāðā Ýíá
 Ýñāì ìā öï èìðìðð "ÁðììÛèñðíóç"

COPYDUPLICATES default: not activated

ÅÛí áíáðāñāāÛāāðā Ýíá Ýñāì ìā öï ìāìíý ",ñāā/ÁíáðāñāāÛāð", öï PrintManager
 èá èÛíāé Ýíá óýíāāóìì ööì àñ\$÷div\$āßì. ÅÛí èÝóāðā áðððí ôçí áðéëíāð óā èāéðìðñāßā ←
 /
 ðüðā èá äçìéìðñāāððāé ðñāāìáðéèü áìðßāñāöï èáé ü\$÷div\$é óýíāāóç.
 ÓçìÅËÛÓÇ: Óðçí ðāñßððüóç ðïð āßíāé ääýíāöï íá äçìéìðñāçèāß óýíāāóç, èá āßíāé
 áìðéāñāðð àñ\$÷div\$āßìð!

PAUSED default: NO

Åñ\$÷div\$éèð èáðÛððāóç öïð "« Åðüìāìì ,ñāì »" (èìéðÛìðā ðāñāéÛðü).

APPMENU default: NO

ÅÛí 'YES', öï PrintManager èá ðñìðéèÝðāé Ýíá appmenuitem óðā ìāìíý öïð wb.

POPWINDOW default: NEVER

ACTIVE: ¶ìíéāìá ðāñāèýññìð üðāí āìðāíéóððāß èāéìíýñāéì Ýñāì.
 ALWAYS: Óāí öï ACTIVE, áèèÛ áìßāāé öï ðāñÛèðññì èáðÛ ôçí āèèßíçóç,
 üðāí ððÛñ\$÷div\$ìðì áíáðììāßíāíðā Ýñāā áðü ðñìçäìýìāíç öïñÛ.
 NEVER: áðāíāñāìðìéāß öï POPWINDOW.

APPICON default: ACTIVE

NEVER: Öï PrintManager āāí äçìéìðñāāß appicon.
 ACTIVE: Öï appicon āìðāíßæððāé üðāí āìðāíéóððāß èāéìíýñāéì Ýñāì èáé
 āíáðāíßæððāé üðāí ðāèèéððāé ç āèðýððüóç.
 ALWAYS: Òì appicon āßíāé óðíā\$÷div\$ðð ìñāðü.

Åéðèü èèðè āìðāíßæāé èáé öÝñíāé ìðññìóðÛ öï ðāñÛèðññì.

APPICONNAME default: PrintManager/localized name

ÅðéðñÝðāé ôçí áèèāāð öïð ìíüìáðìð öïð áéèìíéāßìð.

DELCOM default: off

ÅðéðñÝðāé öïí ðñìðāéèñéóìü ìéáð áìðìèðð ðïð èá āèðāèāßðāé üðìðā öï
 PrintManager~èÝèāé íá äéāññÛðāé Ýíá àñ\$÷div\$āßì. ,ðóé ìðññāß íá \$\ ←
 ðì\$ñçóéììðìéçèāß ð\$÷div\$
 öï GlobalTrash~(áðü öïí Oliver Blumert) āéá äéāññāöÝð.

ð\$÷div\$:
 DELCOM="GlobalTrashClient %s"

Öï '%s' èá áìðéèāðāóðāéāß áðü öï àñ\$÷div\$āßì ðñìð áìðéāñāðð.

AUTOFF default: off

Āñ\$\\div\$ēē ēāōŪōōāōç ôiō ôôie\$\\div\$āβiō iāiīy "Áōōüāōç āíôieĖ Form Feed" (←
 ēieōŪiôā
 ðāñāēŪôù) .

```
FASTPAR          default: off
```

Άν\$\\div\$έέΠ εΰόç ôïō óôïé\$\\div\$åßïō låííý "Fast Par". ÅŮí åßíáé áíåñāΠ, ôï ←
PrintManager

éá \$ \div\$ñçóéíïðíéþóáé ôçí äéééÛ ôïð parallel.device (fastpar.device) äéá ôçí
 áðïíóóíëþ äääïííÝíuì óóíí äéóððùòç. Áðð ç óðóéáðð ïðíññáß íá óðáßéäé äääïííÝíá
 óóíí äéóððùòç ðéí ãñþäíñá áðü ôçí éáíííééþ parallel.device.

ÐĚǺİÍǺÊÔÇÌÁÔÁ :-)

- Ìããáëýôãñç ôá\$\div\$ýôçôá.

- Éäéáßôâñá éäëþ äéá âêôôðüôÝò ìä ìääÛëïôð òôôóóññôôôÝò.

- Áðáéóðð ëëäüððññ \$ \div \$ññüíí ãððíðññãáóðð áðü òçí~parallel.device,~íðíððð ððíñðððð ððíñðððð

ía óõía\$\\div\$óóâôâ íá äïöëäýâôâ áíp ãßíáôáé âêôýðùóç.~

$$\dot{I} \dot{A} \dot{E} \ddot{I} \dot{I} \dot{A} \hat{E} \hat{O} \zeta \dot{I} \dot{A} \hat{O} \dot{A} : - ($$

- Ìüíî ãéá êáôá\$\\div\$ũñçìÝíîõò \$\\div\$ñƆóôâò

- 4eā ōā āāāīīYīā ōōYēīīīōāē ōōcī ōōŪñ\$\\div\$īī ōāñŪēēēcēç ēýñā, īōūōā ēā ōñYōāē īā ōōīāYōāōā ōīī āēōōōūōP ōāō āēāā.

- İdîñāḅ ıá ıçı äioēāyāē ıā ıāēēıııōēēYō Amiga-Ḍıō āāı Yş\divşıōı Bāēı ōēēēü ḍāñüēēççō eyñāō (Ḍēēāıü ēıēēpıāōā ōḍıēıāēōōp)

```
- ÐñīāñÜlláóá ðīō áðáéøīýí ðēēý $\\div$ñüüī āðāīāñāáoôþ (ð.$\\div$. printer.device) ←  
~lðīñāð
```

ία όάιάόΠόϊόί όçí âêôýðùόç.

WINDOWX default: 0

İñéæüíôéá èÝóç ðañaèýñiõ.

WINDOWY default: below screen titlebar

ÊÛèâôç èÝóç ðáñáèýñiõ.

ICONX

ICONY

ÈÝóç áéêíéäßïð ãöáñììãðò. ÅÜí äái êáèĩñéóôĩý, ôïðïèãôãßôáé áõôüìáôá.

```
PRINTDELAY      default: 0
```

İñéóìüò \$ \div \$ñüíïõ áíáìííÐò ìÝ\$ \div \$ñé ôcí âêêßícóc âêôýðùóçò íÝïõ Ýñãïõ.

Examples:

```
PRINTDELAY=10
```

ĐãñéìÝíïé 10 äãõô. ìÝ\$\\div\$ñé ôcí âêêßícóc âêôýðùócò íÝï ÿñäï/

ÓCÌÀÉÙÓC: C áíáíiíp óôáíáôÛâé áôôüiáôá üôái Ý\$\\div\$ïöi ecöëâß üëá ôá äääiìÝíá.

PRINTDELAY=0

Áñ\$ \div \$βæǎé áìÝóùò ç âêôýðùóç.

PRINTDELAY=-1

Ç æøýðùóç èá áñ\$\div\$ßóæé áöiý ëçøèiýi üëá ôá äääiïýiá.

TIMEOUT default: 0

İñßææé ðüóí èá ðañéiýiáé ôï PrintManager~æéá íá ãßiáé Ýôieiüò i æøððùòðò. ÅÜí
i æøððùòðò äái ãßiáé Ýôieiüò óôii éæèiñéóliýii \$÷div\$ñüii, ←
ôï
PrintManager~óðáiaóÜæé íá ðañéiýiáé éæé áioáißææé Ýiá ðañÜèõñi ðið óáo
áíçiañþiáé üðé äái ãßiáé äóiaóð ç æøýðùóç.

Examples:

TIMEOUT=0

Åðáiañäiðibçóç éæèþi èþiçò \$÷div\$ñüiið. (ðñiáðéèiãþ)

TIMNEOUT=30

ËÜèið èþiçò \$÷div\$ñüiið iaóÜ 30 ääðò.

ÓçìÁíÔÉÉÏ: Ôï TIMEOUT äái äiðèäýáé åÜí ôï "CHECKPRINTERSTATE=NO" !

PRINTCOUNT default: 1 <1...999>

Ôï Printmanager iðñiñáß íá óóÝëiaé ôï ßæéi Ýñäi ðieëýò öiñýò óôii æøððùòðò.
Åððü äðéëýäæé ðüóðò öiñýò èá æøðððiaóáé èÜèá Ýñäi.

DEVICE default: systemconfig

UNIT

ÉáiiíéèÜ ôï PrintManager~èá äéáèñßiáé áððüiáóá óá ðieÜ óóéèãð Ý\$÷div\$åðä ←
óóiaýóáé
ôii æøððùòðò (ð\$÷div\$ parallel-/serial.device). İüii èèþóáéð óóçí éáðÜèèçç ←
óóéèãð
áía\$÷div\$áéðßæiíóáé åÜí ãßiüóí áðü óçí printer.device. Åðóðð\$÷div\$þòü èÜðieá ←
ðñüäñÜiáóá
äái èá äiðèýðiðí íá ôï PrintManager~åÜí äái iñßóáðä áððí óçí äðéèiãþ (ð\$÷ ←
div\$
datatypes.library)

Åßiíiíóáð Ýiá üiüiá óóéèãððò (éæé ðñiñáéèéèÜ áñéèiü iüiÜäið) èá èÜiáé òò
PrintManager íá éáóá\$÷div\$ñþóáé İËÄÓ òéð èèþóáéð óóçí óóéèãððò. ð\$÷div\$~:
DEVICE=parallel.device

Åðü ôï v39.21~éæé Ýðæéóá ôï PrintManager~ððiíóçñßææé óçí éáóá\$÷div\$þñçóç ←
ðieèáðèþí
óóéèãðþí/iüiÜäüí. Åéá óçí éáóá\$÷div\$þñçóç ð\$÷div\$ òüí parallel.device, ioblixpar. ←
device,

DEVICE=parallel.device,ioblixpar.device

Ôá UNIT, DEVICEWEDGE and UNITWEDGE äÝ\$÷div\$iiíóáé òéð ðañáíýðñiðò íá ôii ßæéi ←
ðñüðí.

ÓçìÄÉÜÓÇ: Äái ãßiáé äóiaóð ç æøýðùóç ðañéóóüðañüí áðü áiüð Ýñäið óçí ßæéá
óóéèãþ. ¼ðái òðññ\$÷div\$ïí Ýñäá óóçí èßóðá æøýðùóçò, İé äðéèiãýð DEVICE/UNIT~äái
èá ðñýðæé íá áéá\$÷div\$èiýí, äéüðé óçí áðüiáíç öiñÜ ðið èá æéèéçèæß ôï
PrintManager,~ôï ðñüäñáüiá èá óá óðáßèæé óóçí èÜèið óóéèãððò~(æéá ðañáääéèiü,
ái èñáððóáðä óá iüiüiáóá òüí óóéèãðþí áèèÜ áèèÜiáðä óçí óáèñÜ İñéóliüð ôiðò)

DEVICETYPE

ÀÛí Ý\$\\div\$âââ òâéñéâéü âêôôðùòð èÝóóâ òï òòï 'serial', áëëïéðò òòï 'parallel' (ð\$\\div\$. DEVICETYPE=parallel). Áôòü âßíáé áðáñáßòçòï ìüüü àÛí ç éáôÛóóáóç òïò âêôôðùòð àâí áíáâíüñßââóâé òùóóÛ.

DEVICEWEDGE

UNITWEDGE default: not active

ÀðéòñÝðâé òçí ìâðáöïñÛ ìâðâçóçò òçò âêôýðùóçò áðü ìßá óóóéâð òâ Üëëç (ð\$\\div\$ ← áðü òçí parallel.device òòçí serial.device, ð òâ üðïéá Üëëç óóóéâð èÝéââ!:) ←

IGNORETASK

Ìâ òçí àðéëïâð áôòð, ìñéóìÝíá ðññññÜììáðâ àâí óóéáìâÜìììóâé, üðùò éâéïñßâéííóâé áðü ó\$\\div\$çìáðéóììýò AmigaDOS. Áôòü âßíáé \$\\div\$ñçóéìì àÛí Ý\$\\div\$ ← Ýíá òéÜíññ òóíââââìÝíì òòçí ßâéá èýñâ ìâ òïí âêôôðùòð.

ð\$\\div\$:

IGNORETASK=scanner.device - Òï PrintManager àâí âêôâéâß áðü òï scanner.device. IGNORETASK=(scanner.device|dpaint|TPaint) - Ìçí âêôððíáéò áðü scanner.device, dpaint and tpaint.

ÒçíÌâÛÓÇ: Èâéðìðñââß ìüüü ìââß ìâ òçí àðéëïâð DEVICE. Æéá ðççññïññßâò ó\$\\div\$ ← ìâ òïòò ó\$\\div\$çìáðéóììýò òòìâìðéâððâðâ òï àâ\$\\div\$âéñßâéì òïò AmigaDOS!

PATCH default: YES

ÈâíììééÛ òï PrintManager~ââéâééóóÛ Ýíá ìðÛèüìá òòï óýóòçìá âéá òçí éâðâ\$\\div\$ ← òòóéâððí. ÀÛí òï áðâíñññððéððâðâ àÛâéììóâò òï PATCH òòï NO, òï PrtManager~èâ àìðéâýâé ðéì òééééÛ ìâ òï óýóòçìá áëëÛ éâ áðâéðâß òçí áðâíññýèëéóç òçò printer.device~âéá ìá óðÝéíâé àââììÝíá òòçí ìììÛâá 0 òçò~spool.device. Æéá òï TurboPrint~ð òçí printer.device V42~áôòü âßíáðâé ìÝòù òïò ðññññÜììáðâ òðéëïâð. Æéá òçí printer.device v39/40~\$\\div\$ñçóéììðéââóóâ òï ðñññññììá SetPunt Òï PATCH=NO~áðâéðâß òïí ìñéóìü òüì àðéëïâð DEVICE/UNIT~òòçí òòóéâðð àìüâìò (ð\$\\div\$ paralle.device)

\$\\times\$ñçóéììðéâð òï ðâñéâÛéëì

Ç àðéëïâð àìüò Ýññìò óáò àðéòñÝðâé òçí ðññññç àíññââéðí òâ áôòü. Ìðññâðâ ìá òçí òóáìáððâðâ/àðâíâééììððâðâ ìâ òï èìòìðß (Àíññññ/ÓóáìáðçìÝíì) (=èìòìðß return) ð ìá òï áðâéñÝóâðâ áðü òç èßóðâ ìâ òï Áðâññâóç. Ç èßóðâ áíââéññââììâðâé ìâ òâ èìòìðß ðáíü/Éâðü. ¼ðâí òððíáðâé Ýíá Ýññì, àâí ìðññâ ìá ìâðâééìçâß. Òï èìòìðß ðáýóç àðéòñÝðâé òçí ìâðâßùóç òçò âêôýðùóçò òïò Ýññìò áëëÛ àâí òï áðâéñâß áðü òçí ìðñññ âêôýðùóçò.

Áí áðâéñÝóâðâ ìéâ ü\$\\div\$é ðèðñçò àñâóßá áðü òç èßóðâ (ââßì\$\\div\$âé àññòçìáðééÛ), ← òüðâ òï ðñññññììá éâ àðéòñÝðâé èÛèìò òòìì áðñòðéÝá, áëëÛ áôòü àâí òóíâðÛâââóâé üðé

ì áðìóóìēýáò èá óóáìáòþóáé!Óá áóòþí ôçí ðāñßðòùóç ôá āéóāñ\$\\div\$ùìāíá āāāììýíá āāìììýíóáé.

ÔðÛñ\$\\div\$āé ìßá āéāēēþ èáóá\$\\div\$þñçóç óóç ëßóóá, « Åðùìāíì ñāì ». ¼éá óá ←
 āéóāñ\$\\div\$ùìāíá
 Ýñāì èá ìðìóí ðñßí áðù áóòþí èáé èá āßíáé óóçí ßāéá èáòÛóóáóç (āíāñāÛ þ óā áíáìììþ). ÅÛí èìéðùí ēýóáòá áóòþí óā áíáìììþ āāí èá āéóððùēāß òßðìòā ìý\$\\div\$ñé ←
 íá
 ôçí āēēēíþóáòā. Ìāóāēēíþíóáò ýíá Ýñāì áðù ēÛòù áðù òì Åðùìāíì ñāì, āāí èá āéóððùēāß. ñāā ðìò ý\$\\div\$ìóí ìāßíāé áðù Ûēēç öìñÛ èá ìðìóí èáé áóòÛ áðù ēÛòù. ←
 Åéá
 ôç áðìöðāþ èáíēáóìýíçò āíāñāìðìßçóçò Ýñāùí ēÛòù áðù òì Åðùìāíì ñāì üóáí áóòÛ ìāóāēēíçēíýí ðñìò óā āðÛíù, áóòýò áóòùìā òßēāíóáé óā áíáìììþ. ¼óáí ìāóāēēíþóā üìò òì Åðùìāíì ñāì ðñìò óā ēÛòù, óā Ýñāā ðìò āāāßíìóí áðù ðÛíù āāí òßēāíóáé óā áíáìììþ!

paused!

*\$^1\$ Ìā òì gtdrag.library ç ëßóóá ìðìñāß íá áēēÛíāé ìā Drag&Drop.
 Ôì NODRAGNJ áðāāññāýāé ôçí ìāóāöìñÛ öìò « Next Job ».

The menu

Åñāáóóá

=====

ðāñß ðēçñìðìñßáò

ðñìāñāììáóéóìò ... Åðāíāñāìðìēāß óā Ýñāā èáé óā áíāñāìðìēāß íáíÛ ìāòÛ áðù ēÛðìēí ðñìēāēìñēóìýíí \$\\div\$ñüíí. ¼óáí āßíāé áíāñāüò, \$\\div\$ñçóéììðìēāßóóā òì óðìē\$\\div\$āßí áóòù öìò ìāíìý āéá íá òì áðāíāñāìðìēþóáòā.

Åðùēñðçç Èēāßíāé òì ðāñÛēöññ \$\\div\$ùñßò íá ēēāßóáé òì ðñüāñāììá. Öýëìò Èēāßíāé òì~PrintManager (ç ìöñÛ āēöýðùóçò ðñýðāé íá āßíāé Üāāéá).

ñāā

=====

Åēöýðùóç ... Åðēēìāþ āñ\$\\div\$āßüí āéá āēöýðùóç.
 Ìðìñāßóā āßóçò íá āēóððþóáòā āñ\$\\div\$āßá ðìò ðāñēý\$\\div\$ìóí óēýóá āāāììýíá āēóððùóçò (áðù ",ñāā/Åāāñāóþ...") ìýòù áóòìý öìò ìāíìý. Ôì ó\$\\div\$üēēí öìò āñ\$\\div\$āßíò ðñýðāé íá āßíāé "Raw Printer Data"!

Áíòßāñāóá ... Åðēēìāþ öìò āñēēìý áíóēāñÛòùí öìò āðēēāāìýíìò Ýñāìò. Áí āēēÛíāóā öìí āñēēìü öìò « Åðùìāíì ñāìò», üéá óā Ýñāā èá ý\$\\div\$ìóí öìí ßāēí āñēēìü āēöýðùóçò.

Ìāóìíììāóóá ... Åēēāāþ öìò ìíüìáóìò áíüò Ýñāìò. Åìöēāýāé ìüíì āéá Ýñāā ðìò āēāßíç ôç óóēāìþ āāí āēóððìíìíóáé.

Åāāñāóþ üò ... Åðìēþēāóç Ýñāìò üò āāāììýíá āēóððùóþ. ÌāòÛ ìðìñāßóā íá óóāßēāóā òì āñ\$\\div\$āßí óóìí āēóððùóþ, āßóā ìýòù öìò PAR: āßóā ìýòù öìò PrintManager. Ôì ó\$\\div\$üēēí öìò āñ\$\\div\$āßíò èá āßíāé "RAW PRINTERDATA". (ìííí ÅÉÁ Ôçí ÉÁÓÁ\$\\times\$ÛÑçìÅíç ÅÉÄíÓç)

Áíáðāñāāüāþ ÁíóēāñÛóáé ôçí āìöēāēÛ óóç ëßóóá èáé āÛæāé āñēēìü āēóððþóáüí 1. Èēāßäüìā Åðāāññāýāé ôçí áóāßñāóç öìò Ýñāìò.

ÅðììÛēñðìóç üēüí Åóāēñāß üéá óā Ýñāā áðù ôç ëßóóá

Ñõèìßóáéò

=====

Äçìéìõñãßá áéëííéäßuí? ¼ôáí óþæåðå Ýíá Ýñäí äçìéìõñããßóáé áéëííßäéí

(Äðéëíäþ CREATEICONS).

Áððüíáðç Áíðíëþ Form Feed Ôíðíëåðåß Ýíá form feed íåðÛ áðü ëÛëå Ýñäí (AUTOFF).

Fast Par? ÍåðåðíñÝò ðøçëþð óá\$÷div\$ýðçðóåð äéå äñþäíñíðð åëðððüòÝò (FASTPAR).

,ëää\$÷div\$ìð åëðððüòþ ,ëää\$÷div\$ìð éåðÛóðóáçð åëðððüòþ ðñéí ðçí áðíóðíëþ ←
äääííÝíüí

(CHECKPRINTERSTATE).

Áððåþðð áðííÛëñðíóç? Äðéååååßüç 'ÁðííÛëñðíóç' (SAFEREMOVE).

Äãäñåðþ Óþæå éèò òññéíÝò ñõèìßóáéò (üëåð éèò äðéëíäÝò cli/wb).

ÁíðíëÝò

=====

ÁíÛäíüç ñõèìßóåíí ...ÁíÛäíüç äñ\$÷div\$åßíð ñõèìßóåíí

ÄÛí Ý\$÷div\$åé áííé\$÷div\$ðåß äñ\$÷div\$åßí ñõèìßóåíí íé áíðíëÝò åßíåé äþ

ÄéÛðíñå

Ôí PrintManager åßíåé commodity,éåé åëÝä\$÷div\$åðåé áðü ôí Exchange.

Ôí ESC éëåßíåé ôí ðåñÛèðñí,

Ôí RETURN áéëÛæé ðçí éåðÛóðóáç áíüð Ýñäíð (Áíåñåü/Áíåíåñåü). Óå åäëÛéå (ðÛíü/ ←
ëÛðü)

äðéëÝäíðí Ýñåå. Äéðëí éëéë ëÛíåé ôí ßäéí ðñÛíå íå ôí ëíðìðß "Áíåñåü/Áíåíåñåü".

Ôí DEL áðåéñåß ôí Ýñäí áðü ðç ëßóðå.

Ôí HELP åíðåíßæé ôí äå\$÷div\$åññäéí.

Ìðíñåßðå íå åëðððóðåðå äñ\$÷div\$åßå äðåðéåßåð áðü ôí PrintManager~íå ðçí äðéëíäþ~" ←
,ñåå/ÄéðÝðüç..."

óýñííóåð åéëííßäéå óðí åéëííßäéí äðåñííäþð þ óðí ðåñÛèðñí ôíð ðñíåñÛíåðíð.

Ôí äñ\$÷div\$åßí äðéëíäþí

ÄðéðëÝíí ôí PrintManager äðéðñÝðåé ðçí áðíóðíëþ áíðíëþí åëðððüòþ áðü ôí ←
ðñüåñåííå.

Ôí äñ\$÷div\$åßí äðéëíäþí åßíåé Ýíåé áðëü äñ\$÷div\$åßí éåéíÝííð íå esc-sequences äéå ←
åëðððüòÝò.

ð\$÷div\$times\$:

// Set font

Prestige: \$1b,'k',1

Draft: 27,'k',0

...

Óå ó\$÷div\$üééå äéóÛäííóåé íå äýí '/'.

Ôí üíííå ðçð áíðíëþð Ý\$÷div\$åé üñéí 30 \$÷div\$åñåéðñåð éåé \$÷div\$ññßæåðåé áðü ðçí ←
åéíëíðëßå

íå Ýíåé `:'. ÄÛí ëÝëåðå íå \$÷div\$ññßóåðå íßå äñåíìþ óå ðíëëÝò, äÛëðå Ýíåé backlash~ ←
óðí

óÝëíð ëÛëå äñåíìþð. Ìðíñåßðå íå äÛëåðå äñëëíüð óðí äåéåäéëü þ óðí äåéååíåéëü. ←
ËÛëå

byte~ôçò áíôïëð ðñýðáé íá \$\\div\$ũñßæâôáé ìá ëüììá.

1.9 PrintManager.guide/SetPUNT

Ç áíôïëð SetPUNT

Ôï SetPUNT áßíáé ìéá áíôïëð cli-command ~ðïð áðéôñýðáé ôçí áëëáãð ôïð
PUNT-Chunk ôúi áðéëïãðí áëôððùôð. Áðù ëýáé óôï printer.device óá ðïéÛ
óðóéáðð éá óðýëíáé ááäïìýíá. Áðù óðíðèùò ááí \$\\div\$ñçóéìïðïéáßôáé áðù ôï ←
óýóðçíá
áéáðß ìé áðéëïãýð áëôððùôð áðéôñýðïí ìüíï ôçí áðéëïãð ìáðáíý
parraler/serial.device. Ôï SetPUNT~áðéôñýðáé ôçí áëëáãð ôúi ñëèìóáùí \$\\div\$ũñßð
ìðÛëüá ôïð óðóððíáðïð.

Examples:

SetPUNT hyperPAR 0 ; send all printer data to 'hyperPAR.device' unit 0

SetPUNT "" 0 ; back to default settings

SetPUNT ; display current PUNT settings

ÓçíÁíÔÉËÏ: Áí ááí \$\\div\$ñçóéìïðïéáßôáé ôçí áðéëïãð DEVICE~éáé ì áëôððùôðð
ááí áßíáé óðíáááäïìýíï óôï serial/paraller.device-\$\\div\$ñçóéìïðïéáßôáé ôï
SetPUNT~áéá íá áëëÛíáðá óéð áðéëïãýð ôïð áëôððùôð, þóðá ôï PrintManager~íá
ìðññáß íá éáðáéÛááé óá ðïéÛ óðóéáðð ý\$\\div\$áðá óðíáýóáé ôïí áëôððùôð.

1.10 PrintManager.guide/History

History

39.0 first public release

39.1 small changes in PrintManager and spool.device. Added APPICONNAME
option. When APPICON is set to ACTIVE, the icon is shown as long
as there is a job available, independent of its state (active/paused).
polish catalog. Filerequester, no longer "forgets" last selected
path. removed catalogs/blank.cd. french catalog.

39.2 bugfix: system crash when trying to print a file from inside
prtman under non cybergfx systems. Added version number
to commodity name. Added "Rename ..." job option. New option
to change the dateformat of the job list.

39.3 Menuitems weren't always disabled/enabled, when the job list
changed. APPICON=ACTIVE didn't work when all jobs were placed
below « Next Job ». Norwegian catalog. DrawInfo wasn't released.
Changed gui of "rename ..." window. Printing text files from
inside PrtMan didn't work. Included SetPUNT command into the
archive. spool.device: sometimes crashed the system when removed
from memory.

39.4 new print count funtion, internal changes in spool.device. czech

- catalog. APPICONNAME tooltype wasn't saved correctly. SetPUNT saved the printer preferences only to ENV:. serbian catalog. security requester when trying to remove all jobs from list and when trying to overwrite an already existing file by 'Jobs/Save as ...'. reworked listview. spool.device process wasn't removed from memory on expunge. Added a compatibility kludge for printer.device v42, when printing files from inside PrtManager (not the best solution yet). Fixed rounding error.
- 39.5 PrintManager should work with pit.device (MFC) now. Updated serbian and swedish catalog files. Empty files in SPOOLDRAWER are automatically deleted on startup.
- 39.6 Now works with HyperPAR.device. Integrated spool.device into PrintManager. envvar SD_DEVICETYPE replaced by DEVICETYPE option. NSCMD_QUERY is used to determine the type of the output device (serial/parallel). Creates index file to speed up scanning of spooldrawer. New options: DEVICEWEDGE, UNITWEDGE
- 39.7 commodity crashed when started a second time (only in 39.6).
- 39.8 INTERNAL RELEASE
New option: APPMENU. bug when taskname contained full path (eg. SYS:Tools/xyz), AFAIK only occurred when using ToolManager 2.x.
- 39.9b New option DELCOM. Now your programs can use an API that allows to change a jobs' name (see directory Developer). Index file will be saved 30 seconds after the last change of the job list. Enforcerhit when settings were saved. Index reading function was broken. "Copies ..." / "Rename ..." window is now correctly centered within the main window. New functions "Print once" / "Scheduler". listview rounds up shown filesize now.
- 39.9b2 Fixed bugs in DELCOM and API. Moved menuitem "Project/Print ..." to "Jobs". Renamed "Print once" to "Duplicate". New button to abort the current print job. Function to send printer commands from within printmanager. AUTOFF is a bit smarter now, it doesn't add a formfeed if the job already has one at the end. New option: BUFFERSIZE.
- 39.9 Stop didn't work correctly when job was already paused. "Settings/Save" was broken. Some catalogs has been updated (thanks to the translators).
- 39.10 Now saves index after 15secs (before 30secs), this should solve some invalid index problems (eg. system reboot before index has been saved). Unregistered: SHAREWARE-Requester pops-up when you open the window for the first time, before it was opened whenever you started PrintManager. NEW OPTION: POPWINDOW - works similar to APPICON.
- 39.11 New options: CHECKPRINTERSTATE, SPOOLPRI. Swedish catalog has been updated. NOKLUDGE option for hyperPAR- and pit.devices that return the printer state correctly. spool.device: NSCMD_DEVICEQUERY was broken. DEL key will zip the window. A double-click on a job will've the same effect as pressing the "Active/Paused" cycle button. Additionally checks PARBUSY flag to make sure that your printer is really ONLINE.
- 39.12 Because of a small bug (?), the API and "Jobs / Print ..." didn't work without TurboPrint (since 39.9). SAFEREMOVE option forces PM to pop up a requester each time you want to delete a job by using the "Remove" button. Replaced "Settings / Save" function by a smaller and more comfortable (from the programmers p.o.v.) one. New option COPYDUPLICATES. « Next Job » is now displayed in boldstyle. Replaced calls to C:Copy by an internal routine. DEL will no longer zip the window but instead remove the selected job from the job list.
- 39.13 Standard WB tooltypes (DONOTWAIT, STARTPRI, TOOLPRI) wasn't set by
-

- "Settings / Save". SAFEREMOVE requester came up when prtman wanted to delete a job after printing <Mirko Lukas>.
- 39.14 ital. catalog by Matteo Cortese. Pressing HELP brings up the manual <Jens Rosenboom>. Added note concerning SPOOLPRI to the manual. Fixed a bug that could lead to crashes when the user was playing with one of the action buttons while a message was pending between PrintManager and spool.device.
- 39.15 spanish catalog by Damaso Dominguez. new KEYPATH option to change the home directory of the keyfile. 68020+ version.
- 39.16 window is now vertically resizeable (new option: WINDOWHEIGHT). looks at more places for its manual. WINDOWX/Y weren't updated saved.
- 39.17 corrected docs: WINDOWHEIGHT is implemented as WINHEIGHT. Just like MUI, BGUI, ... you can cycle through the gadgets using the TAB key. Added workaround for a bug in ioblixpar.device (PARBUSY flag works in reverse order).
- 39.17a fixed Installer script bug <Axel Teichmann>. Included dutch catalog by Roland de Herder.
- 39.18 fixed bug caused by IconifyGadget by Håkon Enger. Optionally adds an own iconify gadget to the window. speeded up internal copy command by using async reading/writing. Added additional options to the 'Settings' menu.
- 39.18a Added spanish guide, registrationform and catalog to the archive. 1000 'thank you's to Damaso Dominguez.
- 39.19 added three dummy LVOs (spool.device) to avoid that queryioblix crashes. used egcs for compilation, which produced a code that is around 10kb shorter than the one produced by MaxonC. miscellaneous internal changes.
- 39.20 because of some changes in 39.19, two bugs were introduced: pressing Esc could crash the machine, 'Rename ...' didn't work properly. compiled with egcs1.1.
- 39.21 finally, I fixed 'Rename ...' :) Now upto eight devices/units can be cached. Had to change the filenote of cachefiles from "Raw Printer Data" to "RAWPRINTERDATA", additional information are also saved in the comment. Improved recognition of invalid index files.
- 39.22 rewrote spool.device, jobs for all 8 devices allowed can be cached at the same time now. incomplete jobs can be removed from joblist. changed default drawer for SPOOLDRAWER from T: to T:spool, if the given drawer doesn't exist it will be created. removed NOKLUDGE option, CHECKPRINTERSTATE can be used instead!
- 39.23 new option ENUM=FULLNAME/S <Marcin Orlowski>. spool.device uses async doublebuffering to speed up saving and printing.
- 39.24 on some systems (locales) the time string created by dos.library/DateToStr() doesn't contain seconds, PRTMan didn't take care of this when drawing the listview contents. When available, tbciclass (VisualPrefs and titlebar_ic.lha) is used to draw the iconifyimage. Thanks to Francis Labrie for the bug report.
- 39.25 Menuitem "Jobs / Lock" can be used to protect a job from deletion, this includes removing the job from the list after it has been printed. Copyroutine did not always set the filenote. While copying, a progress indicator is shown. In order to make copying faster, async double-buffering is only used when source and dest aren't on the same physical device.
- 39.26 old jobs were printed twice because of a bug in the new index-reading routine <Alexander Doeller>. new serbian, polish and italian catalogs.
- 39.27 When gtdrag.library is installed, the joblist can be changed by Drag'N'Drop.
- 39.28 new czech catalog by Vit Sindlar. now ignores double-clicks on the joblist when there's no job under the mouse pointer <Alexander Doeller>.
-

NODRAGNJ/S forbids dragging of "Next Job" <Marcin Orlowski>. compiled using egcs 2.95.1.

39.29 now uses MatchNext() to scan the SPOOLDRAWER rather than the buggy ExAll(). filerequester better remembers last selected path now.

when trying to remove "Next Job" no requester will come up (SAFEREMOVE) <Marcin Orlowski>. When using OS3.5 the WB menu-item "Icons/Snapshot" can be used to save the current appicon position to disk. Dropped 68000/010 support.

1.11 PrintManager.guide/Credits

The author want to thank ...

all people, who will support the future of this program:-)

And especially ...

Marcin Orlowski (ATO) and

Miloslaw Smyk (ATO) for their suggestions and the polish catalog

Pascal Walers for the french catalog

Kimme Utsi (ATO) for the norwegian catalog

Terry Coles for the error report

Martin Hassel for the swed. catalog

Vit Sindlar (ATO) for the czech translation

John Kelly for his suggestion.

Ljubomir Jankoviá for the serbian catalog.

Stephan Riedelbeck for the bug-reports

Axel Gröger for the bug report concerning PM & PowerCache
and the donation of DM 10.- :)

Matteo Cortese for the italian catalog.

Roland de Herder for the dutch catalog.

Didier Giron for the french catalog (update).

Damaso Dominguez for the spanish translation of the program,
guide, installerscript and registration form. Thanks again.

1.12 PrintManager.guide/Bugs

Possible problems and their solution

If you discover any bugs, please send a detailed bug-report to the Author.
Don't forget to add a descprition of your configuration!

\textdegree{} Since I don't own a serial printer, I wasn't able to verify if ↵
PrintManager
correctly works with such a kind of printer.

\textdegree{} If PrintManager doesn't recognize some programs sending data to the ↵
printer,
you should activate the DEVICE option.

\textdegree{} While PrintManager is printing a file via the datatypes-system, the ↵
Workbench

Screen can't be closed. This is because PrintManager opens an invisible window on the screen.

\textdegree{} If the program seems to "hang" when trying to print a file via the ↵
datatypes-
system, you should activate the DEVICE option.

\textdegree{}~In the case that you use TurboPrint by IrseeSoft, you must ↵
deactivate the
TurboPAR option of TP. Otherwise PrtMan cannot recognize any job.

\textdegree{} pit.device: The PDCMD_QUERY of this device is broken this means ↵
that PM
cannot determine the printer state.

\textdegree{} PowerCache may cause block errors when PrintManager saves temporary ↵
data on
a cached disk. Seems that PC has some problems when reading and writing a
file at the same time. This is not a bug of PM!

\textdegree{} Problems with the HyperCOM io-boards have been reported, either the ↵
hardware
or software of these boards seem to be buggy (bad printerstate is returned).
CHECKPRINTERSTATE=NO might help to workaround the problem.
