

Adobe® InCopy® CS ReadMe

October 2003

Adobe Systems Incorporated

TABLE OF CONTENTS

1. System Requirements
2. Known Issues and Limitations
3. Additional Notes
4. Legal Notices

1. SYSTEM REQUIREMENTS

Macintosh

- a PowerPC® G3, G4, or G5 processor
- Mac OS X version 10.2
- at least 270 MB of free hard disk space for installation. Installation also requires free disk space on the startup drive, even if you install InCopy CS software on a different drive.
- Mac OS Extended Format (HFS+) formatted drive or partition. Installation is not supported on UNIX File System (UFS) formatted drives or partitions.
- 128 MB of random-access memory (RAM) installed
- a CD-ROM drive
- 256 colors at 1024 x 768 monitor resolution
- for PostScript® printers: Adobe PostScript Level 2 or Adobe PostScript 3™

Windows®

- an Intel® Pentium® II, III, or 4 processor
- Microsoft® Windows 2000 with Service Pack 2, Windows XP Home Edition, or Windows XP Professional Edition
- at least 188 MB of free hard disk space for installation
- 128 MB of random-access memory (RAM)
- a CD-ROM drive
- a video card that supports 256 colors at 1024 x 768 monitor resolution
- for PostScript printers: Adobe PostScript Level 2 or Adobe PostScript 3

2. KNOWN ISSUES AND LIMITATIONS

This section describes technical problems and software conflicts you might encounter in InCopy CS. For information on other issues not listed here, visit the InCopy Support section of the Adobe Web site at www.adobe.com/support/products/incopy.html.

Working with stories

Stories on locked and hidden layers cannot be edited in the Layout view. To edit a story on a locked or hidden layer, switch to the Story or Galley view. [598408, 628207]

When navigating through stories using the up and down arrow keys, the cursor position may change between stories. To correct this behavior, use the right or left arrow key to reposition the cursor, then continue to use the up and down arrow keys. [515155]

When a story is checked out from a document then opened in InCopy or InDesign®, a temporary lock file (suffixed with the filename extension “.idlk”) is created in the same directory as the open story. If this lock file is deleted or moved, then the status of the story becomes invalid and cannot be updated. You should not delete or move lock files. [632974]

Hyperlinks in InDesign documents are not retained when a story is exported as an InCopy Story. InCopy does not currently support hyperlinks in stories. [573419]

When opening InDesign 2.0 documents containing InCopy 2.0 stories, you should ensure that all stories are checked in before opening the document in InDesign CS. After opening the document in InDesign CS, you should save the document before checking out stories. [609970]

On Mac OS X, if the ‘Save Document Preview Image’ option is enabled in the File Handling panel of the InDesign Preferences dialog, and you create a new document in InDesign then place an InCopy story in the document or select Cancel while exporting an InCopy story, then you check out and check in an InCopy story, InDesign may quit or display the error “Cannot save [document name].indd”. If this occurs, then you should save the document before checking in an InCopy story. [649511]

Working with dictionaries

If a language dictionary is assigned to a partly selected word, the text selection will not automatically extend to cover the entire word. As a result, a single word may have more than one language dictionary assigned to it, causing the Check Spelling command to incorrectly spell-check the word. You should only assign language dictionaries to entire words. [639839]

Thesaurus

When looking up a selected word in a story from the Thesaurus palette, if the story is then minimized in the Story view and Change Word is applied, the word is inserted at the beginning of the story. Before applying Change Word to a word in a story, expand the associated story. [515537]

Notes

Graphics (including inline graphics) are not supported in notes. You cannot paste or use the ‘Convert to Note’ Notes option to insert a graphic in a note. [624533]

Hyperlinks and index references are not supported in notes. If the ‘Convert to Note’ Notes option

is used to convert a text selection to a note, any hyperlinks and index references which appear in the text will not be retained. [501721]

The Find Font command cannot find fonts that are applied to notes. [510627]

Copyfit Info

On Mac OS X, if the Copyfit Info palette is docked to the top or bottom of the monitor and the view is changed between Galley, Story, or Layout view, then the story depth value may incorrectly display as “0”. The correct depth value will be displayed when the story is edited. [649459]

Printing

In the Print dialog, the ‘Show Notes Backgrounds in Color’ option prints inline notes with the user color background. Therefore, if ‘Display Inline Notes With Galley Color Background’ is selected in the Notes Preferences, the printed inline notes will not match the displayed notes color. [515021]

Ornament glyphs are substituted with rectangle glyphs when printing from the Galley or Story view, or exporting to PDF. [519790]

When you print an InDesign document, a white box or color wash may appear around transparent objects (for example, text with a drop shadow or an object with feathered edges). As a solution, you should disable the Color Correction printer option (for example, ‘Vivid Color’ or ‘Intelligent Color’). To disable this option, follow the steps below.

Note: The dialog boxes and options for your printer may differ from those listed below, depending on the printer driver you use.

Windows

1. In the Print dialog box, click Setup.
2. Click the General tab, and then click Preferences.
3. In the Printing Preferences dialog box, click Advanced.
4. In the Printer Driver dialog box, click Printer Features, and then click Color Correction.
5. Choose None from the pop-up menu.

Macintosh

1. In the Print dialog box, click Printer.
2. Choose Printer Features from the Custom Setting pop-up menu.
3. Choose None from the Color Correction pop-up menu.

[488968]

Pages may fail to print when printing to a non-PostScript printer via an LPR port on Mac OS X. As a solution, you should choose a protocol specific to your printer when adding the printer in

Mac OS X Print Center, for example “hp IP Printing” (note: protocol options will vary depending on the Mac OS X version, and installed printer software). [555308]

Exporting to PDF

In the PDF Export dialog, the ‘Show Notes Backgrounds in Color’ option displays inline notes with the user color background in the resulting PDF file. Therefore, if ‘Display Inline Notes With Galley Color Background’ is selected in the Notes Preferences, the inline notes color in the PDF file will not match the displayed notes color in InCopy. [515021]

If an EPS file created in Adobe Illustrator® contains a spot-to-process color gradient object, and the EPS file is placed in an InDesign document then the spot color is converted to a process color and the document is exported to PDF as Acrobat® 4 compatible (PDF 1.3) or Acrobat 5 compatible (PDF 1.4), the gradient may display incorrectly with multiple gradients in the resulting PDF. As a solution, you should place the native Illustrator® document into InDesign, or save the Illustrator document as a PDF file and place the PDF file into InDesign. [607136]

Keyboard shortcuts

When you use InCopy or other Adobe applications in Mac OS X version 10.3, the F9, F10, and F11 keys do not invoke the expected shortcuts. These keys are used by the following InCopy shortcuts:

- F11 (Paragraph Styles palette)
- Shift + F9 (Table palette)
- Shift + F10 (Text Macros palette)
- Shift + F11 (Character Styles palette)

In Mac OS X version 10.3, these function keys are reserved for use by Exposé; a feature that tiles open windows and reveals files on the desktop. Therefore, these function keys don’t work as expected in Adobe applications. As a solution, you should reassign the keyboard shortcuts in the Exposé System Preferences so that these keyboard shortcuts will work as intended in Adobe applications. Alternatively, you can reassign these keyboard shortcuts for InCopy in the InCopy Keyboard Shortcuts dialog. [626182]

The following keyboard shortcuts may not work in InCopy on some Dell OptiPlex machines or HP Compaq desktop computers:

- Ctrl + Alt + D
- Ctrl + Alt + I
- Ctrl + Alt + L
- Ctrl + F1
- Ctrl + F2
- Shift + F9
- Shift + F11
- F1–F4 and F9–F12

If you are unable to use these keyboard shortcuts, then you should reassign these shortcuts to alternate shortcuts in the Keyboard Shortcuts dialog. [573335, 589847]

Using Version Cue™ with InCopy

If you edit InCopy stories from a Version Cue managed location then go off-line (for example, you disconnect from the network or switch off the Version Cue Workspace), the Story List palette may display incorrect status icons. Working with Version Cue managed documents in an off-line mode is not supported. [649386]

If you edit InCopy stories from a Version Cue managed location then go off-line, two or more users can edit the same InCopy story simultaneously. This may result in version conflicts when the story is saved back to the Version Cue managed location. Working with Version Cue managed documents in an off-line mode is not supported. [649293]

If you edit a document from a Version Cue managed location, and the document is saved (using the Save command from the File menu) and closed, then you select the 'Don't show again' option and the 'Remind me later' button in the Save alert dialog, a Save Version dialog will appear when the document is re-opened, edited, saved, then closed. You will not be able to close the document without saving a version of the document. If this occurs, then you should open the Preferences dialog from the InCopy menu (Macintosh) or Edit menu (Windows) and select the 'Reset All Warning Dialogs' option. [649318]

Two or more users cannot use the same document if the document is saved to a Version Cue managed location and is opened from the same Macintosh computer. In this scenario, the document may open as 'read only', or you may receive the error "The operation could not be completed because of an unexpected problem. Please try again. Message: -6660/430". As a solution, each user should open the document from separate computers. [643036, 646973]

A user cannot save a new document to a Version Cue managed location if another user has previously saved a document from the same Macintosh computer to the same Version Cue managed location. In this scenario, you may receive the error "The operation could not be completed because of an unexpected problem. Please try again. Message: -6651/410". As a solution, each user should use separate computers to save documents to the same Version Cue managed location. [643036]

Working with multiple language versions

Multiple InCopy language versions (for example InCopy CS English and InCopy CS French) cannot be used on the same Windows operating system. [532777]

3. ADDITIONAL NOTES

OpenType® fonts

Several OpenType fonts are included with InCopy CS. These fonts are installed by InCopy for your convenience. The following font families are installed:

- Adobe Caslon™ Pro
- Adobe Garamond® Pro
- Adobe Jenson™ Pro
- Caslisch Script® Pro
- Letter Gothic Std
- Lithos® Pro
- Myriad® Pro Condensed
- Poplar® Std
- Trajan® Pro

These fonts are installed in the following locations:

- Mac OS X: [startup drive]/Library/Application Support/Adobe/Fonts/
- Windows: [startup drive]\Program Files\Common Files\Adobe\Fonts\

These fonts and accompanying documentation are included in the Goodies folder on the product CD, or in the packaged download file (if you downloaded InCopy CS from Adobe Store).

4. LEGAL NOTICES

Portions of this product may include software licensed under the following terms:

The Apache Software License, Version 1.1

Copyright 1999–2000 The Apache Software Foundation. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: “This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).” Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names “Xerces” and “Apache Software Foundation” must not be used to endorse or promote

products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

5. Products derived from this software may not be called “Apache”, nor may “Apache” appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

W3C® Software Notice and License

Copyright © 1994-2002 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, a short notice of the following form (hypertext is preferred, text is permitted) should be used within the body of any redistributed or derivative code: “Copyright © [date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>”
3. Notice of any changes or modifications to the W3C files, including the date changes were made. (We recommend you provide URLs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED “AS IS,” AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Original SSLeay License

Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com). All rights reserved. This package is an SSL implementation written by Eric Young (eay@cryptsoft.com). The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are aheared to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement: "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)". The word 'cryptographic' can be left out if the rouines from the library being used are not cryptographic related :-).
4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]

OpenSSL License

Copyright (c) 1998-2000 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment: “This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)”
4. The names “OpenSSL Toolkit” and “OpenSSL Project” must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
5. Products derived from this software may not be called “OpenSSL” nor may “OpenSSL” appear in their names without prior written permission of the OpenSSL Project.
6. Redistributions of any form whatsoever must retain the following acknowledgment: “This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)”

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSE-

SEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

zstream

Copyright (c) 1997 Christian Michelsen Research AS, Advanced Computing, Fantoftvegen 38, 5036 BERGEN, Norway. <http://www.cmr.no>

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. Christian Michelsen Research AS makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

gSOAP

Part of the software embedded in this product is gSOAP software.

Portions created by gSOAP are Copyright (C) 2001-2003 Robert A. van Engelen, Genivia inc. All Rights Reserved.

THE SOFTWARE IN THIS PRODUCT WAS IN PART PROVIDED BY GENIVIA INC AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Acrobat, Adobe, Adobe Caslon, Adobe Garamond, Adobe Jenson, Cafisch Script, Illustrator, InDesign, Lithos, Myriad, Poplar, PostScript, PostScript 3, and Trajan are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Adobe InCopy CS software includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Intel and Pentium are registered trademarks of Intel Corporation. Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. Microsoft, OpenType, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are property of their respective owners.

© 2003 Adobe Systems Incorporated. All rights reserved. 10/15/03 Version.