

Contents

The following Help Topics are available:

(List of help topics goes here.)

Toolbar

- [Search](#)
- [Organize](#)
- [Find](#)
- [Monitor](#)
- [Status](#)
- [BLAZE](#)

Organize

- [Tree](#)
 - [Searches](#)
 - [Search](#)
 - [Schedules](#)
 - [Schedule](#)
 - [Bookmarks](#)
 - [Bookmark](#)
- [List View](#)
 - Icons
 - [Blazed](#)
 - [Monitor](#)
 - [Local](#)
 - [Changed](#)
 - [Title](#)
 - [Next Occurrence](#)
 - [Last Ran](#)
 - [Last Modified](#)
 - [Address](#)
 - [Rank](#)
 - [Source](#)
- [Description](#)

Search

- [Search for](#)
- [Search on](#)
- [Search Engines](#)
- [Saved as](#)
- [Browse...](#)
- [OK](#)
- [Schedule...](#)
- [Options...](#)
- [Stop/Cancel](#)

Schedule Properties

- [Schedules](#)
 - [Create](#)
 - [Suspend/Resume](#)
 - [Delete](#)
 - [Next Occurrence](#)
 - [Run](#)
 - [Effective](#)
 - [Start at](#)
 - [OK](#)
 - [Cancel](#)

Options

- [Max Hits per Site](#)
- [Max Time per Site](#)
- [OK](#)
- [Cancel](#)

Save As

- [Search Name](#)
- [Save in](#)

[Tree View](#)
[OK](#)
[Cancel](#)

Monitor

[Monitor to a depth of](#)
[Copy to a depth of](#)
[Include](#)
 [images](#)
 [animations](#)
 [applets](#)

[OK](#)
[Schedule...](#)
[Cancel](#)

Find

[Find](#)
[Look in](#)
[Include all subfolders](#)
[Status](#)
[Find Now](#)
[Browse](#)
[Stop/Cancel](#)
[List View](#)
 [Title](#)
 [Path](#)

Select Bookmark Folder

[Bookmark](#)
[List View](#)
[OK](#)
[Cancel](#)

Bookmark Properties

[Name](#)
[Location \[URL\]](#)
[Keywords](#)
[Description](#)
[Last visited](#)
[Added on](#)
[OK](#)
[Cancel](#)

Configure

[Retain n days of indexed history](#)
[Retain status of scheduled activities less than n days old](#)
[Retain n versions of scheduled search results](#)
[Retain n versions of monitored bookmarks](#)
[xSpeed turned](#)

[Read-ahead browsing](#)
[OK](#)
[Cancel](#)

Status

[Status](#)
[Title](#)
[Event](#)
[Schedule](#)
[Path](#)
[Last Occurrence](#)
[Next Occurrence](#)
[Key](#)
 [Change Found](#)
 [Ready](#)
 [Scheduled to Occur](#)
 [Problem Detected](#)
 [Comments](#)

Organize new topics

Organize New Folder

[Folder Name](#)

[Keywords](#)

[Description](#)

[OK](#)

[Cancel](#)

Organize New Schedule

[Schedule Name](#)

[Keywords](#)

[Description](#)

[OK](#)

[Cancel](#)

Search new topics

[Search Name](#)

[Result Folder](#)

Configuration new topics

[OK](#)

[Cancel](#)

[Scheduling](#)

[Keep Status](#)

[Keep No More](#)

[Indexing](#)

[Index](#)

[Remove](#)

[Readahead](#)

[Read ahead](#)

[Read](#)

[Keep](#)

[Allow](#)

[Clear](#)

[Plain](#)

[Smart](#)

[Intelligent](#)

[Adaptive](#)

[WAX Files](#)

[Look](#)

[Allow](#)

[Proxy](#)

[Domain](#)

[Port](#)

[Bypass](#)

[Listen](#)

[Dialup](#)

[Auto](#)

[Disconnect](#)

[Connection](#)

[Redial](#)

[Pausing](#)

[Username](#)

[Password](#)

New List View Topics

[New Organize Tree](#)

[New Organize List](#)

[New Find List](#)

[New Status List](#)

Browse Topics

[Browse Search From](#)

[Browse Folders](#)

[Browse_OK](#)
[Browse_Cancel](#)

[Search_Update](#)

Configure

Browsers to Use

[Netscape_Use](#)

[Explorer_Use](#)

Browser as Default

[Netscape_Def](#)

[Explorer_Def](#)

New Proxy Tab

[Validate](#)

New Search Apply

[SApply](#)

New Search Help for Apply

[ApplySearch](#)

New Search Help for Apply

[ScheduleApply](#)

For Help on Help, Press F1

Glossary

(New topic text goes here.)

[Click this to start searching or to schedule a search for a later time.](#)

[Click this to organize and view your schedules, search results, and bookmarks.](#)

Click this to find bookmarks of interest by searching on keywords.

Click this to monitor a chosen bookmark or to retrieve a local copy.

[Click this to see the status of all scheduled and completed activities.](#)

Click this to visit the BLAZE Web Performance Pack home page.

Allows you to navigate across schedules, searches and bookmarks.

Contains all the searches and search results. Right click to access a menu to view search properties, perform a new search or to delete an existing search or set of search results. Searches may be dragged and dropped onto schedules to initiate the scheduling of a search.

Contains a single search, a set of search results, or an intermediate folder. Right click to access a menu to view search properties, perform a new search or to delete an existing search or set of search results. Searches may be dragged and dropped onto schedules to initiate the scheduling of a search.

Contains all the schedules. Right click to access a menu to view schedule properties, create a new schedule or to delete an existing schedule. Searches may be dragged and dropped onto schedules to initiate the scheduling of a search. Bookmarks may be dragged and dropped onto schedules to initiate the scheduling of a monitoring activity.

Contains a single schedule or an intermediate folder. Right click to access a menu to view schedule properties, create a new schedule or to delete an existing schedule. Searches may be dragged and dropped onto schedules to initiate the scheduling of a search. Bookmarks may be dragged and dropped onto schedules to initiate the scheduling of a monitoring activity.

Contains all the bookmarks. Right click to access a menu to view bookmark properties, create a new folder or to delete an existing set of bookmarks. Bookmarks may be dragged and dropped onto schedules to initiate the scheduling of a monitoring activity.

Contains a single set of bookmarks or an intermediate folder. Right click to access a menu to view bookmark properties, create a new folder or to delete an existing set of bookmarks. Bookmarks may be dragged and dropped onto schedules to initiate the scheduling of a monitoring activity.

Lists the contents of the folder opened in the tree view. Items may be sorted according to each of the column entries. Icons provide the status of items associated with scheduled activities. Individual or sets of items may be dragged and dropped onto schedules to activate scheduled monitoring or searching. Right clicking on items to access a menu to view properties, access a local copy or the results of monitoring, or to delete the item.

This icon indicates that the site associated with this item has xSpeed enabled on their server.

This icon indicates that the item is being monitored to detect changes.

This icon indicates that a local copy exists for this item.

This icon indicates that a change to this item has been detected as a result of monitoring.

Enables sorting of the list by title.

Enables sorting of the list by time of next occurrence.

Enables sorting of the list by the time the activity was last ran.

Enables sorting of the list by the time the item was last modified.

Enables sorting of the list by the Internet address of the item.

Enables sorting of the list by the relevancy rank of the item.

Enables sorting of the list by the source of the item.

Lists the properties associated with the highlighted item.

Provides a space for you to enter the search query.

Lists the places that may be searched. Click on the check box to select areas of interest.

Lists the search engines available for searching on the WWW. Click on the check box to select the desired search engine(s).

Specifies the name of the search and the folder where it will be saved. You may enter the desired path and name directly or use the Browse button to navigate to the folder of interest.

Click this to select where to save the search and to specify the search name.

Starts the search, unless it is scheduled for a later date.

Click this to schedule the search for a later time.

[Click this to set advanced search options.](#)

Cancel the specification of a search and close the dialog, or stop an interactive search.

Lists the available schedules. If associated with the specification of an activity, clicking on a schedule may assign the schedule to the activity or de-assign the schedule from the activity. Highlighted a schedule will display the schedule's properties.

Creates a new user-defined schedule. The new schedule will be added to the list of available schedules.

Suspends an active schedule and all of its related activities or resumes a suspended schedule.

Permanently deletes the selected schedule and halts all the activities associated with the schedule.

Displays the next scheduled occurrence associated with the highlighted schedule.

Displays the properties of the highlighted schedule. Changes made to these properties will be saved if another schedule is chosen or if OK is pressed.

Provides a space for you to define the date that the highlighted schedule should take effect.

Provides a space for you to define the time that the highlighted schedule should start.

Click this to save changes to the schedule shown.

Closes this dialog box without saving the changes to the last schedule.

Provides a space to enter the maximum number of hits to receive from each search engine site.

Provides a space to enter the maximum time to spend gathering results from each search engine site.

Closes this dialog box and saves any changes you have made.

Closes this dialog box without saving any changes you have made.

Provides a space for you to enter the name desired for the search.

Provides an area for you to enter the folder in which to store the search.

Provides you with a way to navigate the search folders to select a desired folder for the new search.

Closes this dialog box and saves any changes you have made.

Closes this dialog box without saving any changes you have made.

Specifies whether monitoring is performed and to what level changes are detected. A level of two indicates that the specified URL and all linked pages are monitored.

Specifies whether a local copy is retrieved and to what level the copy is performed. A level of two indicates that the specified URL and all linked pages are monitored.

Allows you to specify what items are included in the local copy.

Specifies whether images are included as part of the local copy.

Specifies whether animations are included as part of the local copy.

Specifies whether applets are included as part of the local copy.

Closes this dialog and saves any changes you have made.

Click this to schedule the monitoring activity for a later time.

Closes this dialog without saving any changes you have made.

Provides a space for you to enter the text string to find.

Specifies the name of the folder in which to look. You may enter the desired path directly or use the Browse button to navigate to the folder of interest.

Specifies whether subfolders are to be searched.

Indicates which folders are currently being searched.

Starts searching across the specified bookmark folders.

Click this to select where to look.

Cancel the specification of the search and close the dialog, or stop an interactive search.

Provides a list of the bookmarks found based on your search query. Double-clicking on a bookmark will display it within your browser.

Permits sorting of the results by path. Double-clicking on the entry will display the item within the browser.

Provides an area to specify the bookmark folder.

Provides you with a way to navigate the bookmark folders to select a desired folder.

Closes this dialog box and saves any changes you have made.

Closes this dialog box without saving any changes you have made.

Provides a space for you to enter the bookmark name.

Provides a space for you to enter the bookmark location.

Provides a space for you to enter the bookmark keywords.

Provides a space for you to enter the description of the bookmark.

Indicates when you last visited the bookmarked site.

Indicates when you bookmarked the site.

Closes this dialog box and saves any changes you have made.

Closes this dialog box without saving any changes you have made.

Specifies how many days to retain items you have seen as part of the indexed history collection.

Specifies how many days to retain items on the status queue.

Specifies how many versions of results to retain from a scheduled search. Older results are dropped as newer results sets are obtained.

Specifies how many versions of results to retain from monitoring bookmarks. Older results are dropped as newer results sets are obtained.

Specifies whether xSpeed is turned on.

Specifies which, if any, read-ahead browsing techniques are to be used.

Closes this dialog box and saves any changes you have made.

Closes this dialog box without saving any changes you have made.

Enables sorting of the list by status.

Enables sorting of the list by title.

Enables sorting of the list by type of event.

Enables sorting of the list by schedule name.

Enables sorting of the list by the path to the results.

Enables sorting of the list by time of last occurrence.

Enables sorting of the list by time of next occurrence.

Indicates that a change has been found on a monitored bookmark.

Indicates that results have been retrieved from a scheduled search.

Indicates that the activity is still scheduled to occur and results are not yet available.

Indicates that a problem was detected while attempting to complete the activity. Refer to the comments column to find out the details.

Provides additional comments, especially in the case where a problem has occurred.

Provides a space for you to enter the name desired for the folder.

Provides a space for you to enter the keywords for the folder.

Provides a space for you to enter the description of the folder.

Closes this dialog box and saves all changes you have made.

Closes this dialog box without saving the changes you have made.

Provides a space for you to enter the name of the schedule.

Provides a space for you to enter the keywords for the schedule.

Provides a space for you to enter the description of the schedule.

Closes this dialog box and saves all changes you have made.

Closes this dialog box without saving the changes you have made.

Provides a space for you to enter the name of the search.

Provides a space for you to enter the name of the folder in which to save the results.

Closes this dialog box and saves all changes you have made.

Closes this dialog box without saving changes you have made.

Provides an area to configure the product relative to scheduled activities.

Provides an area to configure the product relative to the indexing capabilities.

Provides an area to configure the product relative to the read ahead browsing.

Provides an area to configure the product relative to the use of WAX (Web Acceleration Extension) files.

Provides an area to configure the product relative to the proxy.

Provides an area to configure the product for dialup connections.

Specifies how long to retain the status of scheduled activities within the status dialog.

Specifies how many versions of the scheduled search results to retain. Older results are removed.

Specifies whether to index documents displayed in the browser.

Specifies to remove documents from your history collection based on the length of time elapsed since they were first indexed.

Specifies whether to perform read-ahead browsing on the document you are viewing.

Permits you to enter the number of documents to read ahead simultaneously. We recommend keeping this value set to one.

Specifies whether read-ahead documents are retained from session to session.

Permits you to enter the size of the cache to use for read-ahead browsing.

Enables you to clear the cache on demand.

Specifies that the plain style of read-ahead browsing is enabled.

Specifies that the smart style of read-ahead browsing is enabled.

Specifies that the intelligent style of read-ahead browsing is enabled.

Specifies that the adaptive style of read-ahead browsing is enabled.

Specifies that WAX files will be retrieved if available.

Permits you to enter the amount of memory to use for the cache associated with WAX file processing.

Permits you to enter the domain name of the proxy used after the Blaze proxy.

Permits you to specify the port for the proxy used after the Blaze proxy.

Permits you to enter domains that should be bypassed.

Permits you to enter the port at which the Blaze proxy should listen.

Specifies whether the product should automatically dial to connect to the Internet once an activity is scheduled to be performed.

Specifies whether the connection should be terminated once the activity is completed.

Permits you to enter and select the connection to be used for the dial-up to the Internet.

Specifies how many time to attempt a dialup connection.

Specifies how many seconds to wait prior to each redial.

Permits you to enter a username to be used for the dialup connection.

Permits you to enter the password to be used for the dialup connection.

Closes this dialog box and saves all changes you have made.

Closes this dialog box without saving any changes you have made.

Permits automatic updating of scripts to accomodate new sites and changes to current sites.

Allows you to navigate to the desired folder that will serve as the starting point for your search.

Provides an indication of the selected folder.

Provides access to schedules, searches and bookmark folders. Right clicking on an item will present a menu of related commands.

Lists the contents of the folder selected in the tree view. Right clicking on an item provides a menu of related commands.

Provides a list of the bookmarks found based on your search query. Double-clicking on a bookmark will display it within your browser.

Provides a list of the scheduled activities that have recently completed or are yet to occur.

Configures Netscape Navigator for use with the Blaze Web Performance Pack.

Configures Microsoft Internet Explorer for use with the Blaze Web Performance Pack.

Configures Netscape Navigator as the default browser for use with the Blaze Web Performance Pack.

Configures Microsoft Internet Explorer as the default browser for use with the Blaze Web Performance Pack.

Click this to validate the proxy settings. If a dialup connection is used, the validation of the proxy settings will initiate a connection.

[Click this to apply changes made to the schedule shown.](#)

ApplySearch

Click this to save changes to the schedule shown.

sapply

Click this to save changes to schedule shown.

