

# Index

## \$

\$ENVMODE, 117  
\$WINVER, 119

•

.APP files, 34, 41, 42, 45, 148, 156  
    import, 33, 155  
.BMP, 90  
.BMP files, 165, 168  
.DB files  
    import, 33, 155  
.GRP files  
    import, 33, 155  
.RCT files, 41  
.SET Files, 116  
.WMF, 90  
.WMF files, 165, 168  
.WWR files, 160, 161, 163  
    creating, 160  
    editing, 159

## A

Accept  
    messages, 100  
Access  
    Printer Help, 195  
Add  
    items, 35  
    network groups, 153  
    network subgroup, 155  
    personal, 31  
    personal printers, 69  
    print job, 79  
    subgroups, 33  
    unlisted printer, 177  
Adding  
    printer drivers, 174–77

Administration, 147  
    overview, 147  
Administration mode, 147, 148, 147–55, 158  
    exit, 150, 151  
    save changes, 151  
    starting, 149  
Alarm  
    daily, 104  
    one time, 105  
    weekday, 104  
    weekly, 104  
Alarm Clock, 102  
    options, 103  
    removing message, 106  
    setting, 103, 105  
Analog  
    clock, 102  
Application Help, 7  
Applications, 27  
Applications Manager, 147, 148  
    adding items, 35–36  
    Administration mode, 147, 148, 149  
    assigning rights, 154  
    Browse option, 38  
    changing icons, 36  
    creating help, 39  
    display options, 47–49  
    editing groups, 43–45  
    editing help, 39  
    editing items, 43–45  
    editing subgroups, 43–45  
    exit, 151  
    exiting, 27  
    filenames, 42  
    group windows, 27–31  
    importing groups, 33  
    Menu Bar Defaults, 162  
    Menu Bar Restrictions, 163

- overview, 1–2
- personal groups, 31
- properties, 45
- restrict access, 158
- running, 26, 150
- running as shell, 27
- running programs, 46
- saving groups, 41–43
- saving workspace, 41–43, 48
- setting group password, 153
- setting item password, 32, 34, 36
- setting restrictions, 162–66, 162–66
- setting subgroup password, 34
- startup group, 32
- subgroups, 33
- system resources, 49–57
- understanding, 25
- User mode, 149

Applications Manager Help, 7

APPMAN.EXE, 26, 147, 150

APPMAN.WWR, 149, 157, 158, 159, 160, 161

Arrange

- groups, 51
- icons, 51
- items, 51

Assign

- rights, 189

Attach

- file server, 99

Attaching to a file server. See File servers

Attachments

- viewing, 97

Auto Arrange Icons, 47

Auto end cap, 76, 181

Automatic connection, 65

Automatic notify, 64

## B

Banner, 75, 81, 181

Browsing files, 38

Buttons

- Print Manager, 60
- Qview, 78

## C

Cancel

- printing, 4

Cascade, 49, 50

Change

- default printer, 72
- icon, 32, 34, 36
- logo, 149, 165
- password, 149, 160

Changing

- properties, 45

Clock, 87

- alarm, 102, 103
- analog, 102
- changing options, 103
- command, 167
- daily alarm, 104
- digital, 102
- disable, 167
- disabling the alarm, 107
- display options, 102
- enable, 167
- menu, 167
- one time alarm, 105
- overview, 102
- removing an alarm message, 106
- set alarm, 103
- Snooze Timer, 106–7
- weekday alarm, 104
- weekly alarm, 104

Close

- group window, 30
- print job, 180
- subgroup window, 31
- Command expression format, 120
- Compressed
  - printer driver files, 174
- Confirmation, 48
- Connecting
  - printer, 65
- Context-Sensitive Help, 7
  - creating, 32, 35, 36, 39, 193
  - requesting, 63, 195
- Copies, 74, 80, 181
- Copy
  - items, 43
  - printer drivers, 175, 176
  - subgroups, 43
- Create
  - .WWR files, 159, 160
  - context-sensitive help, 32, 35, 36, 39
  - network groups, 148, 153
  - network items, 148
  - network subgroups, 148, 155
  - personal group, 31
  - personal subgroup, 31
  - subgroups, 33
- Customize
  - logo, 166
  - title bar, 157
- Customized Help, 8

## D

- Database
  - printer, 4
- DCL, 105. *See* Desktop Control Language
- Default printer, 72
  - change, 72
- Defer
  - printing, 4, 81, 180
- Delete
  - groups, 44
  - items, 44
  - message, 101
  - network printers, 192
  - personal printers, 72

- print job, 4, 82
- printer locations, 185
- subgroups, 44
- Delete Group
  - default, 162
- Delete Item
  - default, 162
- Delete Subgroup
  - default, 162
- Description
  - network printer, 188
  - print job, 81
- Desktop Administration, 147, 148, 158
  - Edit mode, 164
  - exiting, 171
  - Menu Bar Defaults, 162
  - Menu Bar Restrictions, 163
  - overview, 158
  - saving files, 161
  - Secure Station restrictions, 166–71
  - starting, 158
  - WWR files, 159
- Desktop Control Language, 1, 105, 109
  - script, 156
- Detach
  - file server, 99
- Detaching from a file server. *See* File servers
- Digital
  - clock, 102
- Disable
  - alarm, 107
  - clock, 167
- Disconnecting from a printer. *See* Printers
- Display
  - icons only, 64
  - messages, 100
- Display options, 47
- DOS
  - environment variables, 156
- DOS Info, 49–57
- Drag-and-drop, 63
- Drive mappings, 156
- DRV files, 177

## E

- Edit
  - .WWR files, 159
  - print job options, 82
- Enable
  - clock, 167
  - Secure Station, 167
- Environment Space, 118
- Environment variables, 156
- Exit
  - Administration mode, 150, 151
  - Applications Manager, 27, 151
  - Desktop Administration, 171
  - Print Manager, 60
  - Print Manager Editor, 195
  - Qview, 85
  - Screen Saver, 92, 94

## F

- File contents, 180
- File servers
  - attaching, 99
  - attaching to, 67, 190
  - detaching, 99
  - detaching from, 68, 191
  - polling, 102
  - viewing attachments, 67, 97
- Form feed, 75, 80, 181
- Form type, 75
- Forms, 81, 181

## G

- Graphic file formats, 91
- Graphics directory, 168
- Group
  - icons, 29
  - import, 155
  - rights, 154
  - saving, 32, 41
- Group Files
  - naming, 42
- Group password
  - setting, 153
- Group window
  - closing, 30

- minimizing, 30
- opening, 29
- resizing, 30

## Groups

- delete, 44
- saving, 41

## H

### Help

- Application, 7
- Applications Manager, 7, 39–40
- context-sensitive, 7
- creating, 32, 35, 36, 39
- customized, 8
- online, 6

### Help file

- specifying, 187

### Help, online

- creating context-sensitive, 193
- Print Manager Help, 7
- Printer Help, 8
- requesting, 195
- requesting context-sensitive, 63

### Hierarchical, 51

- default, 162

### HLP files, 179

### Hold

- print job, 83

### Horizontal Icon, 52

- default, 162

### Hypertext fields, 194

## I

### Icon

- receiving messages, 101

### Icons

- arrange, 51
- arranging, 152
- changing, 32, 34, 36
- display, 64
- groups, 29

### Import

- .APP files, 33, 155
- .DB files, 33, 155
- .GRP files, 33, 155

- groups, 155
- previous version group files, 33
- Program Manager groups, 33
- Incoming messages
  - accept, 100
  - display, 100
  - options, 100
- INF files, 177
  - OEMSETUP.INF, 177
- Intercom, 87, 94–102
  - changing messages options, 100
  - deleting messages, 101
  - disable receive, 167
  - disable send, 167
  - enable receive, 167
  - enable send, 167
  - menu, 167
  - overview, 94
  - receiving messages, 100–102, 101
  - reply to messages, 101
  - review messages, 101
  - sending messages, 95–99
- Item
  - remove, 149
- Items
  - adding, 35
  - copying, 43
  - delete, 44
  - move, 44

## **J**

- Jumping Prompt, 90

## **K**

- Keyboard
  - shortcuts, 111

## **L**

- Leave message, 92
- Locations
  - delete, 185
  - modify, 185
  - printers, 183, 188
  - specifying, 188
- Lock

- workstation, 91

- Logo

- change, 149, 165
  - customizing, 166

- Logo Display

- change, 165
  - user customization, 165

## **M**

- Manual connection, 65

- Menu bar

- defaults, 149
  - restrictions, 149

- Menu Bar Defaults, 162

- Menu Bar Restrictions, 163

- Message

- leaving on secured workstation, 92
  - reviewing, 93
  - sending, 95–99
  - to multiple users, 96
  - to predefined group, 97
  - to single user, 95

- Message options, 100

- Messages

- accept incoming, 100
  - deleting, 101
  - display incoming, 100
  - enable, 167
  - receiving, 100–102
  - receiving as icon, 101
  - reply, 101
  - reviewing, 101

- Minimize

- group window, 30

- Minimize on Use, 47

- default, 162

- Modify

- network printers, 191
  - personal printers, 71
  - print job, 4
  - printer drivers, 178
  - printer locations, 185
  - printer setup, 73

- Move

- items, 44
  - subgroups, 44

Multiple Document Interface, 110, 113  
 MultiSet, 1  
   automatically executing scripts, 115  
   checking syntax, 114  
   command expression format, 120  
   commands, 119  
   editing multiple scripts, 113  
   environment variables, 117  
   finding text, 112  
   keyboard shortcuts, 111  
   managing, 114  
   modifying scripts, 110  
   running from Editor, 114  
   saving scripts, 115  
   scripts in Program Manager, 116  
   system variables, 117  
 MultiSet commands  
   ATTACH, 122  
   CD, 123  
   COPY, 124  
   DELETE, 125  
   DELINI, 125  
   DISPLAY, 126  
   EXISTS, 127  
   EXIT, 127  
   FDISPLAY, 128  
   GETINI, 128  
   GETPATH, 129  
   GOTO, 130  
   IF...THEN...ELSE, 130  
   ISNETWORK, 132  
   LISTFILES, 133  
   LOGIN\_NAME, 134  
   MAP, 135  
   MEMBEROF, 136  
   MESSAGE, 136  
   MKDIR, 137  
   P\_STATION, 139  
   PATH ADD, 138  
   PROMPT, 140  
   RENAME, 140  
   RIGHTS, 141  
   RMDIR, 142  
   RUN, 142  
   SET, 143  
   SETINI, 144

  SETPATH, 144  
   USERNAME, 145  
 MultiSet Editor  
   start, 110  
 MultiSet Script Language, 105  
   Commands, 121  
   Scripts, 109

## N

NETMENU.INI, 148, 150, 151, 152, 156, 157  
 Network administrator  
   defined, 173  
 Network groups, 147  
   add, 153  
   create, 148, 153  
   do not display, 150  
   new, 148  
   print, 157  
   propagate, 148, 151, 152  
   reload, 148  
   rights, 154  
   save, 152  
   startup, 155  
 Network Info, 49–57  
 Network items  
   add, 155  
   create, 148  
   new, 148  
 Network messages, 94  
 Network options  
   printing, 179  
 Network password, 90  
 Network printers  
   adding, 186–89  
   changing options, 74–76  
   defined, 4  
   deleting, 192  
   locations, 183  
   modifying, 191  
   on different file servers, 66–68  
   viewing, 61  
 Network startup group, 27  
 Network subgroups  
   add, 155  
   create, 148

- new, 148
- Network workspace, 151
- New
  - item, 35
  - network group, 148
  - network item, 148
  - network subgroup, 148
  - personal, 31
- New Workspace, 156
- Notification
  - automatic, 64
- Notify feature (Qview), 83

## O

- OEMSETUP.INF, 177
- Opening
  - group window, 29
  - program item, 29
- Operator hold, 80
- Options
  - Secure Station, 88
- Override
  - password, 93
  - workstation, 169
- Override code
  - password, 94
  - set, 168
- Override password
  - enable/disable, 168
  - set, 168

- Override rights
  - set, 168

## P

- Password, 90
  - assigning, 32, 34, 36
  - change, 149, 160
  - enter, 150, 159
  - override, 93, 169
  - override code, 94
  - reset, 160
  - Secure Station, 93
  - set, 149, 153, 160
  - set override, 168
- PERMENU.INI, 41, 42, 45, 47, 157
- Permission
  - assign, 189
- Personal groups
  - adding, 31
  - creating, 31
- Personal printers. See also Printers
  - adding, 69
  - defined, 69
  - deleting, 72
  - modifying, 71
  - viewing, 61
- Personal startup group, 27, 32
- PERSTART.APP, 27, 32, 155
- Poll
  - file servers, 102
- Postpone
  - print job, 180
- Print
  - database, 192
  - workspace, 42, 157
- Print job, 4
  - add, 79
  - close, 180
  - defer, 180
  - delete, 4, 81
  - edit, 82
  - hold, 180
  - modify, 4
  - postpone, 180
  - reorder, 85
  - timeout, 180

- Print Manager
  - /X command line switch, 59
  - connected printer options, 72–77
  - exiting, 60
  - file servers, 66–68
  - personal printers, 69–72
  - starting, 59
  - Toolbar, 60
  - using, 60–66
  - viewing printers, 61
- Print Manager Editor
  - attaching to file server, 190
  - creating help, 193
  - detaching from file server, 191
  - exiting, 195
  - hypertext fields, 194
  - network printers, 186–92
  - overview, 3
  - printer icons, 182
  - printer locations, 183
  - printer setup, 182
  - starting, 173
- Print Manager Help, 7
- Print queue
  - defined, 4
- Printer database
  - defined, 4
  - printing, 192
- Printer driver files
  - compressed, 174
- Printer drivers
  - adding, 174–77
  - copy, 175, 176
  - help files, 179
  - icons, 182
  - modify, 178
  - network options, 179
  - setup, 182
  - specifying, 187
  - suffix, 179
  - type, 178
  - unlisted, 177

- Printer Help, 8, 193
  - access, 195
- Printer Index, 60
  - sorting, 62
  - viewing, 61
- Printers. See also Network Printers and Personal Printers
  - connected options, 72–77
  - connecting automatically, 65
  - connecting manually, 65
  - connecting to, 65
  - disconnecting from, 76
  - disconnecting the default, 76
  - resetting connection, 76
  - setting default, 72
  - setup options, modifying, 73
- Printing
  - cancel, 4
  - defer, 4
  - network options, 179
- Program item
  - opening, 29
- Program items
  - adding, 35–36
  - setting speed keys, 34, 35
- Program Manager groups
  - import, 33
- Propagate
  - network groups, 148, 151, 152
- Properties
  - changing, 45
  - rights, 148
  - viewing, 45

## Q

- Queue
  - defined, 4
  - specifying, 187
- Queue operators, 84
  - defined, 4
- Queue user
  - defined, 5
- QuickStat, 63
- Qview, 77–85
  - add job, 79
  - defined, 77



- delete job, 82
- edit print job options, 82
- exiting, 85
- hold job, 83
- icon, 182
- overview, 4
- print jobs. *See* Print job
- queue operators, 84
- refresh, 84
- release job, 83
- Toolbar, 78

## R

- Receive
  - enable/disable, 167
- Receive messages, 100–102
- Refresh time
  - setting, 84
- Release
  - print job, 83
- Release notes, 5
- Reload
  - network groups, 148
- Remove
  - alarm message, 106
  - items, 149
- Reorder
  - print jobs, 85
- Reply
  - to messages, 101
- Require
  - Secure Station, 167
- Reset
  - password, 160
- Reset string
  - network printer, 188
- Resetting a printer connection, 76
- Resize
  - group window, 30
- Restrict
  - user access, 148

- Restrictions
  - menu bar, 149
  - Secure Station Tools, 149
  - setting, 162

- Review
  - messages, 101

- Revise
  - alarm message, 105

- Rights
  - access, 150
  - assign, 189
  - for a group, 154
  - properties, 148

- Run
  - Administration mode, 149
  - program, 46
  - Secure Station Tools, 87

## S

- Save
  - .WWR files, 161
  - Administration mode changes, 151
  - group, 32
  - groups, 41
  - NETMENU.INI, 151
  - network group file, 151
  - network groups, 152
  - workspace, 41, 151, 152
  - workspace information, 42
- Save Group As, 151, 152
- Save Workspace, 48, 151
  - default, 162
- Save Workspace As, 156, 157
- Save Workspace on Exit, 48
  - default, 162
- Screen Saver, 89, 91, 92
  - exiting, 92, 94
  - off, 89
  - secured, 89
  - unsecured, 89
- Scripts. *See* MultiSet
- Secure Now, 91
- Secure Station, 2, 87–94
  - changing options, 88
  - enable, 167
  - enable messages, 167

- leave message, 92
- lock workstation, 91
- menu, 167
- overview, 88
- password, 90, 93
- password attempts, 88
- require, 167
- screen saver, 89
- Secure Now, 91
- setting restrictions, 166–71, 166–71
- timeout, 90
- time-out range, 167
- warning beeps, 90
- Secure Station Tools, 2, 87, 147, 148
  - Clock, 102–8
  - defaults, 149
  - Intercom, 94–102
  - password override, 168
  - restrict access, 158
  - restrictions, 149
  - running, 87
  - Secure Station, 88
  - starting, 87
- Secured, 89
- Security
  - Secure Station, 87–94
- Send
  - enable/disable, 167
- Send message, 95–99
  - to multiple users, 96
  - to predefined group, 97
  - to single user, 95
- Server
  - specifying, 187
- Servers
  - attaching, 99
  - detaching, 99
  - polling, 102
  - viewing attachments, 97
- Set
  - administrative password, 149
  - alarm, 103, 105
  - password, 160
- Setup string
  - network printer, 188
- Shell

- Applications, 27
- Snooze Timer, 106–7
  - setting, 107
  - snoozing an alarm message, 107
- Sorting printer index, 62
- Spooler priority
  - setting, 83
- Start
  - Administration mode, 149
  - Applications Manager, 26, 150
  - Desktop Administration, 158
  - MultiSet Editor, 110
  - Print Manager, 59
  - Print Manager Editor, 173
  - Printer Help, 195
  - Secure Station Tools, 87
- Startup group, 27, 32, 59
  - network, 155
- STARTUP.APP, 155
- Status Bar, 47
  - default, 162
- Subgroup
  - create, 31
- Subgroup window
  - closing, 31
- Subgroups
  - adding, 33
  - copying, 43
  - delete, 44
  - move, 44
- System resources, 53

**T**

- Tab size, 75, 81
- Terminology
  - network printing, 4
- Text, 51
  - default, 162
- Tile, 49, 51
- Timeout, 75, 76, 90
  - print job, 180
- Time-out range
  - Secure Station, 167
- Title bar
  - customize, 157
- Title page, 181

- Toolbar
  - Print Manager, 60
  - Qview, 78
- Type
  - network printer, 188

## U

- Universal Naming Convention, 157
- Unlisted
  - printer drivers, 177
- Unsecured, 89
- User access
  - restrict, 148
- User hold, 80, 180
- User mode
  - Applications Manager, 149

## V

- Vertical Icon, 52
  - default, 162
- View
  - file server attachments, 97
- Viewing
  - properties, 45

## W

- Wallpaper, 48

- Warning beeps, 90
- WI files, 192
- WIN.INI, 90, 160
- Windows Info, 49–57
- Windows Metafiles, 91
- Windows Spooler, 75
- Workspace, 151
  - arranging, 152
  - new, 156
  - print, 157
  - printing, 42
  - save, 151, 152
  - saving, 41
  - updating, 152
- Workspaces
  - working with, 156
- Workstation
  - lock, 91
- WWADMIN.EXE, 147, 158, 160
- WWEXT.EXE, 87
- WWEXT.WWR, 149, 158, 159, 160, 161, 166, 170
- WWPEDIT.EXE, 3, 173
- WWPRINT.EXE, 2, 59
- WWPRINT.TXT, 193
- WWR files
  - saving, 161