

\$ + Dialog Editor Commands

File Menu Commands

{bml j_bullet.bmp}New

{bml j_bullet.bmp}Open

{bml j_bullet.bmp}Save

{bml j_bullet.bmp}Save As

{bml j_bullet.bmp}Test Dialog

{bml j_bullet.bmp}Exit & Update

{bml j_bullet.bmp}Exit

Edit Menu Commands

{bml j_bullet.bmp}Cut

{bml j_bullet.bmp}Copy

{bml j_bullet.bmp}Paste

{bml j_bullet.bmp}Clear

{bml j_bullet.bmp}Duplicate

{bml j_bullet.bmp}Info

Item Menu Commands

{bml j_bullet.bmp}OK Button

{bml j_bullet.bmp}Cancel Button

{bml j_bullet.bmp}Push Button

{bml j_bullet.bmp}Option Button

{bml j_bullet.bmp}Check Box

{bml j_bullet.bmp}Group Box

{bml j_bullet.bmp}Text

{bml j_bullet.bmp}Text Box

{bml j_bullet.bmp}List Box

{bml j_bullet.bmp}Combo Box

Capture Menu Commands

{bml j_bullet.bmp}Capture from Back

[{bml j_bullet.bmp}Capture in Place](#)

Help Menu Commands

[{bml j_bullet.bmp}Help Contents](#)

[{bml j_bullet.bmp}Search for Help On](#)

[{bml j_bullet.bmp}How to Use Help](#)

[{bml j_bullet.bmp}About Dialog Editor](#)

Shift + F1 Command

[{bml j_bullet.bmp}Context Sensitive Help](#)

Keys

[{bml j_bullet.bmp}Shortcut Keys](#)

#

\$++ New

Use the New command to open a new dialog box template. If another dialog box template is open, it is closed.

Related Topic:

{bml j_bullet.bmp}Creating or Modifying a Dialog Box

#

\$++ Open

Use the Open command to open an existing file containing a dialog box template.

Related Topic:

{bml j_bullet.bmp}Opening an Existing File

#

\$⁺⁺ Save

Use the Save command to save the dialog box template.

Related Topics:

[{bml j_bullet.bmp}Saving a New Dialog Box Template](#)

[{bml j_bullet.bmp}Saving an Existing File](#)

#

\$⁺⁺ Save As

Use the Save As command to save an existing file under a new name.

Related Topic:

{bml j bullet.bmp}Saving an Existing File Under a New Name

#

\$++ Test Dialog

Use the Test Dialog command to test the dialog box template.

Related Topic:

{bml j_bullet.bmp}Testing the Dialog Box Template

#

\$++ Exit & Update

When you have finished creating or modifying the dialog box template, choose Exit & Update from the File menu. If you created a new dialog template, the dialog template commands will be added to your script. If you modified an existing dialog template from your script, the old template is replaced with the new one.

Related Topic:

{bml j_bullet.bmp}Exiting the Dialog Editor

#

\$++ Exit

If you want to exit the **Dialog Editor** without updating your script, choose Exit from the File menu. You will be asked whether to update your script before the connection to the **Dialog Editor** is terminated. Answer No.

Related Topic:

{bml j_bullet.bmp}Exiting the Dialog Editor

#

\$++ Cut

Use the Cut command to remove a control you have selected from the dialog box template and store it in the Windows clipboard.

Related Topic:

{bml j_bullet.bmp}Cutting, Copying, and Pasting Controls

#

\$⁺⁺ Copy

Use the Copy command to copy the selected dialog box control to the Windows clipboard.

Related Topic:

{bml j_bullet.bmp}Cutting, Copying, and Pasting Controls

#

\$⁺⁺ Paste

Use the Paste command to insert the contents of the Windows clipboard in the dialog box template.

Related Topic:

{bml j_bullet.bmp}Cutting, Copying, and Pasting Controls

#

\$⁺⁺ Clear

Use the Clear command to remove the selected control from the dialog box template.

Related Topic:

{bml j_bullet.bmp}Cutting, Copying, and Pasting Controls

#

\$⁺⁺ Duplicate

Use the Duplicate command to make a copy of the selected control in the dialog box template.

Related Topic:

{bml j_bullet.bmp}Cutting, Copying, and Pasting Controls

#

\$++ Info

Use the Info command to define the selected dialog box control (or entire dialog box).

Related Topic:

{bml j_bullet.bmp}Defining Dialog Box Controls

#

\$++ OK Button

Use this command to add the OK Button to the dialog box template.

Related Topic:

[{bml j_bullet.bmp}Adding Dialog Box Controls](#)

#

\$++ Cancel Button

Use this command to add the Cancel Button to the dialog box template.

Related Topic:

[{bml j_bullet.bmp}Adding Dialog Box Controls](#)

#

`$^+ Push Button`

Use this command to add a Push Button to the dialog box template.

Related Topic:

`{bml j_bullet.bmp}`Adding Dialog Box Controls

#

\$++ Option Button

Use this command to add an Option Button to the dialog box template.

Related Topic:

{bml j_bullet.bmp}Adding Dialog Box Controls

#

\$++ Check Box

Use this command to add a Check Box to the dialog box template.

Related Topic:

[{bml j_bullet.bmp}Adding Dialog Box Controls](#)

#

\$++ Group Box

Use this command to add a Group Box to the dialog box template.

Related Topic:

{bml j_bullet.bmp}Adding Dialog Box Controls

#

\$^++ Text

Use this command to add Text to the dialog box template.

Related Topic:

{bml j_bullet.bmp}Adding Dialog Box Controls

#

\$++ Text Box

Use this command to add a Text Box to the dialog box template.

Related Topic:

{bml j_bullet.bmp}Adding Dialog Box Controls

#

\$++ List Box

Use this command to add a List Box to the dialog box template.

Related Topic:

[{bml j_bullet.bmp}Adding Dialog Box Controls](#)

#

\$++ Combo Box

Use this command to add a Combo Box to the dialog box template.

Related Topic:

[{bml j_bullet.bmp}Adding Dialog Box Controls](#)

#

\$⁺⁺ Capture from Back

Use the Capture from Back command to capture the controls from a dialog box that is hidden by **Dialog Editor** window. The **Dialog Editor** window is hidden while you capture the dialog box.

Related Topic:

{bml j_bullet.bmp}Capturing Dialog Boxes

#

\$++ Capture in Place

Use the Capture in Place command to capture the controls from a dialog box that is visible with the **Dialog Editor** window displayed.

Related Topic:

{bml j_bullet.bmp}Capturing Dialog Boxes

#

\$++ Help Contents

Use the Help Contents command to display the Table of Contents for **Dialog Editor** Help.

Related Topic:

[{bml j_bullet.bmp}Getting Help](#)

#

\$++ Search for Help On

Use the Search for Help On command to search an index of **DCL** Help keywords.

Related Topic:

{bml j_bullet.bmp}Getting Help

#

\$++ How to Use Help

Use the How to Use Help command for information on how the use Microsoft Windows Help.

Related Topic:

[{bml j_bullet.bmp}Getting Help](#)

#

\$++ About Dialog Editor

Use the About Dialog Editor command to display the version number and memory information.

Related Topic:

[{bml j_bullet.bmp}Getting Help](#)

#

\$⁺ + Context Sensitive Help

Press Shift + F1 to display the context-sensitive help cursor then choose a menu command or Toolbar button for help specific to the command or button.

Related Topic:

{bml j_bullet.bmp}Getting Help


```
# Dialog_Editor_Commands
$ Dialog Editor Commands
+ XMenus:000
# TOPIC_IDM_NEW
$ New command (Dialog Editor)
+ XMenus:100
# TOPIC_IDM_OPEN
$ Open command (Dialog Editor)
+ XMenus:105
# TOPIC_IDM_SAVE
$ Save command (Dialog Editor)
+ XMenus:115
# TOPIC_IDM_SAVEAS
$ Save As command (Dialog Editor)
+ XMenus:120
# TOPIC_IDM_TESTDLG
$ Test Dialog command (Dialog Editor)
+ XMenus:125
# TOPIC_IDM_EXITSAVE
$ Exit & Update command (Dialog Editor)
+ XMenus:145
# TOPIC_IDM_EXIT
$ Exit command (Dialog Editor)
+ XMenus:145
# TOPIC_IDM_CUT
$ Cut command (Dialog Editor)
+ XMenus:165
# TOPIC_IDM_COPY
$ Copy command (Dialog Editor)
+ XMenus:170
# TOPIC_IDM_PASTE
$ Paste command (Dialog Editor)
+ XMenus:175
# TOPIC_IDM_CLEAR
$ Clear command (Dialog Editor)
+ XMenus:160
# TOPIC_IDM_DUPLICATE
$ Duplicate command (Dialog Editor)
+ XMenus:180
# TOPIC_IDM_INFO
$ Info command (Dialog Editor)
+ XMenus:185
# TOPIC_IDM_OKBTN
$ OK Button command (Dialog Editor)
+ XMenus:200
# TOPIC_IDM_CANCELBTN
$ Cancel Button command (Dialog Editor)
+ XMenus:205
# TOPIC_IDM_PUSHBTN
```

\$ Push Button command (Dialog Editor)
+ XMenus:210
TOPIC_IDM_RADIOBTN
\$ Option Button command (Dialog Editor)
+ XMenus:215
TOPIC_IDM_CHECKBTN
\$ Check Box command (Dialog Editor)
+ XMenus:220
TOPIC_IDM_GROUPBOX
\$ Group Box command (Dialog Editor)
+ XMenus:225
TOPIC_IDM_LTEXT
\$ Text command (Dialog Editor)
+ XMenus:230
TOPIC_IDM_ETEXT
\$ Text Box command (Dialog Editor)
+ XMenus:235
TOPIC_IDM_LISTBOX
\$ List Box command (Dialog Editor)
+ XMenus:240
TOPIC_IDM_COMBOBOX
\$ Combo Box command (Dialog Editor)
+ XMenus:245
TOPIC_IDM_CAPTUREBACK
\$ Capture from Back command (Dialog Editor)
+ XMenus:300
TOPIC_IDM_CAPTUREFRONT
\$ Capture in Place command (Dialog Editor)
+ XMenus:305
TOPIC_IDM_CONTENTS
\$ Help Contents command (Dialog Editor)
+ XMenus:400
TOPIC_IDM_SEARCHHELP
\$ Search for Help On command (Dialog Editor)
+ XMenus:410
TOPIC_IDM_USEHELP
\$ How to Use Help command (Dialog Editor)
+ XMenus:420
TOPIC_IDM_ABOUT
\$ About Dialog Editor command
+ XMenus:440
X_CONTEXT_HELP
\$ Context Sensitive Help (Dialog Editor)
+ XMenus:450