

SPRY Mosaic Help Contents



The following Help Topics are available:

[Starting SPRY Mosaic](#)

[The SPRY Mosaic Console](#)

[Browsing with Mosaic](#)

[Using Hotlists](#)

[Opening Documents Directly](#)

[Using Mosaic for FTP, Gopher, and More](#)

[Saving Mosaic Documents](#)

[Printing in Mosaic](#)

[Finding Information in Mosaic](#)

[Configuring SPRY Mosaic Options](#)

[Viewing Mosaic Document Source](#)

[Exiting Mosaic](#)

[SPRY Mosaic Menu Commands](#)

[Mosaic Command Line Options](#)

[Special Mouseclick Features](#)

For Help using Help, press [F1]. Help revised April, 94.

Starting SPRY Mosaic

Although there are thousands of Mosaic sites on the Internet that you can explore, you may not know where to start. SPRY Mosaic comes pre-configured with a home page. This is done so that you have a place to start looking for other WWW resources.

When you start SPRY Mosaic, it will automatically connect you to the pre-configured home page. From there, you can begin browsing the Internet and begin connecting to other home pages. As you become an experienced browser, you'll be able to build a library of home pages that you like, using SPRY Mosaic's "hotlist" feature.

You can start SPRY Mosaic by clicking on the **SPRY Mosaic** icon. SPRY Mosaic will immediately start connecting you to a *home page*. (You will see the radar logo in the upper right hand corner of the SPRY Mosaic console spinning as the home page is retrieved.)

Once you finish connecting to a home page, you can immediately begin browsing with Mosaic.

Note: You can easily define your own home page to automatically connect to on startup. Use the [Configuration](#) option in the **Options** menu to set up a default home page.

See

[Browsing with Mosaic](#)

Browsing with Mosaic

World Wide Web uses **hyperlinks** (also referred to as **anchors** or **hot spots**) to allow you to jump to other resources. Hyperlinks are indicated by blue, underlined text, or by graphics surrounded by a blue border (you can change the color that is used). Another way to tell that you are on a hyperlink is to highlight the text or graphic with your mouse. The mouse will turn into a pointing hand.

You can then click on a hyperlink to connect to another Mosaic document. The new document will be opened (you will see the radar indicator in the upper right hand corner of your SPRY Mosaic Console begin to spin). If at any time you need to stop loading in a document, you can click the **Stop** button or choose **Cancel Current Task** from the **Navigate** menu.

You can continue to browse through Mosaic documents by simply clicking on the hyperlinks you find in the document. You can also travel through Mosaic documents you encounter using the methods listed below.

[See](#)

[Back/Forward](#)

[Document Title/Document URL](#)

[History](#)

[Home](#)

[Reload](#)

Back/Forward

You can click on the **Back** button (the third button on the Toolbar) to move back to the last document you viewed. The **Forward** button (the fourth button on the Toolbar) can move you forward after you have moved back. You can also type **B** for Back or **F** for Forward, or choose **Back** and **Forward** choose **Back** from the **Navigate** menu.

Document Title/Document URL

The **Document Title:** and **Document URL:** drop-down lists, under the Toolbar, contain a listing of the last several documents you've accessed in this session. The lists are identical, but one shows the **title** of the document and the other shows that document's **URL** (<http://www.bakerstreet.com>). You can go back to any of the displayed documents by choosing its title or URL from the lists.

History

You can also click **History** to access the **History** dialog. The **History** dialog allows you to access documents you've already accessed in this session. This is equivalent to using the drop down lists, above. Select the document you want to go back to, and click on the **Load** button.

Home

At any time, you can click the **Home** button on the Toolbar, or choose **Home** from the **Navigate** menu to return to the document defined as your *Home Page*. When you start using Mosaic, a home page is already defined as your home page; you can set up a new home page (or set SPRY Mosaic to start *without* opening a home page) using Configuration in the **Options** menu.

Reload

You can reload the current SPRY Mosaic document at any time by clicking the **Reload** button or choosing **Reload** from the **Navigate** menu. You might want to do this if the document did not load properly.

Cancel Current Task

If at any time you need to stop loading in a document, you can click the **Stop** button or choose **Cancel Current Task** from the Navigate menu.

The SPRY Mosaic Console

The SPRY Mosaic Console is described below.

The **Toolbar** at the top of the Console contains buttons that serve as shortcuts for SPRY Mosaic menu items. The Toolbar style can be changed between *Picture & Text*, *Picture only*, and *Text only* by choosing **Toolbar Style** from the **Options** menu.

The **Status Bar** at the bottom of the Console displays the locations of resources you connect to, as well as indicating when a transfer is in progress or a graphic is being loaded.

Both the Toolbar and the Status Bar can be shown or hidden by checking or unchecking **Show Status Bar** or **Show Toolbar** using the **Configuration** option in the **Options** menu.

Below the Toolbar is the **Document Title Bar**, containing the **Document Title** and **Document URL** drop down lists. The two lists contain a listing of the last several documents you've accessed. The lists are identical, but one shows the Title of the document (such as "Wired Magazine's Rest Stop on the InfoBahn") and the other shows that document's *URL* (<http://www.wired.com>). You can go back to any of the displayed documents by choosing its title or URL from the lists. You can change the number of documents that are displayed in these lists using the **Configuration** option in the **Options** menu.

The **Document Title Bar** also contains the **radar retrieval icon**. This icon moves when a document is being loaded or a graphic is being transferred (roughly, it indicates that SPRY Mosaic is busy.) You can disable the animation of this icon by unchecking **Animate logo** using the **Configuration** option in the **Options** menu.

You can temporarily hide the Toolbar and Document Title Bar using **Kiosk Mode**.

Using Kiosk Mode

Kiosk Mode is available with SPRY Mosaic; you can hide all the Console information except the actual document (in other words, the Toolbar, Status Bar, and Document Title Bar and the menu items and commands will be hidden). This may be a useful mode to use when giving Mosaic presentations (it shows a lot of the screen) or when setting up Mosaic on an unattended workstation.

Click the **Kiosk** button on the Toolbar, or choose **Kiosk Mode** from the **O**ptions menu. SPRY Mosaic will change into Kiosk Mode.

You can move around in Mosaic as you would normally, except that the Toolbar buttons and menu options are not available to you. **Note that the shortcut movement keys of F (for Forward) and B (for Back) will be very helpful to you to move when in this mode, since the Forward and Back commands are not available.**

Click the **Esc** key or **Ctrl-K** to exit Kiosk mode.

Using Hotlists

One of SPRY Mosaic's strongest features is its ability to organize the information that you find on the World Wide Web. There are so many documents out there with useful jumps to resources you might be interested in, that it is common to want to access these documents again and again. You **can** save these documents and open them again later, but SPRY Mosaic provides an easier way to re-access documents.

SPRY Mosaic's **Hotlists** can be used to **remember** WWW document locations, so that you can easily locate and access them. You can group Hotlists by subject (**Games, Sports, Weather, Fun Stuff**) or by any other criteria (if several people use one computer, they might each have their own hotlist).

Hotlists you create can then be accessed two ways: they can be accessed with a couple of mouse clicks from the convenient **Hotlists** dialog, or you can make Hotlists into **drop-down menus**, so that you can choose them directly from the SPRY Mosaic menu bar.

Note: **NCSA Mosaic users:** You can convert any menus you created in [NCSA Mosaic](#) to Hotlists.

See

[The Hotlists Dialog](#)

[Creating a New Hotlist](#)

[Adding a Document to a Hotlist](#)

[Exporting a Hotlist](#)

The Hotlists Dialog

You work with Hotlists in the <Hotlists> dialog, accessed by pressing the **Hotlists** button or by choosing **Hotlists** in the **File** menu. The <Hotlists> screen initially will show all the different Hotlists you have. SPRY Mosaic comes with several Hotlists pre-loaded. You can remove any of the provided Hotlists, or add additional Hotlists of your own.

The Hotlist itself is shown as a flaming document in the <Hotlists> dialog. Initially, Hotlists may be shown *closed*; you can open up (expand) the Hotlist by doubleclicking on the Hotlist icon. Each Hotlist can contain many WWW documents, or it can contain **folders** that contain additional documents (you can use folders and subfolders to organize your documents any way you want). You will see the documents and folders listed in a hierarchy similar to the Windows File Manager.

In the <Hotlists> dialog, you can create new Hotlists, add new Hotlist items, edit your existing items, or delete them.

At any time, you can check *Use Hotlist as menu item* to have a Hotlist added as a menu item. You can add as many menu items as can fit in your SPRY Mosaic menu bar. When you choose this option, the Hotlist icon in the <Hotlists> dialog will change to a dialog containing the letter **H**. If you add a Hotlist as a menu item, any **folders** within that Hotlist will appear as menu items that have sub-menu items beneath them.

Creating a New Hotlist

Choose **Hotlists** from the **File** menu, or click the **Hotlist** button on the Toolbar. The <Hotlists> dialog will appear, containing any hotlists already created.

Click the **New/Open** button. You will see a Windows file open dialog. (You could specify the name of an existing hotlist at this point, to open and load it into the <Hotlists> dialog.)

Choose a filename for your Hotlist, and click **OK**. This must be a legal DOS filename (using up to 8 characters, with the extension **.hot**).

The next dialog asks you to specify a name for this Hotlist. This can be any name you want (keep in mind that you may want to use this hotlist as a Mosaic menu, so you might want to keep the name short.) Type a name, and click **OK**.

The Hotlist will be created, and you will see it appear in the <Hotlists> dialog (as a "flaming" document).

As mentioned earlier, you may want to create folders or subfolders to help organize your information. To do this, click **Add** with the Hotlist highlighted (or with a folder highlighted to create a subfolder), and specify **Folder** in the dialog that appears. You will be asked to name the folder. Give it a name and click **OK**; the folder or subfolder will be created.

Now that you have a Hotlist, you can begin to add documents to it.

See

[Add Documents to a Hotlist](#)

New/Open Hotlist

The <New/Open Hotlist> dialog can be used to open an existing Hotlist, or create a new Hotlist.

In this dialog, specify the name of an existing Hotlist, to open and load it into the <Hotlists> dialog.

or

Specify the name of a new Hotlist to have SPRY Mosaic create a new Hotlist. Choose a filename for your Hotlist, and click **OK**. This must be a legal DOS filename (using up to 8 characters, with the extension **.hot**).

Adding a Document to a Hotlist

There are two ways to add documents to a Hotlist:

- > Add the document to a Hotlist **when you are viewing it**.
- > Add the document to a Hotlist manually.

The first option is easiest, since you will not have to know or remember the document's URL (the document's "address") to add it to a Hotlist. These two options are described below.

Add the current document to a Hotlist:

In Mosaic, display the document that you want to add to a Hotlist. You could do this by jumping to it from another document, or opening it directly using its URL.

You now have two ways to add the document to a Hotlist:

- > Clicking **Add Document to Hotlist** in the **Navigate** menu will add the document to the Hotlist you are currently using. This will be the last Hotlist you selected. Open the <Hotlists> dialog if you are not sure which Hotlist is currently selected. If no Hotlist is selected, this command may not work properly.
- > Using the <Hotlists> dialog, as described below, will allow you to specify exactly where you want to add the document.

Click the **Hotlist** button, or choose **Hotlist** from the **File** menu. You will see the <Hotlists> dialog.

Select the Hotlist (or subfolder) to which you want to add the current document.

Click **Add**. You will be asked whether you want to add a document or folder; select **Document**. You will see the <Add Document> dialog. This should contain the Title and URL of the document you are currently viewing. If you wish, you can change the name of the document. **Do not change the URL!**

Click **OK**. The document you specified will be added to the Hotlist you selected.

Adding a document to a Hotlist manually:

You would do this if you want to add a document to a Hotlist, but do not currently have the document open. To do this, you need to know the URL (address) for each document. For instance, someone may give you a list of WWW documents containing travel information. You can create a **Travel** Hotlist, and add all the documents to it quickly-a one step process. You would do this as follows.

Click the **Hotlist** button, or choose **Hotlist** from the **File** menu. You will see the <Hotlists> dialog.

Select the Hotlist to which you want to add a document by highlighting it using your mouse.

Click **Add**. You will be asked whether you want to add a document or folder; select **Document**. You will see the <Add Document> dialog. If you currently have a document open, the information about that document will appear in this dialog. To add a different document to this Hotlist, you must type in the Name and URL of the document.

For the *Document Title*:, type any name you want. It should be a name that will help you recognize this file.

For the *Document URL*: field, type the Document's URL.

Click **OK**. The document you specified will be added to the Hotlist you selected.

Export Hotlist

You can, if you choose, export any of your Hotlists as an HTML file (i.e. a Mosaic-format document). This feature might be useful, if, for instance, you have compiled a hotlist with an interesting collection of Mosaic home pages, and want to put it up on a World Wide Web server for others to access. Or you may find it handy to use the Hotlist as your default home page, so that you immediately have a list of your favorite resources available when you start Mosaic.

You export a hotlist by clicking the **Export** button in the <Hotlists> dialog. This dialog prompts you for a name and location for the HTML file. Select the directory you want for the file, and assign a name to the file. The file will be saved with the extension .htm by default.

After you export the file, you can open the file by using the **File Open** command. Your Hotlist will be displayed as a Mosaic document which resembles your hotlist and contains hyperlink jumps for documents in your hotlist.

Import NCSA Menu as Hotlist

If you previously used NCSA Mosaic (from the National Center for Supercomputing Applications), you may have built up extensive menus of favorite home pages and resources; SPRY Mosaic allows you to convert these menus to SPRY Mosaic **Hotlists** so that you can use them just as you would Hotlists created in SPRY Mosaic.

To import an NCSA menu as a Hotlist:

Click **Import NCSA Menu as Hotlist** in the **Options** menu. You will see the <Import NCSA Menu as Hotlist> dialog.

In the dialog's *INI file to import from* field, you should specify the name and location of the MOSAIC.INI file where your NCSA menu information is stored. You can click the **Browse** button to browse the directories on your PC and select the correct file. Once you've selected the file, you can confirm that it is the correct file you want by clicking the **Open** button.

You should then specify a Hotlist file for this menu. **Do not choose an existing Hotlist unless you want to overwrite the information in that file.** Again, you can use **Browse** to find a Hotlist file and a directory for the file.

Last, you should specify which menus from that NCSA MOSAIC.INI file you want to import (all of the menus identified in that file should appear in a list). Click **OK** when you're ready to import the file.

The next time you open the <Hotlists> dialog, the menu(s) you imported should be displayed. You can add them as menu items, if you like, using the *Put this Hotlist in the menu bar* command.

Opening Documents Directly

There are two ways to open a WWW document directly. If you know the document's *URL* (Uniform Resource Locator; a standard "address" for Mosaic documents), you can access the document by typing the document's URL. If someone tells you the URL of a popular WWW site on the Internet, you can go to it directly using that URL. You will also need to know a document's URL to set it up in a Hotlist or as a default home page.

You can also create or save an HTML file directly to your PC, and open it in SPRY Mosaic. This is known as a *Local File*.

These two methods of opening Mosaic documents are listed below.

See

[Opening Documents using URLs](#)

[Opening a Local File](#)

Opening Documents using URLs

Mosaic locates documents by using **URLs**, *Uniform Resource Locators*. **URLs** are a standard notation for WWW resources, designed to be able to identify information stored on a variety of machines, in a variety of different ways. A URL can point to resources such as an HTML document (a WWW *home page*), an ftp server, a gopher server, or a local document. When you access a document in SPRY Mosaic, you will see the URL for that document shown in the *Document URL:* field displayed below the SPRY Mosaic Toolbar.

URLs are used to indicate the type of the resource and where it is located, as well as the resource name.

If you know the URL of a resource, you can access it directly, as described below.

Click **Open URL** in the **File** menu.

The most common URL you will specify in the <Open URL> dialog is the URL for an HTML home page. This is always preceded by **http://** followed by the address of the HTML document.

e.g.

<http://www.bakerstreet.com/221B.html>

Type the URL you want to connect to and click **OK**. If the URL is valid, SPRY Mosaic should begin connecting to it.

See

[URL Description](#)

URL Description

URLs typically provide information about a **resource type**, **location**, and **path**.

You might find a document called "Internet Web Text" with a URL of

`http://www.rpi.edu/Internet/Guides/decemj/text.html`

This URL can be deciphered as follows:

`http:` `//www.rpi.edu` `/Internet/Guides/decemj/text.html`

or, roughly,

Resource Type **//Resource Location** **/Pathname**

These three portions are described below.

Resource Type

The Resource Type tells you the type of server on which the resource resides. The resource type is actually the kind of protocol will be used when retrieving the document.

URL resource types and formats include:

http://	HTTP (HyperText Transfer Protocol) Server. This is a site designed principally for hypertext WWW documents.
ftp://	FTP (File Transfer Protocol) Server.
file://	Local HTML File (also sometimes used to denote FTP Servers).
telnet://	Telnet Server.
gopher://	Gopher Server.
waits://	WAIS Server (not directly supported in SPRY Mosaic)
news:	USENET news site

Note: The **news:** URL uses a slightly different format; it takes the format **news:newsgroup.name**, since you already have a news server pre-defined in Mosaic (using the <Configuration> option). To find out how to configure your news server, [click here](#).

Resource Location

This is the Internet address of the machine where the resource resides.

In the example above, **www.rpi.edu** is the World Wide Web server at Rensselaer Polytechnic Institute, a school in Troy, New York. Note that often you will not be able to figure out exactly where a resource is located.

Pathname {filename}

In most cases, the URL for a document or other resource contains a full pathname for the file. If you're familiar with DOS or UNIX pathnames, the path in a URL is very similar. (Paths in WWW always use the forward slash /).

In the example above, the path is **/Internet/Guides/Decemj/**. If you're looking at the resource, you see that it is titled Internet Web Text, by John December. You might intuit that this is John December's personal directory on the Rensselaer Polytechnic Institute WWW server.

Some sample URLs are shown below:

`http://www.rpi.edu/Internet/Guides/decemj/text.html`

`ftp://ftp.circe.com`

`file://localhost/c:\mosdocs\sample.htm`

`telnet://odysseus.circe.com:70`

`gopher://spinaltap.micro.umn.edu:70/11/fun/Movies`

`news:alt.tv.seinfeld`

Note: For advanced information on URLs, a URL primer is available from NCSA on the NCSA home page, at <http://www.ncsa.uiuc.edu/demoweb/url-primer.html>.

Opening a Local File

You can create an HTML file or save an HTML file directly to your PC, and open it in SPRY Mosaic. This is known as a *Local File*. A Local File should have extension **.htm**.

You can open a Local File using the <Open Local File> dialog. Specify the name and path for this file, and click **OK**. SPRY Mosaic will try to open the file you specified.

Using Mosaic for FTP, Gopher, and More...

Although you may navigate principally between HTML documents ("home pages") when using SPRY Mosaic, you can also use it to access other Internet resources such as ftp and gopher sites and USENET news. The functionality of SPRY Mosaic as an ftp, gopher, or news browser is somewhat limited, since the World Wide Web protocols used are not very sophisticated. For full-featured use of ftp, gopher, and news, more sophisticated applications are recommended. You can also use Mosaic to send mail.

Mosaic's functionality accessing FTP, Gopher, News, and Mail is described below.

Accessing FTP and Gopher Sites

Accessing ftp and gopher sites is very easy with SPRY Mosaic. Since SPRY Mosaic incorporates both ftp and gopher functionality, no additional tools are needed to retrieve files from these types of sites. Some background on ftp and gopher resources may be helpful.

You might find an ftp or gopher site when you're using SPRY Mosaic, or you could connect to one directly if you know its URL (address).

The ftp or gopher site will be displayed in a hierarchical folder format in the SPRY Mosaic Console. Using ftp and gopher is very similar.

On an **ftp site**, you will only see two types of items, folders (directories) and files. You can navigate through folders by doubleclicking on them to move deeper into the folders; if you want to move back, click on the up arrow shown at the top of the folder list.

When you doubleclick on the name of a file on an ftp screen, SPRY Mosaic will automatically download (copy) the file to your \...\DATA directory, using the displayed filename.

On a **gopher** site, aside from folders and files, there are several other items displayed on the screen: image files, sound files, search tools and other gopher resources.

Doubleclicking on a gopher resource will either download it to your \...\DATA directory or will open it, depending on whether you have a Viewer for that resource configured on your PC.

Accessing News

You can use SPRY Mosaic as a very basic newsreader for USENET News.

Accessing a News Server:

You have to access a *News Server* to read News with SPRY Mosaic. A News Server address is provided with SPRY Mosaic, so you can actually read news immediately, but you will only be able to see a limited amount of newsgroups when accessing this Server. You will need to find out the address of a News Server to use; your Internet Service Provider may have one that you can access, or you may already have been using one that you can connect to. The News Server address can be set up using the **Configuration** option in the **Options** menu.

Often you will end up reading a USENET newsgroup in Mosaic because you clicked a hyperlink in a WWW document that connected you to that newsgroup.

To connect to a USENET news newsgroup, you would specify the URL in SPRY Mosaic dialogs (such as the **Open URL** dialog) in the following format:

```
news:newsgroup.name
```

If you want to access a list of all the available newsgroups, from which you can select newsgroups, you would instead type

```
news:*
```

Note: The * wildcard can also be used to show subsets of newsgroups on the news server; for instance, **news:alt.tv.*** would show all the newsgroups with names starting with **alt.tv**, (like alt.tv.seinfeld or alt.tv.northern_exp), **news:alt.*** would show all of the alt newsgroups, etc.

By default, descriptions of all the newsgroups will be displayed when reading in a list of newsgroups; to disable this feature, uncheck **Expanded News Listing** in the **Options** menu. Note that this unchecking this option will disable threading.

Once you're connecting to News using Mosaic, you will see news articles listed as bulleted items on the screen.

Reading News:

Mosaic will display only the last 20 of the articles in a newsgroup. To see earlier articles, click on the "Earlier articles..." text. Mosaic will display the preceding 20 articles. You can move back to the last 20 messages again by clicking on the "Later articles..." text (you can also use the Forward and Back buttons on the Toolbar to achieve this).

Articles whose titles are not preceded by "Re:" are original "threads" they represent the initial article on a particular topic. Articles whose titles begin with "Re:" are responses to an initial article.

SPRY Mosaic displays hyperlinks at the top of the screen to help you navigate through threads. When you are viewing an article that is part of a thread, you will see either Next thread or Next article in thread and Previous article in thread, depending on where you are in the thread.

To view an article, simply click on its title. You will see hyperlink text in the references section, as well as in the beginning of the article itself. Selecting this hyperlink text allows you to move to related articles in the news thread. You can then use the **Back** button on the Toolbar to move back to the original article.

Posting/Following Up to News:

SPRY Mosaic now supports posting (and following up to) news articles.

When you are viewing a list of news articles in SPRY Mosaic, you will now see a **Post to newsgroup** hyperlink at the top of the screen. Clicking on this hyperlink will produce a separate news posting dialog allowing you to post a news article.

Fill out a subject in this screen and type your news article. You can drag and drop text files from Windows File Manager into your news article, if you wish. To do this, drag the file and drop it into the text window of the Mosaic news dialog. The text in the file you dragged and dropped will display in that window; you can then edit the text or add new text, as desired.

Note: You can also indicate the MIME type of the item you dragged and dropped. Currently, only text files are supported; text/plain will be selected by default. You can change the MIME type to another text type, if desired.

When you are viewing an individual article in SPRY Mosaic, you will now see a **Followup to message** hyperlink. This also allows you to post a news article, but will automatically include the text of the currently displayed article in your posting (using standard followup format).

You can also post a news article directly using a URL, with the following syntax:

```
newspost:newsgroupname{,newsgroupname,newsgroupname}/{followup}
```

where

newsgroupname is the name of the newsgroup you want to post to (you can specify multiple newsgroups by separating them by commas)

/followup indicates that you want the posting to be a followup posting and include the currently displayed article text (if no article is displayed when you do this, no text will be included).

Examples:

```
newspost:alt.tv.seinfeld
```

```
newspost:rec.bicycles,rec.sports.cycling
```

```
newspost:alt.suburbia/followup
```

Sending Mail

You can use SPRY Mosaic to send mail if you have an SMTP Gateway available (this must be set up in the Configuration screen.)

You can send mail by choosing **Open URL** in the **File** menu, and typing

`mailto:lucy@narnia.com`

where *lucy@narnia.com* is the e-mail address you want to send mail to.

(You can also simply type this URL in the drop down URL list).

A screen will appear allowing you to compose a mail message. Fill out a subject in this screen and type your mail message. You can drag and drop text files from Windows File Manager into your mail message, if you wish. To do this, drag the file and drop it into the text window of the Mosaic mail dialog. The text in the file you dragged and dropped will display in that window; you can then edit the text or add new text, as desired.

Note: You can also indicate the MIME type of the item you dragged and dropped. Currently, only text files are supported; text/plain will be selected by default. You can change the MIME type to another text type, if desired.

HTTP/0.9

Some older WWW documents may require you to use an earlier version of the Transfer Protocol, HTTP /0.9 to access them. In most cases, the hyperlinks to those documents will warn you that HTTP /0.9 is required to read them. SPRY Mosaic allows you to use this option in order to read these earlier documents.

Saving Mosaic Documents

You might want to save WWW documents so that you could open them later (using the **Open Local File** command) or so that you can use the information in the documents (in word processing or other applications). When you save documents, you will not save the text exactly as you see it on the screen; any graphics on the screen will not be saved, and the document will be saved with accompanying HTML codes.

There are several ways to save documents: you can drag and drop the document to the File Manager or another application that supports drag and drop, you can use Load to Disk Mode command to save the document to disk, or you can save the document source code to disk directly using the Document Source command. These first two methods of saving documents are described below; the last method is described in the "Viewing Document Source" section.

See

[Using Drag and Drop in Mosaic](#)

[Load to Disk Mode](#)

[Document Source](#)

Using Drag and Drop in Mosaic

You can drag and drop Mosaic documents to the Windows File Manager, or to other applications that support drag and drop, such as **Windows Notepad**.

When your mouse cursor is over a hyperlink, click and hold down the mouse button until the cursor changes from a pointing finger to a document icon, with the caption WWW. Continue holding down the cursor, and drag the icon to the application where you want to drop the item. (If the application will not let you drop the item, the cursor will change into a prohibited symbol (a circle with a slash through it).

Note that not all applications will support drag and drop from Mosaic, even if they are OLE-compliant (Windows Object Linking and Embedding).

Load to Disk Mode

You can also save Mosaic documents when you encounter them by using **Load to Disk Mode**. **Load to Disk Mode** saves a document to a file, rather than loading it. This is very useful if you want to save the contents of a document to use in another application, for instance, or if you find a file or resource that you currently can't use, but want to save.

Usually, you will want to use Load to Disk Mode selectively; you probably do not want to save everything you encounter to a file. You use [Shift] click to do this. Click on the hyperlink for the document that you want to save, while holding down the [Shift] key. Instead of the document loading in, as it does normally, a standard Windows <File Save> dialog will appear, and you will be prompted for a name and location for the document. You can accept or change this name, and you can also change the directory where this document is stored.

If you prefer to have **Load to Disk Mode** turned on, so that Mosaic tries to save all of the documents that you click on, select **Load to Disk Mode** in the **Options menu** (a check mark will indicate that the mode is enabled). When Load to Disk Mode is enabled, each time you try to access a document you will be prompted with a Windows <File Save> dialog as described above.

Mosaic will continue to try to save documents until you disable Load to Disk Mode by again selecting the **Load to Disk Mode** option from the menu. Note that whenever you use Load to Disk Mode, the documents that you click on will not be loaded; they will only be saved. To load in these items, you must turn off Load to Disk Mode (if you turned Load to Disk Mode on using the menu, you must disable it; if you simply Shift-clicked to save the document, you only need to click on the item normally to get it to load).

Printing in Mosaic

You can print the information in a document to your printer using the **Print** command in the **File** menu. If you want to see how the output will look, you can choose **Print Preview** to see a preview of how the document will print.

See

Print Setup

Print Margins

Copy

The Copy command allows you to copy text from the Document Title: or Document URL: drop down lists. It cannot be used to copy from the document you are currently viewing (you can, however, view the document using the Document Source command in the **F**ile menu, and use the Copy command in that window).

Once you have copied text, you can paste it in another Windows application using the **P**aste command or shortcut in that application.

Likewise, you can also paste information into Mosaic dialogs (although there is no Paste command in the Edit menu). After using the **C**opy command in Mosaic or another Windows application, you can use Windows shortcut keys, **Ctrl-V** or **Shift-Insert**, to paste text into any Mosaic dialog (a likely use would be to paste a URL from a mail message, for instance into the <Open URL> dialog).

Finding Text in a Mosaic Document

You can search a WWW document for particular text using the **Find** command. Click the **Find** option in the **Edit** menu, and type the text you want to search for in the dialog that appears. The search will occur from the top of the document to the bottom. If you want to search for additional occurrences of the text, you should choose **Find Next** in the <Find> dialog after the first find. .

SPRY Mosaic Menu Commands

[File Menu](#)

[Edit Menu](#)

[Options Menu](#)

[Navigate Menu](#)

File Menu

Open URL

Open Local File

Hotlists

Print

Print Margins

Print Preview

Print Setup

Document Source

Exit

Print Margins

This option allows you to specify the margins to use when printing Mosaic documents to a printer; by default, no margins are used. Set the Top, Bottom, Left and Right margins to the settings you prefer.

Print Setup

The **Print Setup** command allows you to specify which printer you want to print to. The standard Windows Print Setup dialog is displayed; see your Windows documentation for information on using this dialog.

Exiting Mosaic

You can exit SPRY Mosaic by choosing **Exit** from the **File** menu. You can also double-click on the Windows System Menu to exit SPRY Mosaic.

Note: If you are currently retrieving a new Mosaic document, it is recommended that you wait until that document is retrieved, or stop retrieving the document by clicking the Stop button, before exiting Mosaic.

Edit Menu

Copy

Find

Options Menu

[Load to Disk Mode](#)

[Autoload Inline Images](#)

[Expanded News Listing](#)

[Kiosk Mode](#)

[HTTP /0.9](#)

[Configuration](#)

[Toolbar Style](#)

[Import NCSA Menu as Hotlist](#)

Expanded News Listing

This option affects how News is displayed in Mosaic. When this option is checked, threading will be enabled in News. This option will **also** cause a full description of each newsgroup to be shown when you are viewing a list of newsgroups.

This option is enabled by default.

Navigate Menu

[Back](#)

[Forward](#)

[Home](#)

[Reload](#)

[History](#)

[Cancel Current Task](#)

[Add Document to Hotlist](#)

Configuring SPRY Mosaic Options

You can easily configure SPRY Mosaic using the <Configuration> dialog. This dialog allows you to specify options for displaying elements in the SPRY Mosaic Console, such as the Toolbar, Status Bar, images, hyperlinks, and sounds; the default servers for SPRY Mosaic; SPRY Mosaic's fonts and colors, and which external viewers are used to view graphics, and play sounds and movies.

The <Configuration> options are listed below. Click the option for which you want help.

[General Configuration Options](#)

[Home Page](#)

[Email Address](#)

[SMTP Server](#)

[News Server](#)

[Viewers](#)

[Color](#)

[Fonts](#)

[Proxy Servers](#)

General Configuration Options

The General Configuration options shown at the top of the <Configuration> dialog are described below.

Show Toolbar

Show Status Bar

Show Document Title

Show URL

Save last window position

Autoload inline images

Show URL in Status Bar

Underline hyperlinks

Animate logo

Use 8-bit sound

When loading images, redraw after ____ seconds

Show Toolbar/Status Bar

These options control whether or not the Toolbar and Status Bar are displayed. You may not wish to hide the Status Bar as it displays the locations of resources you connect to, as well as indicating when a transfer is in progress or a graphic is being loaded. By default, these options are displayed; check them again to hide them.

You can also hide most of the Console options by using [Kiosk Mode](#).

Show Document Title/URL

These options control whether or not the Document Title: drop down list with the SPRY Mosaic radar indicator, and the Document URL: drop down list are displayed. You can show both options, hide both options, or show only the Document Title Bar. You cannot display only the Document URL: list. By default, these options are displayed; check them again to hide them.

Save last window position

You may want to resize the SPRY Mosaic Console window during your SPRY Mosaic session, in order to see more (or less) of a WWW document. If you want these size changes to be saved and used during your next SPRY Mosaic session, check this option.

Autoload inline images

By default, images (such as logos, fancy titles, small photos) are automatically displayed on your system when you connect to a World Wide Web site. This is done by automatically downloading the image to SPRY Mosaic, where it is kept in your system memory. This downloading process can be very time-consuming, depending on the speed of your Internet connection.

SPRY Mosaic allows you to disable this feature, so that the images are not automatically downloaded/displayed. Uncheck this option to stop viewing graphics. In the place of the graphics, you will see graphic placeholders.

Show URL in Status Bar

By default, when you highlight a hyperlink (by moving your mouse over it), the destination URL for that hyperlink will be displayed in the Status Bar.

You can uncheck this option, if you choose.

Underline hyperlinks

Typically, hyperlinks are displayed in blue **and** underlined. You may want to turn off the underlining. This is a personal preference; it will not affect the speed that the document is retrieved in any significant way.

Animate logo

This refers to the radar indicator on the Document Title Bar. By default, this is turned on, as it offers you some useful information about whether or not a document or image is being retrieved (and gives your mind something to do while you wait although you can always work in other Windows applications if a document is loading too slowly). The time you'll save by turning off the logo animation is not substantial; you will probably only want to turn off that option if your connection is very slow.

This option is primarily provided in case you are using a remote access program such as Symantec's *PC-Anywhere* to use your PC remotely. In these cases, the animated logo may cause problems; disable Animate logo by unchecking this option.

Use 8-bit sound

SPRY Mosaic features internal sound support for .AU and .AIFF files, using your sound card (if you have one). SPRY Mosaic assumes you have a high quality sound card. If these file types do not play properly, or you have a lower quality (or 8-bit) sound card, choose this option.

When loading images, redraw every __ seconds

You can change how often the screen is redrawn by selecting **Configuration** in the **Options** menu, and changing the *When loading images, redraw every __ seconds* option.

When you connect to a Mosaic document, SPRY Mosaic loads in the entire document, using image placeholders for any images in the document. SPRY Mosaic will then load in the images one by one, and redraw the screen (replacing the placeholders with images) as images are loaded in.

Changing the redraw value will affect how the Mosaic document appears as it is loaded in. For instance, if you want SPRY Mosaic to load in most/all of the documents images **before** redrawing the screen, you would set this value to a high number (i.e. 5 seconds), to give SPRY Mosaic time to load in all the images. If you want SPRY Mosaic to redraw the screen **each time a new image is loaded in**, set this value to a lower number (2 seconds, for instance).

The value you will want to use is also dependent on the speed of your connection. If you are operating over a slow modem connection, images may not load in very quickly, and you may want to increase the screen redraw value to a higher number (so that the screen only redraws when new images are loaded in).

Another reason for changing this value: if your SPRY Mosaic screen is redrawing the screen very often, you may find the flicker of your screen as the screen is redrawn to be annoying. If so, increase the value of the redraw option until you are happy with the screen performance.

Home Page

SPRY Mosaic lets you set up a default Home Page that you can quickly access using the **Home** button on the Toolbar. Type the **URL** for the home page in the *URL:* field to set up this home page.

You can also set up SPRY Mosaic to automatically load this Home Page on startup; if you want to see this home page whenever you start SPRY Mosaic, check the *Load automatically at startup* option.

Email Address/SMTP Server/News Server

These options are all used by SPRY Mosaic when you are using some of Mosaic's extended functionality. Mosaic can be used to read News (as well as view Gopher sites) and send mail messages.

You must fill out some information about your system in order for these to work properly.

To send mail:

You must fill out your e-mail address and SMTP Server address.

Email address This is the address others use to send you e-mail, i.e. jwatson@moriarty.com.

SMTP Server This is the mail server you use. A default mail server on the Internet has been supplied for you. For optimum use, it is suggested that you use your own SMTP server. Specify the address for the server. This would be an address such as **mailserv.oz.com**.

To read news:

News Server You must fill out the address of your news server. This is the machine that you connect to in order to read news. A News server address is supplied by default. This news server has a limited amount of newsgroups available. If you have a news server you prefer to use to read news, type its name here.

Cached Documents

This item represents how many documents are cached, or kept active, in your PC's memory. If this number is 10, for instance, 10 documents will remain "available" to you; if you go back to them, they will appear immediately, and will not have to be loaded.

If you have a lot of available system memory, you may want to increase this number. Keep in mind that a high number for cache may affect other applications' performance, although Mosaic performance will probably improve quite a bit.

Documents in Drop Down

This value indicates how many of your last-accessed documents will appear in the Document Title: and Document URL: drop down lists (displayed beneath the Toolbar). A value of 5 would mean that the last five documents you accessed would display in these lists.

Configure Viewers

The <Configure Viewers> feature lets you specify the **external viewers** you want to use for different resource types that you might find on the World Wide Web. For instance, you may find a multimedia movie in a WWW document, and want to set up Mosaic to use an external movie player application so that you can view the movie. You can also use this dialog to set up applications to support telnet, tn3270, and rlogin.

Click on a topic below for more information.

See

[Viewing Files in Mosaic](#)

[Adding and Configuring Mosaic Viewers](#)

Viewing Files in Mosaic

SPRY Mosaic internally provides support for text, in-line graphics, and certain sound files (note: you must have a sound card or Windows sound player for sound). However, some of the resources you encounter using SPRY Mosaic (GIF and JPEG files, MPEG movie files, .WAV sound files) will require you to use *external viewers*, separate programs that can view graphics, play movies, or otherwise interpret Mosaic resources.

Most commonly, you will need **external viewers** to:

> View GIF or JPEG image files

Some GIF (Graphics Interchange Format) format graphic images you find in Mosaic documents can be retrieved; these images are indicated by a *hyperlink*. You will also often see hyperlinks to images like "Picture of the Louvre" or "LOUVRE.GIF". GIF and JPEG are common image file formats used on the World Wide Web.

You can retrieve these images if you have an external image viewer that allows you to view the GIF or JPEG images. **SPRY Mosaic** comes with an image viewer, **ImageView**, which will allow you to view GIF and JPEG graphic files automatically. This Viewer is already set up in SPRY Mosaic.

> Play .WAV sound files

If you have a sound card or Windows sound player application, you can play sounds that you find on the World Wide Web. SPRY Mosaic *natively* supports .AU and .AIFF sounds that are commonly found on World Wide Web home pages; this means that you do not need an external application to play them.

However, you will also find .WAV and MIDI files on FTP and Gopher sites on the World Wide Web. You will have to use an external application to play these types of sound. Microsoft Windows 3.1 and Windows for Workgroups 3.X include an application called **Media Player** that can play sounds if the necessary device drivers are installed; SPRY Mosaic is set up to automatically use this application to play sounds.

> View MPEG movie files

Multimedia movie files (MPEG files) are found in many places on the World Wide Web. Usually they are not identified with any symbol, but are named with an extension of .mpg ("mountains.mpg"), or otherwise identified as MPEG movie files.

SPRY Mosaic does not include an MPEG viewer. You can use any Windows based MPEG viewer with SPRY Mosaic. When you find an external MPEG viewer, you must set it up in SPRY Mosaic using the **Configure Viewers** feature.

See

[Adding and Configuring Viewers in Mosaic](#)

Adding and Configuring Viewers in Mosaic

SPRY Mosaic is set up to automatically use ImageView (included with SPRY Mosaic) to view GIF and JPEG files and to use Microsoft's **Media Player** application (which is included in Windows 3.1 and Windows for Workgroups in your *Accessories* Program Group) to play .WAV and MIDI sound files. You can add and configure viewers for other resources that are recognized by Mosaic.

When you click on the **Viewers** button in the <Configuration> dialog, the <Configure Viewers> dialog will appear. This dialog allows you to change the viewers and tools that are used to access SPRY Mosaic resources.

When SPRY Mosaic is retrieving a World Wide Web document, it uses MIME (Multipurpose Internet Mail Extensions) information returned by World Wide Web servers to determine the format in which a document is stored and determine how to treat the document. There are several standard MIME types recognized by Mosaic.

When a document is retrieved from an ftp server, gopher server, or local file system, on the other hand, the file **extension** (found in the hyperlink to the resource) is used to determine the proper MIME type for documents.

Adding a new viewer

In general, you should use the standard MIME types when you are configuring a new viewer for Mosaic. SPRY Mosaic allows you to create your own MIME types, tell Mosaic what file extensions map to that type, and associate viewers with them, but if the document is being retrieved from an HTTP server, the file extension is ignored... so be careful when selecting MIME types to use the same types as the HTTP server.

For instance, if you have an MPEG movie viewer, you might want to set up that viewer in SPRY Mosaic so that Mosaic will automatically load MPEG resources into that viewer when you doubleclick on them. The standard MIME type used for MPEG viewers is **video/mpeg**.

You would do this as described below.

Click the **Add New Type...** button. A <Document Type> dialog will appear; type the standard MIME type that you want to use (in this case, **video/mpeg**). The type you specify will now appear in the *Type* drop down list.

Now type any file extensions that map to that MIME type in the *Extensions* field (multiple entries should be separated by a comma; e.g., ".MPG,.MPEG").

Now, enter the pathname to the viewer for this type in the *Viewer:* field, or click the **Browse** button to look for it with a standard Windows file search dialog. (You might, for this example, specify "C:\VIEWERS\MPEG\MPEGPLAY".)

When you click **Close** to close the Viewer Configuration dialog, the new viewer information will be saved.

Configuring an existing viewer

If the MIME type that you need a viewer for already exists, you can change the extensions for that viewer and the path and filename of the viewer, as described below.

Choose the MIME type for the document type from the drop down list.

Type the full path and filename of the viewer you want to use in the *Viewer* field, or click **Browse** to more easily find the viewer on your PC (when you locate the viewer, and click OK, the *Viewer* field will be filled in automatically).

Add or edit any extensions for the MIME type, separating them with commas (i.e. .AU, .AIFF)

Click **Close** when you are done configuring viewers. The changes will take place immediately.

You can also define the applications used by Mosaic for telnet, rlogin, and tn3270. To do this, type the application you want to use in the appropriate field (click **Browse** to search your disk for the correct file and directory name). When you **Close** the dialog, the changes you made will be saved.

MIME (Multipurpose Internet Mail Extensions)

MIME is a a general purpose encoding method for exchanging multimedia data over the Internet. Use of MIME allows Mosaic to retrieve and recognize many different types of data. The most visible part of this MIME usage to you, the user, is the "Content-type". MIME content types specify the format in which a document is stored.

MIME content types consist of both a type and a subtype; for example "image/gif" is a valid MIME content type. "image" is the type, and "gif" is the subtype. Valid types are:

- text Specifies textual information (may be formatted text, such as HTML.)
- image Specifies still image data.
- audio Specifies audio or voice data.
- video Specifies video or moving image data, possibly with audio (e.g. AVI files.)
- application Specifies application data (i.e., application-specific data.)

"multipart" & "message" are also valid MIME types, but these types are for internal use by the MIME parser and are not used or supported by SPRY Mosaic in this release.

The subtypes for any given type may also have some defined values. MIME types in common use today and supported by SPRY Mosaic include:

text

plain	Plain ASCII text
html	HTML formatted text

image

gif	CompuServe GIF format
jpeg	JPEG compressed images
tiff	Tagged Image File Format
targa	AT&T TARGA format
x-win-bmp	Windows Bitmap
xbm	X Bitmap

audio

basic	Sun/DEC/NeXT audio (*.AU files)
wav	MS Windows WAVE (RIFF) audio
aiff	Audio Image File Format

video

mpeg	MPEG video
quicktime	Apple QuickTime
msvideo	Microsoft Video (*.AVI files)

application

zip	PKZip compression format
postscript	Adobe PostScript (*.PS) format

You specify these MIME types in the Configure Viewers dialog in Mosaic by specifying first the type, a forward slash and then the sub-type, i.e. **application/zip**.

Non-standard types which do not fit under these defined subtypes can also be added by pre-pending "X-" to the desired subtype name - e.g., "image/X-my-new-image-format" - but **be careful!** If you are retrieving documents from an HTTP server, the server must be returning this type to you, so adding a new type requires configuration on both the client (Mosaic) side **and** the server. (This is not a concern for items you retrieve from ftp or gopher sites, since SPRY Mosaic then uses the extension to recognize the item; therefore you could create a new type without concern. For example, you could create a type called image/X-TIF, for files with a .TIF or .TIFF extension.)

When retrieving documents from a World Wide Web server (i.e., via HTTP), SPRY Mosaic uses the MIME (Multipurpose Internet Mail Extensions) content type returned by the server to determine in what format a particular file is stored.

Note: More information about MIME can be found in the Internet Request For Comments document **RFC 1341** (Using SPRY Mosaic, enter this URL: "ftp://DS.INTERNIC.NET/rfc/rfc1341.txt").

Color

The Hyperlink color is the color that is used to highlight Mosaic hyperlinks (jumps to other documents or document areas, or jumps to resources). Text hyperlinks are entirely highlighted, and graphics hyperlinks are surrounded by a highlight. The standard Hyperlink color is blue.

To change the Hyperlink color, click **Color**. The <Color> dialog will appear.

Select the color you would like to use for Hyperlinks, and click **OK**. The Hyperlink color will be changed immediately.

Fonts

You can change the fonts that SPRY Mosaic uses to display documents. You can change the font that is used for a particular item, or the font size. You might want to do this to make documents easier to read, or to fit more information onto your screen.

Different items in documents use different font *styles* (similar to styles in word processors). Most regular text is displayed in *Normal* style, and headers are displayed in a *Header* style, such as *Header 1*, *Header 2*, *Header 3*, etc.

You can change these font styles clicking the **Fonts** button. You will see the <Fonts> dialog.

If you want to change just one style, you can choose the style that you want to change from the drop down menu, and define a Font for that style by clicking the **Change Font** button.

Specify the font type and style you want, and click **OK**. The style will be changed until you change it again.

If you are not sure what style it is you want to change, you will have to do some experimenting. SPRY Mosaic cannot tell you what styles are being used in a particular WWW document.

If you want to change **all** the styles in a document, you can choose **Enlarge All** or **Reduce All** to enlarge or reduce the styles. You can choose this option as many times as you like.

Click **OK** when you are finished changing styles.

Proxy Servers

Proxy Servers are machines, usually doubling as Internet gateways, that allow you to send and receive information even though your network is protected with an Internet *firewall*. Requests for information are sent from your PC to the Proxy Server, and the requested information is sent back to the Proxy Server, which then sends it to your PC. If your network is protected by an Internet firewall, you will **not** be able to use SPRY Mosaic to access URLs outside your network **unless** your network uses Proxy Servers or the appropriate ports are enabled on your firewall.

SPRY Mosaic offers support for HTTP, ftp, WAIS, and Gopher Proxy Servers; currently only Proxy Servers based on the CERN specification are supported.

To set up SPRY Mosaic to use Proxy Servers, click the **Proxy Servers** button in the Configuration dialog. You will see the <Proxy Servers> dialog. Specify the URLs (with ports, where applicable) of Proxy Servers that you want to use. SPRY Mosaic will then transfer information through those servers.

When retrieving HTML documents, SPRY Mosaic will go through an HTTP Proxy Server; when retrieving files via ftp, SPRY Mosaic will go through an ftp Proxy Server, etc. These "servers" are usually all on the same machine; therefore, all of the entries may be the same.

For example, for your HTTP Proxy Server, you might specify **http://proxy.circe.com:8001/**

where proxy.circe.com is the name of your proxy server, and 8001 is the port used for the proxy service.

Using the Exclude Domain option

When you provide Proxy Server address information, SPRY Mosaic will always try to access information through those Proxy Servers. However, there may be times you do not want SPRY Mosaic to use Proxy Servers; the *Exclude Domain* option in the <Proxy Servers> dialog allows you to do this.

For instance, if you are accessing information from your own network (such as ftp'ing files from another machine within your network), you will not want to go through the Proxy Server to retrieve the information. Also, if you have another domain within your organization that is also behind your Internet firewall, you may want to communicate directly with machines in that domain, rather than going through the proxy server.

When you specify a domain in the *Exclude Domain* field, SPRY Mosaic will automatically try to connect to any URLs in that domain directly, not going through the Proxy Server.

You can specify multiple domains in this field, separating them by commas.

Viewing Mosaic Document Source

A **Document Source** command is provided in the **File** menu to enable you to view, and save HTML document source code. Click **Document Source** to view the current documents source code.

You can now choose **Save** from the **File** menu to save the source code to a file. Remember that all the HTML codes will also be saved. You will be prompted for a name for this file.

You can also choose **Copy** from the **Edit** menu to copy some or all of the HTML text to the Windows Clipboard, so that it can be used in other applications. (Use the **Select All** command to select the entire document.)

Mosaic Command Line Options

SPRY Mosaic supports three command line options: opening a URL (Uniform Resource Locator) or local HTML file, starting Mosaic in Kiosk mode, and specifying the INI file for Mosaic to use for configuration.

You can, if you want, change the **Properties** setting for the SPRY Mosaic icon to have the command line options take place every time you click on the icon. (This is not recommended when using the options to open a URL or local HTML file; see the note below).

Command Line Options

Opening a URL or HTML file upon startup:

```
AIRMOS.EXE {URL}
```

(example: AIRMOS.EXE http://www.wired.com)

or

```
AIRMOS.EXE {local HTML file pathname}
```

(example: AIRMOS.EXE c:\wwwdemo\mydemo.htm)

This option will automatically open SPRY Mosaic and connect to the URL or local HTML file that you specify.

Note: If you want to connect to the same URL or HTML every time you start SPRY Mosaic, it is much easier to specify a default home page in Mosaic than to use the command line option. See [Configuring SPRY Mosaic Options](#) for more information on specifying a default home page.

Running SPRY Mosaic in Kiosk mode:

```
AIRMOS.EXE -K
```

This will start SPRY Mosaic in Kiosk mode, hiding the Menu Bar, Toolbar, Document Title Bar, and Status Bar, and displaying only the World Wide Web document you are currently viewing. See [Using Kiosk Mode](#) for more information on using Kiosk Mode.

Specifying the AIRMOS.INI file to use:

```
AIRMOS.EXE -I {full path to INI file}
```

Example: AIRMOS.EXE -I C:\MOSAIC\AIRMOS.INI

This allows you to specify the location of the AIRMOS.INI file you want to use. By default, Mosaic uses the AIRMOS.INI file found in your Windows directory. Although it is easy to make changes to the SPRY Mosaic configuration, there may be some reason you want to have multiple configurations of Mosaic available; you can use this option to do so. To create another configuration of SPRY Mosaic, configure SPRY Mosaic the way you want it, and then copy the AIRMOS.INI file to a directory other than your Windows directory. Any further configuration you make will affect the AIRMOS.INI file in the Windows directory; you can then switch to the other configuration by using the command line option, above.

Special Mouseclick Features

SPRY Mosaic supports the following modifiers when accessing hyperlinks using the mouse.

Shift-Click

If you hold down the [Shift] key while clicking on a hyperlink, SPRY Mosaic will automatically try to save the indicated resource to disk (this is equivalent to having **Load to Disk** checked on before accessing the resource).

Ctrl-Click

If you hold down the [Ctrl] key while clicking on a hyperlink, SPRY Mosaic will retrieve header information for the indicated resource; i.e. the resource type, size, full pathname, etc. This is a good way to decide whether you will want to load in a resource (and whether you have the appropriate viewers for it), before actually loading it.

Right Click

If *Autoload Image* is off, clicking the **right** mouse button when the cursor is over an unloaded image will display the "hidden" image.

Ctrl-Right Click

If you hold down the [Ctrl] button while clicking the right mouse button when the cursor is over an unloaded image, the header information for the indicated resource will be displayed; i.e. the image type, size, full pathname. As with Ctrl-Click, above, this is a good way to decide whether you want to load in an image before actually loading it.

