

TYPEOPTDATA,C,60

- 1 [d:][\path\]name.ext
- 2 [d:][\path\]family (family = Name of file family, 1-4 chr)
- 3 [d:][\path\]family+members (name 6 chrs+number 2 chrs)
- 4 [d:][\path\]name (Name of FAR file without .FAR extensor
- 5 name (name = Name of menu, 1-4 chars.)
- 6 name (name = Name of board in Cedit)
- 7 name (name = Name of msg board in CEDIT)
- 8 name (name = Name of message board in CEDIT)
- 9 name (name = Name of message board in CEDIT)
- 10 No Opt Data
- 11 none
- 12 number (Number of levels to go back, 0 for top)
- 13 none
- 14 [d:][\path\]name (Name of FAR file; without .FAR extensor
- 15 none
- 16 name (name = Name of message board in CEDIT)
- 17 none
- 18 none
- 19 none
- 20 [d:][\path\]family (Name of file family, 1-4 chars.)
- 21 No opt data or switches apply to this command
- 22 switches apply
- 23 No Opt Data or switches apply to this command
- 24 No Opt Data switches apply to this command
- 25 No Opt Data or switches apply to this command
- 26 No Opt Data or switches apply to this command.
- 27 [d:][\path] (Drive/path for upload storage)
- 28 [d:][\path] (Drive/path for upload storage)
- 29 [d:][\path]
- 30 [d:][\path\]fragment (plus first 1 to 6 chars.)
- 31 No Opt Data or switches apply to this command.
- 32 Opt Data = [d:][\path\]name (name = Name of file w/o .QA
- 33 [d:][\path\]name (Name of questionnaire file w/o .QAF ext)
- 34 [d:][\path\] (Drive/path to download from)
- 35 name (name= name of menu, 1-4 chars.)
- 36 none
- 37 none
- 38 none
- 39 none
- 40 none
- 41 none
- 42 none
- 43 No Opt Data or switches apply to this command.
- 44 none
- 45 name (Name of menu, 1-4 chars.)
- 46 [d:][\path\]name (Name of DIR file, without .DIR file ext)
- 47 [d:][\path\]name (Name of DIR file, without .DIR file ext)
- 48 [d:][\path\]name (Name of DIR file, without .DIR file ext)

Sheet1

49 [d:][\path\]name (Name of DIR file, w/o .DIR file ext.)
50 none
51 none
52 name (Name of conference as defined in CEDIT)
53 none
54 none
200 [d:][\path\][filename][.ext][Q][U:n] [&][Parameters]
205 [/U], [D:\path] [/D], [D:][\path]batfile/B
999 none
202 GET SEND POLL CHANGE TOSS SCAN

MOREINFO,C,60

Allows you to display or download a file

Selection list file display, family named based.

Multi chapter file display. See chapter 4 for setup.

Organizational method for downloading files. See Ch-4

Go forward to another menu and save stack for Type 12 la

Invokes TBBS message reading function. See ch. 3

leave or post a message to available boards

Scan messages.

Delete messages.

Log off.

Lists times, billing class limits, and Net Mail credit/debit

Return from type 5 commands saved on stack.

Allows a menu command to turn on and off billing.

Through a .FAR construct allows maintenance of .DIR files

Performs message waiting search as normally at log on.

Prompts user for each board to reset pointer.

none

none

none

Invoke keyword search previously configured text file ch-4

Provides several console services remotely plus Dos ops

Information is derived from CALLERS.BBS. Invisible not lis

Page Sysop and allow acceptance of page at console. (Ch

Select/deselect std bds for combined read, write, scan, del

Current password requested and new password verified

Does not apply to full-screen or ANSI-style menu displays.

Overwrites NOT allowed. See chapter 4.

Overwrites NOT allowed.

Overwrites ARE allowed.

First 1 to 6 characters are forced. Overwrites allowed.

Change user settings and show current settings.

Run questionnaire, see Chapter 8, QAL, for details.

Display vote results from questionnaires with vote function

Displays contents of target directory and allows download.

Forces TBBS to use a name other than 0000 as the top m

none

none

none

none

none

none

none

Allows user new login but returns to calling menu.

Used by single line versions only.

Do not mix freely with Type 5 navigation.

See chapter 4.

See chapter 4.

Owner and/or Sysop can delete files. See chapter 4.

See chapter 4.

List all users online w/line number, user ID, and location.

Paging mode without public conferencing. (PAGEHELP.T>

Real time public/private conference, CB Sim (CONFHELP

When "on" paging from other users is disallowed.

When "off" paging from other users is accepted.

Allows access to DOS functions and userlog

Optimal QEMM settings

May be used to run TIMS as a Ghost Task or manually

DESCRIP,C,60

Single file display/download.

Selection list file display.

Partitioned file display.

Access a File Area Group (FAR File).

Menu goto.

Retrieve (read) messages.

Enter message.

Scan messages.

Delete messages.

Terminate session.

Display time parameters.

Menu return.

Enable/Disable Billing.

File Area Maintenance (FAR).

Perform Message Waiting Search.

Reset Last Message Read pointers.

Unimplemented.

Unimplemented.

Unimplemented.

Keyword search.

Enter remote Sysop control panel (remote host).

List last 127 callers.

Sysop chat.

Select/deselect combined boards.

Change password.

Expert level select.

Raw upload .UPL.

Raw upload w/o overwrites.

Raw upload w/overwrites.

Raw upload partial filename.

Change user profile.

Questionnaire access.

Questionnaire vote totals.

Raw File Download.

Menu goto and set as new top level.

Unimplemented.

Unimplemented.

Unimplemented.

Unimplemented.

Unimplemented.

Unimplemented.

Unimplemented.

Unimplemented.

Unimplemented.

Unimplemented.

Re-enter login.

Unimplemented.

Menu goto.

Pseudo-directory (DIR file) download.

Pseudo-directory (DIR file) upload.

Pseudo-directory (DIR file) delete.

Pseudo-directory (DIR file) local upload.
List callers on system.
Paging mode.
Conference (chat) mode.
Set "ignore" function on.
Set "ignore" function off.
Invokes the TDBS Option Module: TDBSOM.
Invokes SYSOM option module.
This is an example of a non-TBBS record - QEMM Settings
TIMS 1.1

COMMENT1,C,76

Optional Switches:

/W ---Word wrap text display

/W ---Word wrap text display

/W ---Word wrap /NC --Do not self-clean files

No switches apply to this command

/O ---Access in board order if combined

/F:"name" -Force message to user "name"

/O ---Access in board order if combined

/O ---Access in board order if combined

No Options

No Options

No switches apply to this command

/F -- Turns on "Free" time and turns off billing

/ND Do not display date of file on listing

No Options

ADDITIONAL OPT DATA:path (path = Topic path designation)

none

none

none

/A ---All keywords must be found on single text line ("and" search)(default)

WARNING! RECOMMENDED FOR SYSTEM OPERATOR USE ONLY! FUL

/L ---List location of callers shown. (Default)

No Options

None

No Options

None

/P:n ---Force protocol selection to choice(s) "n"

/P:n --Force protocol selection to choice(s) "n"

/P:n --Force protocol selection to choice(s) "n"

/P:n--Force protocol selection to choice(s) "n"

No Options

/NL Do not log questionnaire running in dayfile

No switches apply to this command.

/P:n Force protocol selection to choice(s)"n"

No Options

none

none

none

none

none

none

none

No Options

none

No Options

/W ---Word wrap text display

/F ---Place uploaded files at front of DIR file

/D ---Display date on file listing

/F ---Place uploaded files at front of DIR file
/NL --Don't list location of users shown
/A ---Announce when users enter and exit conference
/A ---Announce when users enter and exit conference
No Options
No Options
/Q --- causes the TDBS copyright and exit messages to be suppressed.
/U - Command directly enters ULEDIT
Device = C:\QEMM\QEMM386.SYS NO NOSH NS NV NR
With no Opt Data - Calls up the Control Panel

Sheet1

COMMENT2,C,76

/W ---Word wrap text /P:n --Force Protocol Selection

/D ---Allow protocol download of file

/TM --Return to Top Menu instead of calling menu

/TL --Pre-check time /NA --Do not list and request

/F ---Access topic area "flattened" (topic boards)

/P:n -----Force protocol selection to choice(s) "n" on enclosure upload

/F ---Access topic area "flattened" (topic bds only)

/F ---Access topic area "flattened" (topic bds)

/C -- Turns off "Free" time and turns on billing

/NF If date used put in parens after first line of file description

ADDITIONAL OPT DATA:No Opt Data (Leave blank)

/E ---Extended information files are available (default)

PROVIDED!

/NL --Don't list location of callers shown. (Optional)

See Types 6,7,8 and 9 for details.

/F ---Force entire file name, no prompting

/NP Do not issue pause on exit from questionnaire

/TL --Pre-check transfer time against time remaining

/I ---Make uploads invisible until Sysop intervenes

/F ---Alternate display format. If date used (see/D) date will precede descr

Sheet1

/I ---Make uploads invisible until Sysop intervenes

/NI --Do not interrupt text entry; buffer incoming and display when done

/NI --Do not interrupt text entry; buffer messages and display when done

/U:n - Limits the number of simultaneous users

D:\path - Forces SYSOP to log into specified DOS directory. If /D switch is

GET <node> <file> [<flavor>] [UPDATE]

Sheet1

COMMENT3,C,76

/D ---Allow Protocol download of file

/TL --Pre-check transfer time against time remaining

/NK --Do not give "Press any key" prompt

/NB --Do not enforce byte limit; override /NM --Do not allow wildcards

/S ---Access topic like standard board (topic boards)

/S -----Treat topic as a standard msg board

/S ---Access topic area like a standard board (topic boards only)

/S ---Access topic area like a standard board (topic boards only)

/NQ On Delete, remove both DIR entry and file from disk; on move, move both

/ND --List, not download, Extended information (default)

/NB --Do not enforce byte limit; override if necessary

/X ---Prompt for extended (6 line) description

/P ---Treat all directory as private

/X ---Prompt for extended (6 line) description

/NC --Do not allow use of CB Simulator

/NC --Do not allow use of CB Simulator

&& --- A switch which is ignored by TBBS. Allows OPDATA() to pick up any added access to ULEDIT is prohibited.

Turns off most enhanced QEMM features.

SEND <node> <file> [<flavor>]

Sheet1

COMMENT4,C,76

/TL --Pre-check transfer time

/NB --Do not enforce byte limit; override if necessary

/TM --Return to Top Menu instead /NL --Do not auto list files

/P:n -Force protocol selection to choice(s)"n" on enclosures

ADDITIONAL OPT DATA:path (path = Topic path designation)

ADDITIONAL OPT DATA:path (path = Topic path designation)

/NAD Don't use alternate directory format

/NA --Only one keyword given must be found on line ("or" search)

/NBC -Don't count bytes transfered as download bytes

/SD --Add size and date to DIR file entry

/NC --Do not self-clean missing files from DIR file

/SD --Add size and date to DIR file entry

/NP --Do not allow private conferencing

/NP --Do not allow private conferencing

parameters which are passed after &&. These parameters need to be parsed

D:\path\batfile/B - Runs the specified .Bat file

POLL <node> [<flavor>]

COMMENT5,C,76

/NB --Do not enforce Byte limit

/TM --Return to Top Menu instead of calling menu

/D ---Display date on file listing /AD --Use alternate directory fmt

Additional opt data:path (path = Topic path designation)

OPT DATA CONTINUED:path (path = Topic path designation)

ADDITIONAL OPT DATA:No Opt Data (Leave blank for combined sta

ADDITIONAL OPT DATA:No Opt Data (Leave blank)

/NE Place moved files at front of DIR file

/NE --No extended information files are available

/TM --Return to Top Menu instead of calling menu

/KD --Use transfered date/time on file if available

/Q ---Ask if file and/or DIR entry should be deleted

/KD --Use transferred date/time on file if available

/NS --Do not allow use of the /S command (paging)

/NS --Do not allow use of the /S command (paging)

by the user program.

Goes in Config.sys

CHANGE <node> <old_flavor> <new_flavor>

Sheet1

COMMENT6,C,76

/NBC -Do not charge

/NK --Do not give "Press any Key" prompt

/F ---Alternate display format /P:n -Force protocol choice(s)"n"

For combined board access (all standard boards): No Opt Data (leave blank)
OPT DATA CONTINUED:No Opt Data (Select standard combined boards)

-----Options-----

/D ---Download extended information files

/D ---Display date on file listing

/AD --Use alternate directory format

/AD --Use alternate directory format

/AD --Use alternate directory format

/V ---View only access, cannot send in conference

/V ---View only access, cannot send in conference

TOSS [<path>] [<zone>] [/H]

COMMENT7,C,76

/NK --Do not give 'Press any key' prompt

/P:n -Force protocol selection to choice(s) "n"

/P ---Treat all directories as private

blank)

rds)

/D Display date on file listing

/P:n -Force protocol selection to choice(s) "n"

/F ---If date used (see /D) date will precede file description

/P:n -Force protocol selection to choice(s)"n"

/J:nn Give Sysop delete privilege if SYSFG nn is ON in caller's userlog rcd

/NR --Don't allow ^ to be local return character

/NR --Don't allow ^ to be local return character

Note: OPDATA() can only see a total of 64 characters

SCAN

OPT1,C,76

These help files are for memory joggers and not to superceed the manu

/F Alternate date format; If date used date will precede file description

/P ---Treat all directory as private

/H ---Ask for handle to use in conference

/H ---Ask for handle to use in conference

OPT2,C,76

When in doubt, please refer to the manual.

OPT3,C,76

/Q Ask if file should be deleted on delete and move /AD Use alternate directory format

/NC --Do not self-clean missing files from DIR file

/NM --Do not allow multiple filenames or wildcards

/T ---Private conferences operate in "Typing" mode

/T ---Private conferences operate in "Typing" mode

OPT4,C,76

OPT5,C,76

/E Place moved files at end of Pseudo Directory instead of at beginning

/NL --Do not list files automatically

/AD --Use alternate directory format

OPT6,C,76

OPT7,C,76

/P:n -Force protocol selection to choice(s)"n"