

**Buttons Sample Help**

**Sample Description:** [Buttons](#)

**Points of Interest**

[Sizing Buttons](#)

[Button Clicks](#)

[Moving Buttons](#)

[Hiding Buttons](#)

[Executing Commands](#)

**Control**

Button

For Help on Help, Press F1

## **Buttons**

The purpose of the button sample is to demonstrate some of the more common properties, methods, and events associated with Button controls. In this sample you will learn how to move and resize buttons, capture and record buttons click events, hide and unhide buttons and use Envelop buttons to carry out application commands.

### **Sizing Buttons**

Example (1) in the button sample demonstrates how a button can be resized and relocated when it is clicked upon. A **Click** event is assigned to the button that deincrements the **Left** and **Top** properties while incrementing the **Width** and **Height** size properties. If the button reaches a maximum size, it is automatically resized and relocated to its original size and location.

In this example, the **Left**, **Top**, **Width**, and **Height** properties are revised each time the button is clicked. An alternative to changing these four properties would be to use the button's **Move** method.

## Button Clicks

Example (2) in the button sample demonstrates how the button's **Caption** property can be automatically changed each time the button is clicked. A **Click** event is assigned to the button. The first time the button is clicked, a text string "I've been clicked (1) time." is set to the button's Caption property.

Subsequent clicks to the button use the command **Instr** to search the contents of the Caption property to identify the locations of the left parenthesis "(" and right paren "). The number between the parentheses is incremented as the Caption property is updated.

### **Moving Buttons**

Example (3) in the button sample demonstrates how buttons can be moved to different locations on the screen when they are clicked upon. A **Click** event is assigned to the button. Each time the button is clicked, its current location is determined in a **Select Case** statement, and a new location is assigned by setting the button's **Left** property to a new value.

### **Hiding Buttons**

Example (4) in the button sample demonstrates how buttons may be hidden and unhidden when they are clicked upon. A **Click** event is assigned to all three buttons. When one of the buttons is clicked, its **Visible** property is set to False while the Visible property of the other two buttons is set to True. In addition, a message label's **Caption** is updated with a status message to indicate which button is hidden.

### Executing Commands

Example (5) in the button sample demonstrates how a button's click event can invoke a command that causes a change to another control on the screen. A **Click** event is assigned to four different buttons. When one of the buttons is clicked, the **FileName** property of a **Bitmap** object is set to a corresponding file in the samples directory. When this is done, the bitmap file is automatically loaded into the Bitmap object.

On the sample form, an **Image** control for example (5) is shown to the right. The Image control's **Picture** property has been set to the Bitmap object. When the Bitmap object loads a new bitmap file, the Image control's display is automatically updated and refreshed.

