

COUNTERPoint 2.1 OCT 3 1992

I did a full update point to 2.1, since there has been so many additions to CP since the original 2.0 release.

9-28-92 Fixed Export Time on messages. Now Exports the creation Time not the Export Time.

9-26-92 Added STR 812 This is a custom Type and Creator for TEXT files.  
TTTTCCCC Example: TEXTCPNT

Added STR 813 This will force CP to Quote using Right Symbols only during a quote Also, Command Key during a <<<---- quote will force the Right Symbols for the quote.

Improved Memory Management able to free up an additional 89k of memory...

COUNTERPoint 2.0.2 SEPT 25 1992

9-25-92 Added STR 811 AutoSort Style 0-4

Updated Internal Memory Management again. You now have an additional 13k of application memory available.

Fixed Sorting would not sort areas of 255 messages (Fix by Michael Burton)  
Fixed Area Scroll Button (Fix by Michael Burton)

COUNTERPoint 2.0.1 SEPT 17 1992

The following is a maintenance release CP 2.0.1.

9-17-92 Fixed a NULL TERMINATION problem when using GExport method.  
Note: Let CP create the .pkts for you. It is much faster and more reliable.

SCOTT This should solve your problem.

9-15-92 Updated Sort Code... (MB)  
Sorts are also, much faster...

Note: ALL RE:'s are stripped during a subject sort

Updated Internal Memory Management. You now have an additional 64k of application memory available.

#### 9-14-92 Fixed Normal Print Driver Text Dump (ML)

Added modified code provided by Michael Burton.  
RE: Remove Routine... Sort by subject, by Date

To cancel a Find, hold down the Command Key. Option key prevented Find Next from working. (ML)

Added auto Text Highlight and autoScroll on FIND (MB)

8-29-92 Added New Auto Window Open AND/OR Cleanup at Startup  
With this version of CP you can have it automatically open up to three windows at startup and even have an automatic cleanup before you auto-import or open a window. (this is a late add so it saved in STR's. You must use RESEDIT to set and modify this feature as of 8-29-92.

STR 808 - This is a value that instructs CP on which windows to automatically open and whether to do a cleanup first.

0 = Do nothing, IGNORE this feature

1 = Auto Open the Area Window

2 = Auto Open Specific Area entered in STR 809

4 = Auto Open the Subject Window for the area in 809

8 = Perform an auto cleanup before auto-importing or opening any windows.

Add these numbers together to do multiple events.  
Example: 8 + 1 = 9 Cleanup and then Auto open the Area Window.

STR 809 - This holds the name of the area to automatically open when CP first starts up. +2 in 808 to open this area. If CP can not locate the area name it will not open the read or subject windows.

8-26-92 Fixed Auto-UUCP address on a Cancel.

7-25-92 Fixed a problem with importing blank messages. If the the import Seenby and Include Kludge Lines Flag were turned off and the seenby line was a magical 249 characters in length the message would import as a blank. Keep an eye on importing to make sure I did not break something else. (RD)

7-20-92 New CP Icon's and Pictures.... (color users)

7-17-92 Added function call to update area menu after an import. (SK)

7-3-92 This is the relase version. Final cleanups included. (RH)

Fixed a problem with dual monitor/subject window/double clicking. (RH)

6-30-92 To/From was reversed on the new header popup list. Fixed  
Added a 110x10 pixel area in the lower right corner of the  
read window. Just above and to left of the scroll bars.  
Click here and the to/from header will popup. (SK)

6-26-92 Added open Diamonds to area menus - If an open diamond is  
present then the area has unread messages. (SK)

Added PopUp Menu to Read Window - Allows the user to reference  
who the message is from/to/subject/created, without scrolling  
back up the window. (SK)

6-22-92 Added 2 STR's 806 and 807. (MS)  
806 is used to control how many characters you want to compare  
as unique when sorting. the default has been bumped up to 25.

Subject can go up to 72 characters (internet messages), Fido I  
believe is 36? Note: subject sorts - CP takes the s\_Len value  
and will subtract 6 from it. These six are used to append the  
creation date (accoring to the msg date supplied from the .pkt)  
to the end of the string in the attempt to apply a kind'a  
sub-sort since I don't have BTree or ISAM indexes built into  
the header file. Ex: xxxxxxxxxxxxxx920622. The larger the  
the s\_Len value the more memory will be required. If there  
is not enough memory to perform the sort CP will tell you.  
If you have lots of memory then bump up CP's application size  
& set this value high 36. If you have little memory or get 'Not  
Enough Memory' messages from CP then drop this value down to  
around 12 or 18.

[36] \_msg\_toName

[36] \_msg\_fromName

[72] \_msg\_subject

807 is used to instruct CP to sort using UPPER and LOWER case  
or just UPPER CASE. 0 - upper and lower case will be used.  
1 - upper case only will be used.

- 5-20-92 UserEditor disabled buttons 3-9 in place of buttons 2-9 leave 'Done' button active (BD)
- 5-25-92 Fixed Origin Lines file RECORD..... (TP)  
The big 'CP Origin Lines' file must be 3k or bigger, if used.
- 5-30-92 Adjusted Modifier Keys during a Reply Button Click

If Command Key is down Quote header information is skipped, initials only are used in the body of the text. (MS)  
If Shift Key down then Skip header Dialog  
If Option Key down then set Custom Quoting for reply.  
You can use any combo of the modifier keys.

- 5-31-92 Removed RE: and RE> on subject sorts.... (MS)
- 6-05-92 Added \_EchoALL (STR 804) that will cause all messages to be echoed locally back. This must be set to NonZero with ResEdit. Some Boss systems will not echo back any mail from a point. If you are one of these points and want to keep a receipt of your general echo mail outgoing mail then enable this feature. If just want to keep a record of your outgoing E\_Mail (NetMail) then see 'Echo From:' under the System Flags dialog, under the Edit Menu. (ML)
- 6-13-92 Added Check to prevent Areas from being edited with an open post window. (AF)
- 6-14-92 Added auto PKZip'ing for outbound QWK mail. CP will automatically create a .REP file that is PKZip'ed. If you wish to create your own .REP file using .ARC or .LHZ or something else then you must change STR 805 to a non-zero number. If STR 805 is non-zero then CP will leave outbound message in the raw .MSG file format. (MB)

CP will export new mail to an .MSG storage file. It will then look for an existing .REP file. If this file is not found then all messages in the .MSG storage file are PKZip'ed into an .REP file and the .MSG file is deleted. If an .REP already exists will do nothing, but will retain the .MSG file until a new .REP file can be built. SO REMEMBER after you upload the current .REP be sure to delete it so CP can build a new one with pending outbound messages (in the .MSG file).

Notes:

Quote Header ^N will not work if Include Seen-Bys and Paths are enabled it will always show up blank.

Option Key Post Button (Auto Addressee Add) will not work if Include Seen-Bys and Paths are enabled. It will also not work from E\_Mail. It's not that it will not work, but Node/Net.Point will show up as 0/0/0 and you will have to manually change them. CP uses the Origin line as a reference, with the Seen-by and Paths the reference line is longer the last line of the message.