

Enable AutoPilot - will instruct COUNTERPoint to automatically setup the next available auto event when it launches or sublaunches. This option is mainly for Copernicus or Tabby modules running unattended sessions.

You can set up to 10 auto mail events. See Edit -> Edit System Data - > Auto Launch Times...

Note: NEVER run unattended mail sessions when calling long distance.

Enable AutoQuote - will cause COUNTERPoint to take a snapshot of any text selected in the 'Read Window' or currently on the clipboard and automatically format the text as quoted material. The newly formatted Quote will then automatically be placed in the new post window as it opens.

Enable Automatic Import - will instruct COUNTERPoint to automatically scan the 'CP Stuff' Folder and PKT Path: for newly delivered packets and import any new messages that are located during the next CP launch.

Import Call Log - will cause COUNTERPoint to import the last 8k of the 'Call Log' during the next successful import process.

Echo E\_Mail 'From:' - will instruct COUNTERPoint to automatically echo all outgoing E\_Mail (NetMail) messages directly to your EMail message database.

Print 'Printer Port' - will cause COUNTERPoint to send all 'Quick Print' requests to the Printer Port. Otherwise, 'Quick Prints' will be directed through the Modem Port.

Display "From:" First - will cause the 'From:' (information field) of a message to be displayed first.

From: Adam Frix  
To: Mike Lininger

Subject: COUNTERPoint 2.0

Use Vertical Icon Wnd - will instruct COUNTERPoint to use a 'Vertical' Icon Pallet.

Skip Msg Save Alert - will bypass the 'Are you sure' save dialog box when you save an outgoing message. Otherwise, the 'Are you sure' save dialog box will appear when you attempt to save an outgoing message.

Mark Msgs at Display - will cause messages to be 'Marked/Flagged' as they are displayed. Otherwise, they will be marked/Flagged as you move to the next message.

Write Detail Log Info - will instruct COUNTERPoint to record detailed information to either the LOG or the TABBY LOG files.

Enable Sound - will turn on the sound capabilities of COUNTERPoint.

Sounds include:

'Startup Sounds'  
'Face Icon User Sounds'  
'System Alerts'

020/030/040 Delay - will effect the speed of the bottom scroll bar in inserting a 250ms delay between messages. Otherwise, you will advance through messages as fast as your processor will allow.

Force Posts as E\_Mail - will cause all new outbound posts be forced into E\_Mail until you override the area default. If this option is not enabled then new outbound messages will be placed in the current or last active echo area.

Disable Status Line - will cause COUNTERPoint not to update in real-time the status line in the ( 9 of 250 - 45) 'Read' and 'Post' windows. If you are running full 8-bit or 24-bit color, keyboard responses may slow down when this option is not enabled.

Display Loading Info - will cause COUNTERPoint to display a status line in the lower part of the splash screen;

detailing exactly what is being loaded.

Display Import Date - will instruct COUNTERPoint to display the date that a message was imported, when messages are displayed in the 'Read' window.

Subject: Laptops  
Created: Sat 01 Feb 92  
Imported: Wed 05 Feb 92

.... body of message ....

Disable Heavy Color - will cause COUNTERPoint to use the minimum amount of color (on color capable machines). Some messages may scroll slowly while being displayed on some 8-bit and 24-bit color systems; especially if COUNTERPoint is sharing CPU cycles with other applications.

'ShutDown after Import' - will cause COUNTERPoint to automatically shut down the computer after a successful import. Note: this shutdown, is designed for the Mac II family only. A Plus, SE or Classic will display the shutdown box but will not terminate power.

SubLaunch Applications - will instruct COUNTERPoint to sub-Launch the next application in the event chain. Note: This is true sub-Launching. CP will 'NOT' terminate itself, but will remain in memory so you can continue to read and post messages.

MultiFinder (Tabby) - enable this if you are using Tabby, Copernicus or other modules that need to be notified that they are running under MF. This sets a flag in the Config file that makes Tabby and Copernicus modules aware that they are running under MultiFinder or Sytem 7.

PreBuild 'Boss' PKT's - will cause COUNTERPoint to generate SendMail.bbs files for every possible Boss found in the UBA Folder. If you are running Tabby or Copernicus modules, be sure to check this box.

Use Send Application - enable this option if you are using a third party external 'Send' mail application. The following COUNTERPoint features are disabled:

- o Multi-Boss Support

Use Deliver Application - enable this option if you are using a third party external delivery application. This disables the following COUNTERPoint features:

- o Include Kludge &
- o Include Seenby Lines
- o Reverse .pkt Import
- o HiASCII Filter ...

Reverse .pkt Import - this option will instruct COUNTERPoint to reverse the order in which .pkt's are imported (9..8..7...).

Import 'Seenby' Lines - this option will have COUNTERPoint include SeenBy and Path lines when new messages are imported.

Import 'Kludge' Lines - this option will cause COUNTERPoint to include all Kludge lines when new messages are imported.

Filter hiASCII Chars - this option will instruct COUNTERPoint to filter all HiASCII characters imported and exported from the system.