

## Symbols

\b 107

\D 107

\e 107

\h 107

\n 107

\p 107

\r 107

\s 107

\u 107

\\ 107

- In Nicknames window 58

- message status 32

µAccess 115

- message status 32

/stream 108

6000.17 108

7400.13 108

> markers 12

???@??? 32

## Index

### A

Add As Recipient  
command 60

Alert option 84

Alerts

Disabling 84

Timing out 85

Aliases, System 7 88

Always As Documents

And plain TEXT

documents 43

Announcements 97

Application TEXT Files

Belong To setting 69,  
80

Arrow keys 84

Composition windows  
and 84

Attach Document...

command 42

Attachments 42

And duplicate names 45

And UUCP 115  
Detaching 43  
Multiple 43  
Receiving 43  
Manually 43  
Receiving automatically  
44, 81  
Receiving in encoded  
form 45  
Transliteration 113  
Auto-Ok option 85

Automatically save  
attachments to option  
43, 44

Automatically save  
attachments to setting  
81

## B

backslash 107

Balloon Help 5, 86

Bcc button 57

Bounced mail 71

Break 107

## C

Carriage return 107, 108

And dialups 105

Cc button 57

Change Password... command 26

Change Queueing... command 22, 24

Check For Mail setting 79

Check Mail command 26, 27

Checking mail 7, 26, 83

Automatic 26

Minimum interval 26

Automatically opening In mailbox 84

Entering password 7, 25

Flashing icon on new mail 84

Manual 27

Sound on new mail 84

Stopping 29

Clear command 43

Cmd-Arrows option 84

Commas 51, 61

Communication Tools

Installation 3

Communications Toolbox 105

Compact Mailboxes command 33, 34

Composition window 5, 17

Configuration... command 4, 78

Connecting to servers

with dialup 108

Connection Method setting 4, 79

Connection tool 105

Country code 111

CSOm 106

Current message 11

## D

D message status 32, 48



Delay 107  
Delete command 14, 34  
Delete key 43  
Dialin password 107  
Dialin username 107  
Dialup 105  
Dialup Username setting 80  
Direct UNIX Navs 109  
Don't transfer, just create button 36

## **E**

Easy Delete option 34  
Easy Delete setting 85  
Easy Open option 85  
Echo and dialups 105  
Empty Trash command 15, 34  
Empty Trash on Quit option 34, 85  
Enter key 30, 74  
Enter Selection command 64  
Errors  
Bounced mail 71  
Eudora  
Application 1  
Connection Tools folder 3  
Apple Modem Tool 3  
Serial Tool 3  
Dialup folder 2  
Extras folder 2  
Plug-in files  
2MinRecv 2  
Direct UNIX Navs 3  
Eudora Tables 2  
LOG\_TRANS+NAV 2  
Q&A Stack 1  
Eudora Information 97  
EudoraTables 111  
Expect 107

## **F**

F Message status 32, 48  
Field 5, 17  
Find 62  
Match Case option 66  
Multiple messages 64  
Next button 64  
Next Mailbox button 65

Next Message button 64  
Stopping 66  
Summaries Only option 65  
Within a message 62  
Find button 62, 63  
Finger 75  
Using Ph window for 76  
Finger button 76  
Finish Nickname command 58  
Inserting expansion instead 59  
Flash Menu Icon option 84  
Font settings  
for printing 80  
For screen 80  
Forget Password command 25  
Forward command 47  
Forward To sub-menu 60  
FUMLUB 84

## **G**

gnuucp 115  
Guess Paragraphs option 68

## **H**

Hide Balloons command 5, 86

## **I**

Icon bar 17  
Keep Copy 19  
Priority popup 18  
Queue button 19  
Quoted-Printable 19, 81  
Send button 19  
Signature 18  
Tabs in Body 19  
Word-Wrap 18  
Ignoring previously read messages 29  
Immediate Send option 22, 83  
In mailbox 9, 27, 28  
Opening on new mail 84  
Include Headers option 68  
Include Self option 47, 55, 82  
Insert Recipient sub-menu 61  
ISO Latin-1 111

## **K**

Keep Copies 24

Icon in icon bar 19

Keep Copies option 82

## **L**

Leave Mail on Server option 83

And UUCP 116

POP server 28

Status header 29

Linefeed 107, 108

**M**

MacTCP  
Program 1  
Mail drop 115  
Mail folder  
  Creating during transfer 36  
  Creating with the Mailboxes window 40  
  Moving with Mailboxes window 41  
Mail Storage 87  
Mailbox  
  Compacting 34  
  Thresholds for automatic 34  
  Creating during transfer 13  
  Creating with Mailboxes window 40  
  Mailbox window 31  
  Disjoint selection in 31  
  Double-line divider in 33  
  Range selection in 31  
  Resizing columns in 32  
  Size display in 33  
  Moving with Mailboxes window 41  
  Number of messages in 33  
  Opening 29  
  Opening a message from 9  
  Space messages require in 33  
  Transferring messages between 13, 35  
  Copying during 35  
  Creating mail folders during 36  
  Creating mailboxes during 35  
  Waste space in 33, 34  
  Zooming window 85  
  Mailbox Superclose option 85  
  Mailboxes command 37  
  Mailboxes window 37  
  Creating a mail folder with 40  
  Creating a mailbox with 40  
  Moving a mail folder with 41  
  Moving a mailbox with 41  
  Moving around in 37  
  New button 40  
  Opening a mailbox from 37  
  Remove button 39  
  Removing mail folders with 38  
  Removing mailboxes with 38  
  Rename button 40  
  Renaming a mail folder with 40  
  Renaming a mailbox with 40  
  Selecting multiple mailboxes 39  
  Maildrop  
  UUCP Format 116  
  Mailing list 51, 54, 55  
  Make it a Folder button 36  
  Make Nickname command 82, 83  
  Make Nickname... command 54  
  Using in Nicknames window 54  
  Using with current messages 55  
  Match Case option 66  
  Memory 89  
  Menu cursor 58  
  Message  
  Closing 85  
  Deleting 14, 34  
  Unread/Queued 34, 85  
  Incoming 12  
  Forwarding 47  
  Headers 85  
  Redirecting 48  
  & From field 49  
  Replying to 12, 45  
  Replying to all 46, 82  
  Replying to all, but not self 47, 82  
  Replying to selection 47  
  Sending again 71  
  Transliteration tables for 112  
  Transliteration, changing 112  
  Transliteration, default 113  
  Zooming windows 85  
  Outgoing 5, 17  
  Adding addressees to with Nicknames window 56  
  Addressing with Quick Recipient list 60  
  Attachments field 20, 42, 43  
  Bcc field 20  
  Body 19, 20  
  Cc field 20  
  Changing status of 24  
  Closing 21, 24  
  Creating 17  
  Creating from Nicknames window 56  
  Deleting 21  
  From field 6, 19, 48  
  Header 19  
  Saving 12, 20, 22  
  Sending 7, 21

Sending, one-step 21, 83  
Sending, two-step 22, 83  
Subject field 6, 19  
To field 19, 45, 47  
Transliteration tables for 112  
Transliteration, changing 112  
Transliteration, default 113  
Zooming window 85  
Priority 72  
Transferring 35  
Copying during 35

Creating mail folders during 36  
 Creating mailboxes during 35  
 Message Summary 9, 31  
 Changing subject of 74  
 Date in 32  
 Priority of messages 31, 32  
 Resizing columns in 32  
 Sender/Recipient in 32  
 Size in 32  
 Status of message 31  
   Forwarded 32  
   Not sendable 32  
   Queued 22  
   Read 32  
   Redirected 32  
   Replied 32  
   Sendable 20, 32  
   Sent 24, 32  
   Timed 23  
   Unread 27, 28, 32  
   Unsent 32  
   Subject in 32  
 Transliteration 113  
   Message Window Height setting 85  
   Message Window Lines setting 80  
   Message Window Width setting 80, 85  
 Messages  
   Incoming  
     Recombining split messages 69  
   Outgoing  
     Attaching document to 42  
     Timed 22  
     Saving to files 68  
     Using Redirect to repeat 49  
   Move button 41

## N

Navigate In 105, 108  
 Navigate Mid 105  
 Navigate Out 105  
 Navigation 105  
   Special characters 106  
 New Message command 5, 17  
 New Message To sub-menu 60  
 New... command 13, 35, 36  
 Next button 64  
 Next command 64  
*Eudora User Manual*

Next Mailbox button 65  
 Next Mailbox command 65  
 Next Message button 64  
 Next Message command 64  
 Next message, going to 84  
 Next time... button 23  
 Nickname  
   Removing 54  
 Nicknames 49  
   Changing existing 53  
   Expansion 49  
   Putting on recipient list 53, 58  
   Removing and Quick Recipient list 58  
   Removing from Quick Recipient list 58  
   Renaming and Quick Recipient list 58  
   Saving 52, 54  
   vs Quick Recipient list 57  
 Nicknames window  
   Adding names to nicknames 51  
   Adding nicknames 50  
   Address(es) box 49, 51  
   New button 50  
   Notes box 49, 51  
   Using to add addressees to message 56  
   Using to send mail 56  
   Nicknames... command 49

## O

On or After button 23  
 Open "In" Mailbox option 84  
 Open... command 30  
 Out Mailbox 12, 20, 24

## P

Password  
   Changing 26  
   Server source code for 97  
 Dialup 107  
   Entering 7, 25  
   Forgetting 25  
   After failed expect 107  
   Remembering 25  
   Saving 25, 83  
 Ph 75  
   Server source code 97  
   Setting server 79



*Index*

*Eudora User Manual*

Transliteration 113  
Using Ph window for 75  
Ph button 75  
Ph Server setting 79  
Plain Arrows option 84  
Plug-in 106  
POP 26  
Server for 97  
UNIX 97  
VAX/VMS 97  
VM/CMS 97  
POP Account and UUCP 115

- POP Account hostname 107
- POP Account password 107
- POP Account setting 4, 26, 78, 79
- POP Account username 107
- POP server 103
- POP3 103
- popper 97
- Preferences folder 112
- Print Selection... command 75
- Print... command 75
- Font settings 80
- Priority 72
  - And Reply 73
- Priority popup 113
- Progress window 7
- Enabling/disabling 85
- Put it on the recipient list button 50

## **Q**

- Queue button 22
- Queue For Delivery command 22, 24
- Quick Recipient list 59
  - Adding email address to 60
  - Adding existing nickname to 53, 58, 59
  - Adding new nickname to 50
  - Removing entry from 61
  - vs Nicknames 57
- Quit command
  - And emptying Trash 34
  - With queued messages 23
  - With timed messages 23
- Quitting 86
- Quoted-Printable
  - Icon in icon bar 19, 81

## **R**

- R message status 32, 46
- Read Me text file 1, 2, 3
- Real Name setting 4, 79
- Redirect command 48, 49
- Redirect To sub-menu 60
- Rejected Mail 71
- Remove All button 39
- Remove It button 39
- Remove Recipient command 61
- Removing a nickname 54

- Removing mail folders 38
- Removing mailboxes 38
- Renaming a mail folder 40
- Renaming a mailbox 40
- Reply 12
- Reply All 46
- Reply All option 47, 55
- Reply command 45, 46
- Reply to All option 82
- Option key and 82
- Reply To sub-menu 60
- Requirements 1
- Return address 6
  - And UUCP 116
- Return Address setting 79
- Returns
  - Used for separating addresses 51
- RFC's 104
- Right Now button 23
- rsrc 106

## **S**

- S message status 32
- Save As... command 68, 80
- Application TEXT Files Belong To 69
- Save command 12, 20, 24, 52, 54
- Save Password option 25, 83
- Scripting 109
- And dialups 105
- Send Again command 71
- Send button 7, 21, 83
- Send on Check option 83
- Send Queued Messages command 22
- avoiding 23
- Sending mail 83
- Sharing a Macintosh 88
- Show All Headers option 85
- Show Balloons command 5, 86
- Show Progress option 21, 22, 27, 28, 85
- Signature 77
  - And redirect 49
- Enabling/disabling 82
- Icon in icon bar 18
- Menu command 77
- Simple Mail Transfer Protocol 103
- Skip Big Messages option 29, 83
- Status header and 29

SMTP 103, 104  
SMTP Server  
And UUCP 115  
SMTP server hostname 107  
SMTP Server setting 79  
Sorting 67  
By date 67  
Multiple criteria 67  
Sound option 84  
Srialpop 108  
srialpop.shar file 3  
Status header 29

**Subject**

Changing 74

Summaries Only option 65

Switches... command 81

**T**

Tab key

Switching fields with 19

taBL id 1001 111

taBL id 1002 111

Table resource 111

Tabs

And pasting 19, 82

And Save As... command 68

Icon in icon bar 19

In incoming mail 82

Replaced with spaces 19, 82

Tabs in Body option 82

telnet 108

Timeout 107

Title bar 17

To button 56, 57

Transliteration

New way 111

Turning off 113

Trash mailbox 14, 34, 85

**U**

UNIX mail 87

Use Folder button 44

Use Signature option 82

UUCP 115

Changes meaning of Configuration... setting 79

Working Files 116

D.mac0 ###

D.relay0 ###

UUCP/Connect 115

uupc 115

**W**

Word Wrap 20, 82

Icon in icon bar 18

Word Wrap option 82

**X**

X-Priority field 73

**Z**

Zoom Windows option 85