

Make labeldata 42 Page 1

[Makes 42 1⁷/₁₆" x 2³/₁₆" Mailing labels – 2 pages of 21 each]

INSTRUCTIONS:

This document will create a mailing list Data Document—which you will rename as “mailinglabeldata”, (no capital letters/ no spaces), to use with the mailing label template called “Mailing Label.Template”.

1. To create the mailing label data document you must first eliminate these instructions and this paragraph, (don't worry; you'll have them back by not saving the changes when you close this document). So select this paragraph by moving the cursor to the left side bar and double click the mouse. Now delete the paragraph by pressing the backspace key.

2. You are now ready to start print-merging a data document. Once you select PRINT MERGE from the FILE Menu and click print ALL you will be prompted for the Name; Address; City/Province; and, Postal Code for the first 42 labels (42 labels = 2 pages of 1⁷/₁₆" x 2³/₁₆" labels). Add or delete by copying, cutting and pasting as necessary — remember that each set of record must have its own number.

3. When you've finished recording data the program will generate a FORM 1 document which you must then print to save the data. Once you've printed it, save it and name it “mailinglabeldata”. Now close it and close this document (Make labeldata 42), without saving the changes (so that the instructions will remain).

4. To print the labels open up the template “Mailing Label Template” and use the PRINT MERGE command to get it to use the data you have supplied in the document you called “mailinglabeldata”.

0. "Name", "Address", "City", P-code
1. «SET Name1=?Name (surname first):»«SET Address1=?Address:»«SET City1=?City/Province:»«SET P-code1=?Postal code:»"«Name1»", "«Address1»", "«City1»", «P-code1»
2. «SET Name2=?Name (surname first):»«SET Address2=?Address:»«SET City2=?City/Province:»«SET P-code2=?Postal code:»"«Name2»", "«Address2»", "«City2»", «P-code2»
2. «SET Name3=?Name (surname first):»«SET Address3=?Address:»«SET City3=?City/Province:»«SET P-code3=?Postal code:»"«Name3»", "«Address3»", "«City3»", «P-code3»
4. «SET Name4=?Name (surname first):»«SET Address4=?Address:»«SET City4=?City/Province:»«SET P-code4=?Postal code:»"«Name4»", "«Address4»", "«City4»", «P-code4»
5. «SET Name5=?Name (surname first):»«SET Address5=?Address:»«SET City5=?City/Province:»«SET P-code5=?Postal code:»"«Name5»", "«Address5»", "«City5»", «P-code5»
6. «SET Name6=?Name (surname first):»«SET Address6=?Address:»«SET City6=?City/Province:»«SET P-code6=?Postal code:»"«Name6»", "«Address6»", "«City6»", «P-code6»
7. «SET Name7=?Name (surname first):»«SET Address7=?Address:»«SET City7=?City/Province:»«SET P-code7=?Postal code:»"«Name7»", "«Address7»", "«City7»", «P-code7»
8. «SET Name8=?Name (surname first):»«SET Address8=?Address:»«SET City8=?City/Province:»«SET P-code8=?Postal code:»"«Name8»", "«Address8»", "«City8»", «P-code8»

This document is distributed free of charge. Interested in our other Word-processing or Draw templates and help documents for the Mac? Drop us a line:

Thunder Enlightening Press:

P.O. Box 332, 905 Corydon Ave.
Winnipeg, MB, Canada R3M 3V3
Telephone: (204) 453-7872

Make labeldata 42 Page 2

[Makes 42 17/16" x 23/16" Mailing labels – 2 pages of 21 each]

9. «SET Name9=?Name (surname first):»«SET Address9=?Address:»«SET City9=?City/Province:»«SET P-code9=?Postal code:»"«Name9»", "«Address9»", "«City9»", «P-code9»
10. «SET Name10=?Name (surname first):»«SET Address10=?Address:»«SET City10=?City/Province:»«SET P-code10=?Postal code:»"«Name10»", "«Address10»", "«City10»", «P-code10»
11. «SET Name11=?Name (surname first):»«SET Address11=?Address:»«SET City11=?City/Province:»«SET P-code11=?Postal code:»"«Name11»", "«Address11»", "«City11»", «P-code11»
12. «SET Name12=?Name (surname first):»«SET Address12=?Address:»«SET City12=?City/Province:»«SET P-code12=?Postal code:»"«Name12»", "«Address12»", "«City12»", «P-code12»
13. «SET Name13=?Name (surname first):»«SET Address13=?Address:»«SET City13=?City/Province:»«SET P-code13=?Postal code:»"«Name13»", "«Address13»", "«City13»", «P-code13»
14. «SET Name14=?Name (surname first):»«SET Address14=?Address:»«SET City14=?City/Province:»«SET P-code14=?Postal code:»"«Name14»", "«Address14»", "«City14»", «P-code14»
15. «SET Name15=?Name (surname first):»«SET Address15=?Address:»«SET City15=?City/Province:»«SET P-code15=?Postal code:»"«Name15»", "«Address15»", "«City15»", «P-code15»
16. «SET Name16=?Name (surname first):»«SET Address16=?Address:»«SET City16=?City/Province:»«SET P-code16=?Postal code:»"«Name16»", "«Address16»", "«City16»", «P-code16»
17. «SET Name17=?Name (surname first):»«SET Address17=?Address:»«SET City17=?City/Province:»«SET P-code17=?Postal code:»"«Name17»", "«Address17»", "«City17»", «P-code17»
18. «SET Name18=?Name (surname first):»«SET Address18=?Address:»«SET City18=?City/Province:»«SET P-code18=?Postal code:»"«Name18»", "«Address18»", "«City18»", «P-code18»
19. «SET Name19=?Name (surname first):»«SET Address19=?Address:»«SET City19=?City/Province:»«SET P-code19=?Postal code:»"«Name19»", "«Address19»", "«City19»", «P-code19»
20. «SET Name20=?Name (surname first):»«SET Address20=?Address:»«SET City20=?City/Province:»«SET P-code20=?Postal code:»"«Name20»", "«Address20»", "«City20»", «P-code20»
21. «SET Name21=?Name (surname first):»«SET Address21=?Address:»«SET City21=?City/Province:»«SET P-code21=?Postal code:»"«Name21»", "«Address21»", "«City21»", «P-code21»
22. «SET Name22=?Name (surname first):»«SET Address22=?Address:»«SET City22=?City/Province:»«SET P-code22=?Postal code:»"«Name22»", "«Address22»", "«City22»", «P-code22»
23. «SET Name23=?Name (surname first):»«SET Address23=?Address:»«SET

This document is distributed free of charge. Interested in our other Word-processing or Draw templates and help documents for the Mac? Drop us a line:

Thunder Enlightening Press:

P.O. Box 332, 905 Corydon Ave.
Winnipeg, MB, Canada R3M 3V3
Telephone: (204) 453-7872

Make labeldata 42 Page 3

[Makes 42 1⁷/₁₆" x 2³/₁₆" Mailing labels – 2 pages of 21 each]

City23=?City/Province:»«SET P-code23=?Postal code:»"«Name23»", "«Address23»",
"«City23»", «P-code23»

This document is distributed free of charge. Interested in our other Word-processing or Draw templates and help documents for the Mac? Drop us a line:

Thunder Enlightening Press:

P.O. Box 332, 905 Corydon Ave.
Winnipeg, MB, Canada R3M 3V3
Telephone: (204) 453-7872

Make labeldata 42 Page 4

[Makes 42 17/16" x 2³/16" Mailing labels – 2 pages of 21 each]

24. «SET Name24=?Name (surname first):»«SET Address24=?Address:»«SET City24=?City/Province:»«SET P-code24=?Postal code:»"«Name24»", "«Address24»", "«City24»", «P-code24»
25. «SET Name25=?Name (surname first):»«SET Address25=?Address:»«SET City25=?City/Province:»«SET P-code25=?Postal code:»"«Name25»", "«Address25»", "«City25»", «P-code25»
26. «SET Name26=?Name (surname first):»«SET Address26=?Address:»«SET City26=?City/Province:»«SET P-code26=?Postal code:»"«Name26»", "«Address26»", "«City26»", «P-code26»
27. «SET Name27=?Name (surname first):»«SET Address27=?Address:»«SET City27=?City/Province:»«SET P-code27=?Postal code:»"«Name27»", "«Address27»", "«City27»", «P-code27»
28. «SET Name28=?Name (surname first):»«SET Address28=?Address:»«SET City28=?City/Province:»«SET P-code28=?Postal code:»"«Name28»", "«Address28»", "«City28»", «P-code28»
29. «SET Name29=?Name (surname first):»«SET Address29=?Address:»«SET City29=?City/Province:»«SET P-code29=?Postal code:»"«Name29»", "«Address29»", "«City29»", «P-code29»
30. «SET Name30=?Name (surname first):»«SET Address30=?Address:»«SET City30=?City/Province:»«SET P-code30=?Postal code:»"«Name30»", "«Address30»", "«City30»", «P-code30»
31. «SET Name31=?Name (surname first):»«SET Address31=?Address:»«SET City31=?City/Province:»«SET P-code31=?Postal code:»"«Name31»", "«Address31»", "«City31»", «P-code31»
32. «SET Name32=?Name (surname first):»«SET Address32=?Address:»«SET City32=?City/Province:»«SET P-code32=?Postal code:»"«Name32»", "«Address32»", "«City32»", «P-code32»
33. «SET Name33=?Name (surname first):»«SET Address33=?Address:»«SET City33=?City/Province:»«SET P-code33=?Postal code:»"«Name33»", "«Address33»", "«City33»", «P-code33»
34. «SET Name34=?Name (surname first):»«SET Address34=?Address:»«SET City34=?City/Province:»«SET P-code34=?Postal code:»"«Name34»", "«Address34»", "«City34»", «P-code34»
35. «SET Name35=?Name (surname first):»«SET Address35=?Address:»«SET City35=?City/Province:»«SET P-code35=?Postal code:»"«Name35»", "«Address35»", "«City35»", «P-code35»
36. «SET Name36=?Name (surname first):»«SET Address36=?Address:»«SET City36=?City/Province:»«SET P-code36=?Postal code:»"«Name36»", "«Address36»", "«City36»", «P-code36»
37. «SET Name37=?Name (surname first):»«SET Address37=?Address:»«SET City37=?City/Province:»«SET P-code37=?Postal code:»"«Name37»", "«Address37»", "«City37»", «P-code37»
38. «SET Name38=?Name (surname first):»«SET Address38=?Address:»«SET

This document is distributed free of charge. Interested in our other Word–processing or Draw templates and help documents for the Mac? Drop us a line:

Thunder Enlightening Press:

P.O. Box 332, 905 Corydon Ave.
Winnipeg, MB, Canada R3M 3V3
Telephone: (204) 453-7872

Make labeldata 42 Page 5

[Makes 42 1⁷/₁₆" x 2³/₁₆" Mailing labels – 2 pages of 21 each]

City38=?City/Province:»«SET P-code38=?Postal code:»"«Name38»", "«Address38»",
"«City38»", «P-code38»

This document is distributed free of charge. Interested in our other Word-processing or Draw templates and help documents for the Mac? Drop us a line:

Thunder Enlightening Press:

P.O. Box 332, 905 Corydon Ave.
Winnipeg, MB, Canada R3M 3V3
Telephone: (204) 453-7872

Make labeldata 42 Page 6

[Makes 42 1⁷/₁₆" x 2³/₁₆" Mailing labels – 2 pages of 21 each]

- 39. «SET Name39=?Name (surname first):»«SET Address39=?Address:»«SET City39=?City/Province:»«SET P-code39=?Postal code:»"«Name39»", "«Address39»", "«City39»", «P-code39»
- 40. «SET Name40=?Name (surname first):»«SET Address40=?Address:»«SET City40=?City/Province:»«SET P-code40=?Postal code:»"«Name40»", "«Address40»", "«City40»", «P-code40»
- 41. «SET Name41=?Name (surname first):»«SET Address41=?Address:»«SET City41=?City/Province:»«SET P-code41=?Postal code:»"«Name41»", "«Address41»", "«City41»", «P-code41»
- 42. «SET Name42=?Name (surname first):»«SET Address42=?Address:»«SET City42=?City/Province:»«SET P-code42=?Postal code:»"«Name42»", "«Address42»", "«City42»", «P-code42»

This document is distributed free of charge. Interested in our other Word-processing or Draw templates and help documents for the Mac? Drop us a line:

Thunder Enlightening Press:

P.O. Box 332, 905 Corydon Ave.
Winnipeg, MB, Canada R3M 3V3
Telephone: (204) 453-7872