

## Index

### Symbols

\b 107

\D 107

\e 107

\h 107

\n 107

\p 107

\r 107

\s 107

\u 107

\\ 107

- In Nicknames window 58

- message status 32

µAccess 115

- message status 32

/stream 108

6000.17 108

7400.13 108

> markers 12

???@??? 32

### A

Add As Recipient  
command 60

Alert option 84

Alerts

Disabling 84

Timing out 85

Aliases, System 7 88

Always As Documents

And plain TEXT

documents 43

Announcements 97

Application TEXT Files

Belong To setting 69,  
80

Arrow keys 84

Composition windows  
and 84

Attach Document...

command 42

Attachments 42

And duplicate names 45

And UUCP 115  
 Detaching 43  
 Multiple 43  
 Receiving 43  
 Manually 43  
 Receiving automatically  
 44, 81  
 Receiving in encoded  
 form 45  
 Transliteration 113  
 Auto-Ok option 85

Automatically save  
 attachments to option  
 43, 44

Automatically save  
 attachments to setting  
 81

## B

backslash 107  
 Balloon Help 5, 86  
 Bcc button 57  
 Bounced mail 71  
 Break 107

## C

Carriage return 107, 108  
 And dialups 105  
 Cc button 57  
 Change Password... command 26  
 Change Queueing... command 22, 24  
 Check For Mail setting 79  
 Check Mail command 26, 27  
 Checking mail 7, 26, 83  
 Automatic 26  
 Minimum interval 26  
 Automatically opening In mailbox 84  
 Entering password 7, 25  
 Flashing icon on new mail 84  
 Manual 27  
 Sound on new mail 84  
 Stopping 29  
 Clear command 43  
 Cmd-Arrows option 84  
 Commas 51, 61  
 Communication Tools  
 Installation 3  
 Communications Toolbox 105  
 Compact Mailboxes command 33, 34  
 Composition window 5, 17  
 Configuration... command 4, 78  
 Connecting to servers  
 with dialup 108  
 Connection Method setting 4, 79  
 Connection tool 105  
 Country code 111  
 CSOm 106  
 Current message 11

## D

D message status 32, 48



Delay 107  
Delete command 14, 34  
Delete key 43  
Dialin password 107  
Dialin username 107  
Dialup 105  
Dialup Username setting 80  
Direct UNIX Navs 109  
Don't transfer, just create button 36

## **E**

Easy Delete option 34  
Easy Delete setting 85  
Easy Open option 85  
Echo and dialups 105  
Empty Trash command 15, 34  
Empty Trash on Quit option 34, 85  
Enter key 30, 74  
Enter Selection command 64  
Errors  
Bounced mail 71  
Eudora  
Application 1  
Connection Tools folder 3  
Apple Modem Tool 3  
Serial Tool 3  
Dialup folder 2  
Extras folder 2  
Plug-in files  
2MinRecv 2  
Direct UNIX Navs 3  
Eudora Tables 2  
LOG\_TRANS+NAV 2  
Q&A Stack 1  
Eudora Information 97  
EudoraTables 111  
Expect 107

## **F**

F Message status 32, 48  
Field 5, 17  
Find 62  
Match Case option 66  
Multiple messages 64  
Next button 64  
Next Mailbox button 65

Next Message button 64  
Stopping 66  
Summaries Only option 65  
Within a message 62  
Find button 62, 63  
Finger 75  
Using Ph window for 76  
Finger button 76  
Finish Nickname command 58  
Inserting expansion instead 59  
Flash Menu Icon option 84  
Font settings  
for printing 80  
For screen 80  
Forget Password command 25  
Forward command 47  
Forward To sub-menu 60  
FUMLUB 84

## **G**

gnuucp 115  
Guess Paragraphs option 68

## **H**

Hide Balloons command 5, 86

## **I**

Icon bar 17  
Keep Copy 19  
Priority popup 18  
Queue button 19  
Quoted-Printable 19, 81  
Send button 19  
Signature 18  
Tabs in Body 19  
Word-Wrap 18  
Ignoring previously read messages 29  
Immediate Send option 22, 83  
In mailbox 9, 27, 28  
Opening on new mail 84  
Include Headers option 68  
Include Self option 47, 55, 82  
Insert Recipient sub-menu 61  
ISO Latin-1 111

## **K**

Keep Copies 24  
Icon in icon bar 19  
Keep Copies option 82

**L**

Leave Mail on Server option 83  
And UUCP 116  
POP server 28  
Status header 29  
Linefeed 107, 108

**M**

- MacTCP
- Program 1
- Mail drop 115
- Mail folder
  - Creating during transfer 36
  - Creating with the Mailboxes window 40
  - Moving with Mailboxes window 41
- Mail Storage 87
- Mailbox
  - Compacting 34
  - Thresholds for automatic 34
  - Creating during transfer 13
  - Creating with Mailboxes window 40
  - Mailbox window 31
  - Disjoint selection in 31
  - Double-line divider in 33
  - Range selection in 31
  - Resizing columns in 32
  - Size display in 33
  - Moving with Mailboxes window 41
  - Number of messages in 33
  - Opening 29
  - Opening a message from 9
  - Space messages require in 33
  - Transferring messages between 13, 35
  - Copying during 35
  - Creating mail folders during 36
  - Creating mailboxes during 35
  - Waste space in 33, 34
  - Zooming window 85
- Mailbox Superclose option 85
- Mailboxes command 37
- Mailboxes window 37
  - Creating a mail folder with 40
  - Creating a mailbox with 40
  - Moving a mail folder with 41
  - Moving a mailbox with 41
  - Moving around in 37
- New button 40
- Opening a mailbox from 37
- Remove button 39
- Removing mail folders with 38
- Removing mailboxes with 38
- Rename button 40
- Renaming a mail folder with 40
- Renaming a mailbox with 40
- Selecting multiple mailboxes 39
- Maildrop
  - UUCP Format 116
- Mailing list 51, 54, 55
- Make it a Folder button 36
- Make Nickname command 82, 83
- Make Nickname... command 54
- Using in Nicknames window 54
- Using with current messages 55
- Match Case option 66
- Memory 89
- Menu cursor 58
- Message
  - Closing 85
  - Deleting 14, 34
  - Unread/Queued 34, 85
  - Incoming 12
  - Forwarding 47
  - Headers 85
  - Redirecting 48
  - & From field 49
  - Replying to 12, 45
  - Replying to all 46, 82
  - Replying to all, but not self 47, 82
  - Replying to selection 47
  - Sending again 71
  - Transliteration tables for 112
  - Transliteration, changing 112
  - Transliteration, default 113
- Zooming windows 85
- Outgoing 5, 17
- Adding addressees to with Nicknames window 56
- Addressing with Quick Recipient list 60
- Attachments field 20, 42, 43
- Bcc field 20
- Body 19, 20
- Cc field 20
- Changing status of 24
- Closing 21, 24
- Creating 17
- Creating from Nicknames window 56
- Deleting 21
- From field 6, 19, 48
- Header 19
- Saving 12, 20, 22
- Sending 7, 21

Sending, one-step 21, 83  
Sending, two-step 22, 83  
Subject field 6, 19  
To field 19, 45, 47  
Transliteration tables for 112  
Transliteration, changing 112  
Transliteration, default 113  
Zooming window 85  
Priority 72  
Transferring 35  
Copying during 35

- Creating mail folders during 36
- Creating mailboxes during 35
- Message Summary 9, 31
- Changing subject of 74
- Date in 32
- Priority of messages 31, 32
- Resizing columns in 32
- Sender/Recipient in 32
- Size in 32
- Status of message 31
- Forwarded 32
- Not sendable 32
- Queued 22
- Read 32
- Redirected 32
- Replied 32
- Sendable 20, 32
- Sent 24, 32
- Timed 23
- Unread 27, 28, 32
- Unsent 32
- Subject in 32
- Transliteration 113
- Message Window Height setting 85
- Message Window Lines setting 80
- Message Window Width setting 80, 85
- Messages
- Incoming
- Recombining split messages 69
- Outgoing
- Attaching document to 42
- Timed 22
- Saving to files 68
- Using Redirect to repeat 49
- Move button 41

## N

- Navigate In 105, 108
- Navigate Mid 105
- Navigate Out 105
- Navigation 105
- Special characters 106
- New Message command 5, 17
- New Message To sub-menu 60
- New... command 13, 35, 36
- Next button 64
- Next command 64

- Next Mailbox button 65
- Next Mailbox command 65
- Next Message button 64
- Next Message command 64
- Next message, going to 84
- Next time... button 23
- Nickname
- Removing 54
- Nicknames 49
- Changing existing 53
- Expansion 49
- Putting on recipient list 53, 58
- Removing and Quick Recipient list 58
- Removing from Quick Recipient list 58
- Renaming and Quick Recipient list 58
- Saving 52, 54
- vs Quick Recipient list 57
- Nicknames window
- Adding names to nicknames 51
- Adding nicknames 50
- Address(es) box 49, 51
- New button 50
- Notes box 49, 51
- Using to add addressees to message 56
- Using to send mail 56
- Nicknames... command 49

## O

- On or After button 23
- Open "In" Mailbox option 84
- Open... command 30
- Out Mailbox 12, 20, 24

## P

- Password
- Changing 26
- Server source code for 97
- Dialup 107
- Entering 7, 25
- Forgetting 25
- After failed expect 107
- Remembering 25
- Saving 25, 83
- Ph 75
- Server source code 97
- Setting server 79



*Index*

*Eudora User Manual*

Transliteration 113  
Using Ph window for 75  
Ph button 75  
Ph Server setting 79  
Plain Arrows option 84  
Plug-in 106  
POP 26  
Server for 97  
UNIX 97  
VAX/VMS 97  
VM/CMS 97  
POP Account and UUCP 115

POP Account hostname 107  
POP Account password 107  
POP Account setting 4, 26, 78, 79  
POP Account username 107  
POP server 103  
POP3 103  
popper 97  
Preferences folder 112  
Print Selection... command 75  
Print... command 75  
Font settings 80  
Priority 72  
And Reply 73  
Priority popup 113  
Progress window 7  
Enabling/disabling 85  
Put it on the recipient list button 50

**Q**

Queue button 22  
Queue For Delivery command 22, 24  
Quick Recipient list 59  
Adding email address to 60  
Adding existing nickname to 53, 58, 59  
Adding new nickname to 50  
Removing entry from 61  
vs Nicknames 57  
Quit command  
And emptying Trash 34  
With queued messages 23  
With timed messages 23  
Quitting 86  
Quoted-Printable  
Icon in icon bar 19, 81

**R**

R message status 32, 46  
Read Me text file 1, 2, 3  
Real Name setting 4, 79  
Redirect command 48, 49  
Redirect To sub-menu 60  
Rejected Mail 71  
Remove All button 39  
Remove It button 39  
Remove Recipient command 61  
Removing a nickname 54

Removing mail folders 38  
Removing mailboxes 38  
Renaming a mail folder 40  
Renaming a mailbox 40  
Reply 12  
Reply All 46  
Reply All option 47, 55  
Reply command 45, 46  
Reply to All option 82  
Option key and 82  
Reply To sub-menu 60  
Requirements 1  
Return address 6  
And UUCP 116  
Return Address setting 79  
Returns  
Used for separating addresses 51  
RFC's 104  
Right Now button 23  
rsrc 106

**S**

S message status 32  
Save As... command 68, 80  
Application TEXT Files Belong To 69  
Save command 12, 20, 24, 52, 54  
Save Password option 25, 83  
Scripting 109  
And dialups 105  
Send Again command 71  
Send button 7, 21, 83  
Send on Check option 83  
Send Queued Messages command 22  
avoiding 23  
Sending mail 83  
Sharing a Macintosh 88  
Show All Headers option 85  
Show Balloons command 5, 86  
Show Progress option 21, 22, 27, 28, 85  
Signature 77  
And redirect 49  
Enabling/disabling 82  
Icon in icon bar 18  
Menu command 77  
Simple Mail Transfer Protocol 103  
Skip Big Messages option 29, 83  
Status header and 29

## *Index*

SMTP 103, 104  
SMTP Server  
And UUCP 115  
SMTP server hostname 107  
SMTP Server setting 79  
Sorting 67  
By date 67  
Multiple criteria 67  
Sound option 84  
Srialpop 108  
srialpop.shar file 3  
Status header 29

*Eudora User Manual*

**Subject**

Changing 74

Summaries Only option 65

Switches... command 81

**T**

Tab key

Switching fields with 19

taBL id 1001 111

taBL id 1002 111

Table resource 111

Tabs

And pasting 19, 82

And Save As... command 68

Icon in icon bar 19

In incoming mail 82

Replaced with spaces 19, 82

Tabs in Body option 82

telnet 108

Timeout 107

Title bar 17

To button 56, 57

Transliteration

New way 111

Turning off 113

Trash mailbox 14, 34, 85

**U**

UNIX mail 87

Use Folder button 44

Use Signature option 82

UUCP 115

Changes meaning of Configuration... setting 79

Working Files 116

D.mac0 ###

D.relay0 ###

UUCP/Connect 115

uupc 115

**W**

Word Wrap 20, 82

Icon in icon bar 18

Word Wrap option 82

**X**

X-Priority field 73

**Z**

Zoom Windows option 85