



Overview

The Apple Macintosh Portrait Display is a high-resolution 15-inch monochrome display for the modular Macintosh personal computer family. It's ideal for work with desktop publishing, word processing, and general productivity applications because it can display one full 8¹/₂ x 11-inch page of text

and graphics. The Apple Macintosh Portrait Display shows a complete page of information as it will appear in print. This makes it easy to preview and edit documents and add text or graphics; it also minimizes scrolling.

Users of the Apple Macintosh Portrait Display will find that page layout of text and graphics will be more accurate and much more efficient.

The Apple Macintosh Portrait Display minimizes eyestrain by using a flatter screen and higher refresh rate than many other displays. The Apple Macintosh Portrait Display is also designed to provide excellent focus for sharp, clear images and text.

Features

Benefits

> 15-inch monochrome CRT
(portrait orientation)

> Lets you display one full 8 1/2 x 11-inch page of text and graphics, including menu, title, and scroll bars
> Displays documents with the same orientation as a letter or portrait, for more efficient page layout

> 640 horizontal pixels by 800 vertical lines at 80 dots per inch (dpi)

> Provides sharp display of images, text, and graphics

> Square screen that is flatter than many other displays

> Reduces the distortion normally found at the edges of CRTs
> Minimizes eyestrain

> Analog 1-, 2-, 4-, or 8-bit pixel depth

> Allows for true shading
> Permits 16 shades of gray to be displayed simultaneously at 4-bit pixel depth
> Permits 256 shades of gray to be displayed simultaneously at 8-bit pixel depth

> 75-hertz screen refresh rate

> Reduces eyestrain by eliminating flicker

> Universal power supply

> Lets you operate the display in electrical environments from 90 volts AC to 270 volts AC

> Antiglare screen

> Minimizes reflected glare
> Makes working in bright rooms easier

> Extended power, video, and Apple Desktop Bus (ADB) cables

> Lets you place the display away from the CPU

> Three ADB connectors on the display

> Allows for direct connection of a keyboard, mouse, or other ADB device to the display, for increased flexibility

Technical Specifications

Picture tube

- > 15-in. diagonal, square, flat screen
- > Phosphor EIA Type P4 (white)
- > High-contrast antiglare surface

Screen resolution

- > 640 horizontal pixels by 870 vertical lines; 80 dots per inch (dpi)

User controls

- > Power switch, brightness, and contrast

Input signals

- > Video; analog, RS-343 standard
- > Sync; separate sync, negative-going, TTL

Active video display area

- > 8 in. horizontal by 10.87 in. vertical (20.3 cm horizontal by 27.6 cm vertical)

Connectors

- > Three Apple Desktop Bus (ADB) connectors

Scanning and refresh rates

- > Horizontal scan rate: 68.85 kilohertz
- > Vertical refresh rate: 75 hertz
- > Dot Clock: 52 megahertz

Electrical requirements

- > Voltage: 90 to 270 volts AC, self-configuring
- > Frequency: 47 to 63 hertz
- > Power: 75 watts maximum

Size and weight

- > Height: 13.1 in. (33.2 cm)
- > Width: 11.5 in. (29.2 cm)
- > Depth: 14.9 in. (37.9 cm)
- > Weight: 35 lb. (16 kg)

Operating environment

- > Operating temperature: 50°F to 95°F (10°C to 35°C)
- > Operating humidity: 90% maximum, noncondensing
- > Operating altitude: 10,000 ft. (3,048 m) maximum



Apple Macintosh Portrait Display

System Requirements

To use the Apple Macintosh Portrait Display, you'll need the following:

- > A Macintosh personal computer with a built-in video port or an appropriate video card

such as the Macintosh Display Card 824 or the Macintosh Display Card 824cc

- > A video cable (supplied with the monitor)

You may also want to purchase:

- > A Macintosh Display Card VRAM Expansion Kit* (Order No. M0412)
- > An Apple Universal Monitor Stand (Order No. M0403)

Ordering Information

Apple Macintosh Portrait Display

Order No. M0404

With your order, you'll receive:

- > Apple Macintosh Portrait Display
- > Extended video cable
- > Extended power cable
- > Extended ADB cable
- > Complete setup, learning, and reference documentation
- > Limited warranty statement

Macintosh Display Card 824

Order No. M0507

Macintosh Display Card 824cc

Order No. M0122

Macintosh Display Card VRAM Expansion Kit*

Order No. M0412

Apple Universal Monitor Stand

Order No. M0403

*Dealer installation of these chips is strongly recommended.

Apple Computer, Inc.

20525 Mariani Avenue
Cupertino, CA 95014
(408) 996-1010
TLX 171-576

© 1992 Apple Computer, Inc. Apple, the Apple logo, and Macintosh are trademarks of Apple Computer, Inc. registered in the U.S. and other countries. Apple Desktop Bus is a trademark of Apple Computer, Inc. Mention of non-Apple products is for informational purposes and constitutes neither an endorsement nor a recommendation. Apple assumes no responsibility with regard to the selection, performance, or use of these products.
April 1992. Product specifications are subject to change without notice. Printed in the U.S.A.
M0117LLC