



HTML XRef is a Windows utility which can be used to cross-reference a set of HTML documents for documentation and maintenance purposes.

As with all our software, HTML XRef has been designed to be intuitive to use and to provide lots of visual feedback to the user.

HTML XRef is not a HTML parser and expects the HTML it encounters to be more or less valid.

Using the program is straightforward:-

- Open the 'root' file (the 'Home' page) of the HTML document collection, using the menu item File-Open, or by clicking on the Browse button.
- To document all relative file references, graphics file references and external links, select the File-XRef menu item or click on the XRef button.

The output lists missing files first. These are local files referenced in one of the files examined, but not found by HTML Xref.

Following any missing files, all referenced objects are listed, followed by the local file in which they are referenced, and the line number within that file which contains the reference.

- Select the File-Print menu item or click on Print button to print a complete report.
- Use the Edit-Copy menu item to copy to the clipboard. If nothing is selected in the report, the whole of the report will be copied, otherwise, just the selected items are copied.

HTML XRef searches all , <A> and <BODY> tags for SRC, HREF and BACKGROUND attributes respectively. Missing files are indicated in the report. No other HTML tags are examined.

HTML XRef has been tested under Windows for Workgroups 3.11 and Windows NT. It may be run against files on a local drive before uploading to a server. It may also be run on a Windows NT server against files on that server.

Problems, errors and omissions may be reported by email to:- enduser@enduser.co.uk and should be accompanied by a full description of the problem, the software version number, and where you obtained the program.

