

Cumulus OLEfI□[fgf□□[fVf‡f“ŠT—v

OLEfI□[fgf□□[fVf‡f“,đfTf|□[fg,·,éCumulusfI□[fgf□□[fVf‡f“fIfufWfFfNfg,ìŽg—p•û—@,É,Â,¢
,Ä,í□AfAvfŠfP□[fVf‡f“,ìffBfƐfNfgfŠ,É,·,éftf@fCf<"Cumulus.tlb",đŽQ□Æ,μ,Ä,,¾,³,¢□B^È%°,É<°,°
,é,ì,í□AƐ»□ÝfTf|□[fg,³,ê,Ä,¢,éIfufWfFfNfg,Ä,·□B

Application

Catalog□ifIfufWfFfNfg□j

CatalogingOptions

Catalogs□ifRfƐfNfVf‡f“□j

Categories□ifRfƐfNfVf‡f“□j

Category□ifIfufWfFfNfg□j

FileFormatEntry

FileFormatTable

AssetReference□ifIfufWfFfNfg□j

AssetReferences□ifRfƐfNfVf‡f“□j

LogEntries□ifRfƐfNfVf‡f“□j

LogEntry□ifIfufWfFfNfg□j

Preferences

Record□ifIfufWfFfNfg□j

Records□ifRfƐfNfVf‡f“□j

SelectedRecords

SelectedCategories

Server

ServerCatalog□ifIfufWfFfNfg□j

ServerCatalogs□ifRfƐfNfVf‡f“□j

Status

StatusList

SubCategories

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfAvfŠfP□[fVf‡f“—¼,ì“Ç,Ý□o,μ,^a,Å,«,Ü,·□B,±,ê,ÍfftfHf<fg,ìfvf□fpfefB,Å,·□B

Application,àŽQ□Æ

Fullname:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfAvfŠfP□[fVf‡f“,ìŽÀ□sftf@fCf<,ìftf<fpfX,đ“Ç,Ý□o,μ,Å,«,Ü,·□B

Application,àŽQ□Æ

Application:*flfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□AfAfvfŠfP□[fVf‡f“flfufWfFfNfg,đ•Ô,μ,Ü,·□B

Application,àŽQ□Æ

CatalogingOption:fIfufWfFfNfg

,±,`fvf□fpfefB,Å,Í□ACatalogingOptionfIfufWfFfNfg,đ•Ô,μ,Ü,·□B

Application,àŽQ□Æ

Catalogs:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,Í□AfAvfŠfP□[fVf‡f“,ìŠJ,¢,½CatalogsRfŒfNfVf‡f“,đ•Ô,μ,Ü,·□B

Application,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□AfAvfŠfP□[fVf‡f“,l□e,Å, ,éApplicationflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Application,àŽQ□Æ

Preferences:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfAvfŠfP□[fVf‡f“,PreferencesflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Application,àŽQ□Æ

Visible: fu[f

,±,lfvf ppefB,Å,ÍAfAvfŠfP[fVf‡f“,l\Ž!^ñ•Ž!,l'è<,l•Ô'l,Ü,½,ÍŸ'è,a,Å,«,Ü,·B

Application,àŽQÆ

ConnectToServer (ServerName as String, User as String, Password as String) as Object

,±,ìf□f\fbfh,É,æ,è□AfpfXf□□[fh,ðŽg—p,·,é“Á'è,ìf†□[fU,Æ,μ,ĂŽw'è,³ê,¹/₂fT□[fo,É□Ú'±,³ê□A□Ú'±
,É□-Œ÷,·,é,ÆServerflufWfFfNfg,^a•Ô,³ê,Ü,·□B

Application,àŽQ□Æ

Quit

,±,ìf□f\fbfh,í□AŽÀ□s't,ìfAfvfŠfP□[fVf‡f“,ð□l—^{1,3,1},Ü,·□B

Application,àŽQ□Æ

RestoreCatalog (BackupPathName as String, PathName as String [, WriteAccessPassword as String]) as Object

,±,ìf□f\fbfh,É,æ,è□AfJf^f□fO,ìfofbfNfAfbfvftf@fCf<,ð•œŠ^{^3,1}□AfIfvfVf‡f“,ì□‘,«□ž,Ÿ—
pfpfXf□□[fh,ðŽg,Á,Äì□¬,³,ê,½fJf^f□fO,ðŠJ,«□ACatalogfIfuWfFfNfg,ð•Ô,μ,Ü,·□B

Application,àžQ□Æ

FrontCatalog:flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□AfAfvfŠfP□[fVf‡f“,ì□Å‘O–Ê,ìCatalogflfufWfFfNfg,đ•Ô,μ,Û,·

Application,àŽQ□Æ

AllowSharing:fu[f<[iŠÇ—ŽÒê—p]j

,±,ìfvf[]pfefB,Å,Í[]AfJf^f[]fO,ì<ϣ—L[]ó<μ,ì•Ô'l,Ü,½,Í[]Ý'è,^a,Å,«,Ü,·[]B

Catalog,àŽQ[]Æ

Application:*flfufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□AApplication*flfufWfFfNfg*,ð•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

CanDeleteRecords:*fu*␣*f*◄

,±,ìf∇f␣f*p*f*e*f*B*,Å,í␣*A*f*J*f[^]f␣f*O*“à,ìf*Æ*f*R*␣*f**h*,ð␣í␣œ,·,é◄-%◊Â,ì—L⁻³,ð•Ô,μ,Û,·␣*B*

Catalog,àŽ*Q*␣*Æ*

CanModifyCategories:*f*u□[*f*↵

,±,ìf∨f□f*p*f*e*f*B*,Å,í□A*f*J*f*^*f*□f*O*“à,ìfJ*f**e*f*S*fŠ,đ□C□³,·,éⒺ —~,ì<-‰Â,ì—L-³,đ•Ô,μ,Û,·□B

Catalog,àŽQ□Æ

CanModifyRecords:*f*u□[*f*€

,±,ìfvf□fpfefB,Å,Í□AfJf^f□fO“à,ìfƎfR□[fh,ð□C□³,·,éƎ —~,ì<-‰Â,ì—L-³,ð•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

CanModifyStatus:*fu*␣*f*◄

,±,ìf∨f␣fpefB,Å,í␣AfJf^f␣fO“à,ìfXfe␣[f^fX,ð␣C␣³,·,éŒ —,ì—L⁻³,ð•Ô,μ,Ü,·␣B␣B

Catalog,àŽQ␣Æ

CatalogServer:•¶Žš—ñ

fJf^f□fO,ÉfNf%o fCfAf“fg,Æ,μ,ÄfAfNfZfX,μ,½□ê□‡□A,±,ìfvf□fpfefB,Å,í□AfJf^f□fOServer-
¼,đ•Ô,μ,Ü,·□B¹¼□ÚŠJ,©,ê,½fJf^f□fO,É,Â,¢,Ä,Í□A<ó,ì•¶Žš—ñ,đ•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

CategoriesVisible:fu[f<

,±
,lfvfppfefB,Å,ÍAfJfefSfŠ,ì•Ž!^"ñ•Ž!,ìó'Ô,ð•Ž!,Ü,½,ÍÝ'è,µAfJfefSfŠfXfgfEfBf"fhfE,ð•
Ž!,Ü,½,Í"ñ•Ž!,µ,Ü,•B

Catalog,àŽQÆ

Categoires:flfuFWfFfNfg

,±,ìfvf□fpfefB,Å,Í□A-¼'O□‡,Éf\□[fg,³,ê,½fJf^f□fO,ìCategories,^afŠXfg,Æ,μ,Ä•Ô,³,ê,Ü,·□B

Catalog,àŽQ□Æ

SelectedCategories: flfuWfFfNfg

,±,lfvf f p f e f B, Å, Í AfJf^f f O, CategorySelection, l“Ç, Ý o, µ, ª, Å, «, Ü, · B

Catalog, àŽQ Æ

CategoryTree:flufWfFfNfg

,±,lfvf□pfefB,Å,í□AfJf^f□fO,ìCategories,ðfTfufcfŠ□[,Æ,μ,Ä•Ô,μ,Ü,·□B,±,lfvf□pfefB,ðŽg—
p,·,é,Æ□AfJf^f□fO,lfJfefSfŠ,ðŠK'w□\¢flufWfFfNfg,Æ,μ,Ä%ð□í,·,é,±,Æ,^aÅ,«,Ü,·□B,±
,lfJfefSfŠ□EfcfŠ□[,lfTufJfefSfŠ,í□AfJf^f□fO,ì'æ~ê'iŠKfJfefSfŠ,É,È,è,Ü,·□B

Catalog,àŽQ□Æ

CollectionFolder:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfJf^f□fO,ì□‘ŒÉftfHf<f_,ì•Ô'l,Ü,½,í□Ý'è,^aÅ,«,Ü,·□B

Catalog,àŽQ□Æ

CollectionFolderUsage :Long□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,Í□ACE»□Ý,ìCollectionFolder□i□‘ŒÉftfHf<f_□jŽg—p□Ý’è,ìl,đ•Ô,μ,Ü,·□B

ŽŸ,ìl,đ•Ô,μ,Ü,·□B

□í,ÉŽg—p,·,é = 0
fJf^f□fO□EfIfvfVf‡f“,É□],α = 1
Žg—p,μ,È,¢ = 2

CollectionFolderUsageConstants□ACatalog,àŽQ□Æ

DiskSpaceAvailable:LongiŠÇ—ŽÒê—p j

,±,ìfvf p p f e f B, Å, Í Af J f ^ f f O f { f Š f ... [f € ã, Ì Ž g — p % ^ " \ f f f B f X f N < ó, « — e —
Ê, ^ f o f C f g ' P ^ Ê, Å • Ô, ^, ê, Ü, . B

Catalog, à Ž Q Æ

FlushLogConstantely:fu[f<[iŠÇ—ŽÒê—p[j

,±,ìfvf[fpfefB,Å,í[A“ü—
í,ì,½,Ñ,ÉLogFile,ð[Å[V,ì[î•ñ,É[X[V,·,élfvfVf‡f“,ì•Ô'l,Ü,½,í[Y'è^a,Å,«,Ü,·[B

Catalog,àŽQ[Æ

FullName:•ŕŽš—ñ□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,Í□AfJf^f□fO,ìftf<fpfX—¼,đ•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

HasPassword:fu[f<

,±,ìfvf ppefB,Å,ÍAfJf^f fO,É‘,«ž,Ý—pfpfXf[fh,aÝ'è,³,ê,Ä,¢,é,©,Ç,¤,©,đ•Ô,μ,Û,·B

Catalog,àŽQÆ

IsRemoteCatalog:fu[f<

,±,ìfvf ppefB,Å,ÍAfJf^f fO,afNf%oCfAf“fg,Æ,μ,ÄŠJ,¢,Ä,¢,é,©,Ç,¤,©,ð•Ô,μ,Ü,·B

fJf^f fO,àŽQÆ

KeepCategoryNamesUnique:□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,í□A,±,ìfJf^f□fO,ÉCategory-¹/₄,ì□d•i,^aç-‰Å,³ê,Ä,¢,é,©,Ç,¤
,©,ì•Ôl,Ü,¹/₂,í□Ý'è,^aÅ,«,Ü,·□B

Catalog,àŽQ□Æ

KeepDeleted:fu[f<[iŠÇ—[ŽÒ[ê—p[j

±, ì f v f □ f p f e f B, Å, í □ A □ í œ, ³, ê, ½ Records, ð, œ Š ~ % Å", É, ·, é, ½, ß, É · Û · ¶, ·, é, © □ A, ·, é, ¢
 , ð % ï k v, É □ í œ, ·, é, ©, · Õ !, Ü, ½, í □ Ý è, ª, Å, «, Ü, · □ B

Catalog, àŽQ□Æ

LogEntries:flfuWfFfNfgiŠÇ—ŽÒê—p j

,±,ìfvf ppefB,Å,ÍAfJf^f fO,ìLogEntriesfRfÆfNfVf‡f“,đ•Ô,μ,Ü,·B

Catalog,àŽQÆ

LogFile:•ŕŽš—ñ□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,Í□AfJf^f□fO,ìf□fOftf@fCf<,ì•Ô'l,Ü,½,Í□Ý'è,^aÅ,«,Ü,·□B

Catalog,àŽQ□Æ

Logging:fu[f,iŠÇ—ŽÒê—p j

,±,ìfvf ppefB,Å,íAfJf^f fO,Åf fOfIf“,Æf fOfIf t,ìØ,è'Ö,¡,ªs,í,ê,½,©,Ç,ª
,©,ì•Ôl,Ü,½,íY'è,ª,Å,«,Ü,·B

Catalog,àŽQÆ

LogLength :Long□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,Í□Af□f,fŠf□fO,ì'·,³,ì•Ô'I,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Catalog,àŽQ□Æ

MemoryAvailable:Long□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,Í□AfRf“fsf...□[f^,ÅŽg—p%oÂ"\,ÈfJf^f□fO,ìf□f,fŠ—e—
Ê,ðfofCf'g'P^Ê,Å•Ô,μ,Û,·□B

Catalog,àŽQ□Æ

MemoryFree:LongiŠÇ—ŽÒê—p j

,±,̀f v f p p e f B, Å, Í Af J f ^ f f O f t f @ f C f < “à, ̀ó, « f f, f Š — e — Ê, ð f o f C f g ' P ^ Ê, Å • Ô, µ, Ü, · B, ±
, ê, Í Af J f ^ f f O, ð Compressing(^ 3 k), ·, é, ±, Æ, É, æ, Á, Ă Š J • ú, ³, ê, é ó, « — e — Ê, Å, · B

Catalog, à Ž Q Æ

MemoryRecommended:LongiŠÇ—ŽÒê—p j

,±,ìfvf p p f e f B, Å, Í Af J f ^ f f O, ì, „, § f f, f Š—e—Ê, ð f o f C f g' P ^ Ê, Å • Ö, µ, Ü, · B

Catalog, àŽQ Æ

MemoryRequired:Long□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,Í□AfJf^f□fO,ìŽÀ□s,É•K—v,Ëf□f,fŠ—e—Ê,ðfofCfg’P^Ê,Å•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfJf^f□fO—¼,đ•Ô,μ,Ü,·□B,±,ê,ífftfHf<fg,ìfvf□fpfefB,Å,·□B

Catalog,àŽQ□Æ

NativeThumbnailSize:LongiŠÇ—ŽÒê—p j

,±,lfvf p p f e f B, Å, Í Af l f Š f W f i f <, ìCataloging, ÉŽg—
p,³,ê,é Af l f C f e f B f u Ef T f € f l f C f < f T f C f Y, ð f s f N f Z f < P ^ Ê, Å • Ô l, Ü, ½, Í Y' è,ª, Å,«, Ü, · B
Y' è% Å" \, È' l, Í96 A128 A, Ü, ½, Í192, Å, · B

Catalog, àŽQ Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□AfJf^f□fO,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Cataog,àŽQ□Æ

Query:•¶Žš—ñ

,±
,lfvf□fpfefB,Å,Í□A□uŒŸ□ðfc□[f<fo□[□v,ÉfNfGfŠ,Ì•Ô'l,Ü,½,Í□Ÿ'è,a,Å,«,Ü,·□BfNfGfŠ,Í□A□uŒŸ□ð
fc□[f<fo□[□vfvf<fEf“f□fjf...□[“à,ìŽg—p%Â”\,È•¶Žš—ñ,©□A,Ü,½,Ílfyf%“fh—p,ÉŽ©—
R,É'è<,Å,«,é•¶Žš—
ñ,Å□\□¬,³,ê,Ü,·□BŠe•”•ª,Í"Tab"•¶Žš,Å<æ□Ø,ç,ê□AfNfGfŠ,ì□ðŒ□,Í%ü□s•¶Žš,Å<æ□Ø,ç,ê,Ü,·□B

—á:

catalog.Query = "Record Name" & vbTab & "starts with" & vbTab & "0" & vbCr _

& "or" & vbTab & "Record Name" & vbTab & "contains" & vbTab & "8"

MsgBox catalog.Query

Catalog.àŽQ□Æ

Records:flfuWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfJf^f□fO,ìRecordsfRfÆfNfVf‡f“,ì“Ç,Ý□o,μ,^a,Å,«„Ü,·□B

Catalog,àŽQ□Æ

RecordsDeleted:Long□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,Í□A□í□œ,³,ê,¹/₂fŒfR□[fh□",đ•Ô,μ,Ü,·□B,±
,ê,ç,ìfŒfR□[fh,Í□ARecoverDeletedRecords,đŒÄ,Ñ□o,μ,Ä•œŠ[^],·,é,±,Æ,^a,Å,«,Ü,·□B

Catalog,àŽQ□Æ

SelectedCategories: flfuWfFfNfg

,±,lfvf□fpfefB,Å,í□AfJf^f□fO,CategorySelection,đ•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

SelectedRecords:*fIfuFWfFNfg*

,±,ìfvf□fpfefB,Å,í□AfJf^f□fO,ì RecordSelection,ð•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

RestrictedPermissions:*fu*[*f*◁◻iŠÇ—◻ŽÒ◻ê—p◻j

±,lfvf□pfefB,Å,Í□AfJf^f□fO,Éuser permissions,a□Ý'è,³ê,Ä,¢,é,©,Ç,ª,©,ð•Ô'İ,Ü,½,Í□Ý'è,Å,«,Ü,·□B

Catalog, àŽQ□Æ

SaveLogToFile:fu[f<[iŠÇ—ŽÒê—p[j

,±,ìfvf[ppefB,Å,Í[Af[fO,ðftf@fCf<,É•Ů'¶,.,é,©,Ç,¤,©,ð•Ô'I,Ü,½,Í[Ý'è,Å,«,Ü,.B

Catalog,àŽQ[Æ

SortDirection:Long

,±,ìf∨f□fpfefB,Å,Í□AfJf^f□fO,ìƎ»□Ý,ìf\□[fg•ûƎü,ð•Ô'l,Ü,½,Í□Ý'è,·,é,±,Æ,^a,Å,«,Ü,·□B

ŽŸ,ì'l,ð□Ý'è,Å,«,Ü,·□B

□,□‡ = 0

□~□‡ = 1

SortDirectionConstants□ACatalog,àŽQ□Æ

Sorting:Long

,±,ìf∨f□fpfefB,Å,Í□AfJf^f□fO,ìƎ»□Ý,ìf\□[fg•û–@,đ•Ô'l,Ü,½,Í□Ý'è,Å,«,Ü,·.□B

ŽŸ,ì'l,đ□Ý'è,Å,«,Ü,·.□B

$f\mathfrak{E}fR\Box[fh-\frac{1}{4},\mathring{A}f\Box[fg = 0$

$ftf@fCf<\mathfrak{E}^{\text{Ž}@\mathring{A}f\Box[fg = 1$

$\%_{\circ}\mathfrak{a}'\mathfrak{a}ef,\Box[fh,\mathring{A}f\Box[fg = 2$

$\%_{\circ}\mathfrak{d}'\mathfrak{a}^{\text{“}x,\mathring{A}f\Box[fg = 3$

$f\mathfrak{E}fR\Box[fh\Box C\Box^3\text{“}\acute{u},\mathring{A}f\Box[fg = 4$

SortingConstants□ACatalog,àŽQ□Æ

UpdateCatalogImmediately:fu[f<[f<[iŠÇ—[ŽÒ[ê—p[j

,±
,lfvf[fpfefB,Å,Í[AfJf^f[fo,ì•[XÆ<%oÊ,đfJf^f[foftf@fCf<,É,½,¾,¿,É[X[V,·,é,©[i^À'S[<,đ[dŽ<,μ,Ê,¢[j[A, ,é,¢,ÍÆã,Å[X[V,·,é,©[i[,'¬[«[dŽ<[j,đ•Ô'l,Ü,½,Í[Ý'è,Å,«,Ü,·[B

Catalog,àŽQ[Æ

UserPermissions:flfufWfFfNfgiŠÇ—ŽÒê—p j

,±,ìfvf ppefB,Å,íAfJf^fO, user_permissionsRfŒfNfVf‡f“,đ•Ô,μ,Ü,·B

Catalog,àŽQÆ

View:Long

,±,ìfvf□fpfefB,Å,Í□AfJf^f□fO,ì•Ž!f,□[fh,ð•Ô,μ,Ü,·□B

ŽŸ,ì'l,ð•Ô,μ,Ü,·□B

$f\check{S}fXfg\mathfrak{E}\check{Z}^{\otimes},\check{A}\bullet\check{Z}_! = 0$

$fTf\in fIfCf<\square\neg,\check{A}\bullet\check{Z}_! = 1$

$fTf\in fIfCf<'t,\check{A}\bullet\check{Z}_! = 2$

$fTf\in fIfCf<'â,\check{A}\bullet\check{Z}_! = 3$

$\check{S}\zeta\text{---}\square\check{Z}\check{O}f,\square[fh,\check{A}\bullet\check{Z}_! = 4$

ViewConstant□ACatalog,àŽQ□Æ

Backup (PathName as String, FullBackup as String)□iŠÇ—□ŽÒ□ê—p□j

,±
,lf□f\bfbfh,É,æ,è□AfJf^f□fO,lfobfNfAfbfvfRfs□[,^Žw'è,łtf@fCf<,É•Ů'¶,³,ê,Ü,·□B"FullBackup",^a□^
,l□ê□‡□AfJf^f□fO'S'İ,^fRfs□[,³,ê□A<U,l□ê□‡,ÍfÆfR□[fh,ÆfJfefSfŠ□î•ñ,^fRfs□[,³,ê□AŽg—
p,·,é'O,ÉfJf^f□fO,đ•œŜ^(fŠfXfgfA),³,¹,é•K—v,^,è, ,Ü,·□B

Catalog,àŽQ□Æ

Catalog[iPathName as String[j

,±,ìf□f\bfbfh,É,æ,è□A“Á'è,ìftf@fCf<,Ü,½,ÍftfHf<f_,ðfJf^f□fO,·,é,±,Æ,^a,Å,«,«,Ü,·□B

Catalog,àŽQ□Æ

Compress □iŠÇ—□ŽÒ□ê—p□j

,±,ìf□f\fbfh,É,æ,è□AfJf^f□fO,^{a3}□k,³,ê,Ü,·.□B

Catalog,àŽQ□Æ

Find (Query As String [, Boolean InFindResult]) As Long

,±,lf□f\fbfh,É,æ,èŒŸ□ō,ª<N"®,³,ê,Ü,·□B"Á'è,ì"Query"•¶Žš—ñ,ª<ó,ì□ê□±□AŒ»□ÝŠ,,,è"—,Ä,ç,ê,Ä,¢
,éfJf^f□fO,lfNfGfŠ,ª¹'ð,³,ê,Ü,·□BfNfGfŠ,í□A□uŒŸ□ōfc□[f<fo□[□vfvf<f_fEf"f□fjf...□["à,ìŽg—
p%oÄ",È•¶Žš—ñ,©□A,Ü,½,ífIfyf%of"f h—p,ÉŽ©—R,É'è<`,Ä,«,é•¶Žš—
ñ,Ä□□□—,³,ê,Ü,·□BŠe"•ª,í"Tab"•¶Žš,Ä<æ□Ø,ç,ê□AfNfGfŠ,ì□ðŒ□,í%ü□s•¶Žš,Ä<æ□Ø,ç,ê,Ü,·□B

fIfvfVf±f",lfu□[f<ŠÖ□""InFindResult",ðŽg,Á,Ä□A□i,è□ž,ÝŒŸ□ō,ð□s,ª
,©□A,»,ê,Æ,àfJf^f□fO,ì,·,x,Ä,lfŒfR□[fh,©,çŒŸ□ō,·,é,©,ð'è<`,·,é,±,Æ,ª,Ä,«,Ü,·□B,±
,ìŠÖ□",Éfpf%of□□[f^,ª<n,³,ê,È,¢,Æ□A,·,x,Ä,lfŒfR□[fh,É,Ä,¢,ÄŒŸ□ō,ª□s,í,ê,Ü,·□B

—á:

query = "Record Name" & vbTab & "starts with" & vbTab & "0" & vbCr _

& "or" & vbTab & "Record Name" & vbTab & "contains" & vbTab & "8"

recordsFound = catalog.Find(query, False)

Catalog.àŽQ□Æ

ImportCategories (FromPathName as String)

,±,ìf□f\fbfh,É,æ,è□A“Á'è,ìftf@fCf<,©,çCategories,^a“Ç,Ý□ž,Ü,ê,Ü,·□B

Catalog,àŽQ□Æ

ImportRecords □i FromPathName:•¶Žš—ñ□j

,±,̀f□f\fbfh,É,æ,è□A“Á'è,̀ftf@fCf<,©,çrecords,^a“Ç,Ý□Ž,Ü,ê,Ü,·□B

Catalog,àŽQ□Æ

RebuildiŠÇ—ŽÒê—p j

,±,ìf f\fbfh,É,æ,èAfJf^f fO,^aC•œ,³,êAfCf“fffNfX,^aÄ\z,³,ê,Ü,·B

Catalog,àŽQÆ

RecoverDeletedRecords □iŠÇ—□ŽÒ□ê—p□j

,±,̀f□f\fbfh,í□AfJf^f□fO,©,ç□í□œ,³,ê,¹/₂,·,×,Ä,records,ð•œŠ^{^3,1},Ü,·□B

Catalog,àŽQ□Æ

ShowAllRecords

,±
,ìf f\fbfh,É,æ,è AfJf^f OfEfBf“fhfE“à,ì,·,x,Ä,ìfÆfR[fh,ª,Ž!,³,ê AfFindf f\fbfh,ª%đœ,³,ê,Ü,·
B

Catalog,àŽQÆ

StatusList:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfJf^f□fO,ìstatus list,đ•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

PublishToWWW:*f*u□[*f*◄

,±,ì*f*∨*f*□*f*p*f*e*f*B,Å,Í□A*f*J*f*^*f*□*f*O,ðWeb◄◄—L,·,·,é,©,Ç,◄,©,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,◄,Ü,·□B

*f*J*f*^*f*□*f*O,àŽQ□Æ

AddDuplicateAssets:*f*u□[*f*◄

,±,ìfvf□fpfe*f*B,Å,í□Aft*f*@fC*f*◄,ìfJf^f□fO,ì□d•i,ð"F,ß,é,©,Ç,¤,©,ì•Ô*l*,Ü,½,í□Y'è,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□AApplication*fIfufWfFfNfg*,ð•Ô,μ,Ü,·□B

CatalogingOptions,àŽQ□Æ

CatalogingAction:Long

,±,lfvf□fpfefB,Å,Í□AfJf^f□fOŽž,lfvf□fZfX,ÅŽg—p,³,ê,é^È%°,l•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

'Ç%Å,ì,Ý = 0

'Ç%Å/□X□V = 1

□X□V,ì,Ý = 2

CatalogingActionConstants□ACatalogingOptions,àŽQ□Æ

Categories:•¶Žš—ñfŠfXfg

,±
,ìfvf□fpfefB,Å,Í□AfJf^f□fOfIfvfVf‡f“,Å'O,à,Á,ÄŽw'è,μ,½fJfefSfŠ,ìfŠfXfg,ì•Ô'I,Ü,½,Í□Ý'è,^aÅ,«,Ü,
□B

CatalogingOptions,àŽQ□Æ

ColorThumbnailQuality:Long

,±,ìfvf□fpfefB,Å,í□AfJf%□[,ìfTf€flfCf<,ð□ì□-,·,é□û□A,»,ì•iŽč,ì•Ô'l,ü,½,í□Ý'è,^a,Å,«,ü,·□B

ŽŸ,ì'l,^a□Ý'è,Å,«,ü,·□B

•W□€ = 0
□,•i^ˆÊ = 1

ThumbnailQualityConstants□A_CatalogingOptions,àŽQ□Æ

CopyAssetToCollectionFolder:fu[f<

,±
,lfvf f p f e f B, Å, í A f t f @ f C f <, ì f J f ^ f f O Ž Ž, É A f t f @ f C f <, ð A Ž w' è, µ, ½ ' Ğ É f t f H f < f _ , É f R f s [, . , é, ©
A, », ê, Æ, à f l f Š f W f i f <, ì f t f @ f C f <, ð Ž Q Æ, . , é, ©, Ì • Ô l, Ü, ½, Í Y' è, ª, Å, «, Ü, . B

CatalogingOptions, à Ž Q Æ

CountAssetsForProgress:fu[f

,±,lfvfppfeB,Å,ÍAfJf^ffO,·,é‘O,ÉftfHf<f_Ü,½,Íf{fŠf...
[f€“à,ìftf@fCf<,ðfJfEf“fg,μ,ÄAfvfffOfÆfXfo[,ìÚx,ð·Ž!,·,é,©,Ç,¤
,©,ð•Ô‘l,Ü,½,ÍY’è,Å,«,Ü,·B

CatalogingOptions,àŽQÆ

ExcludeDamagedAssets:*fu*□[*f*◄

,±,ìfvf□fpfefB,Å,Í□ACumulus,ìfNf%fbfVf ...,ìŒ
´^ö,Æ,È,é□áŠQftf@fCf◄,ð□A"o^%ð□œfŠfXfg,É'Ç%Á,·,é,©,Ç,¤,©,ð•Ô'l,Ü,½,Í□Ý'è,Å,◄,Ü,·□B

CatalogingOptions,àŽQ□Æ

ExcludedAssets:•ŦŽš—ñfŠfXfg

,±
,lfvf□fpfefB,Å,Í□A“o~^%ođ□œ,³,ê,½□AfJf^f□fO,³,ê,È,¢ftf@fCf<,lfŠfXfg,ì•Ô'l,Ü,½,Í□Ý'è,ª,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

FileFormatTable:*fIfufWfFfNfg*

,±,ìfvf□fpfefB,Å,í□Aftf@fCf<Œ`Ž@fe□[fuf<,l“Ç,Ý□o,μ,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

GrayscaleThumbnailQuality:Long

,±,̀fᵛf□fᵖfēfB,Å,Í□AƒOƒƎ□[ƒXƒP□[ƒ<,̀fTƒ€ƒ|ƒCƒ<□ì□¬Žž,̀iŽč,̀i•Ô'l,Ü,½,Í□Ý'è,^aÅ,«,Ü,·□B

ŽŸ,̀l,^a□Ý'è,Å,«,Ü,·□B

•W□€ = 0
□,•i^Ê = 1

ThumbnailQualityConstants□ACatalogingOptions,àŽQ□Æ

IncludeCategoriesFromAsset:fu[f

,±
,lfvfppfeB,Å,ÍAfIfŠfWfi<ftf@fCf<“à,É•Ũ‘¶,μ,½fJfefSfŠ,đA□ì□¬,³,ê,½fŒfR□[fh,É'Ç%Á,·,é,©
,Ç,¤,©,đ•Ô'l,Ü,½,Í□Ý'è,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

IncludeFolderNamesAsCategories:fu□[f◄

,±,ìfvf□fpfefB,Å,Í□AfJf^f□fO,³,ê,½ftf@fCf◄,ìftfHf◄f_□\¢,ðfJfefSfŠ,Æ,μ,Ä“o~^,·,é,©,Ç,¤
,©□A□eftfHf◄f_,ìfJfefSfŠ,ð□ì□¬,³,ê,½fÆfR□[fh,É'Ç%oÁ,·,é,©,Ç,¤,©,ð•Ôl,Ü,½,Í□Y'è,Å,◄,Ü,·□B

CatalogingOptions,àŽQ□Æ

IncludeNotesFromAsset:fu□[f¢

,±
,lfvf□fpfefB,Å,Í□AfIfŠfWfi<ftf@fCf<,É•Ů'¶,³,ê,½fRf□f“fg,âfLffvfVf‡f“,đ□A□i□¬,³,ê,½fÆfR□[
fh,É'Ç%‰Á,·,é,©,Ç,¤,©,İ•Ô'l,Ü,½,Í□Y'è,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

LineartThumbnailQuality:Long

,±, ðf v f □ f p f e f B, Å, Í □ A f % f C f “ f A □ [f g, ð f T f € f l f C f < • i Ž Ć, ð • Ô ' l, Ü, ½, Í □ Y ' è, ª, Å, «, Ü, · □ B

Ž Ÿ, ð ' l, ª □ Y ' è, Å, «, Ü, · □ B

• W □ € = 0
□, • i ^ Ê = 1

ThumbnailQualityConstants □ ACatalogingOptions, à Ž Q □ Æ

Notes:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfJf^f□fOfIfvfVf‡f“,Å‘O,à,Á,ĂŽw'è,μ,½fm□[fg,ì•Ô'l,Ü,½,Í□Ý'è,^a,À,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

OpenPropertyWindow:fu[f<

,±
,lfvfppfeB,Å,ÍAfIfŠfWfi<ftf@fCf<^afJf^fO³,ê,é,²,Æ,ÉA,»,lfÆfR[fhfvfppfeBfEfBf“f
hfE,đŽ©“®“l,ÉŠJ,¢,ÄA,¹/₂,³/₄,¿,É•ÖW,^a,Å,«,é,©,Ç,¤,©,ì•Ôl,Ü,¹/₂,ÍÝ’è,^a,Å,«,Ü,·B

CatalogingOptions,àŽQÆ

OptimizeThumbnailsAutomatically: *f*u□[*f*€

,±,ìfvf□fpefB,Å,Í□AfJf^f□fOŽž,ÉfTf€fIfCf<,ì-¾,é,³,ÆfRf“fgf%_ofXfg,đŽ©“®“l,É□Å“K%_o»,.,é,©,Ç,¤
,©,İ•Ôl,Ü,½,í□Ý’è,^a,Å,«,Ü,·.□B

CatalogingOptions,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□AfJf^f□fO□EfIfvfVf‡f“,l□eflfufWfFfNfg,l“Ç,Ý□o,μ,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

ResolveShortcuts:*f*u□[*f*€

,±,ìfvf□fpefB,Å,Í□AfVf‡□[fgfJfbfg,ìfJf^f□fOŽž,ÉfŠf“fN□æ,ìlfŠfWfif<,ðfJf^f□fO,.,é,©–
³Ž<.,é,©,ì□A•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

Status:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□A□efXfe□[f^fX,ì•Ô'I,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

ThumbnailSource:Long

,±,ìfvf□fpfefB,Å,í□AƒTƒ€ƒƒCƒ<,ì□ì□-Žž,ìf\□[ƒX,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

ŽŸ,ì'l,^a□Ý'è,Å,«,Ü,·□B

$$\begin{aligned} fIfŠfWfif<“à,ìfTƒ€ƒƒCƒ< &= 0 \\ fCf□□[ƒW'S'ì &= 1 \end{aligned}$$

ThumbnailSourceConstants□ACatalogingOptions,àŽQ□Æ

User:•¶Žš—ñ

,±
,lfvf□fpfefB,Å,Í□AfJf^f□fOfIfvfVf‡f“,Å'O,à,Á,ÄŽw'è,μ,½□uf†□[fU□vftfB□[f<fh,ì•Ô'I,Ü,½,Í□Ý'è,a,Å
,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

Application:*flfufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□AApplication*flfufWfFfNfg*,ð•Ô,μ,Ü,·□B

Catalogs,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□AfRfÆfNfVf‡f“†,ìfJf^f□fO□”,ð•Ô,μ,Ü,·□B

Catalogs,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfJf^f□fO,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Catalogs,àŽQ□Æ

Add (Pathname as String [,WriteAccessPassword as String]) as Object

,±,ìf□f\bfbfh,É,æ,è□AfIfvfVf‡f“,ì□‘,«□ž,Ý—pfpfXf□□[fh,ðžg,Á,ÄfJf^f□fOf tf@fCf<,ðŠJ,,±
,Æ,^a,Å,«□AfJf^f□fOfIfufWfFfNfg,ð•Ô,μ,Ü,·□B

Catalogs,àžQ□Æ

Item (Index as Long / Name as String) as Object

,±,ìfvf□fpfefB,Å,íCf“ffNfX,Ü,½,í–¼'O,ðŽw'è,.,é,±
,Æ,É,æ,è□AfRfƎfNfVf‡f“†,ìfJf^f□fQ,ð•Ô,μ,Ü,·□B

Catalogs,àŽQ□Æ

Remove (Index as Long / Name as String)

fCf“ffNfX,Ü,½,Í–¼‘O,ǒŽw'è,.,é,±,Æ,É,æ,è□AfRfÆfNfVf‡f“,ìCatalog ,ª•Â,¶,ç,ê,Ü,·□B

Catalogs,àŽQ□Æ

New (Pathname as String, [CatalogName as String]) as Object

,±,ìf□f\bfbfh,É,æ,è□A□V<KfJf^f□fOftf@fCf<,ììì-□AfI□[fvf“□AcatalogfIfufWfFfNfg,ð•Ô,·,±
,Æ,ª,Å,«,Ü,·□BfJf^f□fO-¼,Í□È—ª%oÂ”\,Å□A,»,ì□ê□‡ftf@fCf<-¼,ªffftfHf<fg,Æ,μ,ÄŽg—p,³,ê,Ü,·□B

Catalogs,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□AApplication*fIfufWfFfNfg*,ð•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□Acatalog,ìfJfefSfŠ□",đ•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□AfJfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Add:*fIfufWfFfNfg*

,±,ìf□f\fbfh,É,æ,è□AfftHf<fg,ìfJfeSfŠ–
¼,ðŽg,Á,Ä□V<KfJfeSfŠ,^aCumulusfJf^f□fO,ì'æ^êŠK'w,É'Ç%Á,³,ê□A□V<K,É□ì□¬,³,ê,^½categoryfIfuf
WfFfNfg,ð•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

AddCopy (Category as Object) as Object

,±,ìf□f\fbfh,É,æ,è□ACumulusfJf^f□fO,ì'æ^êŠK'w,É, ,é,·,x,Ä,ìfTfufJfefSfŠ,ÆfIfŠfWfif<fJfefSfŠ,
đŠÜ,ᵇcategory,^afRfs□[,³,ê□A□V<K,É□ì□¬,³,ê,^{1⁄2}categoryfIfufWfFfNfg,đ•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,̀fvf□fpefB,Å,Í□Acategory,đfCf“ffNfX•Ê,Ü,½,Í—¼‘O•Ê,É•Ô,μ,Ü,·□B,±
,ê,ÍffftfHf<fg,̀fvf□fpefB,Å,·□B

Categories,àŽQ□Æ

ItemByID (ID as Long) as Object

,±,̀fᵛf□fpfefB,Å,Í□Acategory,ðfJfefSfŠID•Ê,É•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

RemoveilIndex as Long / Name as Stringj

fCf“ffNfX,Ü,½,¼‘O,ǒŽw'è,·,é,±,Æ,Åcategory,ǒCumulusJf^f fO,©,çíœ,·,é,±,Æ,ª,Å,«,Ü,·B

Categories,àŽQÆ

Export (Path as string)

Export,É,æ,èACumulusfJf^fO,ìfJfefSfŠ,a‘,«o,³,ê,Ü,·B‘,«o,µftf@fCf<,ª¶Y,µ,È,¢ê‡,Í
Aì¬,³,ê,Ü,·B

Categories,àŽQÆ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Collapsed:fu[f<

,±,ìfvf ppefB,Å,íAf†[fUfCf“f^ftfF[fX“à,ìfJfefSfŠ,ì”ñŠK‘w•Ž|ó‘Ô,đ•Ôl,Ü,½,íY’è,Å,«,Ü,·B

Categories,àŽQÆ

Directory:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfffBfÆfNfgfŠfJfefSfŠ□iflfŠfWfif<ftf@fCf<,ª•Û'¶,³,ê,Ä,¢,étfHf<f_–
¼ŠK'w,ð•\,µ,½fJfefSfŠ□j,ìfpfX,ì•Ô'l,Ü,½,Í□Ý'è,ª,Å,«,Ü,·□B

Categories,àŽQ□Æ

ID:Long

,±,ìfᵛf□fpfefB,Å,Í□AfJfefSfŠ,ì“à•”ID,ð•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Level:Long

,±,ìfᵛf□fpfefB,Å,Í□AfJfefSfŠfcfŠ□["à,ìfJfefSfŠ,ìfÆxf<,ð•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfJfefSfŠ^{-1/4},ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B,±,ê,ífftfHf<fg,ìfvf□fpfefB,Å,·□B

Categories,àŽQ□Æ

Original: flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□AfGfCfŠfAfX,lfIfŠfWfif<category,İ•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Categories,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□AfJfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

ParentCategory: flfuWfFfNfg

,±
,lfvf fpfefB,Å,Í AfJfefSfŠ, category, Ì•Ô'I,Ü,½,Í Ý'è,^aÅ,«,Ü,· B'I m,È,µ n,Í A'æ êŠK'wfJfefSfŠ,ð
^Ó-i,µ,Ü,· B

Categories,àŽQ Æ

SubCategories:*fIfuFfNfg*

,±,ìfvf□fpfefB,Å,í□AfJfefSfŠ,ìsub-categories,ìfRfÆfNfVf‡f“,đ•Ô,μ,Ü,·□B

Categories,àŽQ□Æ

Type:Long

,±,ìfṽf□fpfefB,Å,Í□AfJfefSfŠ,ìĈ`Ž®,đ•Ô,μ,Ü,·□B

ŽŸ,ì'l,đ•Ô,μ,Ü,·□B

'Ê□í,ìfJfefSfŠ = 0
fGfCfŠfAfX = 1 □i“Ç,Ý,Æ,è□ê—p□j
ftfHf<f_fJfefSfŠ = 2

CategoryTypeConstants□ACategories,àŽQ□Æ

Export (Path as string)

Export,É,æ,è□AfJfe fSfŠ,^a1,Â□‘,«□o,³,ê,Ü,·□B□‘,«□o,μftf@fCf<,^a¶□Ý,μ,È,¢□ê□‡,Í□ì□¬,³,ê,Ü,·□B

Categories,àŽQ□Æ

Application:*flfuFWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*flfuFWfFfNfg*,đ•Ô,μ,Ü,·□B

FileFormatEntry,àŽQ□Æ

DefaultBitmap:•¶Žš—ñ

,±
,ìfvf□fpfefB,Å,Í□AfJf^f□fOŽž,Éftf@fCf<,ìfTf€fIfCf<,ª□ì□¬,Å,«,È,¢□ê□‡,É'l'ð,³,ê,é□AfftfHf<fg,ìf
rfbfgf}fbfv%œ'œ,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

FileFormatEntry,àŽQ□Æ

Extension:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□Aftf@fCf<Æ`Ž®Žw'è,^afTf|
□[fg,·,éftf@fCf<Æ`Ž®,lŠg'£Žq,ì•Ô'l,Ü,½,Í□Ý'è,^aÅ,«,Ü,·□B

FileFormatEntry,àŽQ□Æ

FileFormat:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□Aftf@fCf<E`Ž®Žw'è,ìftf@fCf<E`Ž®,ì•¶Žš—ñ,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

FileFormatEntry,àŽQ□Æ

IsActive:fu[f<

,±,ìfvf ppefB,Å,ÍAftf@fCf<Æ`Ž@Žw'è,^a—LÆø,©,»,¤,Å,È,¢,©,ì•Ô'l,Ü,½,ÍÝ'è,^aÅ,<,Ü,·B

FileFormatEntry,àŽQÆ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□A□uGeneric Filter□v,É, ,éftfBf<f^,È,Ç,ìftf@fCf<Æ`Ž®Žw'èfRf“fgf□□[f<—
¼,ì•Ô'l,Ü,½,Í□Ýè,^a,Å,«,Ü,·□B,±,ê,ÍffftfHf<fg,ìfvf□fpfefB,Å,·□B

FileFormatEntry,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Aftf@fCf<Æ`Ž@Žw'è,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

FileFormatEntry,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

FileFormatTable,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,Í□AfCf“fXfg□[f<,³,ê,½ftf@fCf<Æ`Ž®Žw'è,ì□”,đ•Ô,μ,Ü,·□B

FileFormatTable,àŽQ□Æ

Add (Name as String [, AsIndex as Long]) as Object

,±,̀f□f\fbfh,É,æ,è□A“Á'è,̀ftfBf<f^fRf“fgf□□[f<-¼□i,½,Æ,¡,Î□uGeneric
Filter□v□j,̀ftf@fCf<Æ`Ž®Žw'è,a'Ç%oÁ,³,ê,Ü,·□BflfvfVf‡f“,̀fpf%of□□[f^AsIndex,a□Ý'è,³,ê,Ä,¢
,é□ê□‡,Í□A,»,±,É}'ü,³,ê□A□Ý'è,³,ê,Ä,¢,È,¯,ê,Î0^Ê'u,É}'ü,³,ê,Ü,·□B□V<K,É□ì□-,³,ê,½file format
entryflfufWfFfNfg,đ•Ô,μ,Ü,·□B

FileFormatTable,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,ìfvf□fpfefB,Å,Í□Afile format entry,ðfCf“ffNfX•Ê,Ü,½,Í—¼‘O•Ê,É•Ô,μ,Ü,·□B—
¼‘O,ªŠg'£Žq,ì,Ý,ì□ê□‡□A□Å□%,Ê^ê`v,·,éftf@fCf<Æ`ŽŽw'è,ª•Ô,³,ê□A—
¼‘O,ªŠg'£Žq□A<æ□Ø,è•¶Žš□A,“,æ,ÑftfBf<f^fRf“fgf□□[f<—¼,©,ç□\□¬,³,ê,Ä,¢,é□ê□‡,Í□AŽw'è,³,ê,½“ü
—Í,ð•Ô,μ,Ü,·□B<æ□Ø,è•¶Žš,É,Í□A' '□A': '□A,Ü,½,Í'-,ì,¢,ª,ê,©,ðŽg—p,Å,«,Ü,·□B,±
,ê,ÍffftfHf<fg,ìfvf□fpfefB,Å,·□B

—á:

dim filter as object

set filter = theApp.CatalogingOptions.FileFormatTable ("bmp:Canto Wang Filter", 4)

FileFormatTable,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□Aftf@fCf<Æ`Ž@Žw'è,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

FileFormatTable,àŽQ□Æ

RemoveilIndex as Long / Name as Stringj

,±,ìfvf f p f e f B, Å, Í A f t f @ f C f < E ` Ž ® Ž w ' è , a f C f “ f f f N f X • Ê , Ü , ½ , Í — ¼ ' O • Ê , É í í œ , ³ , ê , Ü , · B —
¼ ' O , a Š g ' E Ž q , Ì , Ý , Ì ê ð ‡ A Å % , Ê ^ ê ` v , · , é f t f @ f C f < E ` Ž ® Ž w ' è , a í í œ , ê A —
¼ ' O , a Š g ' E Ž q A < æ Ø , è • ¶ Ž š A , · , æ , Ñ f t f B f < f ^ f R f “ f g f [f < — ¼ , © , ç \ ¬ , ³ , ê , Ä , ¢ , é ê ð ‡ , Í A Ž w ' è , ³ , ê , ½ “ ü
— Í , a í í œ , ³ , ê , Ü , · B < æ Ø , è • ¶ Ž š , É , Í A ' ' A ' : A , Ü , ½ , Í ' - ' , Ì , ¢ , , ê , © , đ Ž g — p , Å , « , Ü , · B

—á:

theApp.CatalogingOptions.FileFormatTable.Remove ("bmp:Canto Wang Filter")

FileFormatTable,àŽQÆ

Application:*fIfufWfFfNfg*

,±,`fvf□fpefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

AssetReference,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Aftf@fCf<fŠftf@fÆf“fX,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

AssetReference,àŽQ□Æ

Text:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□Aftf@fCf<fŠftf@fÆf“fX,ìfpfX-¼,a•¶Žš—ñ,Å•Ô,³ê,Ü,·□B,±
,ê,íffffHf<fg,ìfvf□fpfefB,Å,·□B

AssetReference,àŽQ□Æ

Type:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□Aftf@fCf<fŠftf@fÆf“fX,ìÆ`Ž®,ª•¶Žš—ñ,Å•Ô,³,ê,Ü,·□B

Æ»□sfo□[fWf‡f“,Å,í□Aftf@fÆf“fXÆ`Ž®,í"MacOS",Ü,½,í"Windows",ì,¢,,ê,©,Å,·□B

AssetReference,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

AssetReference,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Aftf@fCf<fŠftf@fÆf“fX,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

AssetReference,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□AŠeŽífvf%fbgftfH□[f€,ì³,Ü,´,Ü,Èfile references,ì□",đ•Ô,μ,Ü,·□B

AssetReference,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,ìfvf□fpfefB,Å,íCf“ffNfX,Ü,½,í–¼'O,đŽw'è,.,é,±,Æ,Å□Afile reference,đ•Ô,μ,Ü,·□B

Œ»□sfo□[fWf±f“,Å,í□A–¼'O,í"MacOS",Ü,½,í"Windows",ì,ç,,ê,©,É,È,è,Ü,·□B,±
,ê,íffftfHf<fg,ìfvf□fpfefB,Å,·□B

AssetReference,àŽQ□Æ

Update (PathName as String)

,±,ìf□f\fbfh,É,æ,è□Aftf@fCf<fŠftf@fŒf“fX,^aÁ'è,ìpfX,Å□X□V,³,ê,Ü,·□B

AssetReference,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

LogEntries,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□Log_entries□”,ð•Ô,μ,Ü,·□B

LogEntries,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,Í□Af□fO“ü—Í,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

LogEntries,àŽQ□Æ

Clear

,±,ìf□f\fbfh,É,æ,è□AfJf^f□fO,ìf□f,fŠf□fO,^afNfŠfA,³,ê,Ü,·□B

LogEntries,àŽQ□Æ

Save[i]Pathname as String[j]

,±,ìf[]f\bfbfh,É,æ,è[]Af[]fO,ªfefLfXfgftf@fCf<,É•Û‘¶,³,ê,Û,·[]BfJf^f[]fO,ìfIfvfVf‡f“
"SaveLogToFile",ªfAfNfefBfu,ì[]ê[]‡[]A,·,x,Ä,ìf[]fOf tf@fCf<,ªfefLfXfgftf@fCf<,Æ,µ,Ä•Û‘¶,³,ê[]A,»,
²,Ä,È,¢[]ê[]‡,Íf[]f,fŠf[]fO“ü—Í,¾,¯,ª•Û‘¶,³,ê,Û,·[]B

LogEntries,àŽQ[]Æ

Item (Index as Long) as Object

,±,ìfvf□fpfefB,Å,í□Log_entry,^afCf“ffNfX•Ê,É•Ô,³,ê,Ü,·□B,±,ê,ífftfHf<fg,ìfvf□fpfefB,Å,·□B

LogEntries,àŽQ□Æ

Action:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□A□ufJf^f□fO,ðŠJ,□v,ì,æ,ð,ÈfJf^f□fO,É'î,μ,Ä□s,í,ê,½□^—□,ð<L□q,.,é•¶Žš—
ñ,ð•Ô,μ,Û,·□B

LogEntries,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

LogEntries,àŽQ□Æ

Date:“ú•t

,±,ìfvf□fpfefB,Å,í□Af□fO“ü—í,ìf^fCf€fXf^f“fv,ð•Ô,μ,Ü,·□B

LogEntries,àŽQ□Æ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□Af□fO“ü—í,ìf†□[fU—¼,đ•Ô,μ,Ü,·□B,±,ê,ífftfHf<fg,ìfvf□fpfefB,Å,·□B

LogEntries,àŽQ□Æ

Object:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfÆfR□[fh–¼,âfJfefSfŠ–¼,È,Ç□Af□fO“ü—
Í,ì'Ç%Á□î•ñlfufWfFfNfg,ð•Ö,μ,Ü,·□B

LogEntries,àŽQ□Æ

Parent:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□Af□fO“ü—í,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

LogEntries,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

PathMapping,àŽQ□Æ

FromPath:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□Af}fbfvÆ³,ìpfX,ì•Ôl,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

PathMapping,àŽQ□Æ

Parent: flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfpfXf}fbfsf“fO,ì□eflfufWfFfNfg,ð•Ô,μ,Ü,·□B

PathMapping,àŽQ□Æ

ToPath:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AFromPath,ìf}fbfv□æ,Å, ,épfX,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

PathMapping,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

PathMapping,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,Í□AfpfXf}fbfsf“fOfe□[fuf<“à,ì“ü—Í□”,ð•Ô,μ,Ü,·□B

PathMapping,àŽQ□Æ

Parent: flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfpfXf}fbfsf“fO,ì□eflfufWfFfNfg,ð•Ô,μ,Ü,·□B

PathMapping,àŽQ□Æ

Add (FromPath as String, ToPath as String) as Object

,±,ìf□f\fbfh,É,æ,è□A“Á'è,ìFromPath,,æ,ÑToPath•¶Žš—ñ,ðŽg,Á,Ä□V<K“ü—Í,^apfXf}
fbfsf“fOfe□[fuf<,É'Ç%Á,³,ê□A□V<K□ì□¬,³,ê,^{1/2}path mappinglfufWfFfNfg,ð•Ô,μ,Ü,·□B

PathMapping,àŽQ□Æ

Item (Index as Long / FromPath as String) as Object

,±,̀fvf□fpfefB,Å,Í□Apath mappinglfufWfFfNfg,^afCf“ffNfX•Ê,Ü,½,ÍFromPath•Ê,É•Ô,³,ê,Ü,·□B,±
,ê,ÍfftfHf<fg,̀fvf□fpfefB,Å,·□B

PathMapping,àŽQ□Æ

Remove ilIndex as Long / FromPath as String j

,±,ìf f\fbfh,É,æ,è AfCf“ffNfX,Ü,½,ÍFromPath•¶Žš—ñ,đŽg,Á,Ä Apath mapping
object,ðfe[fuf<,©,ç íœ,Å,«,Ü,·B

PathMapping,àŽQÆ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

Preferences,àŽQ□Æ

ManualPreviewSize:Long

"ManualPreviewSize",^affftfHf<fg,̀preview size,Æ,μ,Ä'l'ð,³,ê,Ä,¢,éêê‡

,±,̀fvf□fpfefB,Å,Í□AfvfÆfrf...□[fTfCfY,^afsfNfZf<'P^Ê,Å•Ô'l,Ü,½,Í□Ý'è,Å,«,Ü,·□B

Preferences,àŽQ□Æ

OpenAtStartup:fu□[f<

,±,ìfvf□fpfefB,Å,í□AfAvfŠfP□[fVf‡f“<N“®Žž,ÉfJf^f□fO,đ□Ä“xŠJ,,©,Ç,▯
,©,İ•Ôl,Ü,½,í□Ý’è,^a,Å,«,Ü,·□B

Preferences,àŽQ□Æ

OpenCatalogView:Long

,±,ìf∨f□fpfefB,Å,Í□AfJf^f□fO,ì<N“@Žž,ì•Ž!,đ•Ô'l,Ü,½,Í□Ý'è,Å,«,Ü,·□B

ŽŸ,ì'l,đ□Ý'è,Å,«,Ü,·□B

ŠÇ—□ŽÒf,□[fh = 0

fTf€flfCf<f,□[fh = 1

fŠfXfgf,□[fh = 2

•Â,¶,ç,ê,½,Æ,«,ì□ó'Ô = 3

CatalogViewConstants□APreferences,ăŽQ□Æ

Parent:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfAvfŠfP□[fVf‡f“□Ý'è,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Preferences,àŽQ□Æ

PathMappings: *fIfuFWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Apath mappings*fIfuFWfFfNfg*,đ•Ô,μ,Ü,·□B

Preferences,àŽQ□Æ

PreviewSize:Long

,±,ìfvf□fpfefB,Å,Í□AfvfÆfrf...□[fEfBf“fhfE,ìffftfHf<fgfTfCfY,ì•Ô'l,Ü,½,Í□Ý'è,^aÅ,«,Ü,·□B

ŽŸ,ì'l,ð□Ý'è,Å,«,Ü,·□B

fIfŠfWfi<fvfÆfrf...□[fTfCfY = 0

□Å'åfvfÆfrf...□[fTfCfY = 1

f}fjf...fAf<fvfÆfrf...□[fTfCfY = 2

PreviewSizeConstants□APreferences,àŽQ□Æ

ResolveRelatedCategories:fu[f<

,±,lfvf f p f e f B, Å, Í Af J f e f S f Š, ì f G f C f Š f A f X, đ Ž g — p, μ, Ä Æ Ÿ ð, ·, é, ©, Ç, ¢, ©, ì • Ô ' l, Ü, ½, Í Ñ Ý è, ª, Å, «, Ü, · B

Preferences, à Ž Q Æ

SearchForCategoriesAbove:fu[f<

,±,lfvfppfeB,Å,ÍAfJfeSfŠŒŸð,ÅãÊ,lfJfeSfŠ,àŠÜ,ß,ÄŒŸð,·,é,©,Ç,¤
,©,İ•Ôl,Ü,½,ÍŸ'è,^a,Å,«,Ü,·B

Preferences,àŽQÆ

SearchForCategoriesBelow:fu[f<

,±,lfvfppfeB,Å,ÍAfJfeSfŠŒŸð,Å%°ÊfJfeSfŠ,àŠÜ,ß,ÄŒŸð,·,é,©,Ç,¤
,©,İ•Ôl,Ü,½,ÍŸ'è,^a,Å,«,Ü,·B

Preferences,àŽQÆ

SearchAllSelectedCategories:fu[f

,±
,lfvfppfefB,Å,ÍAfJfefSfŠŒŸð,Å,·,×,Ä,lfJfefSfŠ,ðŠÜ,þfŒfR[fh,ðŒŸðð,·,é,©A,»,ê,Æ,à1,Â^È
ðã,lfJfefSfŠ,ðŠÜ,þfŒfR[fh,ðŒŸðð,·,é,©,ì•Ô'l,Ü,½,ÍŸ'è,^aÅ,«,Ü,·B

Preferences,àŽQÆ

ShowTooltips:fu□[f◄

,±,ìfvf□fpfefB,Å,Í□AfTf€flfCf◄f,□[fh,Åfc□[f◄f`fbfv,ð•Ž|,.,é,©,Ç,¤,©,ì•Ôl,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Preferences,àŽQ□Æ

ShowWarnings:fu[f<

,±,ìfvf p p f e f B,Å,ÍACEx,ð•Ž!,.,é,©,Ç,¤,©,ì•Ô!l,Ü,½,íY'è,^a,Å,«,Ü,.B

Preferences,àŽQÆ

ThumbnailSimilarityThreshold (0 To 1):Long

,±,ìƒvf□ƒpƒefB,Å,Í□AƒTƒ€ƒƒCƒ<,ì—ƒŽ—ÆŸ□đ,đ□s,Ɔ□Ů□A—ƒŽ—,ì“x□‡,¢
,đ□Ÿ'è,μ,½'l,ì•Ô'l,đ,μ,½,è□A,Ü,½□Ÿ'è,đ,·,é,±,Æ,^a,Å,«,Ü,·□BƒƒƒƒHƒ<ƒg'l,Í{10, 30},Å,·□BÆŸ□đ"Íí,đ<·,-
,·,é,É,Í□A,æ,è□¬,³,¢'l,đ□Ÿ'è,μ,Ü,·□B

Preferences,àŽQ□Æ

Units:Long

,±, ì f v f □ f p f e f B, Å, Í □ A • Ž, ' P ^ Ê, ì • Ô ' I, Ü, ½, Í □ Ý ' è, ª, Å, «, Ü, · □ B

Ž Ÿ, ì ' I, ª □ Ý ' è, Å, «, Ü, · □ B

$$f C f " f ` = 0$$

$$f Z f " f ` f □ □ [f g f < = 1$$

$$f \sim f \check{S} f □ □ [f g f < = 2$$

$$f z f C f " f g = 3$$

$$f s f N f Z f < = 4$$

$$f p f C f J = 5$$

UnitConstants □ APreferences, à Ž Q □ Æ

UseGrid:fu[f<

,±,lfvfppfefB,Å,ÍAfJf^ffOfEfBf“fhfE,lfTfCfY•İX,ÉOfŠfbfh,ðŽg—p,·,é,©,Ç,¤
,©,İ•Ôl,Ü,½,ÍY’è,^a,Å,«,Ü,·B

Preferences,àŽQÆ

UsePathMapping:fu[f<

,±,lfvfppfefB,Å,ÍAftf@fCf<fŠftf@fÆf“fX,lfJf^fO,ÉpfXf}fbfsf“fOfe[fuf<,ðŽg—
p,·,é,©,Ç,¤,©,İ•Ô'l,Ü,½,ÍY'è,^aÅ,«,Ü,·B

Preferences,àŽQÆ

WindowToOpenOnDoubleClick:Long

,±,ìfvf□fpfefB,Å,Í□AfÆfR□[fh,ðf_fuf<fNfŠfbfN,μ,½,Æ,«,Ç,ìEfBf“fhfE,ðŠJ,-
,©,ð•Ô'I,Ü,½,Í□Ý'è,Å,«,Ü,·□B

ŽŸ,ì'I,ð□Ý'è,Å,«,Ü,·□B

$$f v f \square f p f e f B f E f B f " f h f E = 0$$
$$f v f \mathbb{E} f r f \dots \square [f E f B f " f h f E = 1$$

OnDoubleClickConstants□APreferences,àŽQ□Æ

Application:*flufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*flufWfFfNfg*,đ•Ô,μ,Ü,·□B

Record,àŽQ□Æ

Categories: *fIfufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□AfŒfR□[fh,ÉŠ,,è“–,Ä,ç,ê,½categories,ìfRfŒfNfVf‡f“,đ•Ô,μ,Ü,·□B

Record,àžQ□Æ

ColorMode:Long

,±,ìf∨f□fpfefB,Å,í□AfÆfR□[fh,ì%œ'œf,□[fh,ì•Ô'l,Ü,½,í□Ý'è,^aÅ,«,Ü,·□B

ŽŸ,ì'l,^a□Ý'è,Å,«,Ü,·□B

$$\begin{aligned} f\%_o f C f " f A \square [f g &= 0 \\ f O f \mathbb{E} \square [f X f P \square [f < &= 1 \\ f J f \% \square [&= 2 \end{aligned}$$

ColorModeConstants□ARecord,àŽQ□Æ

Deletable:fu[f<

,±,ìfvf f p f e f B,Å,Í AfÆ f R[fh,a í æ%oÂ"\\,©,Ç,¤,©,ì•Ô'l,Ü,½,Í Ý'è,a,Å,«,Ü,·B

Record,àžQÆ

AssetCreationDate:“ú•t

,±,ìfvf□fpfefB,Å,í□AfÆfR□[fh,ìlfŠfWfif<ftf@fCf<,l□ì□¬“ú,ì•Ô'l,Ü,½,í□Ý'è,^aÅ,«,Ü,·□B

Record,àžQ□Æ

AssetDataSize:“ú•t

,±,ìfvf□fpfefB,Å,Í□AfIfŠfWfif<ftf@fCf<,ìff□[f^ftfH□[fNfTfCfY,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Record,àžQ□Æ

FileFormat:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AƒƐfR□[fh,ìftf@fCf<Ɛ`Ž®,ì•Ôl,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

AssetModificationDate:“ú•t

,±,lfvf□fpfefB,Å,Í□AfÆfR□[fh,lfIfŠfWfif<,ì□C□³“ú,đ•Ô'l,Ü,½,Í□Ý'è,Å,«,Ü,·□B

Record,àžQ□Æ

AssetReferences

,±,ìfvf□fpfefB,Å,í□AflfŠfWfi<ftf@fCf<,ì³,Ü,´,Ü,Èfvf%fbfgftfH□[f€,É,Â,¢
,Ä,ìftf@fCf<fŠftf@fŒf“fX,ð“Ç,Y□o,·,±,Æ,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

AssetRsrcSize:Long

,±,ìfvf□fpfefB,Å,Í□AfIfŠfWfif<ftf@fCf<,ìfŠf\□[fXftfH□[fNfTfCfY,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,«,Ü,·□B

Record,àžQ□Æ

AssetSize:Long

,±
,lfvf□fpfefB,Å,Í□AfIfŠfWfif<ftf@fCf<,lftf@fCf<fTfCfY□iflfŠfWfif<ff□[f^fTfCfY,ÆAssetRsrc
Size,l□‡Æv□j,ð•Ô,μ,Ü,·□B

Record,àŽQ□Æ

Height:Double

,±,lfvf□fpfefB,Å,Í□AflfŠfWfif<ftf@fCf<,lftf@fCf<,l□,,³,^afCf“f`P^Ê,Å•Ô,³,ê,é,©□A□Ý'è,Å,«,Ü,·□B

Record,àŽQ□Æ

HorizontalResolution:Double

,±,̀fvf□fpfefB,Å,Í□AfIfŠfWfif<ftf@fCf<,̀□...•½%øđ“x,̀•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Record,àžQ□Æ

ID:Long

,±,ìfvf□fpfefB,Å,í□AƒƐfR□[fh,ì“à•”ID,ð•Ô,μ,Ü,·□B

Record,àŽQ□Æ

MacCreator:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfÆfR□[fh,ìMacintoshfNfŠfG□[f^f^fCfv□i4•¶Žš□j,ì•Ô'I,Ü,½,í□Ý'è,^aÅ,«,Ü,·□B

Record,àŽQ□Æ

MacFileType:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfÆfR□[fh,ìMacintoshftf@fCf<f^fCfv□i4•¶Žš□j,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Record,àžQ□Æ

Asset:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfÆfR□[fh,ìftf@fCf◁\Ž!fpfX,ì•Ôl,Ü,½,í□Ý'è,^aÅ,«,Ü,·□B

Record,àžQ□Æ

Modifiable: fu[f

,±,ìfvf ppefB,Å,ÍAfÆfR[fh,aC3%oÂ",©,Ç,¤,©,ì•Ô'I,Ü,½,ÍÝ'è,a,Å,«,Ü,.B

Record,àŽQÆ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfÆfR□[fh⁻¹/₄,ì•Ô'I,Ü,½,Í□Ý'è,^aÅ,«,Ü,·□B,±,ê,ÍfftfHf<fg,ìfvf□fpfefB,Å,·□B

Record,àŽQ□Æ

Notes:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfÆfR□[fh,ìfm□[fg,ì•Ôl,Ü,½,í□Ý'è,^aÅ,«,Ü,·□B

Record,àžQ□Æ

Parent: flfufWfFfNfg

,±,lfvf f p f e f B, Å, í AfÆfR [fh, l e f l f u f W f F f N f g, ð•Ô, µ, Ü, · B

Record, àžQ Æ

RecordCreationDate:“ú•t

,±,ìfvf□fpfefB,Å,Í□AfÆfR□[fh,ì□ì□¬“ú,ì•Ô'I,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

RecordModificationDate:“ú•t

,±,ìfvf□fpfefB,Å,Í□AfÆfR□[fh,ì□C□³“ú,ì•Ô'l,Ü,½,Í□Ý'è,^aÅ,«,Ü,·□B

Record,àŽQ□Æ

Software:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfiſŠfWfiſ<ftf@fCf<,ì□ì□-f\ftfgfEfFfA,ì•Ô'l,Ü,½,í□Ý'è,^aÅ,«,Ü,·□B

Record,àŽQ□Æ

Status:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,Í□AƒƎfR□[fh,ìstatus,ì•Ô'I,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

fƎfR□[fh,ìfxfe□[f^fX,ð□Ý'è,·,é,É,Í□AŽŸ,ì□\•¶,ðŽg—p,μ,Ä,,¾,³,¢□B

set record.status = newStatus

"set",ð□È—^a,·,é,Æ□AŽQ□Æ,³,ê,éfXfe□[f^fX—¼□iffƒtfHf<fg,ìfvf□fpfefB□j,^a•İ,í,è,Ü,·□B

Record,àŽQ□Æ

TypeSpecific:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□Aftf@fCf<Æ`Ž@“Á—L,ì□î•ñ,ð16□i•¶Žš—ñ,Æ,μ,Ä•Ôl,Ü,½,í□Ý'è,Å,«,Ü,·□B

Record,àžQ□Æ

User:•¶Žš—ň

,±,ìfvf□fpfefB,Å,í□AfÆfR□[fh,ìf†□[fU—¼,ì•Ôl,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

VerticalResolution:Double

,±,ìfvf□fpfefB,Å,Í□AfIfŠfWfi<ftf@fCf<,ì□,'¼%øð'œ"x,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Record,àžQ□Æ

Width:Double

,±,ìfvf□fpfefB,Å,Í□AflfŠfWfif<ftf@fCf<,ì•□,ðfCf“f`P^Ê,Å•Ôl,Ü,½,Í□Ý'è,Å,«,Ü,·□B

Record,àŽQ□Æ

UpdateAssetReference

fŠf\<fof,fWf...[f<É,æ,Á,Äf_CfAf□fOf{fbfNfX,đ•Ž|,¹,fŠftf@fÆf“fX,đ%đ□í,Å,«,é□ê□‡□A,±
,lf□f\fbfh,É,æ,è□AfÆfR□[fh,lflfŠfWfif<ftf@fCf<,ìfile reference,ªŠm”F,³,ê□A□X□V,³,ê,Ü,·□B

Record,àžQ□Æ

CopyAsset[iToPathName as String]j

,±,lf\fbfh,É,æ,èAfÆfR[fh,lfIfŠfWfif<ftf@fCf<,a“Á'è,lfHf<f_fpfX,ÉfRfs[,³,ê,Ü,·B

Record,àŽQÆ

CopyThumbnail

,±,ìf□f\fbfh,É,æ,è□AfÆfR□[fh,ìfTf€flfCf<,^afNfŠfbfvf{□[fh,ÉfRfs□[,³,ê,Ü,·□B

Record,àŽQ□Æ

Delete

,±,ìf□f\bfbfh,É,æ,è□AƒÆfR□[fh,^afJf^f□fO,©,ç□í□œ,³ê,Ü,·□B

Record,àŽQ□Æ

Deselect

,±,ìf□f\bfbfh,É,æ,è□AfJf^f□fO,ìrecord selection,©,çfÆfR□[fh,ª'l'ð%ð□œ,³,ê,Ü,·□B

Record,àŽQ□Æ

Export iToPathName as String j

Export,É,æ,è AfÆfR [fh î•ñ,ª,«o,³,ê,Ü,·B',«o,µftf@fCf<,ª¶Ý,µ,È,¢ê‡,ÍA ì¬,³,ê,Ü,·B

Record,àŽQ Æ

MoveAsset[iToPathName as String]j

,±
,lf\fbfh,É,æ,èAfÆfR[fh,lfIfŠfWfif<ftf@fCf<,a“Á’è,lftfHf<f_pfx,É^Ú“®,³,êAfÆfR[fh,lfIf
ŠfWfif<ftf@fCf<,lfŠftf@fÆf“fX,aXV,³,ê,Ü,·B

Record,àŽQÆ

ShowPreviewWindow

,±,̀f□f\fbfh,É,æ,è□AfIfŠfWfi<ftf@fCf<,̀fvfÆfrf...
□[fEfBf“fhfE,^afAfvfŠfP□[fVf‡f“ftfÆ□[f€“à,É•Ž_i,³,ê,Ü,·□B

Record,àŽQ□Æ

OptimizeThumbnail

,±,ìf□f\fbfh,É,æ,è□AfÆfR□[fh,ìfTf€flfCf<,ªN-¾,É,È,è,Ü,·□B

Record,àŽQ□Æ

PasteThumbnail

,±,ìf□f\fbfh,É,æ,è□AfÆfR□[fh,ìfTf€flfCf<,^afNfŠfbfvf{□[fh,©,çfrfbfgf}fbfv,É'u,«Š,í,è,Ü,·□B

Record,àŽQ□Æ

RotateThumbnailByDegrees as Longj

,±,ìf f\fbfh,É,æ,èAfTf€flfCf<,^aŽw'è,ìŠp“x,É%ñ”]
,³,ê,Ü,·Bfpf%ff[f^,íA90,ì”{“,Å,È,¯,ê,î,È,è,Ü,¹,ñB

Record,àŽQÆ

Select

,±,ìf□f\bfbfh,É,æ,è□AƒÆfR□[fh,^afJf^f□fO,ìrecord selection,É'Ç%Á,³,ê,Ü,·□B

Record,àžQ□Æ

ShowPropertiesWindow

,±,ìf□f\fbfh,É,æ,è□AƒÆfR□[fh,ìfvf□pfefBfEfBf“fhfE,ª\Žì,³,ê,Ü,·□B

Record,àŽQ□Æ

Update[i[Always as Boolean]j

,±,ìf f\fbfh,É,æ,èA•K—
v,É%Ž,Ŧ,ÄfÆfR[fh,aXV,³,ê,Ü,·BflfvfVf‡f“fpf%ff[f^"Always",ð"True",ÉÝ'è,·,é,ÆAí,ÉX
V,aS,í,ê,Ü,·B

Record,àŽQÆ

Application:*flufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*flufWfFfNfg*,đ•Ô,μ,Ü,·□B

Record,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□Arerecords,ìfRfÆfNfVf‡f“□”,ð•Ô,μ,Ü,·□B

Record,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf f p f e f B, Å, í AfÆfR [fh, l e f l f u f W f F f N f g, ð•Ô, µ, Ü, · B

Record, àžQ Æ

Add:flfufWfFfNfg

,±,ìf□f\fbfh,É,æ,è□A□iŽǎ,ÉfefXfg—
p,É□j<ó,ìfÆfR□[fh,^a□V<K□ì□¬,³,ê□A□V<K□ì□¬,³,ê,¹/₂recordflfufWfFfNfg,^a•Ô,³,ê,Ü,·□B

Record,àŽQ□Æ

AddCopy□iRecord as Object□j

,±,ìf□f\fbfh,É,æ,è□A•Ê,ìfJf^f□fO,©,ç,±
,ìfJf^f□fO,ÖfÆfR□[fh,^afRfs□[,³,ê□A□V<K□ì□¬,³,ê,¹/₂recordfIfufWfFfNfg,^a•Ô,³,ê,Ü,·□B

Record,àžQ□Æ

Item (Index as Long / Name as String) as Object

,±,̀fvf□fpfefB,Å,Í□AfCf“ffNfX,Ü,½,Í-¼'O,đŽw'è,·,é,±,Æ,ÅRfÆfNfVf‡f“,̀record,đ•Ô,·,±
,Æ,ª,Å,«,Ü,·□B,±,ê,ÍfftfHf<fg,̀fvf□fpfefB,Å,·□B

Record,àžQ□Æ

ItemByIDilID as Longj

,±,ìfvf ppefB,Å,ÍArecord,ðfÆfR[fhlD•Ê,É“Ç,Ýo,μ,Å,«,Ü,·B

Record,àžQÆ

RemoveilIndex as Long / Name as Stringj

fCf“ffNfX,Ü,½,Í–¼'O,đŽw'è,.,é,±,Æ,ÅArecord,^afJf^fO,©,çíœ,³ê,Ü,·B•i”,lfÆfR[fh,đŽw,–
¼'O,^aŽw'è,³ê,Ä,ç,éê‡AÅ%,lfÆfR[fh,¾,¯,^aíœ,³ê,Ü,·B

Record,àŽQÆ

RemoveByID as Long

,±,`f\bfbfh,É,æ,èArecord,afœfR[fhID•Ê,ÉfJf^fO,©,çíœ,³,ê,Ü,.B

Record,àŽQÆ

Export iToPathName as String j

Export,É,æ,è A,·,x,Ä,lfÆfR[fhîñ,a‘,«o,3,ê,Ü,·B‘,«o,μftf@fCf<,a¶Ý,μ,È,¢ê‡,ÍAï¬,3,ê,Ü,·B

Record,àŽQÆ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

SelectedCategories,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,Í□ACumulusfJf^f□fO“à,ì‘ðfJfefSfŠ,ì□□A,Ü,½,Í1fÆfR□[fh“à,É“o~^,³,ê,Ä,¢
,éfJfefSfŠ□”,ð•Ô,µ,Ü,·□B

SelectedCategories,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□A'!‘đfJfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

SelectedCategories,àŽQ□Æ

AddCategory as Objectj

,±,lf\fbfh,É,æ,èAfJf^fO,lfJfefSfŠ'I'đ€–
Ú,Ü,½,ÍÆfR[fh,lfJfefSfŠftfB[f<fh,ÉfJfefSfŠ,^aÇ%Á,³,êAcategoryfIfufWfFfNfg,^a•Ö,³,ê,Ü,.B

SelectedCategories,àŽQÆ

Item (Index as Long / Name as String) as Object

,±,̀fvf□fpfefB,Å,ÍfCf“ffNfX,Ü,½,Í-¼'O,đŽw'è,.,é,±,Æ,Å□A'I'đ,μ,½category,đ•Ô,.,±,Æ,^a,Å,«,Ü,·□B,±
.ê,ÍfftfHf<fg,̀fvf□fpfefB,Å,·□B

SelectedCategories,àŽQ□Æ

ItemByID (ID as Long) as Object

,±,ìfvf□fpfefB,Å,Í□A'ì'ð,μ,½category,ðfJfefSfŠID•Ê,Ê•Ô,μ,Ü,·□B

SelectedCategories,àŽQ□Æ

RemoveilIndex as Long / Name as Stringj

fCf“ffNfX,Ü,½,¼‘O,đŽw'è,.,é,±,Æ,ÅAfJf^fO,lfJfefSfŠ'I'đ€–
Ú,Ü,½,¼fÆfR[fh,©,çfJfefSfŠ,aíœ,³,ê,Ü,.B

SelectedCategories,àŽQÆ

RemoveByID as Long

,±,lf\bfbfh,É,æ,èAfJf^fO,lfJfefSfŠ'I'đ€–
Ú,Ü,½,ÍÆfR[fh,©,çAfJfefSfŠ,afJfefSfŠID•É,Éíœ,³,ê,Ü,·B

SelectedCategories,àŽQÆ

ExportiPath as stringj

Export,É,æ,èACumulusJf^fO,ì'ðJfefSfŠ,Ü,½,ÍfÆfR[fh,É“o~^,μ,½JfefSfŠ,a',«o,³,ê,Ü,·B
',«o,μftf@fCf<,ª¶Y,μ,È,¢ê‡,ÍAï¬,³,ê,Ü,·B

SelectedCategories,àŽQÆ

Application:*flufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*flufWfFfNfg*,đ•Ô,μ,Ü,·□B

SelectedRecords,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,Í□ACumulusfJf^f□fO“à,ì‘ðfÆfR□[fh,ì□”,ð•Ô,μ,Ü,·□B

SelectedRecords,àŽQ□Æ

Parent: flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□A'ì'ðfÆfR□[fh,ì□eflfufWfFfNfg,ð•Ô,μ,Û,·□B

SelectedRecords,àŽQ□Æ

Add iRecord as Object j

,±, ð f f \ f b f h, É, æ, è Af J f ^ f f O, ð f f R [f h ' l ' ð f f –
Ú, É f f R [f h, ^ Ç % Á, ^, ê A record f l f u f W f F f N f g, ^ • Ô, ^, ê, Ü, . f B

SelectedRecords, à Ž Q f Æ

Item (Index as Long / Name as String) as Object

fCf“ffNfX,Ü,½,¼‘O,đŽw’è,.,é,±,Æ,Å□A‘đ,μ,½record,đ•Ô,.,±,Æ,^a,Å,«,Ü,·□B,±
.ê,ÍffftfHf<fg,ìfvf□fpfefB,Å,·□B

SelectedRecords,àŽQ□Æ

ItemByID (ID as Long) as Object

,±,ìfvf□fpfefB,Å,Í□A‘l‘ð,μ,½record,ðfÆfR□[fhID•Ê,É•Ô,μ,Û,·□B

SelectedRecords,àŽQ□Æ

Remove ilIndex as Long / Name as Stringj

,±,ìf f\fbfh,É,æ,èfCf“ffNfX,Ü,½,Í–¼'O,ðŽw'è,.,é,±,Æ,ÅAfJf^ffO,ìfÆfR[fh'l'ð€–
Ú,©,çfÆfR[fh,aíœ,³,ê,Ü,·B•j”,ìfÆfR[fh,ðŽw,·–¼'O,aŽw'è,³,ê,Ä,ç,éê±AÅ%
,ìfÆfR[fh,¾,¯,a'l'ð%ðœ,³,ê,Ü,·B

SelectedRecords,àŽQÆ

RemoveByID as Long

,±,lf\bfbfh,É,æ,èAfJf^fO,lfÆfR[fh'l'ð€-Ú,©,çfÆfR[fhID•Ê,ÉfÆfR[fh,^aíœ,³,ê,Ü,·B

SelectedRecords,àŽQÆ

ExportToPathName as String

Export,É,æ,èA'I'ð,³ê,¹/₂,·,×,Ä,lfÆfR[fh,lfÆfR[fhî•ñ,^ao,³ê,Ü,·B,«o,μftf@fCf<,^a¶Y,μ,È
,ϕê‡,ÍAî¬,³ê,Ü,·B

SelectedRecords,àŽQÆ

Application:*flfuFWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*flfuFWfFfNfg*,đ•Ô,μ,Ü,·□B

Server,àŽQ□Æ

Parent:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfT□[fo,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Server,àŽQ□Æ

IsAdministrator:fu[f

,±,ìfvf ppefB,Å,ÍAfT[fo,Ö,ìE»Ý,ìÚ±,ªŠÇ—ŽÖ,É,æ,éÚ±,©,Ç,ª,©,đ•Ô,μ,Ü,·B

Server,àŽQÆ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfT□[fo—¼,ð•Ô,μ,Ü,·□B

Server,àŽQ□Æ

Catalogs:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,Í□AfT□[fo,ìŠJ,¢,½catalogsfRfÆfNfVf‡f“,đ•Ô,μ,Ü,·□B

Server,àŽQ□Æ

Application:*flufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*flufWfFfNfg*,đ•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

Parent:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfT□[fofJf^f□fO,ì□eflfufWfFfNfg,ð•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,í□AfŠf,□[fgfJf^f□fO—¼,đ•Ô,μ,Ü,·□B,±,ê,ífftfHf<fg,ìlfufWfFfNfg,Å,·□B

ServerCatalog,àŽQ□Æ

ID:Long

,±,ìfvf□fpfefB,Å,í□AfŠf,□[fgfJf^f□fO,ìID,ð•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

IsShared:fu[f<

,±,ìfvf ppefB,Å,íAfŠf,[fgfJf^f fO,ìκ—Ló‘Ô,đ•Ô,μ,Ü,·B

ServerCatalog,àŽQÆ

Open:flfufWfFfNfg

,±
,lf\fbfh,É,æ,èAfT[fo,ÅŠf,[fgfJf^fO,aŠJ,©,êAfŠf,[fgfJf^fO,catalogflfufWfFfNfg
,a•Ô,³,ê,Ü,·B

ServerCatalog,àŽQÆ

Application:*flufWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*flufWfFfNfg*,đ•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□AŠJ,¢,½fŠf,□[fgfJf^f□fO,ìfRfÆfNfVf‡f“□”,đ•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

Parent: flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfT□[fofJf^f□fOfRfÆfNfVf‡f“,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

Add (Pathname as String [, WriteAccessPassword as String]) as Object

,±,ìf□f\fbfh,É,æ,è□AfIfvfvf‡f“,ì□‘,«□ž,Ý—
pfpfXf□□[fh,ðžg,Á,Ä□ASù‘¶,ìfJf^f□fO,ðfT□[fo,ìfJf^f□fOfŠfXfg,É'Ç%Á,·,é,±,Æ,^a,Å,«□Aserver
catalog,ð•Ô,μ,Ü,·□B

ServerCatalog,àžQ□Æ

Item (Index as Long / Name as String) as Object

,±,̀fvf□fpfefB,Å,ÍfCf“ffNfX,Ü,½,Í-¼'O,đŽw'è,.,é,±,Æ,Å□AfRfÆfNfVf‡f“,̀server
catalog,đ•Ô,μ,Ü,·□B,±,ê,ÍfftfHf<fg,̀fvf□fpfefB,Å,·□B

ServerCatalog,àŽQ□Æ

ItemByID (ID as Long) as Object

,±,ìfvf□fpfefB,Å,í□AfRfÆfNfVf‡f“,ìserver catalog,ðfJf^f□fO,ìID•Ê,Ê•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

New (Pathname as String, [CatalogName as String]) as Object

,±
,lf\fbfh,É,æ,èAfT[fo,ÅfJf^fO,ðV<Kï¬,µA,»,ê,ðfT[fo,lfJf^fOfŠfXfg,É'Ç%Á,µAs
erver catalog,ð•Ö,µ,Ü,·BfJf^fO-¼,ÍË—^a%Â",ÅA,»,ìê‡ftf@fCf<-¼,^affftfHf<fg,Æ,µ,ÄŽg—
p,³,ê,Ü,·B

ServerCatalog,àŽQÆ

Remove ilIndex as Long / Name as String

,±,ìfvf ppefB,Å,íAfCf“ffNfX,Ü,½,í-¼'O,ðŽw'è,·,é,±,Æ,Åserver
catalog,ªfRfEfNfVf‡f“,©,çíœ,³,ê,Ü,·B

ServerCatalog,àŽQÆ

RemoveByID as Long

,±,`fvf ppefB,Å,í Aserver catalog,afJf^f fOID•Ê,ÉfRfÆfNfVf‡f“,©,çíœ,³,ê,Ü,·B

ServerCatalog,àŽQÆ

Restore (BackupPathName as String, PathName as String [, WriteAccessPassword as String]) as Object

,±
,lf□f\fbfh,É,æ,è□AfJf^f□fO,lfobfNfAfbfvftf@fCf<"BackupPathName",ð•œŠ^{3,1}□AflfvfVf‡f“,ì□
,«□ž,Ý—
pfpfXf□□[fh,ðžg,Á,ÄfT□[fo,É□V<KfJf^f□fO"PathName",ð□ì□¬,μ,Ü,·□B,»,μ,Ä□A,»,ê,ðfT□[fo,lfJf^f
□fOfŠfXfg,É'Ç%‰Á,μ□A,Ü,½server catalog,ð•Ô,μ,Ü,·□B

ServerCatalog,àžQ□Æ

Application:*flfuFWfFfNfg*

,±,ìfvf□fpfefB,Å,Í□Application*flfuFWfFfNfg*,đ•Ô,μ,Ü,·□B

Status,àŽQ□Æ

ID:Long

,±,ìfvf□fpfefB,Å,í□Afxfe□[f^fX,ì"à•"ID,ð•Ô,μ,Ü,·□B

Status,àŽQ□Æ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□AfXfe□[f^fX-¼,ǎ•Ô,μ,Ü,·□B,±,ê,ÍfftfHf<fg,ìfvf□fpfefB,Å,·□B

Status,àŽQ□Æ

Parent: flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfXfe□[f^fX,ì□eflfufWfFfNfg,ð•Ô,μ,Ü,·□B

Status,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

StatusList,àŽQ□Æ

Count:Long

,±,`f v f p p e f B, Å, í A f J f ^ f f O,`f X f e [f ^ f X ", ð • Ô, µ, Ü, · B

StatusList, à ž Q Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfXfe□[f^XfŠfXfg,l□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

StatusList,àžQ□Æ

Add (Name as String, AsIndex as Long) as Object

,±,ìf□f\fbfh,É,æ,è□A“Á'è,ì–
¼'O,ÆfCf“fffNfX,ðŽg,Á,Ä□AfXfe□[f^fX,ðfJf^f□fO,ìfXfe□[f^fXfŠfXfg,É'}“ü,μ□AstatuslfufWfF
fNfg,ð•Ô,μ,Ü,·□B

StatusList,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,̀fvf□fpfefB,Å,ÍfCf“ffNfX,Ü,½,Í–¼'O,ďŽw'è,.,é,±,Æ,Å□Astatus,ď•Ô,.,±,Æ,^aÅ,«,Ü,·□B,±
.ê,ÍfftfHf<fg,̀fvf□fpfefB,Å,·□B

StatusList,àŽQ□Æ

ItemByID (ID as Long) as Object

,±,ìfvf□fpfefB,Å,í□Astatus,ðfXfe□[f^fXID•Ê,Ê•Ô,μ,Ü,·□B

StatusList,àŽQ□Æ

Remove ilIndex as Long / Name as Stringj

fCf“ffNfX,Ü,½,¼‘O,ǒŽw'è,.,é,±,Æ,ÅAstatus,ǒfJf^f fO,lfXfe[f^fXfŠfXfg,©,çíœ,Å,«,Ü,·B

StatusList,àŽQÆ

RemoveById❑iLong,Å,ilD❑j

,±,ìf❑f\bfbfh,É,æ,è❑Astatus,ðfXfe❑[f^fXID•Ê,ÉfJf^f❑fO,ìfXfe❑[f^fXfŠfXfg,©,ç❑í❑œ,Å,«,Ü,·❑B

StatusList,àŽQ❑Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

SubCategories,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□AfRfÆfNfVf‡f""à,ìfTfufJfefSfŠ□",ð•Ô,μ,Ü,·□B

SubCategories,àŽQ□Æ

Parent: flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfTfufJfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

SubCategories,àŽQ□Æ

Add:flfufWfFfNfg

,±,ìf□f\fbfh,É,æ,è□AfftfHf<fg,ìfJfefSfŠ–
¼,ðŽg,Á,Ä□A□V<KfJfefSfŠ,ðfTfufJfefSfŠfRfÆfNfVf‡f“,É’Ç%Á,μ□AcategoryflfufWfFfNfg,ð•Ô,
μ,Ü,·□B

SubCategories,àŽQ□Æ

AddCopy (Category as Object) as Object

,±
,lf□f\fbfh,É,æ,è□A fT fufJ fefS fŠ,ÆfIfŠfWfif<fJ fefS fŠ,ðŠÜ,p,·,x,Ä,lfJ fefS fŠ,ðfT fufJ fefS fŠR
fŒfNfVf‡f“,ÉfRfs□[,μ□AcategoryfIfufWfFfNfg,ð•Ô,μ,Ü,·□B

SubCategories,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,̀f v f □ f p f e f B, Å, Í f C f “ f f f N f X, Ü, ½, Í – ¼ ‘ O, đ Ž w ‘ è, ·, é, ±, Æ, Å □ Acategory, đ • Ô, ·, ±, Æ, ^a Å, «, Ü, · □ B, ±
.ê, Í f f f t f H f < f g, ̀f v f □ f p f e f B, Å, · □ B

SubCategories, à Ž Q □ Æ

Remove ilIndex as Long / Name as String

,±,̀f\bfbfh,É,æ,èfCf“ffNfX,Ü,½,Í–¼'O,ǒŽw'è,.,é,±
,Æ,ÅAcategory,ǒfJfefSfŠfRfÆfNfVf‡f“,©,çíœ,Å,«,Ü,·B

SubCategories,àŽQÆ

Application:*fIfufWfFfNfg*

,±,`fvf□fpefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

CanDeleteRecords:*f*u□[*f*◁

,±,ì*f*v*f*□*f*p*f*e*f*B,Å,Í□A*f*†□[*f*U,^a*f*J*f*^*f*□*f*O“à,ì*f*Æ*f*R□[*f*h,ì□í□œ,ð<-%Â,³,ê,Ä,¢,é,©,Ç,¤
,©,İ•Ôl,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

UserPermission,àŽQ□Æ

CanModifyCategories:fu[f

,±,ìfvf ppefB,Å,ÍAf†[fU,afJf^fOfŠfXfg,ìC³ifJfefSfŠ,ì'Ç%ÁA•ïXA,Ü,½,Ííœj,ð<–
%Â,³,ê,Ä,Φ,é,©,Ç,ϱ,©,ì•Ô'I,Ü,½,ÍÝ'è,a,Å,«,Ü,·B

UserPermission,àŽQÆ

CanModifyRecords:*f*u□[*f*€

,±,ì*f*v*f*□*f*p*f*e*f*B,Å,Í□A*f*†□[*f*U,^a*f*Ɛ*f*R□[*f*h,ì□C□³,đ<-‰Â,³,ê,Ä,¢,é,©,Ç,¤,©,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

UserPermission,àŽQ□Æ

CanModifyStatus:*f*u□[*f*◄

,±,ì*f*∇*f*□*f*p*f*e*f*B,Å,Í□A*f*†□[*f*U,^a*f*X*f*e□[*f*^*f*X,ì'Ç%Á□A•*ĩ*□X□A,Ü,½,Í□í□œ,É,æ,è*status list*,ð□C□³,·,é,±
,Æ,^a◄-%◊Â,³,ê,Ä,¢,é,©,Ç,¤,©,İ•Ô^l,Ü,½,Í□*Y*'è,^a,Å,◄,Ü,·□B

UserPermission,àŽQ□Æ

CanOpenCatalog:fu[f<

,±,ìfvf ppefB,Å,ÍAf†[fU,acatalog,đŠJ,,±,Æ,^a<-%Å,³,ê,Ä,¢,é,©,Ç,¤,©,ì•Ô'I,Ü,½,ÍÝ'è,^aÅ,«,Ü,·B

UserPermission,àŽQÆ

Name:•¶Žš—ñ

,±,ìfvf□fpfefB,Å,Í□Auser permission(f†□[fUfAfNfZfXfE_),ìf†□[fU-¼,ì•Ô'I,Ü,½,Í□Ý'è,^aÅ,«,Ü,·□B

UserPermission,àŽQ□Æ

Parent:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfAfNfZfXÆ ,ì□eflfufWfFfNfg,ð•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Application:*fIfufWfFfNfg*

,±,`fvf□fpfefB,Å,Í□Application*fIfufWfFfNfg*,đ•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□Auser permissions□",ð•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Parent:flfufWfFfNfg

,±,ìfvf□fpfefB,Å,í□AfAfNfZfXÆ ,ì□eflfufWfFfNfg,ð•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Add (Name as String) as Object

,±,ìf□f\fbfh,É,æ,è□A“Á'è,ì—¼'O,đŽg,Á,Ä□V◊KfAfNfZfXœ,đfAfNfZfXœ fRfœfNfVf‡f“,É'Ç%Á,μ□
Auser_permissionf\fuWfFfNfg,đ•Ö,μ,Ü,·□B

UserPermission,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,̀f∨f□f p f e f B, Å, Í □ Auser permission, ð f C f “ f f f N f X • Ê, Ü, ½, Í — ¼ ‘ O • Ê, É • Ô, μ, Ü, · □ B

UserPermission, à Ž Q □ Æ

Remove (Index as Long / Name as String)

fCf“ffNfX,Ü,½,¼‘O,ǒŽw'è,·,é,±,Æ,Å□Auser
permission,ǒfAfNfZfXÆ □EfRfÆfNfVf‡f“,©,ç□í□œ,·,é,±,Æ,^a,Å,«,Ü,·□B

UserPermission,àŽQ□Æ

ColorModeConstants

,±,ê,ç,ì'è",í□AƒŒƒR□[ƒh,ì%œ'œƒ,□[ƒh,ð•\,μ,Ü,·□B

ŽŸ,ì'l,ð□Ý'è,Å,«,Ü,·□B

$$\begin{aligned} f\%_o f C f " f A \square [f g &= 0, \\ f O f \mathfrak{E} \square [f X f P \square [f X &= 1 \\ f J f \% \square [&= 2 \end{aligned}$$

Application Object

CumulusAfvfŠfP□[fVf‡f“fIfufWfFfNfg,É,ÍŽŸ,ì,à,ì^a, ,è,Ü,·□B

[Application](#)

[CatalogingOptions](#)

[Catalogs](#)

[ConnectToServer](#)

[FrontCatalog](#)

[Fullname](#)

[Name](#)

[Parent](#)

[Preferences](#)

[RestoreCatalog](#)

[Visible](#)

[Quit](#)

[Overview](#),àŽQ□Æ

Catalog Object

fJf^f□fOfIfufWfFfNfg,đŽg,Á,Ä□AŠJ,¢,½CumulusfJf^f□fO,ÉfAfNfZfX,Å,«,Ü,·□B

AllowSharing
Application
Backup
CanDeleteRecords
CanModifyCategories
CanModifyRecords
CanModifyStatus
Catalog
CatalogServer
Categories
CategoriesVisible
CategoryTree
CollectionFolder
CollectionFolderUsage
Compress
DiskSpaceAvailable
Find
FlushLogConstantly
FullName
HasPassword
ImportCategories
ImportRecords
IsRemoteCatalog
KeepCategoryNamesUnique
KeepDeleted
LogEntries
LogFile
Logging
LogLength
MemoryAvailable
MemoryFree
MemoryRecommended
MemoryRequired
Name
NativeThumbnailSize
Parent
PublishToWWW
Query
Rebuild
RecoverDeletedRecords
Records
RecordsDeleted
RestrictedPermissions
SaveLogToFile
ShowAllRecords
SelectedCategories
SelectedRecords
SortDirection
Sorting
StatusList

UpdateCatalogImmediately
UserPermission
View

Overview,àŽQ□Æ

Catalogs Collection

fJf^f□fOfRfŒfNfVf‡f“,Í□AfJf^f□fOfIfufWfFfNfg,ðŠÜ,ᐅfRfŒfNfVf‡f“,Å,·□B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[New](#)

[Parent](#)

[Remove](#)

[Overview](#),àŽQ□Æ

Record Object

fŒfR[fhfIfuWfFfNfg,ÍAfJf^fO“à,ì1,Â,}fŒfR[fh,ð\,
μ,A1,Â,}fŒfR[fhf f“fo,Ö,}fAfNfZfX,a,Å,«,Ü,·B

Application

Asset

AssetCreationDate

AssetDataSize

AssetModificationDate

AssetReference

AssetRsrcSize

AssetSize

Categories

ColorMode

CopyAsset

CopyThumbnail

Delete

Deletable

Deselect

Export

FileFormat

Height

HorizontalResolution

ID

MacCreator

MacFileType

Modifiable

MoveAsset

Name

Notes

OptimizeThumbnail

Parent

PasteThumbnail

RecordCreationDate

RecordModificationDate

RotateThumbnail

Select

ShowPreviewWindow

ShowPropertiesWindow

Software

Status

TypeSpecific

Update

UpdateAssetReference

User

VerticalResolution

Width

Overview,àŽQÆ

Records Collection

fœfR□[fhfRfœfNfVf‡f“,í□AfœfR□[fhfIfufGfWfFfNfg,ðŠÜ,pfRfœfNfVf‡f“,Å,·□B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#),àŽQ□Æ

Server Object

fT[foflfufWfFfNfg,É,æ,èAfŠf,[fgfT[fo,ÉÚ±,μ,ÄA,»,ê,ðŠÇ—,“,æ,ŃŽg—p,·,é,±,Æ,^a,Å,«,Ü,·B

Application

Catalogs

IsAdministrator

Name

Parent

Overview,àŽQÆ

ServerCatalog Object

fT[fOfJf^fOfOfIfufWfFfNfg,É,æ,èAŠJ,¢,½fŠf,[fgfJf^fOfO,ÉfAfNfZfX,Å,«,Ü,·B

- Application
- ID
- IsShared
- Name
- Open
- Parent

Overview,àŽQÆ

ServerCatalogs Collection

fT[fOfJf^fOfORfEfNfVf‡f“,íAfT[fOfJf^fOfIfufWfFfNfg,đŠÜ,pfRfEfNfVf‡f“,Å,·B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[ItemByID](#)

[New](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Restore](#)

[Overview](#),àŽQÆ

SelectedRecords Collection

'I'ðfŒfR□[fhfRfŒfNfVf‡f“,Í□AfJf^f□fO,Ì'I'ð,³,ê,½fŒfR□[fh,ðŠÜ,pfRfŒfNfVf‡f“,Å,·□B

- [Add](#)
- [Application](#)
- [Count](#)
- [Export](#)
- [Item](#)
- [ItemByID](#)
- [Parent](#)
- [Remove](#)
- [RemoveByID](#)

[Overview](#),àŽQ□Æ

Categories Collection

fJfeSfŠRfŒfNfVf‡f“,Í□AfJf^f□fO,ìfJfeSfŠ,ð–
¼‘O•Ê,Éf\□[fg,³,ê,½fŠXfg,Æ,μ,ÄŠÜ,þfRfŒfNfVf‡f“,Å,·□B

- [Add](#)
- [AddCopy](#)
- [Application](#)
- [Count](#)
- [Export](#)
- [Item](#)
- [ItemByID](#)
- [Parent](#)
- [Remove](#)

[Overview](#),àŽQ□Æ

Category Object

fJfEfSfŠfIfufWfFfNfg,É,æ,èACumulusfJf^fO“à,ì1,Â,ìfJfEfSfŠ,ÉfAfNfZfX,Å,«,Ü,·B

Application

Collapsed

Directory

Export

ID

Level

Name

Original

Parent

ParentCategory

SubCategories

Type

Overview,àŽQÆ

SubCategories Collection

fTfufJfefSfŠfRfŒfNfVf‡f“,í□AfJfefSfŠ,lfTfufJfefSfŠ,ðŠÜ,pfRfŒfNfVf‡f“,Å,·□B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Item](#)

[Parent](#)

[Remove](#)

[Overview](#),àŽQ□Æ

SelectedCategories Collection

'I'ðfJfefSfŠfRfŒfNfVf‡f“,Í□AfJf^f□fO,ìfJfefSfŠ'I'ð□€–
Ú,Ü,½,ÍfŒfR□[fh,É“o~^,³,ê,½fJfefSfŠ,ðŠÜ,pfRfŒfNfVf‡f“,Å,·□B

- [Add](#)
- [Application](#)
- [Count](#)
- [Export](#)
- [Item](#)
- [ItemByID](#)
- [Parent](#)
- [Remove](#)
- [RemoveByID](#)

[Overview](#),àŽQ□Æ

StatusList Object

fXfe□[f^XfŠfXfgIfuFfNfg,É,æ,è□ACumulusfJf^f□fO,lfXfe□[f^XfŠfXfg,ÉfAfNfZfX,Å,«,
Ü,·□B.

Add

Application

Count

Item

ItemByID

Parent

Remove

RemoveByID

Overview,àŽQ□Æ

AssetReferences Collection

fŠftf@fŒf“fXfRfŒfNfVf‡f“,íA, ,éfŒfR[fh,lfŠftf@fŒf“fX,^aAWindows,“,æ,ÑMacintosh—
¼•û,ì•Ž!Œ`Ž®,ðŽ,Á,Ä,č,éê‡A,Ç,č,©1,Â,É,¾,¯f†[fU,^aAfNfZfX,Â,«,é,æ,ª,É,μ,Û,·B

Application

Count

Item

Parent

Update

Overview,àŽQÆ

AssetReference Object

fŠftf@fŒf“fXflfuWfFfNfg,Í□A“Á'è,ìfvf%fbfgftfH□[f€
,ìfŠftf@fŒf“fX,É,ì,ÝfAfNfZfX,Å,«,é,æ,ǫ,É,μ,Ü,·□B

- Application
- Parent
- Text
- Type

Overview,àŽQ□Æ

CatalogingOptions Object

fJf^f□fO□EfIfvVf‡f“fIfufWfFfNfg,É,æ,è□ACumulus,lfJf^f□fO□EfIfvVf‡f“,ÉfAfNfZfX,Å,«,Ü,
·□B

AddDuplicateAssets

Application

CatalogingAction

Categories

ColorThumbnailQuality

CopyAssetToCollectionFolder

CountAssetsForProgress

ExcludeDamagedAssets

ExcludeAssets

FileFormatTable

GrayscaleThumbnailQuality

IncludeCategoriesFromAsset

IncludeFolderNamesAsCategories

IncludeNotesFromAsset

LineartThumbnailQuality

Notes

OpenPropertyWindow

OptimizeThumbnailAutomatically

Parent

ResolveShortcuts

Status

ThumbnailSource

User

Overview,àŽQ□/Æ

Preferences

fAfvfŠfP□[fVf‡f“□Ý'èfIfufWfFfNfg,É,æ,è□ACumulus,lfAfvfŠfP□[fVf‡f“□Ý'è,ðfAfNfZfX,Å,«,Ü,
·□B

Application

ManualPreviewSize

OpenAtStartup

OpenCatalogView

Parent

PathMapping

PreviewSize

ResolveRelatedCategories

SearchAllSelectedCategories

SearchForCategoriesAbove

SearchForCategoriesBelow

ShowTooltips

ShowWarnings

ThumbnailSimilarityThreshold

Units

UseGrid

UsePathMapping

WindowToOpenOnDoubleClick

Overview,àŽQ□Æ

Status Object

fXfe[f^XfIfufWfFfNfg,É,æ,èAfJf^fO“à,lfXfe[f^XfŠXfg,lfXfe[f^XftfB[f<fh,ì1,Â,lfXfe[f^X-¼,ÉfAfNfZfX,Å,«,Ü,·B

- Application
- ID
- Name
- Parent

Overview,àŽQÆ

UserPermission Object

fAfNfZfXÆ flfuWfFfNfg,É,æ,è□AfJf^f□fO,ì□ufAfNfZfXÆ ,ì□Ý'è□vfIfvfVf‡f“,ì1,Â,ÉfAfNfZfX,Â,«,Ü,·□B

Application

CanDeleteRecords

CanModifyCategories

CanModifyRecords

CanModfyStatus

CanOpenCatalog

Name

Parent

Overview,àŽQ□Æ

UserPermissions Collection

fAfNfZfXÆ fRfÆfNfVf‡f“,É,æ,è□AfJf^f□fO,lfAfNfZfXÆ ,ÉfAfNfZfX,Å,«,Ü,·□B

Add

Application

Count

Item

Parent

Remove

Overview,àŽQ□Æ

FileFormatEntry Object

ftf@fCf<E`Ž®Žw'èlfufWfFfNfg,É,æ,è□A'P^ê,ìftf@fCf<E`Ž®Žw'è,ÉfAfNfZfX,Å,«,Ü,·□B

Application

DefaultBitmap

Extension

FileFormat

IsActive

Name

Parent

Overview,àŽQ□Æ

FileFormatTablefRfŒfNfVf‡f“

FileFormatTablefRfŒfNfVf‡f“,É,æ,è□A•i□”,lftf@fCf<Œ`Ž®Žw'è,ÉfAfNfZfX,Å,«,Ü,·□B

- [Add](#)
- [Application](#)
- [Count](#)
- [Item](#)
- [Parent](#)
- [Remove](#)

[Overview](#),àŽQ□Æ

LogEntryIfufWfFfNfg

LogEntryIfufWfFfNfg,É,æ,è□A'P^ê,ìf□fO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·□B

Action

Application

Date

Name

Object

Parent

Overview,àŽQ□Æ

LogEntries*fRfŒfNfVf‡f“*

LogEntries*fRfŒfNfVf‡f“*,É,æ,è□A*fJf^f□fO,ì•i□”,ìf□fO“ü—Í,ÉfA*fNfZfX,Å,«,*Ü,·□B*

Application

Clear

Count

Item

Parent

Save

Overview,àŽQ□Æ

PathMappingIfufWfFfNfg

PathMappingIfufWfFfNfg,É,æ,è□A'P^ê,`fpfXf}fbfsf“fO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·□B

Application

FromPath

Parent

ToPath

Overview,àŽQ□Æ

PathMappingsfRfŒfNfVf‡f“

PathMappingsfRfŒfNfVf‡f“,É,æ,è□AfAfvfŠfP□[fVf‡f“,lfpfXf}
fbfsf“fOfe□[fuf<,ÉfAfNfZfX,Å,«,Ü,·□B

Application

Count

Parent

Add

Item

Remove

Overview,àŽQ□Æ

CategoryTypeConstants

,±,ê,ç,ì□Ý'è'l,í□AfJfefSfŠ,ìŒ`Ž®,đ•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Å,«,Ü,·□B

'Ê□ífJfefSfŠ = 0

fGfCfŠfAfX = 1

ftfHf<f_fJfefSfŠ = 2

CollectionFolderUsageConstants

,±,ê,ç,ì□Ý'è'l,í□A□'ŒÉftfHf<f_,ìŽg—p•û—@,ìf^fCfv,đ•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Å,«,Ü,·□B

$$\begin{aligned} \square i, \acute{E} \acute{Z} g \text{---} p &= 0 \\ f J f^{\wedge} f \square f O \square E f l f v f V f \ddagger f^{\prime \prime}, \acute{E} \square], \alpha &= 1 \\ \acute{Z} g \text{---} p, \mu, \acute{E}, \pounds &= 2 \end{aligned}$$

SortDirectionConstants

,±,ê,ç,ì□Ý'è'l,Í□AfJf^f□fO,ìf\□[fg•ûÆü,ð•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Å,«,Ü,·□B

□,□‡

□~□‡

= 0

= 1

SortingConstants

,±,ê,ç,ì□Ý'è'l,í□A*f*J*f*[^]*f*□*f*O,ì*f*\□[*f*gÆ`Ž®,đ•\,μ,Ü,·□B

ŽŸ,ì'l,^a□Ý'è,Å,«,Ü,·□B

- ¼'Ö,Å*f*\□[*f*g = 0
- Æ`Ž®,Å*f*\□[*f*g = 1
- %œ'œ*f*,□[*f*h,Å*f*\□[*f*g = 2
- %đ'œ“x,Å*f*\□[*f*g = 3
- “ú•t,Å*f*\□[*f*g = 4

ViewConstants

,±,ê,ç,ì□Ý'è'l,í□AƒJf^f□fO,ì•Ž!•û–@,đ•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Â,«,Ü,·□B

$f\check{S}fXfg\mathfrak{E}\grave{Z}^{\circ},\mathring{A}\bullet\backslash\check{Z}^{\dagger} = 0$

$fTf\epsilon flfCf<\square\neg,\mathring{A}\bullet\backslash\check{Z}^{\dagger} = 1$

$fTf\epsilon flfCf<'t,\mathring{A}\bullet\backslash\check{Z}^{\dagger} = 2$

$fTf\epsilon flfCf<'â,\mathring{A}\bullet\backslash\check{Z}^{\dagger} = 3$

$\check{S}\zeta\text{—}\square\check{Z}\grave{O}f,\square[fh,\mathring{A}\bullet\backslash\check{Z}^{\dagger}= 4$

ThumbnailQualityConstants

,±,ê,ç,ì□Ý'è'l,í□A□ì□¬,·,éfTf€flfCf<,ì•iŽč,đ•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Å,«,Ü,·□B

•W□€ = 0
□,•i^Ê = 1

ThumbnailSourceConstants

,±,ê,ç,ì□Ý'è'l,í□A□ì□¬,³,ê,éƒTƒ€ƒlƒCƒ<,ìŠó–],ìƒ\□[ƒX,đ•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Â,«,Ü,·□B

$$\begin{aligned} \textit{fIfŠfWfif<,ìƒTƒ€ƒlƒCƒ<,©,ç□ì□¬} &= 0 \\ \textit{fCf□□[ƒW'S'ì,©,ç□ì□¬} &= 1 \end{aligned}$$

CatalogingActionConstants

,±,ê,ç,ì□Ý'è'l,í□AfJf^f□fOfvf□fZfX,ÅŽg—p,³,ê,é□^—□,ð•\,μ,Ü,·□B

ŽŸ,ì'l,^a□Ý'è,Å,«,Ü,·□B

'Ç%₀Á,ì,Ý = 0

'Ç%₀Á/□X□V = 1

□X□V,ì,Ý = 2

CatalogViewConstants

,±,ê,ç,ì□Ý'è'l,í□AfJf^f□fO,ì<N"@Žž,ì•Ž!f,□[fh,ð•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Â,«,Ü,·□B

ŠÇ—□ŽÒf,□[fh = 0

fTf€flfCf<f,□[fh = 1

fefLfXfgf,□[fh = 2

•Â,¶,ç,ê,½,Æ,«,ì□ó'Ô= 3

PreviewSizeConstants

,±,ê,ç,ì□Ý'è'l,í□AfvfŒfrf...□[fEfBf“fhfE,ìffftfHf<fgfTfCfY,ð•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è,Å,«,Ü,·□B

- fIfŠfWfif<fTfCfY = 0
- Å'ǎfTfCfY = 1
- f}fjif...fAf<fTfCfY = 2

UnitConstants

,±,ê,ç,ì□Ý'è'l,í□A•\Ž'P^Ê,ð•\,μ,Ü,·□B

ŽŸ,ì'l,a□Ý'è%oÂ"\\,Ă,·□B

$fCf"f` = 0$
 $fZf"f`f□□[fgf< = 1$
 $f~fŠf□□[fgf< = 2$
 $f|fCf"f g = 3$
 $f s f N f Z f < = 4$
 $f p f C f J = 5$

OpenOnDoubleClickConstants

,±,ê,ç,ì□Ý'è'l,í□AƒƐfR□[fh,ðf_uƒ<fNfŠfƒfN,-,é□Ŭ□A,Ç,ìƒEfBƒ“fhƒE,ªŠJ,,©,ðŽ',μ,Ŭ,·□B

ŽŸ,ì'l,ª□Ý'è,Å,«,Ŭ,·□B

$$\begin{aligned} f\in R\cap[fhvf\sqcap pfe\,fBfEfBf\text{“}fhfE &= 0 \\ fvf\in f\,r\,f\ldots\cap[fEfBf\text{“}fhfE &= 1 \end{aligned}$$

