



## Contents

! A B C D E F G H I J K L M N O P Q R S T U V W X

Char Para Doc Pict Color List Table Form Frame Obj Script Style

+ [Character Tags](#)

+ [Paragraph Tags](#)

+ [Document Tags](#)

+ [Picture Tags](#)

+ [Color Tags](#)

+ [List Tags](#)

+ [Table Tags](#)

+ [Form Tags](#)

+ [Frame Tags](#)

+ [Object Tags](#)


+ [Script Tags](#)

+ [Style Tags](#)

+ [Articles](#)

+ [Reference](#)

+ [Support](#)



## Contents

! A B C D E F G H I J K L M N O P Q R S T U V W X

Char Para Doc Pict Color List Table Form Frame Obj Script Style



### Character Tags

[!--](#) - Tag a hidden comment  
[ACRONYM](#) - Display an acronym  
[B](#) - Display bold text  
[BASEFONT](#) - Define default font  
[BDO](#) - Override bi-directional text  
[BIG](#) - Display larger text  
[BLINK](#) - Display text blinking  
[CITE](#) - Format citation reference  
[COMMENT](#) - Mark hidden comment  
[CODE](#) - Format text as source code example  
[DFN](#) - Format text as a definition  
[EM](#) - Emphasize text (italic)  
[FONT](#) - Define font display properties  
[I](#) - Display italic text  
[KBD](#) - Display text fixed-pitch bold  
[MARQUEE](#) - Scrolling ticker-tape  
[NOBR](#) - Display text without word-wrap  
[Q](#) - Format text as a quotation  
[S](#) - Display strike-out text  
[SAMP](#) - Display small, fixed-pitch text  
[SMALL](#) - Display small text  
[SPAN](#) - Define document section style  
[STRIKE](#) - Display strike-out text  
[STRONG](#) - Display heavy, emphasized text  
[SUB](#) - Display subscript text  
[SUP](#) - Display superscript text  
[TT](#) - Display fixed-pitch teletype text  
[U](#) - Display underlined text  
[VAR](#) - Display small italic text  
[WBR](#) - Optional word break  
[XMP](#) - Display fixed-pitch text

### + Articles & Reference



#### [Paragraph Tags](#)



#### [Document Tags](#)



#### [Picture Tags](#)



#### [Color Tags](#)



#### [List Tags](#)



#### [Table Tags](#)



#### [Form Tags](#)



#### [Frame Tags](#)



#### [Object Tags](#)



#### [Script Tags](#)



#### [Style Tags](#)



#### [Articles](#)



#### [Reference](#)



#### [Support](#)



<



## Contents

! A B C D E F G H I J K L M N O P Q R S T U V W X

Char Para Doc Pict Color List Table Form Frame Obj Script Style



### Character Tags

!-- - Tag a hidden comment  
ACRONYM - Display an acronym  
B - Display bold text  
BASEFONT - Define default font  
BDO - Override bi-directional text  
BIG - Display larger text  
BLINK - Display text blinking  
CITE - Format citation reference  
COMMENT - Mark hidden comment  
CODE - Format text as source code example  
DFN - Format text as a definition  
EM - Emphasize text (italic)  
FONT - Define font display properties  
I - Display italic text  
KBD - Display text fixed-pitch bold  
MARQUEE - Scrolling ticker-tape  
NOBR - Display text without word-wrap  
Q - Format text as a quotation  
S - Display strike-out text  
SAMP - Display small, fixed-pitch text  
SMALL - Display small text  
SPAN - Define document section style  
STRIKE - Display strike-out text  
STRONG - Display heavy, emphasized text  
SUB - Display subscript text  
SUP - Display superscript text  
TT - Display fixed-pitch teletype text  
U - Display underlined text  
VAR - Display small italic text  
WBR - Optional word break  
XMP - Display fixed-pitch text

Articles & Reference

Introducing Fonts

Special Characters

Font Samples

Character Conversion Table

Icon Symbols

Font Compatibility



Paragraph Tags



Document Tags



Picture Tags



Color Tags



List Tags



Table Tags



Form Tags



Frame Tags



Object Tags




Script Tags




Style Tags




Articles

 Reference

 Support

<<



## Contents

! A B C D E F G H I J K L M N O P Q R S T U V W X

Char Para Doc Pict Color List Table Form Frame Obj Script Style

### Character Tags

### Paragraph Tags

!-- - Tag a hidden comment  
ADDRESS - Define mailing address  
BDO - Override bi-directional text  
BLOCKQUOTE - Indent left/right margins  
BR Start a new line of text  
CENTER - Display text centered  
COMMENT - Mark a hidden comment  
DEL - Mark text deletions  
DIV - Document section division  
H1, H2... - Tag section headline  
INS - Mark text insertions  
LISTING - Display fixed-pitch text  
MULTICOL - Define multiple-column document  
NOBR - Display text without word-wrap  
P - Start paragraph  
PLAINTEXT - Display fixed pitch text  
PRE - Display fixed-pitch text  
SPACER - Add extra blank space (Netscape)  
WBR - Optional word break  
XMP - Display fixed-pitch text

### Document Tags

### Picture Tags

### Color Tags

### List Tags

### Table Tags

### Form Tags

### Frame Tags

### Object Tags

### Script Tags


### Style Tags

### Articles

### Reference

### Support





# Contents

! A B C D E F G H I J K L M N O P Q R S T U V W X

Char Para Doc Pict Color List Table Form Frame Obj Script Style

## + Character Tags

## + Paragraph Tags

## + Document Tags

!DOCTYPE - Describe HTML version compliance

## + !DOCTYPE Declarations

A - Anchor tag or reference anchor

BASE - Identify document's URL address

BASEFONT - Define default font

BGSOUND - Play a sound while the document loads

BODY - Define look of document

DEL - Mark text deletions

EMBED - Tag embedded object

HEAD - HTML document head

HTML - Tag beginning of HTML document

INS - Mark text insertions

ISINDEX - Tag an index for search engines

LABEL - Define control label

LINK - Define link between documents

META - Define document information

NEXTID - Define next link name ID

SOUND - Play background sound (Mosaic)

TITLE - Set document window title

## + Articles & Reference

## + Picture Tags

## + Color Tags

## + List Tags

## + Table Tags

## + Form Tags

## + Frame Tags

## + Object Tags

## + Script Tags

## + Style Tags

## + Articles

## + Reference

## + Support

<



## Contents



### [Character Tags](#)



### [Paragraph Tags](#)



### [Document Tags](#)



[!DOCTYPE](#) - Describe HTML version compliance



[!DOCTYPE Declarations](#)

[A](#) - Anchor tag or reference anchor

[BASE](#) - Identify document's URL address

[BASEFONT](#) - Define default font

[BGSOUND](#) - Play a sound while the document loads

[BODY](#) - Define look of document

[DEL](#) - Mark text deletions

[EMBED](#) - Tag embedded object

[HEAD](#) - HTML document head

[HTML](#) - Tag beginning of HTML document

[INS](#) - Mark text insertions

[ISINDEX](#) - Tag an index for search engines

[LABEL](#) - Define control label

[LINK](#) - Define link between documents

[META](#) - Define document information

[NEXTID](#) - Define next link name ID

[SOUND](#) - Play background sound (Mosaic)

[TITLE](#) - Set document window title



[Articles & Reference](#)



[The HTML Document](#)



[How Do I](#)



[Portability](#)



[Essential HTML Tags](#)



### [Picture Tags](#)



### [Color Tags](#)



### [List Tags](#)



### [Table Tags](#)



### [Form Tags](#)



### [Frame Tags](#)



### [Object Tags](#)



### [Script Tags](#)



### [Style Tags](#)



### [Articles](#)



### [Reference](#)



### [Support](#)

<



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags

**A** - Anchor tag or reference anchor

**AREA** - Define part of an image map

**BGSOUND** - Play a sound while the document loads

**EMBED** - Tag embedded object

**IMG** - Insert a picture

**LABEL** - Define control label

**MAP** - Define picture hot-spot

**OBJECT** - Insert object on page

**SOUND** - Play background sound (Mosaic)



### Introducing Pictures



### Color Tags



### List Tags



### Table Tags



### Form Tags



### Frame Tags



### Object Tags



### Script Tags



### Style Tags



### Articles



### Reference



### Support



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags



### Color Tags

**BASEFONT** - Define default font

**BODY** - Define look of document

**FONT** - Define font display properties

**HR** - Draw horizontal line

**MARQUEE** - Scrolling ticker-tape

**TABLE** - Define a table

**TD** - Define a table cell

**TH** - Define a table heading

**TR** - Format a table row



### Articles & Reference



### List Tags



### Table Tags



### Form Tags



### Frame Tags



### Object Tags



### Script Tags



### Style Tags



### Articles



### Reference



### Support

<



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags



### Color Tags

**BASEFONT** - Define default font

**BODY** - Define look of document

**FONT** - Define font display properties

**HR** - Draw horizontal line

**MARQUEE** - Scrolling ticker-tape

**TABLE** - Define a table

**TD** - Define a table cell

**TH** - Define a table heading

**TR** - Format a table row



### Articles & Reference



#### Introducing Color



#### Color Swatches



#### Applying Color



#### Color Experiments



#### Color Names



#### Introducing Pictures



### List Tags



### Table Tags



### Form Tags



### Frame Tags



### Object Tags



### Script Tags



### Style Tags



### Articles



### Reference



### Support



<



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags



### Color Tags



### List Tags

**DIR** - Start a directory list

**DL** - Start a definition list

**DT** - Term in definition list

**LI** - Tag list item

**MENU** - Define menu-style list

**OL** - Define ordered list



### Table Tags



### Form Tags



### Frame Tags



### Object Tags



### Script Tags



### Style Tags



### Articles



### Reference



### Support



## Contents



### Character Tags

### Paragraph Tags

### Document Tags

### Picture Tags

### Color Tags

### List Tags

### Table Tags

**COL** - Define table column

**COLGROUP** - Table column properties

**TABLE** - Define a table

**TBODY** - Define table body

**TD** - Define a table cell

**TFOOT** - Define table footer

**TH** - Define table heading

**THEAD** - Define table header

**TR** - Format table row



### Introducing Tables



### Form Tags



### Frame Tags



### Object Tags



### Script Tags



### Style Tags



### Articles



### Reference



### Support



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags



### Color Tags



### List Tags



### Table Tags



### Form Tags

**BUTTON** - Define a button

**FIELDSET** - Define a group of controls

**FORM** - Define a form

**INPUT** - Define input box

**LABEL** - Define control label

**LEGEND** - Assign caption to FIELDSET

**OPTGROUP** - Group options in a form

**OPTION** - Define list box choice

**SELECT** - Define drop-down or list box

**TEXTAREA** - Define multiple-line data entry box



### Introducing Forms



### Frame Tags



### Object Tags



### Script Tags



### Style Tags



### Articles



### Reference



### Support



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags



### Color Tags



### List Tags



### Table Tags



### Form Tags



### Frame Tags

**FRAME** - Define a frame in a FRAMESET

**FRAMESET** - Define multiple-window frame layout

**IFRAME** - Define floating frame

**ILAYER** - Define a floating layer

**LAYER** - Define an overlapping layer

**NOFRAMES** - Text for non-frame browsers

**NOLAYER** - Text for non-layer browsers



### Introducing Frames



### Object Tags



### Script Tags



### Style Tags



### Articles



### Reference



### Support



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags



### Color Tags



### List Tags



### Table Tags



### Form Tags



### Frame Tags



### Object Tags

**A** - Anchor tag or reference anchor

**AREA** - Define part of an image map

**BGSOUND** - Play a sound while the document loads

**EMBED** - Tag embedded object

**IMG** - Insert a picture

**MAP** - Define picture hot-spot

**NOEMBED** - Define non-plug-in document

**OBJECT** - Insert object on page

**PARAM** - Set object properties

**SOUND** - Play background sound (Mosaic)



### Script Tags



### Style Tags



### Articles



### Reference



### Support



## Contents



### Character Tags



### Paragraph Tags



### Document Tags



### Picture Tags



### Color Tags



### List Tags



### Table Tags



### Form Tags



### Frame Tags



### Object Tags



### Script Tags

**APPLET** - Reference a Java Applet

**NOSCRIPT** - Text for non-script browsers

**SCRIPT** - Describe embedded script language

**SERVER** - Run a LiveWire JavaScript

**TEXTFLOW** - Define text for an Applet



### Style Tags



### Articles



### Reference



### Support

	<a href="#">Contents</a>
	
	
	<a href="#">Character Tags</a>
	<a href="#">Paragraph Tags</a>
	<a href="#">Document Tags</a>
	<a href="#">Picture Tags</a>
	<a href="#">Color Tags</a>
	<a href="#">List Tags</a>
	<a href="#">Table Tags</a>
	<a href="#">Form Tags</a>
	<a href="#">Frame Tags</a>
	<a href="#">Object Tags</a>
	<a href="#">Script Tags</a>
	<a href="#">Style Tags</a>
	<a href="#">DIV - Document section division</a>
	<a href="#">LINK - Define link between documents</a>
	<a href="#">SPAN - Define document section style</a>
	<a href="#">STYLE - Define document formatting style</a>
	<a href="#">Styles: Box</a>
	<a href="#">Styles: Border</a>
	<a href="#">Styles: Visual</a>
	<a href="#">Styles: Page</a>
	<a href="#">Styles: Color &amp; Background</a>
	<a href="#">Styles: Fonts &amp; Text</a>
	<a href="#">Styles: List</a>
	<a href="#">Styles: Table</a>
	<a href="#">Styles: User Interface</a>
	<a href="#">Styles: Aural (Sound)</a>
	<a href="#">Articles &amp; Reference</a>
	<a href="#">Articles</a>
	<a href="#">Reference</a>
	<a href="#">Support</a>



<

+		Contents	
+			
+			
+		<u>Character Tags</u>	
+		<u>Paragraph Tags</u>	
+		<u>Document Tags</u>	
+		<u>Picture Tags</u>	
+		<u>Color Tags</u>	
+		<u>List Tags</u>	
+		<u>Table Tags</u>	
+		<u>Form Tags</u>	
+		<u>Frame Tags</u>	
+		<u>Object Tags</u>	
+		<u>Script Tags</u>	
+		<u>Style Tags</u>	
		<u>DIV</u> - Document section division	
		<u>LINK</u> - Define link between documents	
		<u>SPAN</u> - Define document section style	
		<u>STYLE</u> - Define document formatting style	
+		<u>Styles: Box</u>	
		<u>margin</u>	<u>padding</u>
		<u>margin-bottom</u>	<u>padding-bottom</u>
		<u>margin-left</u>	<u>padding-left</u>
		<u>margin-right</u>	<u>padding-right</u>
		<u>margin-top</u>	<u>padding-top</u>
+		<u>Styles: Border</u>	
+		<u>Styles: Visual</u>	
+		<u>Styles: Page</u>	
+		<u>Styles: Color &amp; Background</u>	
+		<u>Styles: Fonts &amp; Text</u>	
+		<u>Styles: List</u>	
+		<u>Styles: Table</u>	
+		<u>Styles: User Interface</u>	
+		<u>Styles: Aural (Sound)</u>	
+		<u>Articles &amp; Reference</u>	
+		<u>Articles</u>	
+		<u>Reference</u>	
+		<u>Support</u>	

+		<u>Contents</u>	
+			
+			
+		<u>Character Tags</u>	
+		<u>Paragraph Tags</u>	
+		<u>Document Tags</u>	
+		<u>Picture Tags</u>	
+		<u>Color Tags</u>	
+		<u>List Tags</u>	
+		<u>Table Tags</u>	
+		<u>Form Tags</u>	
+		<u>Frame Tags</u>	
+		<u>Object Tags</u>	
+		<u>Script Tags</u>	
+		<u>Style Tags</u>	
		<u>DIV</u> - Document section division	
		<u>LINK</u> - Define link between documents	
		<u>SPAN</u> - Define document section style	
		<u>STYLE</u> - Define document formatting style	
+		<u>Styles: Box</u>	
+		<u>Styles: Border</u>	
		<u>border</u>	<u>border-right</u>
		<u>border-bottom</u>	<u>border-right-color</u>
		<u>border-bottom-color</u>	<u>border-right-style</u>
		<u>border-bottom-style</u>	<u>border-right-width</u>
		<u>border-bottom-width</u>	<u>border-style</u>
		<u>border-color</u>	<u>border-top-color</u>
		<u>border-left</u>	<u>border-top-style</u>
		<u>border-left-color</u>	<u>border-top-width</u>
		<u>border-left-style</u>	<u>border-width</u>
		<u>border-left-width</u>	
+		<u>Styles: Visual</u>	
+		<u>Styles: Page</u>	
+		<u>Styles: Color &amp; Background</u>	
+		<u>Styles: Fonts &amp; Text</u>	
+		<u>Styles: List</u>	
+		<u>Styles: Table</u>	
+		<u>Styles: User Interface</u>	
+		<u>Styles: Aural (Sound)</u>	
+		<u>Articles &amp; Reference</u>	
+		<u>Articles</u>	
+		<u>Reference</u>	
+		<u>Support</u>	

+		Contents	
+			
+			
+		<u>Character Tags</u>	
+		<u>Paragraph Tags</u>	
+		<u>Document Tags</u>	
+		<u>Picture Tags</u>	
+		<u>Color Tags</u>	
+		<u>List Tags</u>	
+		<u>Table Tags</u>	
+		<u>Form Tags</u>	
+		<u>Frame Tags</u>	
+		<u>Object Tags</u>	
+		<u>Script Tags</u>	
+		<u>Style Tags</u>	
		<u>DIV</u> - Document section division	
		<u>LINK</u> - Define link between documents	
		<u>SPAN</u> - Define document section style	
		<u>STYLE</u> - Define document formatting style	
+		<u>Styles: Box</u>	
+		<u>Styles: Border</u>	
+		<u>Styles: Visual</u>	
		<u>bottom</u>	<u>left</u>
		<u>clear</u>	<u>line-height</u>
		<u>clip</u>	<u>max-height</u>
		<u>column-gap</u>	<u>max-width</u>
		<u>column-rule</u>	<u>min-height</u>
		<u>column-rule-color</u>	<u>min-width</u>
		<u>column-rule-style</u>	<u>overflow</u>
		<u>column-rule-width</u>	<u>position</u>
		<u>columns</u>	<u>right</u>
		<u>direction</u>	<u>top</u>
		<u>display</u>	<u>vertical-align</u>
		<u>float</u>	<u>visibility</u>
		<u>height</u>	<u>width</u>
+		<u>Styles: Page</u>	
+		<u>Styles: Color &amp; Background</u>	
+		<u>Styles: Fonts &amp; Text</u>	
+		<u>Styles: List</u>	
+		<u>Styles: Table</u>	
+		<u>Styles: User Interface</u>	
+		<u>Styles: Aural (Sound)</u>	
+		<u>Articles &amp; Reference</u>	
+		<u>Articles</u>	
+		<u>Reference</u>	
+		<u>Support</u>	

+		Contents	
+			
+			
+		<u>Character Tags</u>	
+		<u>Paragraph Tags</u>	
+		<u>Document Tags</u>	
+		<u>Picture Tags</u>	
+		<u>Color Tags</u>	
+		<u>List Tags</u>	
+		<u>Table Tags</u>	
+		<u>Form Tags</u>	
+		<u>Frame Tags</u>	
+		<u>Object Tags</u>	
+		<u>Script Tags</u>	
+		<u>Style Tags</u>	
		<u>DIV</u> - Document section division	
		<u>LINK</u> - Define link between documents	
		<u>SPAN</u> - Define document section style	
		<u>STYLE</u> - Define document formatting style	
+		<u>Styles: Box</u>	
+		<u>Styles: Border</u>	
+		<u>Styles: Visual</u>	
+		<u>Styles: Page</u>	
		<u>marks</u>	<u>running-head</u>
		<u>orphans</u>	<u>size</u>
		<u>page-break-after</u>	<u>widows</u>
		<u>page-break-before</u>	
+		<u>Styles: Color &amp; Background</u>	
+		<u>Styles: Fonts &amp; Text</u>	
+		<u>Styles: List</u>	
+		<u>Styles: Table</u>	
+		<u>Styles: User Interface</u>	
+		<u>Styles: Aural (Sound)</u>	
+		<u>Articles &amp; Reference</u>	
+		<u>Articles</u>	
+		<u>Reference</u>	
+		<u>Support</u>	

























		<a href="#">Contents</a>	
		<a href="#">Character Tags</a>	
		<a href="#">Paragraph Tags</a>	
		<a href="#">Document Tags</a>	
		<a href="#">Picture Tags</a>	
		<a href="#">Color Tags</a>	
		<a href="#">List Tags</a>	
		<a href="#">Table Tags</a>	
		<a href="#">Form Tags</a>	
		<a href="#">Frame Tags</a>	
		<a href="#">Object Tags</a>	
		<a href="#">Script Tags</a>	
		<a href="#">Style Tags</a>	
		<a href="#">DIV - Document section division</a>	
		<a href="#">LINK - Define link between documents</a>	
		<a href="#">SPAN - Define document section style</a>	
		<a href="#">STYLE - Define document formatting style</a>	
		<a href="#">Styles: Box</a>	
		<a href="#">Styles: Border</a>	
		<a href="#">Styles: Visual</a>	
		<a href="#">Styles: Page</a>	
		<a href="#">Styles: Color &amp; Background</a>	
		<a href="#">background</a>	<a href="#">background-position</a>
		<a href="#">background-attachment</a>	<a href="#">background-repeat</a>
		<a href="#">background-color</a>	<a href="#">color</a>
		<a href="#">background-image</a>	
		<a href="#">Styles: Fonts &amp; Text</a>	
		<a href="#">Styles: List</a>	
		<a href="#">Styles: Table</a>	
		<a href="#">Styles: User Interface</a>	
		<a href="#">Styles: Aural (Sound)</a>	
		<a href="#">Articles &amp; Reference</a>	
		<a href="#">Articles</a>	
		<a href="#">Reference</a>	
		<a href="#">Support</a>	

+		Contents	
+			
+			
+		<u>Character Tags</u>	
+		<u>Paragraph Tags</u>	
+		<u>Document Tags</u>	
+		<u>Picture Tags</u>	
+		<u>Color Tags</u>	
+		<u>List Tags</u>	
+		<u>Table Tags</u>	
+		<u>Form Tags</u>	
+		<u>Frame Tags</u>	
+		<u>Object Tags</u>	
+		<u>Script Tags</u>	
+		<u>Style Tags</u>	
		<u>DIV</u> - Document section division	
		<u>LINK</u> - Define link between documents	
		<u>SPAN</u> - Define document section style	
		<u>STYLE</u> - Define document formatting style	
+		<u>Styles: Box</u>	
+		<u>Styles: Border</u>	
+		<u>Styles: Visual</u>	
+		<u>Styles: Page</u>	
+		<u>Styles: Color &amp; Background</u>	
+		<u>Styles: Fonts &amp; Text</u>	
		<u>@font-face</u>	<u>mathline</u>
		<u>alignment</u>	<u>panose-1</u>
		<u>ascent</u>	<u>slope</u>
		<u>baseline</u>	<u>src</u>
		<u>cap-height</u>	<u>stemh</u>
		<u>centerline</u>	<u>stemv</u>
		<u>definition-src</u>	<u>text-decoration</u>
		<u>descent</u>	<u>text-indent</u>
		<u>font</u>	<u>text-shadow</u>
		<u>font-family</u>	<u>text-transform</u>
		<u>font-size</u>	<u>topline</u>
		<u>font-size-adjust</u>	<u>unicode-range</u>
		<u>font-stretch</u>	<u>white-space</u>
		<u>font-style</u>	<u>widths</u>
		<u>font-variant</u>	<u>word-spacing</u>
		<u>font-weight</u>	<u>x-height</u>
		<u>letter-spacing</u>	
+		<u>Styles: List</u>	
+		<u>Styles: Table</u>	
+		<u>Styles: User Interface</u>	
+		<u>Styles: Aural (Sound)</u>	
+		<u>Articles &amp; Reference</u>	
+		<u>Articles</u>	
+		<u>Reference</u>	
+		<u>Support</u>	

+	Contents	
+		
+		
+	<u>Character Tags</u>	
+	<u>Paragraph Tags</u>	
+	<u>Document Tags</u>	
+	<u>Picture Tags</u>	
+	<u>Color Tags</u>	
+	<u>List Tags</u>	
+	<u>Table Tags</u>	
+	<u>Form Tags</u>	
+	<u>Frame Tags</u>	
+	<u>Object Tags</u>	
+	<u>Script Tags</u>	
+	<u>Style Tags</u>	
	<u>DIV</u> - Document section division	
	<u>LINK</u> - Define link between documents	
	<u>SPAN</u> - Define document section style	
	<u>STYLE</u> - Define document formatting style	
+	<u>Styles: Box</u>	
+	<u>Styles: Border</u>	
+	<u>Styles: Visual</u>	
+	<u>Styles: Page</u>	
+	<u>Styles: Color &amp; Background</u>	
+	<u>Styles: Fonts &amp; Text</u>	
+	<u>Styles: List</u>	
	<u>list-style</u>	<u>list-style-position</u>
	<u>list-style-image</u>	<u>list-style-type</u>
+	<u>Styles: Table</u>	
+	<u>Styles: User Interface</u>	
+	<u>Styles: Aural (Sound)</u>	
+	<u>Articles &amp; Reference</u>	
+	<u>Articles</u>	
+	<u>Reference</u>	
+	<u>Support</u>	



	<a href="#">Contents</a>	
	<a href="#">Character Tags</a>	
	<a href="#">Paragraph Tags</a>	
	<a href="#">Document Tags</a>	
	<a href="#">Picture Tags</a>	
	<a href="#">Color Tags</a>	
	<a href="#">List Tags</a>	
	<a href="#">Table Tags</a>	
	<a href="#">Form Tags</a>	
	<a href="#">Frame Tags</a>	
	<a href="#">Object Tags</a>	
	<a href="#">Script Tags</a>	
	<a href="#">Style Tags</a>	
	<a href="#">DIV - Document section division</a>	
	<a href="#">LINK - Define link between documents</a>	
	<a href="#">SPAN - Define document section style</a>	
	<a href="#">STYLE - Define document formatting style</a>	
	<a href="#">Styles: Box</a>	
	<a href="#">Styles: Border</a>	
	<a href="#">Styles: Visual</a>	
	<a href="#">Styles: Page</a>	
	<a href="#">Styles: Color &amp; Background</a>	
	<a href="#">Styles: Fonts &amp; Text</a>	
	<a href="#">Styles: List</a>	
	<a href="#">Styles: Table</a>	
	<a href="#">border-collapse</a>	<a href="#">empty-cells</a>
	<a href="#">border-spacing</a>	<a href="#">row-span</a>
	<a href="#">caption-side</a>	<a href="#">table-layout</a>
	<a href="#">column-span</a>	
	<a href="#">Styles: User Interface</a>	
	<a href="#">Styles: Aural (Sound)</a>	
	<a href="#">Articles &amp; Reference</a>	
	<a href="#">Articles</a>	
	<a href="#">Reference</a>	
	<a href="#">Support</a>	

	<a href="#">Contents</a>
	
	
	<a href="#">Character Tags</a>
	<a href="#">Paragraph Tags</a>
	<a href="#">Document Tags</a>
	<a href="#">Picture Tags</a>
	<a href="#">Color Tags</a>
	<a href="#">List Tags</a>
	<a href="#">Table Tags</a>
	<a href="#">Form Tags</a>
	<a href="#">Frame Tags</a>
	<a href="#">Object Tags</a>
	<a href="#">Script Tags</a>
	<a href="#">Style Tags</a>
	<a href="#">DIV - Document section division</a>
	<a href="#">LINK - Define link between documents</a>
	<a href="#">SPAN - Define document section style</a>
	<a href="#">STYLE - Define document formatting style</a>
	<a href="#">Styles: Box</a>
	<a href="#">Styles: Border</a>
	<a href="#">Styles: Visual</a>
	<a href="#">Styles: Page</a>
	<a href="#">Styles: Color &amp; Background</a>
	<a href="#">Styles: Fonts &amp; Text</a>
	<a href="#">Styles: List</a>
	<a href="#">Styles: Table</a>
	<a href="#">Styles: User Interface</a>
	<a href="#">cursor</a>
	<a href="#">Styles: Aural (Sound)</a>
	<a href="#">Articles &amp; Reference</a>
	<a href="#">Articles</a>
	<a href="#">Reference</a>
	<a href="#">Support</a>





































14-day evaluation edition



































[How To Register](#)



	<a href="#">Contents</a>	
	<a href="#">Character Tags</a>	
	<a href="#">Paragraph Tags</a>	
	<a href="#">Document Tags</a>	
	<a href="#">Picture Tags</a>	
	<a href="#">Color Tags</a>	
	<a href="#">List Tags</a>	
	<a href="#">Table Tags</a>	
	<a href="#">Form Tags</a>	
	<a href="#">Frame Tags</a>	
	<a href="#">Object Tags</a>	
	<a href="#">Script Tags</a>	
	<a href="#">Style Tags</a>	
	<a href="#">DIV - Document section division</a>	
	<a href="#">LINK - Define link between documents</a>	
	<a href="#">SPAN - Define document section style</a>	
	<a href="#">STYLE - Define document formatting style</a>	
	<a href="#">Styles: Box</a>	
	<a href="#">Styles: Border</a>	
	<a href="#">Styles: Visual</a>	
	<a href="#">Styles: Page</a>	
	<a href="#">Styles: Color &amp; Background</a>	
	<a href="#">Styles: Fonts &amp; Text</a>	
	<a href="#">Styles: List</a>	
	<a href="#">Styles: Table</a>	
	<a href="#">Styles: User Interface</a>	
	<a href="#">Styles: Aural (Sound)</a>	
	<a href="#">azimuth</a>	<a href="#">play-during</a>
	<a href="#">cue</a>	<a href="#">richness</a>
	<a href="#">cue-after</a>	<a href="#">speak</a>
	<a href="#">cue-before</a>	<a href="#">speak-numeral</a>
	<a href="#">elevation</a>	<a href="#">speak-punctuation</a>
	<a href="#">pause</a>	<a href="#">speech-rate</a>
	<a href="#">pause-after</a>	<a href="#">stress</a>
	<a href="#">pause-before</a>	<a href="#">voice-family</a>
	<a href="#">pitch</a>	<a href="#">volume</a>
	<a href="#">pitch-range</a>	
	<a href="#">Articles &amp; Reference</a>	
	<a href="#">Articles</a>	
	<a href="#">Reference</a>	
	<a href="#">Support</a>	

+		Contents
+		
+		
+		<u>Character Tags</u>
+		<u>Paragraph Tags</u>
+		<u>Document Tags</u>
+		<u>Picture Tags</u>
+		<u>Color Tags</u>
+		<u>List Tags</u>
+		<u>Table Tags</u>
+		<u>Form Tags</u>
+		<u>Frame Tags</u>
+		<u>Object Tags</u>
+		<u>Script Tags</u>
+		<u>Style Tags</u>
		<u>DIV</u> - Document section division
		<u>LINK</u> - Define link between documents
		<u>SPAN</u> - Define document section style
		<u>STYLE</u> - Define document formatting style
+		<u>Styles: Box</u>
+		<u>Styles: Border</u>
+		<u>Styles: Visual</u>
+		<u>Styles: Page</u>
+		<u>Styles: Color &amp; Background</u>
+		<u>Styles: Fonts &amp; Text</u>
+		<u>Styles: List</u>
+		<u>Styles: Table</u>
+		<u>Styles: User Interface</u>
+		<u>Styles: Aural (Sound)</u>
+		<u>Articles &amp; Reference</u>
		<u>Introducing Styles</u>
		<u>Style Syntax</u>
		<u>Style Values</u>
		<u>Style Compatibility</u>
+		<u>Articles</u>
+		<u>Reference</u>
+		<u>Support</u>

<

	<a href="#"><u>Contents</u></a>
	
	
	<a href="#"><u>Character Tags</u></a>
	<a href="#"><u>Paragraph Tags</u></a>
	<a href="#"><u>Document Tags</u></a>
	<a href="#"><u>Picture Tags</u></a>
	<a href="#"><u>Color Tags</u></a>
	<a href="#"><u>List Tags</u></a>
	<a href="#"><u>Table Tags</u></a>
	<a href="#"><u>Form Tags</u></a>
	<a href="#"><u>Frame Tags</u></a>
	<a href="#"><u>Object Tags</u></a>
	<a href="#"><u>Script Tags</u></a>
	<a href="#"><u>Style Tags</u></a>
	<a href="#"><u>Articles</u></a>
	<a href="#"><u>Start Here</u></a>
	<a href="#"><u>Introduction</u></a>
	<a href="#"><u>The HTML Document</u></a>
	<a href="#"><u>Portability</u></a>
	<a href="#"><u>How Do I</u></a>
	<a href="#"><u>Essential HTML Tags</u></a>
	<a href="#"><u>Proprietary Tags</u></a>
	<a href="#"><u>Introducing Color</u></a>
	<a href="#"><u>Color Experiments</u></a>
	<a href="#"><u>Introducing Pictures</u></a>
	<a href="#"><u>Optimizing Pictures</u></a>
	<a href="#"><u>Introducing Tables</u></a>
	<a href="#"><u>Introducing Fonts</u></a>
	<a href="#"><u>Introducing Forms</u></a>
	<a href="#"><u>Introducing Frames</u></a>
	<a href="#"><u>Introducing Styles</u></a>
	<a href="#"><u>Reference</u></a>
	<a href="#"><u>Support</u></a>

	<b>Contents</b>
	
	
	<u>Character Tags</u>
	<u>Paragraph Tags</u>
	<u>Document Tags</u>
	<u>Picture Tags</u>
	<u>Color Tags</u>
	<u>List Tags</u>
	<u>Table Tags</u>
	<u>Form Tags</u>
	<u>Frame Tags</u>
	<u>Object Tags</u>
	<u>Script Tags</u>
	<u>Style Tags</u>
	<u>Articles</u>
	<u>Reference</u>
	<u>Color Names</u>
	<u>Color Swatches</u>
	<u>Font Samples</u>
	<u>Special Characters</u>
	<u>Icon Symbols</u>
	<u>Character Conversion Table</u>
	<u>Font Compatibility</u>
	<u>Style Selectors</u>
	<u>Style Values</u>
	<u>Style Compatibility</u>
	<u>Style Tags</u>
	<u>HTML Compatibility</u>
	<u>HTML Attributes</u>
	<u>!DOCTYPE Declarations</u>
	<u>Boilerplate Document</u>
	<u>Glossary</u>
	<u>Support</u>

	<a href="#">Contents</a>
	
	
	<a href="#">Character Tags</a>
	<a href="#">Paragraph Tags</a>
	<a href="#">Document Tags</a>
	<a href="#">Picture Tags</a>
	<a href="#">Color Tags</a>
	<a href="#">List Tags</a>
	<a href="#">Table Tags</a>
	<a href="#">Form Tags</a>
	<a href="#">Frame Tags</a>
	<a href="#">Object Tags</a>
	<a href="#">Script Tags</a>
	<a href="#">Style Tags</a>
	<a href="#">Articles</a>
	<a href="#">Reference</a>
	<a href="#">Support</a>
	<a href="#">Welcome to HTMLcat</a>
	<a href="#">Help Tips</a>
	<a href="#">Navigation Tips</a>
	<a href="#">Glossary</a>
	<a href="#">Copyright Notice</a>
	<a href="#">Setup</a>



### Tags Window

Clicking the Tags button opens the separate tags window. While this example is a pop-up window, the real Tags window can be placed anywhere on the screen, and left open while you work. Select a category, jump to a topic, copy examples or codes to the Clipboard, or view color swatches—and you can click a swatch to copy the color code to the Clipboard.




**Alphabetical tags lists**

Click a HTML tag name to instantly jump to the complete descriptions in this book. Hold down the SHIFT key while you click to see style tags.

### Topic list

This is the context-sensitive topic list. There is an icon in the corner of every page in HTMLcat



Every page has a short, context-sensitive list of related topics.

**Context-sensitive buttons**

These icons are like the context-sensitive icons on every page. Click icons anywhere in HTMLcat to see related topics.

**Simulation**



# HTMLcat

- The online HTML catalog
- 

R. E. Harvey  
P. O. Box 5695  
Glendale, AZ 85312 USA  
Internet: [http://ourworld.compuserve.com/homepages/r\\_harvey](http://ourworld.compuserve.com/homepages/r_harvey)  
E-mail: [r\\_harvey@compuserve.com](mailto:r_harvey@compuserve.com)  
Copyright © 1998-1999 R. E. Harvey, All rights reserved.

## How to register

**Register** **Features** **Order Form**



### HTMLcat for AceExpert

Your AceExpert registration includes the *complete* HTMLcat package at no additional cost. You will receive the latest book, with every feature for the price of AceExpert, you do not have to register HTMLcat separately. If you decide not to keep AceExpert after your evaluation period has expired, you can still purchase HTMLcat separately.

Want to know more about what's in HTMLcat? Click the link to visit the HTMLcat home page to see screen shots and complete descriptions:

[http://ourworld.compuserve.com/homepages/r\\_harvey/htmlcat.htm](http://ourworld.compuserve.com/homepages/r_harvey/htmlcat.htm)

## Registration

OK, it's a pain to write a check and stick it in the mail and wait. It's less of a pain than having to go back to inconvenient, klunky, old-fashioned paper books.

A single-user HTMLcat license delivered electronically is just \$12 (US funds). Yes, just \$12. Provide the following information:

- Your name.
- Your E-mail address. You *must* include your E-mail address so that we can send you electronic mail pointing you to the complete, registered edition.
- Your mailing address. Required only if you would like your order shipped on disk.
- Registration fee, \$12 (US) per user; personal check, money order, or cash. If you would like your copy shipped on 3.5-inch disk and a written receipt, the shipping price is \$17; outside the US, \$19 on disk. Only one floppy disk is required, but you must pay \$12 per user.

Use the convenient Order Form, or simply write your name and E-mail address on a piece of paper with the product name (HTMLcat), plus the registration fee, and mail it here:

### Send your registration:

R. E. Harvey  
P. O. Box 5695  
Glendale, AZ 85312 USA  
E-mail: [r\\_harvey@compuserve.com](mailto:r_harvey@compuserve.com)

If you send cash, wrap it in a piece of paper, making sure it does not look like a greeting card.

As soon as you register, we will quickly send you e-mail information telling you how to receive the complete book. Be sure to include your complete name, mailing address (if applicable) and your E-mail address. You *must* include your E-mail address so that we can send you electronic mail pointing you to the complete, registered edition.

You will not be placed on mailing lists or barraged with unsolicited E-mail.



## Multiple-User License

Multiple-user licenses are available. Here is the basic rate for 1-99 users:

1 to 2 users	\$12.00 each
3 to 9 users	\$9.25 each
10 to 24 users	\$7.50 each
25 to 49 users	\$6.00 each
50 to 99 users	\$5.00 each

Visit the home page for more books and tools:

[http://ourworld.compuserve.com/homepages/r\\_harvey](http://ourworld.compuserve.com/homepages/r_harvey)

Write or E-mail [r\\_harvey@compuserve.com](mailto:r_harvey@compuserve.com) for information about site licensing, bundling, consultation, and custom development services.





## HTMLcat features

[Register](#) [Features](#) [Order Form](#)

HTMLcat is a help application for designers and writers, not just for computer programmers. It helps professionals create attractive, useful, intelligible documents. Get the most from your tools without having to memorize every detail just to write a clear document.

- Support for separate, complete, [Tags](#) and Contents windows. Complete, context-sensitive pop-up [Search Lists](#).
- Catalog with several ways to browse. Simple, logical, sequential design. Move from topic to topic without jumping back to the table of contents each time.
- Designed from the start as a hypertext document, a true help application—not a printed book turned into a help file.
- Topics are arranged consistently, beginning with simple descriptions and increasing levels of detail.
- Click on icons to see pop-up lists of related topics.
- Just as many words as necessary—no more, no fewer. We're offering ideas, not words.
- Lots of tips, examples, formatting suggestions, and compatibility notes.
- Faster and easier to use one Windows help file to look-up HTML information than to search giant, poorly-organized HTML files or outdated ink-on-paper reference books.
- Topic links, cross-references, and more links—more than 7,000 links—guide you between topics.
- Copy examples to the Windows Clipboard with a single mouse click. Look for the copy button or the small copy icon.
- Color Swatches with large samples of all HTML colors. These high-resolution, high-quality, vector drawings take very little space in this book. Click a swatch to copy the color value to the Windows Clipboard or change the window color.
- Pop-up Boilerplate HTML, Special characters, and Web sites lists, in the Edit menu. Instant access to Internet sites and sample documents discussed in this book, plus data you can use in your documents. Click the Copy button to copy information to the Clipboard.
- Fair, unbiased explanations of HTML document tags. We tell you what works, and what doesn't.
- Compatibility information as well as standards—regardless of standards, every browser will display your pages differently.
- Some high-level HTML editors (most, it seems likely) insert tags that are supported by only a few browsers, perhaps (often, it seems even more likely) only those distributed by the same company. We show you which tags to avoid—and even some proprietary tags you really should use.
- More than 3,500 graphics, bullets, icons, lines and illustrations. Efficient illustrations eliminate waste. Every picture is hand-optimized—many are vector drawings.
- Sophisticated sample HTML documents. License to use the included example documents.
- High-resolution graphics for computers that display large fonts or high resolution. Eliminates the jaggies that too often fill the screen with unreadable examples.
- Efficient, 100-percent Assembly language DLL (Dynamic Link Library) improves performance, adds unique functionality, and actually reduces the size of the book.
- No multiple windows popping-up all over the place on top of each other, that when you accidentally close one, the whole help system closes and you have to start over. (Not that I have anything

against multiple-window help files.)

- Pop-up Tags window provides easy, quick navigation without taking-over the screen. Click the Tags button to open or switch to this well-designed window.
- Pop-up, context-sensitive link lists on every page guide you through related topics.
- Modern, hierarchical table of contents; just click the Contents button. Optional separate contents window for Windows Help version 4 and later.
- Exclusive 32-bit **COLOR**cat color swatch help file. Works with HTMLcat, offering pop-up color samples, multiple color lists, and boilerplate HTML lists.
- You may be able to find an old-fashioned paper book with most HTML commands, but it'll be older, much more expensive, and you'll never be able to search it as quickly and easily as a book designed as a help file. And when the printed book quickly becomes outdated (if it wasn't already outdated when you bought it), you'll have to go down to the store to buy another book.
- It's a CD-ROM worth of reference without the CD.
- It's a bargain!



## HTMLcat Order Form

A single-user license delivered electronically is currently just \$12 (US funds).

Please Print this form, fill it out, and mail it today!

---

**Your Name:** \_\_\_\_\_ **(required)**

**E-mail:** \_\_\_\_\_ **(required)**

**Company:** \_\_\_\_\_

**Street:** \_\_\_\_\_

**City/State:** \_\_\_\_\_ **Zip:** \_\_\_\_\_

---

**#Users:** \_\_\_\_\_ **x \$12.00 =** \_\_\_\_\_ **.00 (US funds)**

**Disk:** [    ] \_\_\_\_\_ .00 (\$5 each US, \$7 foreign)

**Total \$:** \_\_\_\_\_ .00

---

**Send payment to:**

R. E. Harvey  
P. O. Box 5695  
Glendale, AZ 85312 USA  
E-mail: r\_harvey@compuserve.com

Personal checks, money orders, or cash are accepted. If you send cash, wrap it in a piece of paper, making sure it does not look like a greeting card. Prices and availability are subject to change.

As soon as you register, we will quickly send you e-mail information telling you how to receive the complete edition of this book. Be sure to include your complete name, mailing address (if applicable) and your E-mail address. You *must* include your E-mail address.

If you would like your copy shipped on 3.5-inch disk and a written receipt, the shipping price is \$17; outside the US, \$19 on disk. Only one floppy disk is required, but you must pay \$12 per user. Site licenses and bundling agreements are available. Here is the basic rate for 1-99 users:

1 - 2 users	\$12.00 each
3 - 9	\$9.25 each
10 - 24	\$7.50 each
25 - 49	\$6.00 each
50 - 99	\$5.00 each

