

# Arachnophilia 4.0

## Save your Tool Bar Definitions in a set of .TBD files

1. *Make any additions/changes you wish, including adding sheets (added sheets become new toolbars).*

2. **Enter your Arachnophilia Program Directory:**

- 3.

**Product:**

Arachnopl

**Version:**

4.0

*This version information should be*

4. **Be sure to save this spreadsheet also, to preserve your changes.**

If you make changes or additions you would like to preserve, then save this spreadsheet in at least one additional location, because when you upgrade your version of Arachnophilia, all the files in the program directory are erased.

hilia

kept up-to-date.

»

<b>Product Name</b>	<b>Version</b>
Arachnophilia	4.0
<b>Short (MetaBar) Name</b>	<b>Long (ToolBar/Menu) Name</b>
Graphics	Graphics/Misc
<b>Button Name</b>	<b>Command</b>
NewImg	
EditImg	[InsertTagGraphic]
BareImg	<img src="" alt="">
NewColr	<font color=[InsertValueColor]> </font>
EditColr	[InsertValueColor]
New CGI	
Marquee	<marquee width="50%" scrollldelay="0" behavior=alternate> </marquee>

<b>ToolTip</b>	<b>Status Line</b>
Graphics-related	Graphics, marquee, CGI links
<b>ToolTip</b>	<b>Status Line</b>
New Image	Locate and move graphic resource
Edit Image	Locate and move graphic resource
Bare Image	Fill in by hand
New Font Color	New Font Color
Edit Font Color	New Font Color
New CGI reference	New CGI reference
Moving Text	Creates a scrolling display of text

<b>Product Name</b>	<b>Version</b>
Arachnophilia	4.0
<b>Short (MetaBar) Name</b>	<b>Long (ToolBar/Menu) Name</b>
Struct	Structure/Lists
<b>Button Name</b>	<b>Command</b>
HEAD	<head>\p\p</head>
TITLE	<title> </title>
PRE	<pre>\p\p</pre>
BLOCK	<blockquote>\p\p</blockquote>
DIV	<div name="">\p\p</div>
SPAN	<span name="">\p\p</span>
IFRAME	<iframe name="">\p\p</iframe>
List	[listwizard]
LI	<li>
Bot	<!--vermeer bot=htmlmarkup startspan --> <!--vermeer bot=htmlmarkup endspan -->

**ToolTip**

Basic HTML

**ToolTip**

HEAD Tags

**Status Line**

Overall Structure

**Status Line**

Creates a block of text that preserves the original spacing and tabs

Indented block of text

Structure division

Structure section

Structure frame

Unordered List

A "bulleted list"

List Item

Works with ordered and unordered lists

Front Page Bot

Front Page Compatibility Tag

## Styles

<b>Product Name</b>	<b>Version</b>	
Arachnophilia	4.0	
<b>Short (MetaBar) Name</b>	<b>Long (ToolBar/Menu) Name</b>	<b>ToolTip</b>
Styles	Styles	Text and Page Styles
<b>Button Name</b>	<b>Command</b>	<b>ToolTip</b>
BR	 \p	Line Break
P	<p>\p\p	Paragraph Break
Centr	<center> </center>	Center Text
Bold	<b> </b>	Bold Text
Ital	<i> </i>	Italic Text
Underl	<u> </u>	Underlined Text
Strike	<s> </s>	Strikeout Text
Super	<sup> </sup>	SuperScript
Sub	<sub> </sub>	SubScript
TT	<tt> </tt>	Teletype
HR	<hr width="95%" align=center>\p	Horizontal Rule
Com	<!--   -->	Comment

**Status Line**

Text and Page Styles

**Status Line**

One line

Two lines

Center Text

Bold Text

Italic Text

Underlined Text

Strikeout Text

SuperScript

SubScript

Literal Text

Horizontal Bar Across the page

Comment



## Links-Sound

<b>Product Name</b>	<b>Version</b>	
Arachnophilia	4.0	
<b>Short (MetaBar) Name</b>	<b>Long (ToolBar/Menu) Name</b>	<b>ToolTip</b>
Links	Links/Sound	New links, edit links
<b>Button Name</b>	<b>Command</b>	<b>ToolTip</b>
NewURL	<a href="[inserttagurl]"> </a>	
EditURL	[inserttagurl]	
NewHTML	<a href="[inserttaghtml]"> </a>	
BareLnk	<a href=""> </a>	
DocLnk	<a href="#link"> </a>	
DocRef	<a name="link"> </a>	
NewSndM	<bgsound src="[inserttagsound]" loop=1>	
NewSndN	<embed src="[inserttagsound]" width="0" height="4">	

**Status Line**

Link-related tags

**Status Line**

Link From URL Resource

Link From URL Resource

For page links on your own site

Fill in by hand

Finds bookmark within a document

Places bookmark in a document

Microsoft style

Netscape style

Product Name	Version
Arachnophilia	4.0
Short (MetaBar) Name	Long (ToolBar/Menu) Name
Tables	Tables
Button Name	Command
TableWiz	[TableWizard]
ListWiz	[ListWizard]
Table1x1	<table>\p\t<tr>\p\t\t<td>\p\t\t\t\t/\p\t\t</td>\p\t</tr>\p</table>
NewRow	\t<tr>\p\t\t\t<td>\p\t\t\t\t\t/\p\t\t</td>\p\t</tr>
TR	\t<tr>\p\t</tr>
TD	\t\t<td>\p\t\t\t\t\t/\p\t\t</td>
TD Cntr	\t\t\t<td align=center>\p\t\t\t\t\t/\p\t\t</td>

**ToolTip**

Various tags for tables

**ToolTip**

Table Dialog

List Dialog

Makes Simple Table

New Row

Row Tags

Data Tags

Centered Data Tags

**Status Line**

Various tags for tables

**Status Line**

Helps you design a table

Helps you design a list

Default one-row, one-column table

Makes New One-column Row

Row Tags

Data Tags

Centered Data Tags

## Fonts

<b>Product Name</b>	<b>Version</b>
Arachnophilia	4.0
<b>Short (MetaBar) Name</b>	<b>Long (ToolBar/Menu) Name</b>
Fonts	Fonts
<b>Button Name</b>	<b>Command</b>
Font	<font size="1" color="#000000" face="times new roman"> </font>
Color	<font color=[insertvaluecolor]> </font>
H1	<h1> </h1>
H2	<h2> </h2>
H3	<h3> </h3>
H4	<h4> </h4>
H5	<h5> </h5>
H6	<h6> </h6>
Font+1	<font size="+1"> </font>
Font+2	<font size="+2"> </font>
Font-1	<font size="-1"> </font>
Font-2	<font size="-2"> </font>

## Fonts

### ToolTip

Font Format and Color

### Status Line

Font Format and Color

### ToolTip

### Status Line

Default "Times New Roman"

Select a block of text and change its color with this tag

Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Bigger

Much bigger

Smaller

Much smaller

## Forms

### **Product Name**

Arachnophilia

### **Short (MetaBar) Name**

Forms

### **Button Name**

NewForm

InText

InPasswd

InCheck

InRadio

InHidden

InSelect

TextArea

InSubmit

InReset

**Version**

4.0

**Long (ToolBar/Menu) Name**

Forms

**Command**

```
<form action="http://yourcgiscript" method="post">\p\p\p\p</form>
<input type="text" name="var name" size="40" maxlength="80" value="default value">
<input type="password" name="var name" size="40" maxlength="80" value="default value">
<input type="checkbox" name="var name" value="default value">
<input type="radio" name="var name" value="default value">
<input type="hidden" name="var name" value="default value">
<select name="variable name">\p<option>\p<option>\p<option>\p<option>\p</select>\p
<textarea name="variable name" rows="3" cols="40">|</textarea>
<input type="submit" value="default value">
<input type="reset" value="default value">
```



**ToolTip**

Automating Methods

**Status Line**

Automating Methods

**ToolTip**

**Status Line**

Creates new form

Text input control

Keystrokes are rendered as "\*"

For selecting more than one of a set

When put in sets, only one stays pressed

Used to pass information to the CGI script

Used for long lists of choices

Large Block

Submits form

Resets Form

**Product Name**

Arachnophilia

**Short (MetaBar) Name**

Frames

**Button Name**

Fset C

Fset R

Frame

Target

NoFrame

Style

NoScript

Script

ASPCode

Write

Alert

Prompt

Funct

IfElse

**Version**

4.0

**Long (ToolBar/Menu) Name**

Frames/JavaScript

**Command**

```
<frameset cols="20%,*">\p\p\p\p</frameset>
<frameset rows="20%,*">\p\p\p\p</frameset>
<frame src="" name="">
<a href="" target="">|</a>
<noframes>\p\p\p\p</noframes>
<style type="text/css">\p<!--\p\p\p\p-->\p</style>
<noscript>\p\p</noscript>
<script language="JavaScript">\p<!-- ;\p\p\p\p// end hide -->\p</script>
<%\p\p\p\p%>
document.writeln("|");
alert("|");
var response = prompt("|","y/n");
function |() {\p\p}
if (|) {\p\p}\pelse {\p\p}
```

**ToolTip**

Also JavaScript

**ToolTip**

Column Frameset

Row Frameset

Frame Definition

Target Frame

No Frame Block

Style tags

NoScript block

JavaScript code block

ASP Code block

Write to browser

Cute Dialog Box

Ask the user

Function block

Decision block

**Status Line**

Also JavaScript

**Status Line**

Column Frameset

Row Frameset

Frame Definition

Target Frame

For browsers that don't support frames

Tags for CSS Style block

Block for NoScript commands

JavaScript code block

Block for ASP document code

Write to browser

Cute Dialog Box

Ask the user

Function block

Decision block

<b>Product Name</b>	<b>Version</b>
Arachnophilia	4.0
<b>Short (MetaBar) Name</b>	<b>Long (ToolBar/Menu) Name</b>
RightClickMenu	RightClickMenu
<b>Button Name</b>	<b>Command</b>
Tag Coloring on-off Ctrl+Shift+T	[ToggleAutoColorTags]
Cut	[Cut]
Copy	[Copy]
Paste	[Paste]
Save	[Save]
SaveAs	[SaveAs]
Table Wizard	[TableWizard]
List Wizard	[ListWizard]
_____ (separator)	
Line Break	 \p
Paragraph Break	<p>\p\p
Bold	<b> </b>
Italic	<i> </i>
Center	<center> </center>
Horizontal Rule	<hr width="95%" align=center>\p
Comment	<!--   -->
DateTime	[DateTime]

**ToolTip**

Context Menu

**ToolTip**

Toggle Tag Coloring

Create Table

Create List

Line Break

Paragraph Break

Bold Text

Italic Text

Center Text

Horizontal Bar Across the page

Comment

Date & Time

**Status Line**

Right-click context menu

**Status Line**

Toggle Tag Coloring

Cut selected text to clipboard

Copy selected text to clipboard

Paste text from clipboard

Save this file

Save this file As...

Design a New Table

Design a new List

One line

Two lines

Bold Text

Italic Text

Center Text

Horizontal Bar Across the page

Comment

Insert current date and time at cursor position