

# Index

- access, 1
- access paths, 99
- `__add__()`, 69
- ANSI C, 24, 121
- Arnoldi, 117
- `arnoldi()`, 119
- Arnoldi method, 31
- Arnoldi routine, 119
  
- back substitution, 84
- `bisvd()`, 91
- `BKPfactor()`, 71, 112
- `BKPsolve()`, 71, 112
- BSD Unix, 121
- Bunch–Kaufmann–Parlett factorisation
  - sparse, 112
  
- C, 125
- C++, 129, 143
- `catch()`, 34
- catchall, 136
- `catchall()`, 34
- `catch_FPE()`, 34
- `cg_numiters`, 113
- CGS, 31, 113
- `cgs()`, 113
- `cg_set_maxiter()`, 113
- `CHfactor()`, 27, 73
- Cholesky factorisation, 13, 22, 27, 73
  - incomplete, 15, 23
  - modified, 73
  - sparse, 108
- `CHsolve()`, 27, 73
- columns, 20, 46, 63
- comment, 3, 40
- comments, 135
- compact form, 10
- companion matrix, 141
- compilation, 8, 11
- componentwise operations, 65
- condition number, 26, 27, 29, 31, 78
  - estimator, 26, 75
  - least squares, 27
- conjugate gradients, 22, 113
  - pre-conditioner, 109
- contiguous allocation, 17
- copy, 130
- copy routines, 36
- copying, 133
  - sparse matrices, 96
- copyright, 123
- core routines, 69
- `cp_ivec()`, 36
- `cp_mat()`, 4, 36
- `cp_perm()`, 36
- `cp_vec()`, 2, 36
- create object, 45
  
- data structures, 1, 16, 42, 129
- debugging, 135, 142
- deep copy, 133
- dimension, 2
- `d_save()`, 55
- `Dsolve()`, 84
- `dump_mat()`, 42
- `dump_perm()`, 42
- `dump_vec()`, 42
  
- efficiency, 135
- eigenvalues, 14, 29, 88, 90
  - sparse matrices, 116
- eigenvectors, 14, 29, 88, 90, 142
- entries, 1
  - sparse matrix, 97
- `ERRABORT()`, 39
- `ERREXIT()`, 39
- `error()`, 34, 37, 142
- error handling, 9, 34, 37, 39, 136
- `ev_err()`, 37, 136
  
- factorisation, 3
  - BKP
    - sparse, 112
  - Bunch–Kaufman–Parlett, 71
  - Cholesky, 13, 21, 27, 73, 108
    - incomplete, 15, 32
  - incomplete, 21, 22, 108

- indefinite, 71
- LDL, 86
- LU, 14, 75
  - incomplete, 32
  - sparse, 110
- modified, 22
- positive definite, 73
- QR, 14, 27, 28, 77, 79, 82, 86
- Schur, 88
- sparse, 21
- SVD, 91
- symbolic, 21, 108
- symmetric, 71, 73, 86
- Fast Fourier Transform, 93
- `fft()`, 93
- files, 2, 40, 42, 55
- fill-in, 19, 21, 31, 108, 110
- `fin_mat()`, 40
- `fin_perm()`, 40
- `finput()`, 43
- `fin_vec()`, 40
- forward substitution, 84
- `fout_mat()`, 42
- `fout_perm()`, 42
- `fout_row()`, 106
- `fout_vec()`, 42
- `fprompter()`, 43
- `freeivec()`, 44
- `freemat()`, 4, 44
- `freeperm()`, 44
- `freevec()`, 44
- functional representation, 15, 22, 31, 114, 117, 139
- Gauss-Seidel, 31
- Gaussian elimination, 75, 110
- get object, 45
- `get_col()`, 46
- `get_ivec()`, 17, 45
- `get_mat()`, 1, 45
- `get_perm()`, 1, 45
- `get_row()`, 46
- `get_vec()`, 1, 45
- `givens()`, 80
- Givens' rotations, 28, 80
- Hadamard product, 65
- `hhtrcols()`, 28, 82
- `hhtrrows()`, 28, 82
- `hhtrvec()`, 28, 82
- `hhvec()`, 28, 82
- Householder transformations, 28, 77, 82
- identity matrix, 47
- `id_mat()`, 47, 91
- `ifft()`, 93
- ill conditioning, 24
- ill-conditioned problem, 26, 141
- incremental testing, 141, 142
- indexing, 2
- initialisation, 2, 13, 47, 101
- `in_mat()`, 40
- inner product, 49
- `in_perm()`, 40
- `in_prod()`, 49
- `input()`, 43
- input routines, 40
- input/output, 2, 8, 9, 42, 43, 132, 133
  - interactive, 133
  - sparse, 102, 104
- installation, 120
- integer vectors, 17
- `in_vec()`, 40
- inverse
  - matrix, 75, 142
  - permutation, 60
- `--ip--()`, 69
- iterative methods, 31, 113
- `iv_add()`, 50
- `iv_free()`, 17
- `iv_resize()`, 17, 51
- `iv_sub()`, 50
- Jordan Normal form, 30
- `lanczos()`, 116
- Lanczos method, 22, 31, 116
- Lanczos routines, 23, 142
- Lanczos-type solver(CGS), 114
- `lanczos2()`, 116
- `LDLfactor()`, 73
- `LDLsolve()`, 73
- `LDLupdate()`, 86
- least squares, 14, 23, 26, 77, 114
- linear combinations, 67
- linear equations, 14
- loop unrolling, 122
- `Lsolve()`, 84
- LSQR, 31, 113
- `lsqr()`, 113
- `LTsolve()`, 84
- LU factorisation, 14, 75, 110
- `LUcondest()`, 26, 75
- `LUfactor()`, 14, 75
- `LUsolve()`, 14, 75
- `LUTsolve()`, 75

- MACHEPS, 24, 28, 53, 110
- machine dependent routines, 69
- machine epsilon, 24, 28, 53, 121, 141
- `m_add()`, 54
- `makeQ()`, 79
- `makeR()`, 79
- Markowitz, 110
- MATLAB, 55
- matrix
  - columns, 63
  - data structure, 17
  - dense, 31
  - diagonal, 65, 66
  - Hilbert, 26
  - inverse, 75
  - multiplication, 57
  - norms, 58
  - operations, 2, 19, 54
  - orthogonal, 10, 77, 80, 82, 88, 91
  - random, 47
  - row, 63
  - scalar multiplication, 54
  - sparse, 18, 31
  - structure, 19
  - symmetric, 29, 88
  - transpose, 57, 59, 98
  - tridiagonal, 88
  - unitary, 30
- matrix norm, 25
- matrix–vector multiplication, 59, 98
- maximum, 65
- `MCHfactor()`, 73
- `mem_copy()`, 69
- memory management, 4, 17, 18, 31, 36, 44, 45, 51, 94, 130, 135, 136, 142
- memory thresholding, 137
- `mem_zero()`, 123
- minimum, 65
- `m_inverse()`, 75
- `m_load()`, 55
- `__mload__()`, 69
- `m_mlt()`, 54
- `mmtr_mlt()`, 57
- `m_norm1()`, 25, 58
- `m_norm_frob()`, 25, 58
- `m_norm_inf()`, 25, 58
- `mrnd()`, 47
- `mrndlist()`, 47
- `m_resize()`, 51
- `m_save()`, 55
- `m_sub()`, 54
- `m_transp()`, 57
- `mtrm_mlt()`, 27, 57
- `mv_mlt()`, 59
- `mv_mltadd()`, 59
- norm, 25
  - Euclidean, 25
  - Frobenius, 25
  - matrix, 25
- normal equations, 27
- norms
  - Frobenius, 58
  - matrix, 58
  - vector, 68
- NULL, 2, 5, 7, 19
- numerical integration, 139
- `ON_ERROR()`, 39
- `ones_mat()`, 47
- `ones_vec()`, 47
- ordinary differential equations, 5
- orthogonal matrices, 10, 77, 80, 82, 88
- overdetermined system, 26
- partial pivoting, 21, 75, 110
- `pccg()`, 15, 109, 113
- permutation
  - data structure, 18
  - identity, 1
  - matrices, 61
  - operations, 2, 60
  - vectors, 61
- perturbation theorem, 26, 29
- pointer, 127
- pointers, 1, 18, 130, 139
- polynomials, 141
- preconditioner, 22
- preconditioning, 15, 66
- `prompter()`, 43
- pseudo-inverse, 27
- `px_cols()`, 61
- `px_id()`, 60
- `px_inv()`, 60
- `px_invvec()`, 61
- `px_mlt()`, 60
- `px_resize()`, 51
- `px_rows()`, 61
- `px_vec()`, 61
- QR factorisation, 14, 27, 28, 77, 79
- `QRCPfactor()`, 77
- `QRfactor()`, 10, 14, 77
- `QRsolve()`, 14, 77
- `QRTsolve()`, 77

- QRupdate(), 86
- raise an error, 37
- rand\_mat(), 47, 121
- random entries, 47
- rand\_vec(), 47, 121
- rank deficient, 27, 28
- rank estimation, 28, 78, 91
- rational functions, 141
- resizing, 94, 139
- resizing data structures, 51
- reverse communication, 140
- rot\_cols(), 80
- rot\_rows(), 80
- rot\_vec(), 80
- rotations, 80
- rot\_cols(), 28
- rot\_vec(), 28
- roundoff error, 141
- \_row\_mltadd(), 106
- rows, 20, 46, 63
- row\_set\_val(), 106
- row\_xpd(), 97, 106
- Runge–Kutta ODE solver, 5
- scalar multiplication, 54, 64
- schur(), 14, 30, 88, 90
- Schur decomposition, 14, 29, 88, 90
  - real, 29
- schur\_evals(), 14, 90
- schur\_vals(), 30
- schur\_vecs(), 14, 30, 90
- setbuf(), 142
- set\_col(), 63
- set\_err\_flag(), 37
- set\_row(), 63
- shallow copy, 130
- Singular Value Decomposition, 91
- singular values, 27, 91
- singular vectors, 27
- size, 2
- SmallTalk, 129
- \_\_smlt\_\_, 69
- sm\_mlt(), 54
- smrand(), 47
- solving equations, 84
- SOR, 31
- sorting, 65
- sp\_arnoldi(), 119
- sparse matrix, 15, 31
- sparse rows, 106
- spBKPfactor(), 112
- spBKPsolve(), 112
- sp\_cgs(), 113
- spCHfactor(), 21, 22, 108
- spCHsolve(), 21, 22, 108
- spCHsymb(), 21, 96, 108
- sp\_col\_access(), 99
- sp\_compact(), 94
- sp\_cp\_mat(), 13, 96
- sp\_cp\_mat2(), 96
- sp\_diag\_access(), 99
- sp\_dump\_mat(), 19
- sp\_fin\_mat(), 102, 104
- sp\_fout\_mat(), 102
- sp\_free\_mat(), 94
- sp\_get\_idx(), 106
- sp\_get\_mat(), 13, 94
- sp\_get\_row(), 106
- sp\_get\_val(), 97
- spICHfactor(), 13, 15, 23, 96, 108
- sp\_in\_mat(), 104
- sp\_lsqr(), 113
- spLUfactor(), 22, 110
- spLUsolve(), 110
- spLUTsolve(), 110
- sp\_mv\_mlt(), 98
- sp\_out\_mat(), 102
- sp\_pccg(), 13, 15, 113
- sp\_resize(), 94
- sp\_row\_merge(), 106
- sp\_set\_val(), 13, 97
- sp\_vm\_mlt(), 98
- sp\_zero\_mat(), 101
- stability, 24
  - backward, 24
  - forward, 24
- \_\_sub\_\_, 69
- SVD, 25, 27, 91
- svd(), 91
- sv\_mlt(), 64
- symmeig(), 14, 29, 88
- tracecatch(), 34, 136
- transpose, 57, 59, 98
- triangular matrices, 84
- trieig(), 88
- unit roundoff, 24, 53, 121
- unitary matrix, 30
- Unix
  - BSD, 121
- update routines, 86
- Usolve(), 84

UTsolve(), 84

vector

- data structure, 16
- linear combinations, 67
- norms, 68
- operations, 2, 64, 65
- random, 47
- sorting, 65

vector processors, 122

v\_lincomb(), 67

v\_linlist(), 67

v\_map(), 65

v\_max(), 65

v\_min(), 65

v\_mltadd(), 7, 64

vm\_mlt(), 59

vm\_mltadd(), 59

v\_norm1(), 25, 68

v\_norm2(), 25, 68

v\_norm\_inf(), 68

v\_norm\_inf(), 25

v\_resize(), 5, 51

v\_save(), 55

v\_slash(), 65

v\_sort(), 65

v\_star(), 65

v\_sum(), 65

workspace, 136

\_\_zero\_\_(), 69, 123

zero\_mat(), 47

zero\_vec(), 47

# Contents