
REM WINSTALL.INF file for ACTION ENGLISH (c)
REM -----

[The title of your application]
\$TITLE=ACTION ENGLISH: Grammar Master Version 1.1 Shareware

[Default target directory]
\$TARGET=C:\ACTION

[Disk space needed for the installation - in bytes]
\$SPACE=348000

[Any temporary extra disk space needed while installing - in bytes]
;\$SWAP-SPACE=0

[Files to be copied; "\$disk 1 =" to "\$disk 45 ="; you can use wildcards]
[file specs should be separated with a semi-colon]
\$DISK1=*.*

[uncomment this line to turn on disk verification]
;\$VERIFY-INSTALL-DISKS

[Files to be installed to subdirectories under DEST directory tree]
[Max=45 lines; 14 file names on each line, separated with semi-colon; no wildcards]

[Files to be installed to Windows directory]
[Max=1 line; 14 file names on each line, separated with semi-colon; no wildcards]

[Files to be installed to Windows SYSTEM directory]
[Max=1 line; 14 file names on each line, separated with semi-colon; no wildcards]
;\$SYSDIR=

[Files to be installed to TEMP directory]
[Max=1 line; 14 file names on each line, separated with semi-colon; no wildcards]
;\$TEMPDIR=

[Files to be replaced without warning if older versions already exist]
[Max=20 lines; 14 file names on each line, separated with semi-colon; no wildcards]

[Default Program Manager group name]
\$GROUP=ACTION ENGLISH

[program(s) to create Program Manager icons for; MAX=45 icons in all]
[format= CommandLine;Icon Title;Group Name]
[Group Name is optional - if none, the one in \$GROUP will be used]

\$ICON=\$DEST\ACT.EXE;Action English
\$ICON=\$DEST\READ.ME;Readme File

[*****]
[*** NOTE: EVERYTHING FROM HERE IS TOTALLY OPTIONAL *****]
[*****]

[Program(s) to execute as part of the installation; separated with a semi-colon]
[install will *try* to wait for them to terminate before continuing]
;\$PRE-EXEC=

[Files to delete after completing installation]
[up to 20 files, each on a separate line]
[here, we're cleaning up our INSTALL files from the TEMP directory]

[Program(s) to execute after completing installation; separated with a semi-colon]
;\$EXEC=

[uncomment this line for a maximized main window - and no "banner"!]
\$WINDOW=MAXIMIZE

[uncomment this to use a 16kb buffer for copying the files]
;\$COPYBUFFER=16384

[comment this to use a WHITE background color for the dialog window]
[valid values are 0 to 4]
\$WINDOW-BACKGROUND=1

[comment this to use a WHITE background for the dialog text]
[3 RGB values, or 1 long integer value]
\$TEXT-BACKGROUND=192,192,192

[comment this to NOT paint the background of the "percent" dialog]
\$PAINTDIALOGS

[uncomment this line to automatically set the check box for PROGMAN group]
\$SETCHECKBOX

[uncomment this line to disable the final "installation completed" dialog]
;\$NO-END-DIALOG

[uncomment this line to disable the dialog that offers to add the target]
[directory to the PATH statement in AUTOEXEC.BAT]
\$NO-PATH-DIALOG

[comment this line to disable the small "percent" meter for individual files]
\$SHOW-FILE-PERCENT

[comment this line to disable logging for the UNINSTALLER in UNINSTAL.LOG]
\$MAKE-UNINSTALL-LOG

[uncomment these lines for user selectable install options]
[max= 10 options; format = title;disk space needed (in bytes)]
[the figures are added to the \$SPACE line above]

[these lines are the files that make up each user selectable option]
[each option can use up to 10 lines to list its files, and each line
[can list up to 30 files; max = 200 characters per line]
\$OPTIONAL1=INSTALL.EXE;UNINSTAL.EXE;CTL3D.DLL

[these lines are for the "BANNER" window]
[the font to use; I am using True Type Times New Roman]
\$BANNER-FONT=TIMES NEW ROMAN

[make sure this is small enough for those using 640x480 displays]
\$BANNER-FONT-SIZE=30

[message must be short enough to fit on the screen]
;\$BANNER-MESSAGE=

\$BANNER-TEXT-COLOR=\$00FFFF00
\$BANNER-TEXT-BACKGROUND=0,0,0
\$BANNER-WINDOW-BRUSH=255,0,0

[I am not using any bitmap! so I use a non-existent file name]
\$BITMAP=nobitmap

[*****]
[*** these lines are for version checks on shared files ****]
[*****]

[uncomment this line to enable version checking on non-shared DLLs]
;\$CHECK-MY-DLL-VERSIONS

[this line stipulates the headings of the file version numbers]
\$VERSION-INFO-TITLE=File Version

[your explanation or recommendation when a copy of a shared file]
[already exists]
\$VERSION-INFO-MESSAGE=You SHOULD click on "NO" if the target file \n is NEWER than the
source file.

[your message when we can't successfully install a shared file]
\$VERSION-COPY-ERROR-MESSAGE=Please copy it later (after closing Windows) \n.A
temporary copy of the file exists as

[uncomment this line to force older files to be overwritten without warning]
;\$FORCE-OVERWRITE-OLDER-FILES

[uncomment and put any final message to be displayed to the user]
\$FINAL-MESSAGE=Click on the ACTION icon in the group Action English to begin the program.
If you clicked on the abort button, you must reinstall the program.

[uncomment and use this line to send a mouse click to any of]
[the three push buttons; 1=Start Install; 2=Abort; 3=Help]
;\$AUTO-CLICK-BUTTON=3
\$ICON=\$DEST\READ.ME;Readme File

[*****]
[***Ç [] w H< 7[]" []N<O<[] []- +μ_ _<`ç _ @ó_ R`ëE_
E0[]x`X` _ x` _ab``X`N<[] O< _ v`![]<x` _a7[]<+
+a+a+`[] O<w=, é[] []Ç ¼ _+ _[] _[] _[] _[] _g[] _i[] _à[] _ÿ[] _Ü[] _-[] _[]
_[] _%[] _5[] _7[] _ù[] _i[] _-[] _+[] _[] []+[] _[] _a[] _[] _V[] _½[] _i[]
_[] _._[] _0[] _e[] _+[] _+[] _+[] _[] _C[] _O[] _Q[] _Ö[] _[] _[] _[]

10 30 z ° _ _ _ _ > @ _ | _ +
÷ ° J É _ É ¥ f - _ @ _ B _ D _ ÿ
í ú _ _ _ 2 _ :

N
P
ú
:
+
+
/ M
O
ó
ñ
|
|
|

—L

└

—

—

1

—

—

```
__? __S __U __U í __! __+ __ __5__ __g__ __i__ __k__ __ __ __ __1__ `__ __b__
__j__ __!__ __ __μ__ __) __? __A__ __ __v__ __è__ __ï__ __ __+__ __μ__ __
__( __: __< __> __~ __+ __ __ __E__ ^ __ ` __í __+ __ __+ __+
__ __ __ü __ - __6__ 8__ à__ Ñ__ °__ __ __è$ __í$ __-$ __ __
__ __í __+ __ Arial is line to disable the final "installation completed" dialog]
;$NO-END-DIALOG
```

[uncomment this line to disable t