

in

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "diskfont/diskfont.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT afh
(  0)   numentries:INT
(----) ENDOBJECT      /* SIZEOF=2 */

(----) OBJECT taf
(  0)   type:INT
(  2)   attr:tttextattr (or ARRAY OF tttextattr)
(----) ENDOBJECT      /* SIZEOF=14 */

(----) OBJECT af
(  0)   type:INT
(  2)   attr:textattr (or ARRAY OF textattr)
(----) ENDOBJECT      /* SIZEOF=10 */

(----) OBJECT diskfonthead
(  0)   df:ln (or ARRAY OF ln)
( 14)   fileid:INT
( 16)   revision:INT
( 18)   segment:LONG
( 22)   name[32]:ARRAY OF CHAR
( 54)   tf:textfont (or ARRAY OF textfont)
(----) ENDOBJECT      /* SIZEOF=106 */

(----) OBJECT fch
(  0)   fileid:INT
(  2)   numentries:INT
(----) ENDOBJECT      /* SIZEOF=4 */

(----) OBJECT tfc
(  0)   filename[254]:ARRAY OF CHAR
( 254)  tagcount:INT
( 256)  ysize:INT
( 258)  style:CHAR
( 259)  flags:CHAR
```

```
(----) ENDOBJECT      /* SIZEOF=260 */

(----) OBJECT fc
(   0)   filename[256]:ARRAY OF CHAR
( 256)   ysize:INT
( 258)   style:CHAR
( 259)   flags:CHAR
(----) ENDOBJECT      /* SIZEOF=260 */

CONST DFH_ID=$F80,
      OFCH_ID=$F03,
      TFCH_ID=$F02,
      FCH_ID=$F00,
      AFF_TTATTR=$10000,
      MAXFONTPATH=$100,
      AFF_TAGGED=$10000,
      AFB_TAGGED=16,
      DFH_TAGLIST=18,
      AFF_SCALED=4,
      AFB_SCALED=2,
      AFF_MEMORY=1,
      AFB_MEMORY=0,
      AFF_DISK=2,
      AFB_DISK=1,
      AFF_BITMAP=8,
      AFB_BITMAP=3,
      MAXFONTNAME=$20
```