

**in**

|                      |
|----------------------|
| <b>COLLABORATORS</b> |
|----------------------|

|               |                          |                |                  |
|---------------|--------------------------|----------------|------------------|
|               | <i>TITLE :</i><br><br>in |                |                  |
| <i>ACTION</i> | <i>NAME</i>              | <i>DATE</i>    | <i>SIGNATURE</i> |
| WRITTEN BY    |                          | March 28, 2025 |                  |

|                         |
|-------------------------|
| <b>REVISION HISTORY</b> |
|-------------------------|

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
|        |      |             |      |

# Contents

|          |                             |          |
|----------|-----------------------------|----------|
| <b>1</b> | <b>in</b>                   | <b>1</b> |
| 1.1      | ModuleInformation . . . . . | 1        |

# Chapter 1

## in

### 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "prefs/font.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT fontprefs
(  0)   reserved[3]:ARRAY OF LONG
( 12)   reserved2:INT
( 14)   type:INT
( 16)   frontpen:CHAR
( 17)   backpen:CHAR
( 18)   drawmode:CHAR
( 20)   textattr:textattr (or ARRAY OF textattr)
( 28)   name[128]:ARRAY OF CHAR
(----) ENDOBJECT      /* SIZEOF=156 */
```

```
CONST FP_SCREENFONT=2,
      FP_SYSFONT=1,
      FP_WBFONT=0,
      ID_FONT=$464F4E54,
      FONTNAME_SIZE=$80
```