

in

COLLABORATORS

	TITLE : in		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		March 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "resources/mathresource.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT mathieeerresourcesource
(  0)   node:ln (or ARRAY OF ln)
( 14)   flags:INT
( 16)   baseaddr:PTR TO INT
( 20)   dblbasinit:LONG
( 24)   dbltransinit:LONG
( 28)   sglbasinit:LONG
( 32)   sgltransinit:LONG
( 36)   extbasinit:LONG
( 40)   exttransinit:LONG
(----) ENDOBJECT      /* SIZEOF=44 */
```

```
CONST MATHIEEERESOURCEF_EXTBAS=16,
      MATHIEEERESOURCEF_SGLBAS=4,
      MATHIEEERESOURCEF_DBLBAS=1,
      MATHIEEERESOURCEF_EXTTRANS=$20,
      MATHIEEERESOURCEF_SGLTRANS=8,
      MATHIEEERESOURCEF_DBLTRANS=2
```