

in

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "devices/keymap.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT keymapresource
(  0)  node:ln (or ARRAY OF ln)
( 14)  list:lh (or ARRAY OF lh)
(----) ENDOBJECT      /* SIZEOF=28 */

(----) OBJECT keymapnode
(  0)  node:ln (or ARRAY OF ln)
( 14)  keymap:keymap (or ARRAY OF keymap)
(----) ENDOBJECT      /* SIZEOF=46 */

(----) OBJECT keymap
(  0)  lokeymaptypes:PTR TO CHAR
(  4)  lokeymap:PTR TO LONG
(  8)  locapsable:PTR TO CHAR
( 12)  lorepeatable:PTR TO CHAR
( 16)  hikeymaptypes:PTR TO CHAR
( 20)  hikeymap:PTR TO LONG
( 24)  hicapsable:PTR TO CHAR
( 28)  hirepeatable:PTR TO CHAR
(----) ENDOBJECT      /* SIZEOF=32 */
```

```
CONST DP_2DINDEXMASK=15,
      KCF_CONTROL=4,
      KCB_CONTROL=2,
      KC_VANILLA=7,
      KCF_ALT=2,
      KCB_ALT=1,
      KCF_STRING=$40,
      KCB_STRING=6,
      DP_2DFACSHIFT=4,
      KCF_SHIFT=1,
      KCB_SHIFT=0,
      DPF_DEAD=8,
      DPB_DEAD=3,
```

```
KCF_DEAD=$20,  
KCB_DEAD=5,  
DPF_MOD=1,  
DPB_MOD=0,  
KC_NOQUAL=0,  
KCF_DOWNUP=8,  
KCB_DOWNUP=3,  
KCF_NOP=$80,  
KCB_NOP=7
```