

in

COLLABORATORS

	TITLE : in		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		March 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	Dust - Dokumentation	1
1.2	5. Tutorial	1
1.3	Tutorium 4 - Waveinterferences with FOR-loops	2
1.4	Tutorium 5 - Programming of particle-effects: explosions	3
1.5	Tutorium 3 - Einbindung der Objekte in LIGHTWAVE	4
1.6	Tutorium 2 - Creation of a 2D-transversal-wave (180 frames)	5
1.7	4. DOCUMENTATION	7
1.8	4.5 The ARexx-port	7
1.9	4.3. The Preview	8
1.10	4.2 Concept	9
1.11	Object-formats	9
1.12	Data-types	10
1.13	Mathematical expressions	11
1.14	Identifier	11
1.15	Loops	12
1.16	Format-Commands	12
1.17	4.1. Installation	12
1.18	1. Program-description	13
1.19	2. System- and user-requirements	14
1.20	3. Program-status and licence	15
1.21	7. Address of the author	15
1.22	6. Copyrights	15
1.23	Explanation of the features	16
1.24	4.4. The particle-system	18
1.25	The Dust-Particle-format	19
1.26	4.6 COMMANDS	20
1.27	4.7 PREFS	20
1.28	Tutorium 1 - MORPH and Imagine-States	21

Chapter 1

in

1.1 Dust - Dokumentation

```
#####
#
#           Dust V1.91 - Copyright ©1994 by A.Maschke           #
#           All rights reserved.                                #
#-----#
#
#           English Documentation V0.4                          #
#
#####

    1. Program-description
    2. System- and user-requirements
    3. Program-status and licence
    4. DOCUMENTATION
    5. Tutorial
    6. Copyrights
    7. Address of the author

        (Last changes: 3 April 1995)

NOTES: 1. Many people requested an English-guide-file - I had to translate it
        in a big hurry - so here is the (bad) result.
        2. If you want to write a better guide-file - feel free !
```

1.2 5. Tutorial

Since Version 2.9 Imagine has a new feature called states.
Tutorium 1 - MORPH and Imagine-States demonstrates
how to create ONE states-object from TWO objects with different point-
and face-count.

If you want to create animations you have to load all the objects created
by Dust into your rendering-software. Because this cannot be done by hand
Dust will help you doing this.
There is a programm called "ISL" creating staging-files for Imagine.

The following
 Tutorium 2 - Creation of a 2D-transversal-wave (180 frames)
 will demonstrate how to use this program.

Tutorium 3 - Animations with LIGHTWAVE
 describes the creating of scene-files for Lightwave.

The linearcombination of F/X is demonstrated creating wave-interferences:
 Tutorium 4 - Waveinterferences with FOR-loops .

The last tutorium demonstrates how to program particle-effects:
 Tutorium 5 - Programming of Particle-effects: explosions

1.3 Tutorium 4 - Waveinterferences with FOR-loops

To create wave-inferences you have to apply waves to an object sequentially.
 Because this cannot be done by hand I implemented the FOR-loops.

Now we want to linearcombine 3 transversal-waves applied to a plane.
 180 object will be created.

To do the interference for the first object the followings steps are
 necessary:

- load the plane
- create the 1st wave
- create the 2nd wave
- create the 3rd wave
- save the object

We write script doing this:

```
"load(1,plane)
wave2dframe(1,180,1,2,t,12.0,24,20,30,1.0,60.0)
wave2dframe(2,180,1,3,t,14.0,36,-30,10,0.9,-30.0)
wave2dframe(3,180,1,2,t,11.0,22,5,-30,1.1,45.0)
save(2,hd1:objects/obj.0001)"
```

Now we have to enclose our commands in a loop and to replace the
 number 1 with a loop-variable

```
"load(1,plane)
for(i,1,180)
  wave2dframe(1,180,i,2,t,12.0,24,20,30,1.0,60.0)
  wave2dframe(2,180,i,3,t,14.0,36,-30,10,0.9,-30.0)
  wave2dframe(3,180,i,2,t,11.0,22,5,-30,1.1,45.0)
  save(2,hd1:objects/obj.%)
end"
```

The variable i runs from 1 to 180, the objects "hd1:objects/obj.0001",
 "hd1:objects/obj.0002", ..., "hd1:objects/obj.0180" will be created.

Entering the command
 "staging3(hd1:objects/obj,1,180,1,180,ram:staging.a)" erzeugt die

the ISL-staging-file will be created.

1.4 Tutorium 5 - Programming of particle-effects: explosions

1. Steps

1. Scaling

I think the size of the particles will leave constant so we dont change this values

2. Position

The position is calculated solving a differential equation, e.g.

```
x=f(x0,vx0,eta,t)
y=f(y0,vy0,eta,t)
z=g(y0,vz0,eta,g,t)
```

(vx0,vy0,vz0:velocity at t=0, x0,y0,z0:position at t=0, g: 9.81 m/s², eta: Stokes-parameter (usually in the range -0.1...-0.00001.)

At first we have to calculate the velocity at t=0 for every particle. This is done building a vector which starts at the centre of all particle and points to the initial particle-position.

This normed vector is multiplied by the omitted velocity-parameter and a random number between 0.8 and 1.2. (This looks more realistic.)

3. Rotation

Larger particles should rotate slower than small particles - I think this looks more realistic.

So we have to calculate a bounding-box ore another thing indicating the size for every particle.

(The real size of a particle is (psize.x*scl.x,psize.y*scl.y,psize.z*scl.z))

But - doing this example we DON'T rotate the particles.

4. Animation

The time is our parameter, that means we increase the t-value at every frame by a value dt. Then we go with this time-value in our solution of the differential equation to calculate the coordinates of the particles. (dt=(whole time)/(frames-1))

(If we want to rotate the particles we have to increase the individual rotation-angles by a value da=angle/(frames-1))

2. Implementation

All files we should create in this section can be located in the drawer "Tutorial3" of the standard Dust-archieve.

I have supplied source-codes in standard-C (I used Maxon-C), GCC and OBERON.

The script our program should create is named "Tutorial3/PExample.script" so you can compare it with your results.

1. Creating the particle-object

We take a Sphere as structure and a cube a shape-object. After creating

the particle-object using Dust we receive the data OCOUNT (number of particles) and PPOS (particle-positions) to operate.
 If you want to change the angles and scaling of the particles you need the data-fields PROT and PSCL, too).
 We create a script like this:

```
"load(1,objects/s1)      (load the sphere)
load(2,objects/c1)      (load the cube)
o2p(1,2,1,p)            (create the particle-object)
savep(1,PExample.obj)    (save the particle-object)
getocount(1)             (save the number OCOUNT as binary-file)
!copy T:Dust.output PExample.oCount (rename the file)
getppos(1)               (save the data-field PPOS as binary-file)
!copy T:Dust.output PExample.PPOS (rename the file)
!delete T:Dust.output" (clean up)
```

2. The program

Our program has to load in the binary-files at first. After that it calculates and prints out a Dust-script which will transform and save the particle-objects.

This output is piped into a file which will be executed later.

We create n particle-objects executing the following steps:

- calculate the particle-positions using the mentioned equations
- print this particle-positions as SETPPOS-commands
- print out a save-command
- next frame

3. Final object-creation

The program name "PExample" is started typing

```
"PExample >PExample.script".
```

After that (about 10 seconds) we have to start Dust and to load the particle-object:

```
"load(1,PExample.obj)".
```

Now we execute the "calculated" script:

```
"exec(PExample.script)"
```

After waiting some seconds we got 12 Imagine-objects.

That't it !

1.5 Tutorium 3 - Einbindung der Objekte in LIGHTWAVE

Note: I don't own Lightwave - so I couldn't check this out.

In opposition to Imagine Lightwave loads all objects it recognises in the scene-file into your memory. But this shouldn't work creating a wave-animation containing of 480 objects...

I think the following should be good:

Example: Creating a wave-animation (480 frames)

In the most cases you will build up a big scene containing one by Dust transformed object. So the first step is to create this scene. After that you have to load one of the Dust-objects, e.g. "hd0:tobj.0020", into this scene. The resulting scene-file, e.g. "hd1:scene", will be reproduced by Dust 180 times exchanging the object-file-names.

The results are "hd1:scene.0001", ..., "hd1:scene.0480".

Dust will create an additional ARExx-script which causes Lightwave rendering the 480 frames, too.

ATTENTION: The scene must have only one frame (firstframe=lastframe=1)

The used Dust-command is named "lwstaging". In our example it is called like this:

```
"lwstaging(hd0:tobj,1,480,1,480,hd1:scene) "
```

The Arexx-script "hd1:scene.rexx" is executed typing

```
"rx hd1:scene.rexx".
```

Notes: 1. After changing your scene you have to rerun the "lwstaging"-command.
 2. object-filenames are case-sensitive !
 3. You can use the objects in the order "hd0:tobj.0480", ..., "hd0:tobj.0001", too.
 4. Suggestions are welcome.

1.6 Tutorium 2 - Creation of a 2D-transversal-wave (180 frames)

-create a plane (20*20 points), rotate it along the x-axis (90 degrees)

-load this object into Dust, create 180 wave-objects typing:

```
"wave2d(1,180,hd2:obj,t) "
```

-enter Imagine, create a new project called "wave",

-create a perfect scene using the stage-editor, save it

-load one of the Dust-objects into your scene, e.g. "obj.0001", adjust the camera, add lights,...

-enter the action-editor, set the "highest frame"-number to 180, scale the time-lines of all actors except "obj.0001"

-save it and copy the resulting staging-file "wave1.imp/staging" into the T:-drawer

-call the "ISL"-program "destage" typing

```
"destage t:staging t:staging.a"
```

-load the resulting ascii-file "t:staging.a" into an editor

-Search for a line looking like this (this is a ISL2.0-file, some things will be have changed):


```
"ACTOR FRAMES 1 180 NAME "hd2:obj.0001" CYCLE 0. 0. TRANSITION 0"
```

The trick is to replace this line by the object-sequence:

```
-enter Dust and type
```

```
"staging3(hd2:obj,1,180,1,180,ram:tt)".
```

```
-insert the file "ram:tt" after killing the line mentioned above, now
you should got 180 lines looking like:
```

```
"ACTOR FRAMES 1 1 NAME "hd2:obj.0001" CYCLE 0. 0. TRANSITION 0"
```

```
"ACTOR FRAMES 2 2 NAME "hd2:obj.0002" CYCLE 0. 0. TRANSITION 0"
```

```
"ACTOR FRAMES 3 3 NAME "hd2:obj.0003" CYCLE 0. 0. TRANSITION 0"
```

```
.
```

```
.
```

```
.
```

```
"ACTOR FRAMES 180 180 NAME "hd2:obj.0180" CYCLE 0. 0. TRANSITION 0"
```

```
-save it
```

```
-re-convert it into the Imagine-format using "restage"
```

```
"restage t:staging.a t:staging".
```

```
-copy the file into your project-drawer:
```

```
"copy t:staging hdl:Imagine/wavel.imp/staging"
```

```
-go back into the stage-editor, render a preview, render it...
```

NOTE: We could write a shell-script which performs this steps, too.

```
.key project,obj,from,to
```

```
.bra {
```

```
.ket }
```

```
;this script creates an Imagine3.1-staging file for an object-sequence
```

```
;Parameters:
```

```
; project: full path of the Imagine-project, e.g. "hdl:imagine/wave.imp"
```

```
;      obj: object-base-name with path, e.g. "hd0:obj"
```

```
;      from: first object, e.g. 1
```

```
;      last: last object
```

```
;Example: stageit hdl:Grafix/Imagine3.1/test.imp shit:obj 1 12
```

```
;Required software: Dust, ISL3.x, CED and Ed (quickstarter) in your C:-drawer,
;the Rexx-Master must be active, too.
```

```
;init
```

```
clear
```

```
set echo=off
```

```
echo "Creating a backup of the old staging-file"
```

```
copy {project}/staging {project}/staging.o
```

```
echo "Creating a-Dust-script"
```

```
echo >T:Dust.tmp "staging3({obj},{from},{to},{from},{to},T:staging.tmp)"
```

```
echo "Running Dust"
```

```

Dust T:Dust.tmp

echo "Running Destage"
destage {project}/staging T:staging.a

echo "Running CEd"
Ed T:staging.a
rx "address 'rexx_ced' 'search for {obj}.'"
rx "address 'rexx_ced' 'Beg of line'"
rx "address 'rexx_ced' 'Delete line'"
rx "address 'rexx_ced' Include file 'T:staging.tmp'"
rx "address 'rexx_ced' 'Save'"
rx "address 'rexx_ced' 'Quit'"

echo "Running Restage"
restage T:staging.a {project}/staging

;clean up
delete >NIL: T:Dust.tmp T:staging.a T:staging.tmp

echo "Bye !"

```

1.7 4. DOCUMENTATION

```

4.1 Installation
4.2 Concept
4.3 The Preview
4.4 The particle-system
4.5 The ARexx-port
4.6 COMMANDS
4.7 PREFS

```

1.8 4.5 The ARexx-port

You want to control Dust via other applications or GUIs ?
 So you need an ARexx-Port.

```

NAME: "Dust"
COMMANDS: PARSE <cmd> - let Dust parse the string <cmd>,
                    all Dust-commands except "EXIT" are allowed
EXIT          - leave the ARexx-mode

```

To enter the Dust-ARexx-Mode simply type "REXX".

ARexx-Examples via "rx":

```

rx "address 'Dust' 'EXIT'"
rx "address 'Dust' 'PARSE ?'" (invokes general help)
rx "address 'Dust' 'PARSE load(1,s1)'" (loads an object)

```

Other example:

You wrote an GUI and want to start and quit Dust in the background.
So write a batchfile "rexx.dust" containing the lines:

```
rexx
exit
```

and start Dust typing "Dust rexx.bat".

So Dust will execute your PARSE-calls until you call the ARexx-EXIT-command. After that the batch-execution will be continued = exit.

If you don't want to get any text-output from Dust you have to set the QUIET-parameter.

1.9 4.3. The Preview

You can open as many windows as you want showing one object. (You can have as many objects as you want, too.)

Every window is one process-so the preview gives you an impression of real multitasking. If you kill an object all windows drawing this object will close automatically, if you change an object all windows will redraw. You can change the attributes (drawmode, size, position) interactively pressing a shortcut or using Dust-commands.

(See the example "Windows.bat")

So every window has an identifier.

You can open the windows on the default every public-screen or on an own Dust-Screen, upto 256 colors can be used.

There are the following drawmodes:

- Bounding Box	: fast rotating, zooming	(-key)
- Wireframe		(<w>-key)
- Solid		(<s>-key)
- Grey	: 16-256 colors	(<g>-key)
- Color	: dito, uses object-color	(<c>-key)
- Face	: 27, 64, 125 or 216 colors	(<f>-key)
	individual face-colors will be drawn	

The modesi Grey, Color and Face require OS3.0.

Every windows has some additional shortcuts:

- cursor-keys	: rotate
- /<Help>-key	: zoom
- <Esc>-key	: close
- <o>-key	: toggle outlined-flag
- <a>-key	: show recent view-angles, zoom, ...
- <p>-key	: toggles perspective
- <r>-key	: rescale the window (if KEEPSCALE=true)

There is no preview for particle-objects - you must convert them in 3D-objects using P20.

1.10 4.2 Concept

The program can hold as many objects in buffers as you want. Every object has a number which is called objectID. All commands manipulating objects require such an objectID as argument.

All structures in Dust get an ID (identifier) which is a number greater or equal zero.

Dust is a kind of a programming language so it interpretes commands, knows mathematical expressions, global variables and can perform loops.

All commands have an unique structure:

```
identifier([<argument1>[,<argument2>[,...]]]).
```

Identifiers are lower case, arguments enclosed in "[" and "]" are optional.

Every argument has to be of a Dust-related type.

All numeric arguments can be omitted as mathematical expressions containing global variables, rounding is done automatically, e.g.

```
"load(4/3,obj)" is identical to "load(1,obj)".
```

You can define global variables using the CALC-command or the online-calculator-mode, e.g.:

```
"calc("a=3*sin(46)")".
```

Strings, e.g. filenames can contain special format-characters.

If a Dust-command recognises such a format-character it inserts the recent value of the loop-counter.

The loop-counter is equal to the loop-variable of the innerst FOR-loop or the value ACTVAL outside of loops.

Example:

```
"load(1,obj.%) " will load "obj.0034" if the loop-counter is 34.
```

If you want to lineracombine some F/X you will need loops and the FRAME-commands.

Example:

The command

```
"XYZ(<objectID>,<n>,<filename>)"
```

performs such an effect creating n objects. In case of a linear-combination it's not necessary to save all object to disk.

Usually there is a complementary command of the structure

```
"XYZFRAME(<objectID>,<n>,<i>,<dest>)" which only creates the i-th object of the sequence and stores it to buffer dest.
```

For more explanation the example-script "interfere.bat".

Objects can be saved and loaded in several formats, you can set your favourite saver-module with the SET-command.

There is a detailed explanation of the features.

1.11 Object-formats

The supported file-formats are the following:

1. TDDD - this is the standard-format read and written by Dust

Features:

- all Attributes can be read, written, modified
- Imagine3.0-Textures and -Brushes can be read, written, modified
- every face has its own color (CLST)
- hard/soft edges will be treated correctly
- subgroups are supported

Restrictions:

- the reflection- and transluceny-parameters are taken from the global attributes (means: no RLST- and TLST-reading/saving)

2. LW (Lightwave) - very fast, only triangles

Features:

- edge-optimizing optional, makes only sense if you want to save the object as Imagine-Object later
- surfaces are converted into Imagine-Subgroups
- the DOUBLESIDED-flag can be set by the BACKFACES-parameter
- the specular level will be converted
- storing all textures/brushes/...

Restrictions:

- only triangles (Dust only handles triangles)

3. VS (Videoscape) - loading and saving is slow (ASCII-format)

Features:

- edge-optimizing optional, makes only sense if you want to save the object as Imagine-Object
- Videoscape-colors are calculated as good as possible
- creation of backfaces if the BACKFACES-parameter is set

4. SPHERES - TDDD-Group-Objects made of real Spheres This is a special particle-object-format (only for Imagine-users) and can only be written.

5. PARTICLE - The fast DUST-Particle-Format This Format consists of the particle- and the object-information in TDDD-format. So all attributes are supported.

The LOAD-command automatically recognises the format, all object-saving procedures (e.g. SAVE or MORPH) create objects in the format specified by the SFORMAT-parameter.

NOTE: Dust converts LW-Surfaces into Subgroups and Subgroups into LW-Surfaces - most of the object-converters (e.g. Vertex, Pixpro, Castillian) aren't able to do that.

1.12 Data-types

Dust knows the following data-types:

Identifier: integer greater or equal than zero.

Real: mathematical expression containg global Variables,

functions, ...

Integer: mathematical expression, rounding is done automatically

String: string containing format-commands.

Filename: String oder "", in case of "" a filerequester is opened

1.13 Mathematical expressions

All Dust-commands allow mathematical expressions instead of plain numbers, other commands require expressions containing special variables:

1. Special parameters required by the FUNC-commands:

X0 - initial x-coordinate

Y0 - initial y-coordinate

Z0 - initial z-coordinate

T0 - parameter

Example: You want to plot the 2D-Function $\sin(x^2+y^2)$:

-load a plane (dimensions -50..-50,-50..50,0..0)

-now enter "func(2, "30*sin(x0*x0/30+y0*y0/30)",0,z) "

This uses the x- and y-coordinates to modify the z-coordinate of the plane."

2.Constants

'pi', 'ee' (2.71..)

3.Operators

+', '-', ':-(', '/', '^'

4.Functions

'jump', 'entier', 'int', 'abs', 'sqr', 'sqrt',
'exp', 'ln', 'log', 'log10', 'log2', 'tentox', 'twotox',
'sin', 'arcsin', 'cos', 'arccos', 'tan', 'arctan',
'sinh', 'cosh', 'tanh', 'artanh', 'degtorad', 'radtodeg',
'rnd', 'fac', 'ceil', 'floor', 'round');

NOTES: 1. All angles in degrees.

1.14 Identifier

Dust knows the following identifiers:

objectID : objects

particleID : particle-objects

windowID : opened windows

brushID : brush of an object

textureID : texture of an object

1.15 Loops

Dust can perform nested FOR-loops, the loop-counter is equal to the loop-variable of the innerst loop.
The loop-counter is the number inserted into a string containing format-commands.

Syntax:

```
FOR(<loop-variable>,<from>,<to>[,<step>])  
.  
.  
.  
END
```

Example:

```
for(i,1,10)  
  echo("unformatted:$, formatted:%")  
end
```

1.16 Format-Commands

Contains a string format-commands so this commands will be replaced by the recent value of the loop-counter.

\$ - inserts the value unformatted
% - inserts the value formatted

Example:

A string "\$. Objekt: obj.%" is changed into "23. Objekt: obj.0023" if the loop-counter was 23.

1.17 4.1. Installation

At first you have to copy the keyfile "Dust.key" and the config-file called ".dustrc" into you S:-drawer.

Dust needs a drawer containing the online-help-texts. By default this drawer is searched as "DustHelp" in the work-directory.

But if you copy Dust into your logical c:-drawer and want ot start it from everywhere you have to specify a complete path.

E.g., your help-drawer is located as "HELP:Dust" you have to change the config as follows:

1. Start Dust
2. "set(helpdir,help:dust)"
"saveconfig"

```
"exit"
```

3. Restart Dust and enter "?"

Now you should see the general help-page.

Notes: 1. Dust needs the following libraries

```
asl.library oder arp.library
mathieeedoubbas.library
mathieeedoubtrans.library
mathtrans.library
xpkmaster.library
xpkIDEA.library
rexsyslib.library
```

and the following DOS-commands in you C:-drawer

```
delete
rename
execute.
```

2. You should run Dust from a shell not from Workbench,
the stack-size has to be about 30000 bytes.

3. It's recommended to use the following tools to make life easier

```
KingCON (history, scroll-bar, filename-completion),
Powersnap (cut examples from the online-help)
XSize (window-sizing like UNIX)
```

1.18 1. Program-description

Dust is a F/X-software manipulating 3D-objects. So it's a perfect completion for your modelling-program and comes with many features no modelling-program has.

Because Dust is no toy the user should know how to use a 3D-rendering and -modelling-program and should have basic programming-skills.

Because there are lots of good 3D-programms for the Amiga I had to made a choice - Dust supports only "Imagine" and "Lightwave" directly. If you use another program you have to obtain a good object-converter which is able to operate on batch- or ARexx-scripts.
(You cannot convert 120 objects by hand...)

The main features of Dust are:

- direct support of "Imagine" und "Lightwave" - the most popular raytracing-packages
- loading, saving and viewing of object-sequences
- metamorphosis between any two objects
- particle-system: exetremely simple structure (for programmers),

allows by the object-modelling never seen effects

- realistic explosions (gravity, stokes-friction, ...),
- realistic water-waves (3D-unharmonic waves)
- 1D-, 2D- and 3D-waves, transversal, longitudinal, including particle-waves
- mathematical distortion of points, face-colors, particles,
so you can use Dust as simple function-plotter, too
- every programmer can create various particle-effect in an easy way,
the knowledge of the TDDD-format (or object-structures etc.) is not
necessary
- every face can have an own color, every edge has a sharp/soft-flag,
this data is kept creating particle-objects
- handling and changing of Imagine3.0-textures and -brushes
- sphere-objects: particle-Objects made of real spheres
- creation of objects from external programs
- ARexx-port
- user-defined variables, mathematical expressions instead of
plain numbers as arguments, loops
- very flexible preview-function
- online-help
- command-, parameter- and help-topic-completion

Other programs, e.g. Imagine which is supported by Dust directly, are able create some of mentioned the effects, too. But this programs create the effect while rendering - you cannot edit the transformed objects. With Dust you can linearcombine all kinds of effects.

There is a more detailed explanation of the features.

1.19 2. System- and user-requirements

Dust is made for the semiprofessional or professional user of 3D-programs which has reached the borders of the usual software. Knowledge of a programming language is strongly recommended (ARexx should be enough).

Professionals will recognize to flexibility of Dust - beginners will have no fun.

Because Dust is made to be used together with "Imagine" or "Lightwave" a power-Amiga is required. (Dust should work on any Amiga - but there is no reason to run it on a A500 or A2000).

A serious user should have the following configuration: 10 MB RAM,
100 MB free and fast HD-partition, AGA, OS3.1

NOTE: Dust is a program to play with, too. You CAN morph a sphere into
a torus on an A500 and watch at the results using the
preview-function of Dust. But you CAN'T render an animation using
Lightwave.

1.20 3. Program-status and licence

Dust is SHAREWARE with a fee of \$25 or 25 DM ("german marks").
Registered users will receive a keyfile which contains of some
data Dust needs to work and some encrypted private data of the user.
All files Dust-related files except the registered keyfile can
be copied and spread freely.
The first user (the registered user) of a spread keyfile can
be indentified easily decrypting the keyfile-data...

Registered users will get the warranty, that I try to remove
detected program-bugs as fast as possible. There are no other
warranties I am able to give you.
Because I don't ship disks you will receive updates or
keyfiles through the Aminet or via EMail.

All use of Dust is made at own risk !

Important notes

The unregistered version (the version you can download from Aminet)
got some commands disabled. The list of the affected commands is
supplied in the file "README2".

Owners of older versions of Dust receiving an update should read at first
the files "README" and "HISTORY" because there isn't a real features-list
in this documentation.

1.21 7. Address of the author

Andreas Maschke
Zenkerstraße 5
06108 Halle/Saale
Germany

Telephon: ++49 (0)345/5170331
EMail: ep gbc@cluster1.urz.Uni-Halle.DE

1.22 6. Copyrights

Imagine - Copyright ©1993 Impulse Inc.
 VideoScape - Copyright ©198? Aegis
 LightWave - Copyright ©1990 NewTek Inc.
 ISL - Copyright ©1993 Grizzly Bear Labs
 Dust - Copyright ©1994 A.Maschke
 XPK - Copyright ©1992 Urban Dominik Mueller, Bryan Ford and many others
 XFH-Handler - Copyright ©1991 Kristian Nielsen.
 IDEA - Copyright ©1992 Andre Beck (XPK-Implementation)
 RTPatch - Copyright ©1994 Nico François
 PowerSnap - Copyright ©1994 Nico François
 Most - Copyright ©1994 Uwe Röhm
 Pixel3D - Copyright ©1993 Axiom Software
 ARexx - Copyright ©1987 by William S. Hawes
 XSize - Copyright ©1994 by C. Melberg and G. Rehm

All algorithms and procedures used in Dust I developed myself, except:

IFF-Saver : original by Friedtjof Siebert ("IFFSupport.mod")
 Math-Parser: original by Stefan Salewski ("Formula.mod")

So nobody except me and the authors mentioned below has any rights on my program as long as I don't give them in a written form !

1.23 Explanation of the features

1. Metamorphosis between any two objects (MORPH, PMORPHx, MORPH2, CREATEFACES, ↔ SORTFACESx, SORTPOINTSx)

The following three methods I implemented:

Triangle-Morphing: (MORPH, PMORPHx, CREATEFACES, SORTFACESx, SORTPOINTSx)
 Dust creates two new objects with equal face- and point-count from the source-objects.
 After that you can perform the metamorphosis from Dust or you render-program.
 This methos works with all objects, but you will need a fast CPU...
 (An example is supplied as "PerfectMorph.jpg")

Surface-Morphing (MORPH2)

This algorithm is very fast but works only with simple closed faces.

After the morphing all points of the source-objects are be moved at the positions of the destination-object. So the resulting end-object isn't equal to the destination.

But this procedure gives you much space to experimentalize because it's really fast.

Build-Morphing: (MORPH3)

The idea and the algorithm are simple:

Build up the destination-object while killing the source...

2. Explosions (EXPLODE)

Dust creates more realistic explosions than Imagine does:

- small particles fly wider than larger particles
- small particles rotate faster
- all particles are flying up to $z=0$ (ground) because of the gravity

3. Waves (WAVE1D,WAVE2D,WAVE3D)

Many types of harmonic waves can be applied to objects:

- 1D, 2D and 3D (spherical or faked)
- transversal or longitudinal

The following parameters can be adjusted

- wavelength
- amplitude
- wave-center (source)
- damping
- phase

There are wave-procedures which are guessing the "best" parameters.

3.1. Interferences

You can create wave-interferences (water) linearcombining some waves, see Tutorium 2

4. Particle-system (P2O,O2P,O2S)

Dust creates particle-objects from two ordinary objects. The particle-positions, -angles and -scaling can be written as binary-file.

So every programmer can create his own particle-effect, only the positions,... must be modified - the final object-creation is done by Dust - see Tutorium 3.

Implemented effects are waves, explosions and mathematical distortions. (Erzeugen eines "echten" 3D-Objekts usw.) übernimmt Dust.

5. Mathematical distortions (*FUNC,*CFUNC,*P*FUNC)

Points, face-colors and particles can be modified using mathematical formulas. The following parameters can be used in the expressions:

- initial coordinate (x_0, y_0, z_0)
- t0 (animation-parameter).

For every object-dimension you can specify one formula - so you will never reach limits...

Example: You want to plot the function " $\sin(x^2+y^2)$ ". So load a plane into Dust and type " $\text{func}(2, 30*\sin(x_0*x_0/30+y_0*y_0/30), 0, z)$ ". (the scale-factors depend on the plane-size)

6. Gravity (PFALL,PFALL2)

All points of an object fall down upto $z=0$.

There are the following ways to do this

- for every point the same force (gravity-force)
- for any point a individual force depending from the distance between the point and $z=0$.

7. Realistic water-waves (WATER,WATERFRAME,WATERZ,WATERZFRAME)

One or more rings are growing from the centre, this kind of wave is unharmonic and 3D. The parameters

- amplitude
- wavelength
- wave-source
- damping
- number of rings
- number of times wave-growing is performed (=maxsize of the rings)

can be specified - there is a "best-guess"-function, too.

The WATERZ-procedure moves the points only in z-direction - this isn't as realistic as WATER - but looks pretty good, too.
(Why ? Sometimes the 3D-motion causes errors if the amplitude was too large.)

8. Misc

ADDFACE creates objects adding faces

RENAME renames object-sequences, e.g. "ram:obj.0001 .. ram:obj.0023" into "hdl:obj.0023 ... hdl:obj.0001".

STAGING2/STAGING3 creates ISL2.0/ISL3.x-staging-files to make Imagine-staging easier - see Tutorium 1

LWSTAGING creates multiply scene-files from one exchanging object-filenames, an ARexx-render-script is created,too

TXTDIR/BRSDIR changes directory-names of all textures/brushes of an object

BUILD(RND) kill sequentially/randomly faces upto one

DISTORT moves randomly points of an object

TRIANGULATE creates points and edges for every face

MERGE merges

SCALEFACES scales faces along their centre

...

1.24 4.4. The particle-system

The particle-system is one of the strongest features. Every programmer can do his own effects using the simple data-structures created by Dust from external programs. The external program only has to calculate the

particle-positions, -angles and -sizes - the 3D-object is created using Dust.

There are some effect implemented, yet.

To create a particle-object normally two objects are required:

- the structure-object: defining the particle-positions etc. and
- the shape-object: defining the particles

There are two methods to calculate the positions, angles and size of the particles:

- the face-method(FACE): every face of the structure-object "gets" one particle located in the face-centre
- the point-method(POINT): every points "gets" one particle

The alignment is be done rotating the particle that its x-axis and the face-normal are parallel. If you don't want this alignment you have to set the ALIGNP-option.

Dust creates a data-structure containg the positions, ... and the particle. This structure can be loaded and saved in a very efficient way and is called particle-object. To render such an particle-object you have to cenvert it into an ordinary object using the P2O-command.

Particle-objects can be copied, loaded, killed, ... like 3D-object, but rotating, scaling,... affects only the particles.

SPHERE-OBJECTS

Sphere-objects are a special kind of particle-objects. Their shape-object is simply a "real" sphere. Because you cannot convert this type of object into polygons it can be only saved as Imagine-group-object which Dust cannot load. There is the parameter SAVESPHEREP which causes Dust to write an additional particle-file with the suffix ".dpo" while saving such a group-object.

While creating a sphere-object using O2S the attributes of the structure-object are applied to the spheres - so textures etc. are possible.

1.25 The Dust-Particle-format

Dust gives every programmer the possibiliy to create particle-effect in a very efficient way.

The 3D-objects are created in Dust and manipulated from the external-program writing batch-files or using the ARexx-Port.

So the external program must read binary files, calculate some data and write some text - I think this should be possible using every programming language. A tutorial in C, GCC and OBERON is supplied.

A particle-object contains

- the positions (PPOS)
 - the rotation-angles (in degrees) (PROT) and
 - the scaling (PSCL) for every particle.
-

To create an effect you have at first to read in some of this data-fields to get initial values. Using this values you calculate the new and print out it as Dust-commands. That's it.

The most important value is the number of particles - called OCOUNT.

There are the following commands to write binary-files

GETPPOS, GETPPROT, GETPSCL, GOCOUNT and GETPSIZE.

To modify the particles you use some of the commands

SETPPOS, SETPROT and SETPSCL.

Here are the steps to create a full effect:

1. create a Dust-script which creates the particle-object and outputs the data-fields (PPOS,...)
2. external program:
 - reads in the binary data
 - calculates the effect and prints out the new values formatted as Dust-commands,
 - the output is piped into a file
3. the resulting script is processed by Dust.

1.26 4.6 COMMANDS

It makes no sense to include here the command-description you can find in the online-help. (No man can update such a lots of files.) Enter Dust and type

```
"?commands"
```

to get a list of all commands.

To get information about a command type:

```
"?<commandname>", e.g. "?load".
```

1.27 4.7 PREFS

It makes no sense to include here the prefs-description you can find in the online-help. (No man can update such a lots of files.) Enter Dust and type

```
"?prefs"
```

to get a list of all settings.

To get information about a parameter type:

```
"?<parametername>", e.g. "?zoom" .
```

1.28 Tutorium 1 - MORPH and Imagine-States

We create a states-object containing two states: a ball and a cube.

At first we have to preprocess this objects using Dust's PMORPH-function:

```
load(1,c1)
load(2,s1)
pmorph(1,2)
save(1,m1)
save(2,m2)
```

After that we can start Imagine and load the objects "m1" and "m2" into its Detail-editor.

After selecting the ball we choose the function States/States/Create and change the name "DEFAULT" into "BALL". In the data-type-requester all options should be selected.

Now we add the state of the cube to the sphere-object selecting States/States/Import and clicking at "PLANE" (or the name of your cube-object) in the Objects-window. The name of the state should be "CUBE".

(Don't forget to select the data-types in the data-types-window - usually I do select all.)

Now the sphere-object can be saved.

To test the states select the sphere, choose the menu States/States/Tween and select "CUBE" in the states window.
