

APrint

COLLABORATORS

	<i>TITLE :</i> APrint	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		March 28, 2025
<i>SIGNATURE</i>		

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	APrint	1
1.1	APrint.guide	1
1.2	APrint/Read me first	1
1.3	APrint/Copyright	2
1.4	APrint/APrint needs	2
1.5	APrint/Install	3
1.6	APrint/History	3
1.7	APrint/Thanx	3
1.8	APrint/Menu/Project	3
1.9	APrint/Menu/Data	4
1.10	APrint/Menu/Print	4
1.11	APrint/Menu/Printer-Prefs	4
1.12	APrint/Windows/Main	5
1.13	APrint/Windows/Editor	6
1.14	APrint/Windows/Choice	6
1.15	APrint/Misc/Tooltypes	7
1.16	APrint/Misc/Bugs	7

Chapter 1

APrint

1.1 APrint.guide

"APrint (AddressPrint)" (V3.0)

20.12.95

Copyright (C) 1993-1995 by Falk Zühlsdorff

1. General

Read me first Copyright APrint needs Install History Thanx

2. Menu from mainwindow

Project Data Print Printer-Prefs

3. Windows

Main Editor Choice

4. Misc

Tooltypes Bugs

1.2 APrint/Read me first

"APrint" is, I think, the best address-database and address-printing-office.
The meaning from APrint is:

- manage your addresses fast and simple
 - functions you never need (you find in other programs) are not included
 - print address-labels for your correspondence (snail-mail) with
dispatch, sender ...
 - you can also print labels continuous or on pages (nice for
laser-printers).
 - english and german version (use tooltypes)
-

- some good tricks you can find in the help-requesters
- if you don't need the guide the program is good
(and I think you needn't the guide...)
- ...

1.3 APrint/Copyright

"APrint" is SHARWARE. (C) & (P) by Falk Zühlsdorff 1993-1995.

All rights reserved. No liability for errors using APrint.

Germany: 8 DM incl. P&P
World: 10 DM incl. P&P
Internet: 5 DM (send you keyfile with uuencode)

Author:

PackMAN
Falk Zühlsdorff
Lindenberg 66
98693 Ilmenau

Germany

Email: ai036@rz.tu-ilmenau.de
WWW: <http://www.rz.tu-ilmenau.de/~ai036>

Payment: cash (best) / german stamps / money order (-> post-office) /
eurocheques (2-3 weeks waiting)

Please use your registration-card !

Updates: - With the registration you get your personal keyfile
(name and userid included).

- Then you can get all new versions from your software-dealer
you found first version or you can find them on aminet (biz/dbase)
(you need personal keyfile).

Demo: - you can't save data

Reqtools.library is (c) by Nico François / Magnus Holmgren
xpkmaster.library is (c) by U.D. Müller
Amiga / Installer / Workbench / Intuition is (c) by Escom AG.

1.4 APrint/APrint needs

- needs OS2.x (Kickstart V37.175 or higher).
 - "reqtools.library" / "xpkmaster.library" / "compressors/xpkENCO.library".
-

1.5 APrint/Install

use the script "Install" (using Installer),

or copy all libraries to LIBS: or LIBS:compressors/ and all other files you need to your private directory.

needs also:

```
L:PortHandler
Devs:printer.device
Devs:parallel.device or Devs:serial.device
Devs:Printer/...
```

1.6 APrint/History

V1.1 (03.11.93): first german fd-version

...

V2.22 (03.01.95): last german fd-version

V3.0 (20.12.95): the first international sw-version, with listviews...

1.7 APrint/Thanx

greetings and thanks to:

- C= and Amiga Technologie for the AMIGA
- dopW (J.Tröger)
- RøgerSøft (M.Klein)
- BømberSøft (B.Schotte)
- A.Tetzl
- S.Erbert
- Janosh (J.Stötzer)
- Diesel (B.Künnen)
- Rascal (F.Schmal)
- FlipFlop (G.Frank)
- Wurzelsepp (A.Neumann)

- all PURITY-Authors

- ...

1.8 APrint/Menu/Project

Load: Select the APrint-File to load (filerequester).

Save: Save data in last selected file.

Save as: Save data in selected file (filerequester)

Copyright: Requester

Help: Requester

Iconify: Sleepmode, close mainwindow and build appicon from APrint on the Workbench-Screen. Doubleclick to return.

Quit: Finish APrint

1.9 APrint/Menu/Data

Clear all: Clear addresses, senders, dispatch (new list)

Clear addresses: Clear all your addresses

Clear dispatch: Clear data from dispatch

Clear senders: Clear all senders

Clear marks: Clear all marks you made

Sort addresses: Sort addresses towards headwords

1.10 APrint/Menu/Print

Help: Some tips for timely printmodus

Label: You can print Label (for snail-mail ...) with
dispatch, sender, address ... state.

Continuous: Prints all or marked labels continuous.

Page: Prints all or marked labels on normal paper (A4/Letter).
2 labels side by side (normaly 8-12 labels per side)

List 1: Prints all or marked addresses in one column with
keywords.

List 2: Prints all / marked addresses in to columns without
keywords.

1.11 APrint/Menu/Printer-Prefs

Continuous:

- Marked / All: Prints all / marked addresses using Print/Continuous

- Space: empty lines between 2 Labels

Page:

- Marked / All: Prints all / marked addresses using Print/Page
- Space bottom: empty lines between 2 Labels
- Space right: spaces between two columns

Dispatch,

Sender ...

State: Select what you want to print with Print/Continuous or Print/Page.

Lists:

- Marked / All: Prints all / marked addresses using Print/List 1 or 2
- Address ...
Comment: Select what you want to print with Print/List 1 or 2

NLQ: Select quality

1/8": Lines per inch

Paper Length: Lines per side

Left margin: Left margin

Save Config.: Save configuration

1.12 APrint/Windows/Main

First read Requester "Help" on menu "Project"...

Headword: You can select address. Data you can read on the right top of the window.

On the left side of the listview you can select gadgets which marks the entries.

Delete: Delete selected address...

Change: You can change selected address...

Add: You can add new addresses to the list...

Search: Search towards headword from the top of the list and select the address if available.

Dispatch: Dispatch, you can use for your labels.

Sender: Your sender on the label...

Choice: You can select and modify dispatch and sender.

Status: There you can find last action, bugs ...

1.13 APrint/Windows/Editor

Firm / Mr /

Mrs / Ms: Choice one as address

Address...

Headword: There you can insert your data.

Okay: Finish editor-mode with this entry

Cancel: Finish editor-mode now (without this entry or no change)

Next Entry: Add topical entry to the and open new entry (only Add)

Clear field: clear all stringgadgets...

1.14 APrint/Windows/Choice

Dispatch: After select an entry you can modify it or/and use it on mainwindow

X: There you can modify string...

Copy: Copy string from "X" to list.

Delete: Selected entry (you can see in "X") from list.

New: Clear all from Dispatch

Sort: Sort dispatch

System: Clear list and add systemlist

Sender: After select an entry you can modify it or/and use it on mainwindow

W: There you can modify string...

Add: Copy string from "W" to list.

Delete: Selected entry (you can see in "W") from list.

New: Clear senders

Sort: Sort senders

Help: Tips & tricks

1.15 APrint/Misc/Tooltypes

You can use 4 tooltypes now:

TEMP_PATH the temporal path (encode/decode data)

like: TEMP_PATH=T:

DATA_PATH data path (filerequester starts with this path)

like DATA_PATH=DH0:APrintData/

GERMAN 2 languages are available, english and german.

like GERMAN=YES or NO

START_AS_APPICON Starts APrint with appicon. (If you use WBStartup
add "DONOTWAIT" to the tooltypes)

like START_AS_APPICON=YES or NO

1.16 APrint/Misc/Bugs

If you find bugs or you have some ideas write them to me (use email if possible). Don't forget adding your hardware-configuration to the bugreport...

Thanx.
