

## **FunctionXREF**

COLLABORATORS			
	TITLE : FunctionXREF		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		March 28, 2025	

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>FunctionXREF</b>	<b>1</b>
1.1	1.3 Function Index . . . . .	1

## Chapter 1

# FunctionXREF

### 1.1 1.3 Function Index

AbleICR()	(cia.resource)
AbortIO()	(exec.library)
AbortIO()	(narrator.device)
AbortIO()	(serial.device)
ActivateGadget()	(intuition.library)
ActivateWindow()	(intuition.library)
ADCMD_ALLOCATE	(audio.device)
ADCMD_FINISH	(audio.device)
ADCMD_FREE	(audio.device)
ADCMD_LOCK	(audio.device)
ADCMD_PERVOL	(audio.device)
ADCMD_SETPREC	(audio.device)
ADCMD_WAITCYCLE	(audio.device)
AddAnimOb()	(graphics.library)
AddBob()	(graphics.library)
AddConfigDev()	(expansion.library)
AddDevice()	(exec.library)
AddDosNode()	(expansion.library)
AddFont()	(graphics.library)
AddFreeList()	(icon.library)
AddGadget()	(intuition.library)
AddGList()	(intuition.library)
AddHandler()	(input.device)
AddHead()	(exec.library)
AddICRVector()	(cia.resource)
AddIntServer()	(exec.library)
AddLibrary()	(exec.library)
AddMemList()	(exec.library)
AddPort()	(exec.library)
AddResource()	(exec.library)
AddSemaphore()	(exec.library)
AddTail()	(exec.library)
AddTask()	(exec.library)
AddTime()	(timer.device)
AddTOF()	(amiga.lib.library)
AddVSprite()	(graphics.library)
afp()	(amiga.lib.library)
Alert()	(exec.library)

AllocAbs()	(exec.library)
Allocate()	(exec.library)
AllocBoardMem()	(expansion.library)
AllocConfigDev()	(expansion.library)
AllocEntry()	(exec.library)
AllocExpansionMem()	(expansion.library)
AllocMem()	(exec.library)
AllocPotBits()	(potgo.resource)
AllocRaster()	(graphics.library)
AllocRemember()	(intuition.library)
AllocSignal()	(exec.library)
AllocTrap()	(exec.library)
AllocUnit()	(disk.resource)
AndRectRegion()	(graphics.library)
AndRegionRegion()	(graphics.library)
Animate()	(graphics.library)
AreaCircle()	(graphics.library)
AreaDraw()	(graphics.library)
AreaEllipse()	(graphics.library)
AreaEnd()	(graphics.library)
AreaMove()	(graphics.library)
arnd()	(amiga.lib.library)
AskFont()	(graphics.library)
AskSoftStyle()	(graphics.library)
AttemptLockLayerRom()	(graphics.library)
AttemptSemaphore()	(exec.library)
AutoRequest()	(intuition.library)
AvailFonts()	(diskfont.library)
AvailMem()	(exec.library)
BeginIO()	(amiga.lib.library)
BeginIO()	(serial.device)
BeginRefresh()	(intuition.library)
BeginUpdate()	(layers.library)
BehindLayer()	(layers.library)
BltBitMap()	(graphics.library)
BltBitMapRastPort()	(graphics.library)
BltClear()	(graphics.library)
BltMaskBitMapRastPort()	(graphics.library)
BltPattern()	(graphics.library)
BltTemplate()	(graphics.library)
BuildSysRequest()	(intuition.library)
BumpRevision()	(icon.library)
Cause()	(exec.library)
CBD_CLIPREADID	(clipboard.device)
CBD_CLIPWRITEID	(clipboard.device)
CBD_POST	(clipboard.device)
CBump()	(graphics.library)
CDInputHandler()	(console.device)
CD_ASKDEFAULTKEYMAP	(console.device)
CD_ASKKEYMAP	(console.device)
CD_SETDEFAULTKEYMAP	(console.device)
CD_SETKEYMAP	(console.device)
CEND	(graphics.library)
ChangeSprite()	(graphics.library)
CheckIO()	(exec.library)

---

CINIT	(graphics.library)
ClearDMRequest()	(intuition.library)
ClearEOL()	(graphics.library)
ClearMenuStrip()	(intuition.library)
ClearPointer()	(intuition.library)
ClearRectRegion()	(graphics.library)
ClearRegion()	(graphics.library)
ClearScreen()	(graphics.library)
ClipBlit()	(graphics.library)
Close()	(dos.library)
CloseDevice()	(audio.device)
CloseDevice()	(console.device)
CloseDevice()	(exec.library)
CloseDevice()	(narrator.device)
CloseDevice()	(serial.device)
CloseFont()	(graphics.library)
CloseLibrary()	(exec.library)
CloseScreen()	(intuition.library)
CloseWindow()	(intuition.library)
CloseWorkBench()	(intuition.library)
CMD_BREAK	(serial.device)
CMD_CLEAR	(audio.device)
CMD_CLEAR	(console.device)
CMD_CLEAR	(gameport.device)
CMD_CLEAR	(keyboard.device)
CMD_CLEAR	(parallel.device)
CMD_CLEAR	(serial.device)
CMD_FLUSH	(audio.device)
CMD_FLUSH	(narrator.device)
CMD_FLUSH	(parallel.device)
CMD_FLUSH	(printer.device)
CMD_FLUSH	(serial.device)
CMD_INVALID	(printer.device)
CMD_READ	(audio.device)
CMD_READ	(clipboard.device)
CMD_READ	(console.device)
CMD_READ	(narrator.device)
CMD_READ	(parallel.device)
CMD_READ	(serial.device)
CMD_RESET	(audio.device)
CMD_RESET	(clipboard.device)
CMD_RESET	(keyboard.device)
CMD_RESET	(narrator.device)
CMD_RESET	(parallel.device)
CMD_RESET	(printer.device)
CMD_RESET	(serial.device)
CMD_START	(audio.device)
CMD_START	(narrator.device)
CMD_START	(parallel.device)
CMD_START	(printer.device)
CMD_START	(serial.device)
CMD_STOP	(audio.device)
CMD_STOP	(narrator.device)
CMD_STOP	(parallel.device)
CMD_STOP	(printer.device)
CMD_STOP	(serial.device)
CMD_UPDATE	(audio.device)

---

CMD_UPDATE	(clipboard.device)
CMD_WRITE	(audio.device)
CMD_WRITE	(clipboard.device)
CMD_WRITE	(console.device)
CMD_WRITE	(narrator.device)
CMD_WRITE	(parallel.device)
CMD_WRITE	(printer.device)
CMD_WRITE	(serial.device)
CMOVE	(graphics.library)
CmpTime()	(timer.device)
ConfigBoard()	(expansion.library)
ConfigChain()	(expansion.library)
CopyMem()	(exec.library)
CopyMemQuick()	(exec.library)
CopySBitMap()	(graphics.library)
CreateBehindLayer()	(layers.library)
CreateDir()	(dos.library)
CreateExtIO()	(amiga.lib.library)
CreatePort()	(amiga.lib.library)
CreateProc()	(dos.library)
CreateTask()	(amiga.lib.library)
CreateUpfrontLayer()	(layers.library)
CurrentDir()	(dos.library)
CurrentTime()	(intuition.library)
CWAIT	(graphics.library)
DateStamp()	(dos.library)
dbf()	(amiga.lib.library)
Deallocate()	(exec.library)
Debug()	(exec.library)
Delay()	(dos.library)
DeleteExtIO()	(amiga.lib.library)
DeleteFile()	(dos.library)
DeleteLayer()	(layers.library)
DeletePort()	(amiga.lib.library)
DeleteTask()	(amiga.lib.library)
DeviceProc()	(dos.library)
Disable()	(exec.library)
DisownBlitter()	(graphics.library)
DisplayAlert()	(intuition.library)
DisplayBeep()	(intuition.library)
DisposeFontContents()	(diskfont.library)
DisposeLayerInfo()	(layers.library)
DisposeRegion()	(graphics.library)
DoCollision()	(graphics.library)
DoIO()	(exec.library)
DoubleClick()	(intuition.library)
Draw()	(graphics.library)
DrawBorder()	(intuition.library)
DrawEllipse()	(graphics.library)
DrawGList()	(graphics.library)
DrawImage()	(intuition.library)
DupLock()	(dos.library)
Enable()	(exec.library)
EndRefresh()	(intuition.library)
EndRequest()	(intuition.library)

---

EndUpdate ()	(layers.library)
Enqueue ()	(exec.library)
Examine ()	(dos.library)
Execute ()	(dos.library)
Exit ()	(dos.library)
ExNext ()	(dos.library)
FastRand ()	(amiga.lib.library)
FattenLayerInfo ()	(layers.library)
FindConfigDev ()	(expansion.library)
FindName ()	(exec.library)
FindPort ()	(exec.library)
FindResident ()	(exec.library)
FindSemaphore ()	(exec.library)
FindTask ()	(exec.library)
FindToolType ()	(icon.library)
Flood ()	(graphics.library)
Forbid ()	(exec.library)
fpa ()	(amiga.lib.library)
fpbcd ()	(amiga.lib.library)
FreeBoardMem ()	(expansion.library)
FreeColorMap ()	(graphics.library)
FreeConfigDev ()	(expansion.library)
FreeCopList ()	(graphics.library)
FreeCprList ()	(graphics.library)
FreeDiskObject ()	(icon.library)
FreeEntry ()	(exec.library)
FreeExpansionMem ()	(expansion.library)
FreeFreeList ()	(icon.library)
FreeGBuffers ()	(graphics.library)
FreeMem ()	(exec.library)
FreePotBits ()	(potgo.resource)
FreeRaster ()	(graphics.library)
FreeRemember ()	(intuition.library)
FreeSignal ()	(exec.library)
FreeSprite ()	(graphics.library)
FreeSysRequest ()	(intuition.library)
FreeTrap ()	(exec.library)
FreeUnit ()	(disk.resource)
FreeVPortCopLists ()	(graphics.library)
GetCC ()	(exec.library)
GetColorMap ()	(graphics.library)
GetCurrentBinding ()	(expansion.library)
GetDefPrefs ()	(intuition.library)
GetDiskObject ()	(icon.library)
GetGBuffers ()	(graphics.library)
GetMsg ()	(exec.library)
GetPrefs ()	(intuition.library)
GetRGB4 ()	(graphics.library)
GetScreenData ()	(intuition.library)
GetSprite ()	(graphics.library)
GetUnit ()	(disk.resource)
GetUnitID ()	(disk.resource)
GiveUnit ()	(disk.resource)
GPD_ASKCTYPE	(gameport.device)
GPD_ASKTRIGGER	(gameport.device)

---



---

GPD_READEVENT	(gameport.device)
GPD_SETCTYPE	(gameport.device)
GPD_SETTRIGGER	(gameport.device)
IEEEEDPAbs()	(mathieeedoubbas.library)
IEEEEDPAcos()	(mathieeedoubtrans.library)
IEEEEDPAdd()	(mathieeedoubbas.library)
IEEEEDPAsin()	(mathieeedoubtrans.library)
IEEEEDPAtan()	(mathieeedoubtrans.library)
IEEEEDPCeil()	(mathieeedoubbas.library)
IEEEEDPCmp()	(mathieeedoubbas.library)
IEEEEDPCos()	(mathieeedoubtrans.library)
IEEEEDPCosh()	(mathieeedoubtrans.library)
IEEEEDPDiv()	(mathieeedoubbas.library)
IEEEEDPExp()	(mathieeedoubtrans.library)
IEEEEDPFieee()	(mathieeedoubtrans.library)
IEEEEDPFix()	(mathieeedoubbas.library)
IEEEEDPFloor()	(mathieeedoubbas.library)
IEEEEDPFlt()	(mathieeedoubbas.library)
IEEEEDPLog()	(mathieeedoubtrans.library)
IEEEEDPLog10()	(mathieeedoubtrans.library)
IEEEEDPMul()	(mathieeedoubbas.library)
IEEEEDPNeg()	(mathieeedoubbas.library)
IEEEEDPPow()	(mathieeedoubtrans.library)
IEEEEDPSin()	(mathieeedoubtrans.library)
IEEEEDPSincos()	(mathieeedoubtrans.library)
IEEEEDPSinh()	(mathieeedoubtrans.library)
IEEEEDPSqrt()	(mathieeedoubtrans.library)
IEEEEDPSub()	(mathieeedoubbas.library)
IEEEEDPTan()	(mathieeedoubtrans.library)
IEEEEDPTanh()	(mathieeedoubtrans.library)
IEEEEDPTieee()	(mathieeedoubtrans.library)
IEEEEDPTst()	(mathieeedoubbas.library)
Info()	(dos.library)
InitArea()	(graphics.library)
InitBitMap()	(graphics.library)
InitCode()	(exec.library)
InitGels()	(graphics.library)
InitGMasks()	(graphics.library)
InitLayers()	(layers.library)
InitMasks()	(graphics.library)
InitRastPort()	(graphics.library)
InitRequester()	(intuition.library)
InitResident()	(exec.library)
InitSemaphore()	(exec.library)
InitStruct()	(exec.library)
InitTmpRas()	(graphics.library)
InitView()	(graphics.library)
InitVPort()	(graphics.library)
Input()	(dos.library)
Insert()	(exec.library)
InstallClipRegion()	(layers.library)
IntuiTextLength()	(intuition.library)
IoErr()	(dos.library)
IsInteractive()	(dos.library)
ItemAddress()	(intuition.library)

---

KBD_ADDRESETHANDLER	(keyboard.device)
KBD_READEVENT	(keyboard.device)
KBD_READMATRIX	(keyboard.device)
KBD_REMRESETHANDLER	(keyboard.device)
KBD_RESETHANDLERDONE	(keyboard.device)
KCmpStr ()	(debug.library)
KGetChar ()	(debug.library)
KGetNum ()	(debug.library)
KMayGetChar ()	(debug.library)
KPrintf ()	(debug.library)
KPutChar ()	(debug.library)
KPutStr ()	(debug.library)
LoadRGB4 ()	(graphics.library)
LoadSeg ()	(dos.library)
LoadView ()	(graphics.library)
Lock ()	(dos.library)
LockIBase ()	(intuition.library)
LockLayer ()	(layers.library)
LockLayerInfo ()	(layers.library)
LockLayerRom ()	(graphics.library)
LockLayers ()	(layers.library)
MakeDosNode ()	(expansion.library)
MakeFunctions ()	(exec.library)
MakeLibrary ()	(exec.library)
MakeScreen ()	(intuition.library)
MakeVPort ()	(graphics.library)
MatchToolValue ()	(icon.library)
ModifyIDCMP ()	(intuition.library)
ModifyProp ()	(intuition.library)
Move ()	(graphics.library)
MoveLayer ()	(layers.library)
MoveLayerInFrontOf ()	(layers.library)
MoveScreen ()	(intuition.library)
MoveSprite ()	(graphics.library)
MoveWindow ()	(intuition.library)
MrgCop ()	(graphics.library)
MR_ALLOCMISCRESOURCE	(misc.resource)
MR_FREEMISCRESOURCE	(misc.resource)
NewFontContents ()	(diskfont.library)
NewLayerInfo ()	(layers.library)
NewList ()	(amiga.lib.library)
NewModifyProp ()	(intuition.library)
NewRegion ()	(graphics.library)
ObtainConfigBinding ()	(expansion.library)
ObtainSemaphore ()	(exec.library)
ObtainSemaphoreList ()	(exec.library)
OffGadget ()	(intuition.library)
OffMenu ()	(intuition.library)
OldOpenLibrary ()	(exec.library)
OnGadget ()	(intuition.library)
OnMenu ()	(intuition.library)
Open ()	(dos.library)
OpenDevice ()	(audio.device)

---

OpenDevice ()	(console.device)
OpenDevice ()	(exec.library)
OpenDevice ()	(narrator.device)
OpenDevice ()	(parallel.device)
OpenDevice ()	(serial.device)
OpenDiskFont ()	(diskfont.library)
OpenFont ()	(graphics.library)
OpenLibrary ()	(exec.library)
OpenResource ()	(exec.library)
OpenScreen ()	(intuition.library)
OpenWindow ()	(intuition.library)
OpenWorkBench ()	(intuition.library)
OrRectRegion ()	(graphics.library)
OrRegionRegion ()	(graphics.library)
Output ()	(dos.library)
OwnBlitter ()	(graphics.library)
ParentDir ()	(dos.library)
PDCMD_QUERY	(parallel.device)
PDCMD_SETPARAMS	(parallel.device)
Permit ()	(exec.library)
PolyDraw ()	(graphics.library)
PRD_DUMPRPORT	(printer.device)
PRD_PRTCOMMAND	(printer.device)
PRD_QUERY	(printer.device)
PRD_RAWWRITE	(printer.device)
printf ()	(amiga.lib.library)
PrintIText ()	(intuition.library)
Procure ()	(exec.library)
PutDiskObject ()	(icon.library)
PutMsg ()	(exec.library)
PWrite ()	(printer.device)
QBlit ()	(graphics.library)
QBSBlit ()	(graphics.library)
RangeRand ()	(amiga.lib.library)
RawDoFmt ()	(exec.library)
RawKeyConvert ()	(console.device)
Read ()	(dos.library)
ReadExpansionByte ()	(expansion.library)
ReadExpansionRom ()	(expansion.library)
ReadPixel ()	(graphics.library)
RectFill ()	(graphics.library)
RefreshGadgets ()	(intuition.library)
RefreshGList ()	(intuition.library)
RefreshWindowFrame ()	(intuition.library)
ReleaseConfigBinding ()	(expansion.library)
ReleaseSemaphore ()	(exec.library)
ReleaseSemaphoreList ()	(exec.library)
RemakeDisplay ()	(intuition.library)
RemBob ()	(graphics.library)
RemConfigDev ()	(expansion.library)
RemDevice ()	(exec.library)
RemFont ()	(graphics.library)
RemHandler ()	(input.device)
RemHead ()	(exec.library)

---

RemIBob ()	(graphics.library)
RemICRVector ()	(cia.resource)
RemIntServer ()	(exec.library)
RemLibrary ()	(exec.library)
Remove ()	(exec.library)
RemoveGadget ()	(intuition.library)
RemoveGList ()	(intuition.library)
RemPort ()	(exec.library)
RemResource ()	(exec.library)
RemSemaphore ()	(exec.library)
RemTail ()	(exec.library)
RemTask ()	(exec.library)
RemTOF ()	(amiga.lib.library)
RemVSprite ()	(graphics.library)
Rename ()	(dos.library)
ReplyMsg ()	(exec.library)
ReportMouse ()	(intuition.library)
Request ()	(intuition.library)
Reset ()	(input.device)
RethinkDisplay ()	(intuition.library)
ScreenToBack ()	(intuition.library)
ScreenToFront ()	(intuition.library)
ScrollLayer ()	(layers.library)
ScrollRaster ()	(graphics.library)
ScrollVPort ()	(graphics.library)
SDCMD_QUERY	(serial.device)
SDCMD_SETPARAMS	(serial.device)
Seek ()	(dos.library)
SendIO ()	(exec.library)
SetAPen ()	(graphics.library)
SetBPen ()	(graphics.library)
SetCollision ()	(graphics.library)
SetComment ()	(dos.library)
SetCurrentBinding ()	(expansion.library)
SetDMRequest ()	(intuition.library)
SetDrMd ()	(graphics.library)
SetExcept ()	(exec.library)
SetFont ()	(graphics.library)
SetFunction ()	(exec.library)
SetICR ()	(cia.resource)
SetIntVector ()	(exec.library)
SetMenuStrip ()	(intuition.library)
SetMPort ()	(input.device)
SetMTrig ()	(input.device)
SetMType ()	(input.device)
SetOPen ()	(graphics.library)
SetPeriod ()	(input.device)
SetPointer ()	(intuition.library)
SetPrefs ()	(intuition.library)
SetProtection ()	(dos.library)
SetRast ()	(graphics.library)
SetRGB4 ()	(graphics.library)
SetRGB4CM ()	(graphics.library)
SetSignal ()	(exec.library)
SetSoftStyle ()	(graphics.library)
SetSR ()	(exec.library)

---

---

SetTaskPri ()	(exec.library)
SetThresh ()	(input.device)
SetWindowTitles ()	(intuition.library)
ShowTitle ()	(intuition.library)
Signal ()	(exec.library)
SizeLayer ()	(layers.library)
SizeWindow ()	(intuition.library)
SortGLList ()	(graphics.library)
SPAbs ()	(mathffp.library)
SPAcos ()	(mathtrans.library)
SPAdd ()	(mathffp.library)
SPAsin ()	(mathtrans.library)
SPAtan ()	(mathtrans.library)
SPCeil ()	(mathffp.library)
SPCmp ()	(mathffp.library)
SPCos ()	(mathtrans.library)
SPCosh ()	(mathtrans.library)
SPDiv ()	(mathffp.library)
SPExp ()	(mathtrans.library)
SPFieee ()	(mathtrans.library)
SPFix ()	(mathffp.library)
SPFloor ()	(mathffp.library)
SPFlt ()	(mathffp.library)
SPLog ()	(mathtrans.library)
SPLog10 ()	(mathtrans.library)
SPMul ()	(mathffp.library)
SPNeg ()	(mathffp.library)
SPPow ()	(mathtrans.library)
sprintf ()	(amiga.lib.library)
SPSin ()	(mathtrans.library)
SPSincos ()	(mathtrans.library)
SPSinh ()	(mathtrans.library)
SPSqrt ()	(mathtrans.library)
SPSub ()	(mathffp.library)
SPTan ()	(mathtrans.library)
SPTanh ()	(mathtrans.library)
SPTieee ()	(mathtrans.library)
SPTst ()	(mathffp.library)
Start ()	(input.device)
stdio ()	(amiga.lib.library)
SubTime ()	(timer.device)
SumKickData ()	(exec.library)
SumLibrary ()	(exec.library)
SuperState ()	(exec.library)
SwapBitsRastPortClipRect ()	(layers.library)
SyncSBitMap ()	(graphics.library)
TD_ADDCHANGEINT	(trackdisk.device)
TD_CHANGENUM	(trackdisk.device)
TD_CHANGESTATE	(trackdisk.device)
TD_FORMAT	(trackdisk.device)
TD_GETDRIVETYPE	(trackdisk.device)
TD_GETNUMTRACKS	(trackdisk.device)
TD_MOTOR	(trackdisk.device)
TD_PROTSTATUS	(trackdisk.device)
TD_RAWREAD	(trackdisk.device)
TD_RAWWRITE	(trackdisk.device)

---

TD_REMCHANGEINT	(trackdisk.device)
TD_SEEK	(trackdisk.device)
Text ()	(graphics.library)
TextLength ()	(graphics.library)
ThinLayerInfo ()	(layers.library)
Translate ()	(translator.library)
TR_ADDREQUEST	(timer.device)
TR_GETSYSTIME	(timer.device)
TR_SETSYSTIME	(timer.device)
TypeOfMem ()	(exec.library)
UnLoadSeg ()	(dos.library)
UnLock ()	(dos.library)
UnlockIBase ()	(intuition.library)
UnlockLayer ()	(layers.library)
UnlockLayerInfo ()	(layers.library)
UnlockLayerRom ()	(graphics.library)
UnlockLayers ()	(layers.library)
UpfrontLayer ()	(layers.library)
UserState ()	(exec.library)
Vacate ()	(exec.library)
VBeamPos ()	(graphics.library)
ViewAddress ()	(intuition.library)
ViewPortAddress ()	(intuition.library)
Wait ()	(exec.library)
WaitBlit ()	(graphics.library)
WaitBOVP ()	(graphics.library)
WaitForChar ()	(dos.library)
WaitIO ()	(exec.library)
WaitPort ()	(exec.library)
WaitTOF ()	(graphics.library)
WBenchToBack ()	(intuition.library)
WBenchToFront ()	(intuition.library)
WhichLayer ()	(layers.library)
WindowLimits ()	(intuition.library)
WindowToBack ()	(intuition.library)
WindowToFront ()	(intuition.library)
Write ()	(dos.library)
WriteEvent ()	(input.device)
WriteExpansionByte ()	(expansion.library)
WritePixel ()	(graphics.library)
WritePotgo ()	(potgo.resource)
XorRectRegion ()	(graphics.library)
XorRegionRegion ()	(graphics.library)

---