

FunctionXREF

COLLABORATORS

| | | | |
|---------------|--------------------------------|----------------|------------------|
| | <i>TITLE :</i> FunctionXREF | | |
| <i>ACTION</i> | <i>NAME</i> | <i>DATE</i> | <i>SIGNATURE</i> |
| WRITTEN BY | | March 28, 2025 | |

REVISION HISTORY

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
| | | | |

Contents

| | | |
|----------|------------------------------|----------|
| 1 | FunctionXREF | 1 |
| 1.1 | 2.0 Function Index | 1 |

Chapter 1

FunctionXREF

1.1 2.0 Function Index

| | |
|--------------------|-----------------------|
| --background-- | (filesysres.resource) |
| --background-- | (timer.device) |
| AbleICR () | (cia.resource) |
| AbortIO () | (audio.device) |
| AbortIO () | (exec.library) |
| AbortIO () | (narrator.device) |
| AbortIO () | (serial.device) |
| AbortIO () | (timer.device) |
| AbortPkt () | (dos.library) |
| ActivateCxObj () | (commodities.library) |
| ActivateGadget () | (intuition.library) |
| ActivateWindow () | (intuition.library) |
| ADCMD_ALLOCATE | (audio.device) |
| ADCMD_FINISH | (audio.device) |
| ADCMD_FREE | (audio.device) |
| ADCMD_LOCK | (audio.device) |
| ADCMD_PERVOL | (audio.device) |
| ADCMD_SETPREC | (audio.device) |
| ADCMD_WAITCYCLE | (audio.device) |
| AddAnimOb () | (graphics.library) |
| AddAppIconA () | (wb.library) |
| AddAppMenuItemA () | (wb.library) |
| AddAppWindowA () | (wb.library) |
| AddBob () | (graphics.library) |
| AddBootNode () | (expansion.library) |
| AddBuffers () | (dos.library) |
| AddClass () | (intuition.library) |
| AddConfigDev () | (expansion.library) |
| AddDevice () | (exec.library) |
| AddDosEntry () | (dos.library) |
| AddDosNode () | (expansion.library) |
| AddFont () | (graphics.library) |
| AddFreeList () | (icon.library) |
| AddGadget () | (intuition.library) |
| AddGList () | (intuition.library) |
| AddHead () | (exec.library) |
| AddICRVector () | (cia.resource) |

| | |
|----------------------|-----------------------|
| AddIEvents () | (commodities.library) |
| AddIntServer () | (exec.library) |
| AddLibrary () | (exec.library) |
| AddMemList () | (exec.library) |
| AddPart () | (dos.library) |
| AddPort () | (exec.library) |
| AddResource () | (exec.library) |
| AddSegment () | (dos.library) |
| AddSemaphore () | (exec.library) |
| AddTail () | (exec.library) |
| AddTask () | (exec.library) |
| AddTime () | (timer.device) |
| AddTOF () | (amiga_lib.library) |
| AddVSprite () | (graphics.library) |
| afp () | (amiga_lib.library) |
| Alert () | (exec.library) |
| AllocAbs () | (exec.library) |
| AllocAslRequest () | (asl.library) |
| Allocate () | (exec.library) |
| AllocateTagItems () | (utility.library) |
| AllocConfigDev () | (expansion.library) |
| AllocDosObject () | (dos.library) |
| AllocEntry () | (exec.library) |
| AllocExpansionMem () | (expansion.library) |
| AllocFileRequest () | (asl.library) |
| AllocIFF () | (iffparse.library) |
| AllocLocalItem () | (iffparse.library) |
| AllocMem () | (exec.library) |
| AllocMiscResource () | (misc.resource) |
| AllocPotBits () | (potgo.resource) |
| AllocRaster () | (graphics.library) |
| AllocRemember () | (intuition.library) |
| AllocSignal () | (exec.library) |
| AllocTrap () | (exec.library) |
| AllocUnit () | (disk.resource) |
| AllocVec () | (exec.library) |
| Amiga2Date () | (utility.library) |
| AndRectRegion () | (graphics.library) |
| AndRegionRegion () | (graphics.library) |
| Animate () | (graphics.library) |
| AreaCircle () | (graphics.library) |
| AreaDraw () | (graphics.library) |
| AreaEllipse () | (graphics.library) |
| AreaEnd () | (graphics.library) |
| AreaMove () | (graphics.library) |
| ArgArrayDone () | (amiga_lib.library) |
| ArgArrayInit () | (amiga_lib.library) |
| ArgInt () | (amiga_lib.library) |
| ArgString () | (amiga_lib.library) |
| arnd () | (amiga_lib.library) |
| AskFont () | (graphics.library) |
| AskKeyMapDefault () | (keymap.library) |
| AskSoftStyle () | (graphics.library) |
| AslRequest () | (asl.library) |
| AssignAdd () | (dos.library) |
| AssignLate () | (dos.library) |
| AssignLock () | (dos.library) |

| | |
|--------------------------|-----------------------|
| AssignPath () | (dos.library) |
| AttachCxObj () | (commodities.library) |
| AttemptLockDosList () | (dos.library) |
| AttemptLockLayerRom () | (graphics.library) |
| AttemptSemaphore () | (exec.library) |
| AutoRequest () | (intuition.library) |
| AvailFonts () | (diskfont.library) |
| AvailMem () | (exec.library) |
| | |
| BeginIO () | (amiga_lib.library) |
| BeginIO () | (audio.device) |
| BeginIO () | (serial.device) |
| BeginRefresh () | (intuition.library) |
| BeginUpdate () | (layers.library) |
| BehindLayer () | (layers.library) |
| BitMapScale () | (graphics.library) |
| BltBitMap () | (graphics.library) |
| BltBitMapRastPort () | (graphics.library) |
| BltClear () | (graphics.library) |
| BltMaskBitMapRastPort () | (graphics.library) |
| BltPattern () | (graphics.library) |
| BltTemplate () | (graphics.library) |
| BuildEasyRequestArgs () | (intuition.library) |
| BuildSysRequest () | (intuition.library) |
| BumpRevision () | (icon.library) |
| | |
| CacheClearE () | (exec.library) |
| CacheClearU () | (exec.library) |
| CacheControl () | (exec.library) |
| CachePostDMA () | (exec.library) |
| CachePreDMA () | (exec.library) |
| CallHook () | (amiga_lib.library) |
| CallHookA () | (amiga_lib.library) |
| CallHookPkt () | (utility.library) |
| Cause () | (exec.library) |
| CBD_CHANGEHOOK | (clipboard.device) |
| CBD_CURRENTREADID | (clipboard.device) |
| CBD_CURRENTWRITEID | (clipboard.device) |
| CBD_POST | (clipboard.device) |
| CBump () | (graphics.library) |
| CDInputHandler () | (console.device) |
| CD_ASKDEFAULTKEYMAP | (console.device) |
| CD_ASKKEYMAP | (console.device) |
| CD_SETDEFAULTKEYMAP | (console.device) |
| CD_SETKEYMAP | (console.device) |
| CEND | (graphics.library) |
| ChangeMode () | (dos.library) |
| ChangeSprite () | (graphics.library) |
| ChangeWindowBox () | (intuition.library) |
| CheckDate () | (utility.library) |
| CheckIO () | (exec.library) |
| CheckRexxMsg () | (amiga_lib.library) |
| CheckSignal () | (dos.library) |
| CINIT | (graphics.library) |
| ClearCxObjError () | (commodities.library) |
| ClearDMRequest () | (intuition.library) |
| ClearEOL () | (graphics.library) |

| | |
|-------------------|---------------------|
| ClearMenuStrip() | (intuition.library) |
| ClearPointer() | (intuition.library) |
| ClearRectRegion() | (graphics.library) |
| ClearRegion() | (graphics.library) |
| ClearRexxMsg() | (rexsyslib.library) |
| ClearScreen() | (graphics.library) |
| Cli() | (dos.library) |
| CliInitNewcli() | (dos.library) |
| CliInitRun() | (dos.library) |
| ClipBlit() | (graphics.library) |
| CloneTagItems() | (utility.library) |
| Close() | (dos.library) |
| CloseClipboard() | (iffparse.library) |
| CloseDevice() | (audio.device) |
| CloseDevice() | (exec.library) |
| CloseDevice() | (narrator.device) |
| CloseDevice() | (serial.device) |
| CloseFont() | (graphics.library) |
| CloseIFF() | (iffparse.library) |
| CloseLibrary() | (exec.library) |
| CloseMonitor() | (graphics.library) |
| CloseScreen() | (intuition.library) |
| CloseWindow() | (intuition.library) |
| CloseWorkBench() | (intuition.library) |
| CMD_CLEAR | (audio.device) |
| CMD_CLEAR | (console.device) |
| CMD_CLEAR | (keyboard.device) |
| CMD_CLEAR | (parallel.device) |
| CMD_CLEAR | (serial.device) |
| CMD_CLEAR | (trackdisk.device) |
| CMD_FLUSH | (audio.device) |
| CMD_FLUSH | (narrator.device) |
| CMD_FLUSH | (parallel.device) |
| CMD_FLUSH | (printer.device) |
| CMD_FLUSH | (serial.device) |
| CMD_INVALID | (printer.device) |
| CMD_READ | (audio.device) |
| CMD_READ | (clipboard.device) |
| CMD_READ | (console.device) |
| CMD_READ | (narrator.device) |
| CMD_READ | (parallel.device) |
| CMD_READ | (serial.device) |
| CMD_READ | (trackdisk.device) |
| CMD_RESET | (audio.device) |
| CMD_RESET | (narrator.device) |
| CMD_RESET | (parallel.device) |
| CMD_RESET | (printer.device) |
| CMD_RESET | (serial.device) |
| CMD_START | (audio.device) |
| CMD_START | (narrator.device) |
| CMD_START | (parallel.device) |
| CMD_START | (printer.device) |
| CMD_START | (serial.device) |
| CMD_STOP | (audio.device) |
| CMD_STOP | (narrator.device) |
| CMD_STOP | (parallel.device) |
| CMD_STOP | (printer.device) |

| | |
|---------------------------|-----------------------|
| CMD_STOP | (serial.device) |
| CMD_UPDATE | (audio.device) |
| CMD_UPDATE | (clipboard.device) |
| CMD_UPDATE | (trackdisk.device) |
| CMD_WRITE | (audio.device) |
| CMD_WRITE | (clipboard.device) |
| CMD_WRITE | (console.device) |
| CMD_WRITE | (narrator.device) |
| CMD_WRITE | (parallel.device) |
| CMD_WRITE | (printer.device) |
| CMD_WRITE | (serial.device) |
| CMD_WRITE | (trackdisk.device) |
| CMOVE | (graphics.library) |
| CmpTime () | (timer.device) |
| CoerceMethod () | (amiga_lib.library) |
| CoerceMethodA () | (amiga_lib.library) |
| ColdReboot () | (exec.library) |
| CollectionChunk () | (iffparse.library) |
| CollectionChunks () | (iffparse.library) |
| CompareDates () | (dos.library) |
| ConfigBoard () | (expansion.library) |
| CopyMem () | (exec.library) |
| CopyMemQuick () | (exec.library) |
| CopySBitMap () | (graphics.library) |
| CreateArgstring () | (rexxsyslib.library) |
| CreateBehindHookLayer () | (layers.library) |
| CreateBehindLayer () | (layers.library) |
| CreateContext () | (gadtools.library) |
| CreateCxObj () | (commodities.library) |
| CreateDir () | (dos.library) |
| CreateExtIO () | (amiga_lib.library) |
| CreateGadgetA () | (gadtools.library) |
| CreateIORequest () | (exec.library) |
| CreateMenusA () | (gadtools.library) |
| CreateMsgPort () | (exec.library) |
| CreateNewProc () | (dos.library) |
| CreatePort () | (amiga_lib.library) |
| CreateProc () | (dos.library) |
| CreateRexxMsg () | (rexxsyslib.library) |
| CreateStdIO () | (amiga_lib.library) |
| CreateTask () | (amiga_lib.library) |
| CreateUpfrontHookLayer () | (layers.library) |
| CreateUpfrontLayer () | (layers.library) |
| CurrentChunk () | (iffparse.library) |
| CurrentDir () | (dos.library) |
| CurrentTime () | (intuition.library) |
| CWAIT | (graphics.library) |
| CxBroker () | (commodities.library) |
| CxCustom () | (amiga_lib.library) |
| CxDebug () | (amiga_lib.library) |
| CxFilter () | (amiga_lib.library) |
| CxMsgData () | (commodities.library) |
| CxMsgID () | (commodities.library) |
| CxMsgType () | (commodities.library) |
| CxObjError () | (commodities.library) |
| CxObjType () | (commodities.library) |
| CxSender () | (amiga_lib.library) |

| | |
|------------------------|-----------------------|
| CxSignal () | (amiga_lib.library) |
| CxTranslate () | (amiga_lib.library) |
| Date2Amiga () | (utility.library) |
| DateStamp () | (dos.library) |
| DateToStr () | (dos.library) |
| dbf () | (amiga_lib.library) |
| DDoFmt () | (ddebug_lib.library) |
| Deallocate () | (exec.library) |
| Debug () | (exec.library) |
| Delay () | (dos.library) |
| DeleteArgstring () | (rexxsyslib.library) |
| DeleteCxObj () | (commodities.library) |
| DeleteCxObjAll () | (commodities.library) |
| DeleteDiskObject () | (icon.library) |
| DeleteExtIO () | (amiga_lib.library) |
| DeleteFile () | (dos.library) |
| DeleteIORequest () | (exec.library) |
| DeleteLayer () | (layers.library) |
| DeleteMsgPort () | (exec.library) |
| DeletePort () | (amiga_lib.library) |
| DeleteRexxMsg () | (rexxsyslib.library) |
| DeleteStdIO () | (amiga_lib.library) |
| DeleteTask () | (amiga_lib.library) |
| DeleteVar () | (dos.library) |
| DeviceProc () | (dos.library) |
| DGetChar () | (ddebug_lib.library) |
| DGetNum () | (ddebug_lib.library) |
| Disable () | (exec.library) |
| DisownBlitter () | (graphics.library) |
| DisplayAlert () | (intuition.library) |
| DisplayBeep () | (intuition.library) |
| DisposeCxMsg () | (commodities.library) |
| DisposeFontContents () | (diskfont.library) |
| DisposeLayerInfo () | (layers.library) |
| DisposeObject () | (intuition.library) |
| DisposeRegion () | (graphics.library) |
| DivertCxMsg () | (commodities.library) |
| DMayGetChar () | (ddebug_lib.library) |
| DoCollision () | (graphics.library) |
| DoIO () | (exec.library) |
| DoMethod () | (amiga_lib.library) |
| DoMethodA () | (amiga_lib.library) |
| DoPkt () | (dos.library) |
| DoSuperMethod () | (amiga_lib.library) |
| DoSuperMethodA () | (amiga_lib.library) |
| DoubleClick () | (intuition.library) |
| DPutChar () | (ddebug_lib.library) |
| DPutFmt () | (ddebug_lib.library) |
| DPutStr () | (ddebug_lib.library) |
| Draw () | (graphics.library) |
| DrawBevelBoxA () | (gadtools.library) |
| DrawBorder () | (intuition.library) |
| DrawEllipse () | (graphics.library) |
| DrawGList () | (graphics.library) |
| DrawImage () | (intuition.library) |
| DrawImageState () | (intuition.library) |

| | |
|---------------------|-----------------------|
| DupLock () | (dos.library) |
| DupLockFromFH () | (dos.library) |
| EasyRequestArgs () | (intuition.library) |
| Enable () | (exec.library) |
| EndNotify () | (dos.library) |
| EndRefresh () | (intuition.library) |
| EndRequest () | (intuition.library) |
| EndUpdate () | (layers.library) |
| Enqueue () | (exec.library) |
| EnqueueCxObj () | (commodities.library) |
| EntryHandler () | (iffparse.library) |
| EraseImage () | (intuition.library) |
| EraseRect () | (graphics.library) |
| ErrorReport () | (dos.library) |
| ExAll () | (dos.library) |
| Examine () | (dos.library) |
| ExamineFH () | (dos.library) |
| Execute () | (dos.library) |
| Exit () | (dos.library) |
| ExitHandler () | (iffparse.library) |
| ExNext () | (dos.library) |
| Expunge () | (audio.device) |
| ExtendFont () | (graphics.library) |
| FastRand () | (amiga_lib.library) |
| FattenLayerInfo () | (layers.library) |
| Fault () | (dos.library) |
| FGetC () | (dos.library) |
| FGets () | (dos.library) |
| FilePart () | (dos.library) |
| FillRexxMsg () | (rexxsyslib.library) |
| FilterTagChanges () | (utility.library) |
| FilterTagItems () | (utility.library) |
| FindArg () | (dos.library) |
| FindCliProc () | (dos.library) |
| FindCollection () | (iffparse.library) |
| FindConfigDev () | (expansion.library) |
| FindDisplayInfo () | (graphics.library) |
| FindDosEntry () | (dos.library) |
| FindLocalItem () | (iffparse.library) |
| FindName () | (exec.library) |
| FindPort () | (exec.library) |
| FindProp () | (iffparse.library) |
| FindPropContext () | (iffparse.library) |
| FindResident () | (exec.library) |
| FindSegment () | (dos.library) |
| FindSemaphore () | (exec.library) |
| FindTagItem () | (utility.library) |
| FindTask () | (exec.library) |
| FindToolType () | (icon.library) |
| FindVar () | (dos.library) |
| Flood () | (graphics.library) |
| Flush () | (dos.library) |
| FontExtent () | (graphics.library) |
| Forbid () | (exec.library) |
| Format () | (dos.library) |

| | |
|------------------------|---------------------|
| fpa () | (amiga_lib.library) |
| FPutC () | (dos.library) |
| Fputs () | (dos.library) |
| FRead () | (dos.library) |
| FreeArgs () | (dos.library) |
| FreeAslRequest () | (asl.library) |
| FreeClass () | (intuition.library) |
| FreeColorMap () | (graphics.library) |
| FreeConfigDev () | (expansion.library) |
| FreeCopList () | (graphics.library) |
| FreeCprList () | (graphics.library) |
| FreeDeviceProc () | (dos.library) |
| FreeDiskObject () | (icon.library) |
| FreeDosEntry () | (dos.library) |
| FreeDosObject () | (dos.library) |
| FreeEntry () | (exec.library) |
| FreeExpansionMem () | (expansion.library) |
| FreeFileRequest () | (asl.library) |
| FreeFreeList () | (icon.library) |
| FreeGadgets () | (gadtools.library) |
| FreeGBuffers () | (graphics.library) |
| FreeIEvents () | (amiga_lib.library) |
| FreeIFF () | (iffparse.library) |
| FreeLocalItem () | (iffparse.library) |
| FreeMem () | (exec.library) |
| FreeMenus () | (gadtools.library) |
| FreeMiscResource () | (misc.resource) |
| FreePotBits () | (potgo.resource) |
| FreeRaster () | (graphics.library) |
| FreeRemember () | (intuition.library) |
| FreeScreenDrawInfo () | (intuition.library) |
| FreeSignal () | (exec.library) |
| FreeSprite () | (graphics.library) |
| FreeSysRequest () | (intuition.library) |
| FreeTagItems () | (utility.library) |
| FreeTrap () | (exec.library) |
| FreeUnit () | (disk.resource) |
| FreeVec () | (exec.library) |
| FreeVisualInfo () | (gadtools.library) |
| FreeVPortCopLists () | (graphics.library) |
| FWrite () | (dos.library) |
| | |
| GadgetMouse () | (intuition.library) |
| GetArgStr () | (dos.library) |
| GetAttr () | (intuition.library) |
| GetCC () | (exec.library) |
| GetColorMap () | (graphics.library) |
| GetConsoleTask () | (dos.library) |
| GetCurrentBinding () | (expansion.library) |
| GetCurrentDirName () | (dos.library) |
| GetDefaultPubScreen () | (intuition.library) |
| GetDefDiskObject () | (icon.library) |
| GetDefPrefs () | (intuition.library) |
| GetDeviceProc () | (dos.library) |
| GetDiskObject () | (icon.library) |
| GetDiskObjectNew () | (icon.library) |
| GetDisplayInfoData () | (graphics.library) |

| | |
|-----------------------|-----------------------------|
| GetFileSysTask () | (dos.library) |
| GetGBuffers () | (graphics.library) |
| GetMsg () | (exec.library) |
| GetPrefs () | (intuition.library) |
| GetProgramDir () | (dos.library) |
| GetProgramName () | (dos.library) |
| GetPrompt () | (dos.library) |
| GetRexxVar () | (amiga_lib.library) |
| GetRGB4 () | (graphics.library) |
| GetScreenData () | (intuition.library) |
| GetScreenDrawInfo () | (intuition.library) |
| GetSprite () | (graphics.library) |
| GetSysTime () | (timer.device) |
| GetTagData () | (utility.library) |
| GetUnit () | (disk.resource) |
| GetUnitID () | (disk.resource) |
| GetVar () | (dos.library) |
| GetVisualInfoA () | (gadtools.library) |
| GetVPMODEID () | (graphics.library) |
| GfxAssociate () | (graphics.library) |
| GfxFree () | (graphics.library) |
| GfxLookUP () | (graphics.library) |
| GfxNew () | (graphics.library) |
| GiveUnit () | (disk.resource) |
| GoodID () | (iffparse.library) |
| GoodType () | (iffparse.library) |
| GPD_ASKCTYPE | (gameport.device) |
| GPD_ASKTRIGGER | (gameport.device) |
| GPD_READEVENT | (gameport.device) |
| GPD_SETCTYPE | (gameport.device) |
| GPD_SETTRIGGER | (gameport.device) |
| GT_BeginRefresh () | (gadtools.library) |
| GT_EndRefresh () | (gadtools.library) |
| GT_FilterIMsg () | (gadtools.library) |
| GT_GetIMsg () | (gadtools.library) |
| GT_PostFilterIMsg () | (gadtools.library) |
| GT_RefreshWindow () | (gadtools.library) |
| GT_ReplyIMsg () | (gadtools.library) |
| GT_SetGadgetAttrsA () | (gadtools.library) |
| | |
| HookEntry () | (amiga_lib.library) |
| HookEntry () | (iffparse.library) |
| HotKey () | (amiga_lib.library) |
| | |
| IDtoStr () | (iffparse.library) |
| IEEEDPabs () | (mathieeedoubbas.library) |
| IEEEDPacos () | (mathieeedoubtrans.library) |
| IEEEDPadd () | (mathieeedoubbas.library) |
| IEEEDPasin () | (mathieeedoubtrans.library) |
| IEEEDPatan () | (mathieeedoubtrans.library) |
| IEEEDPceil () | (mathieeedoubbas.library) |
| IEEEDPcmp () | (mathieeedoubbas.library) |
| IEEEDPcos () | (mathieeedoubtrans.library) |
| IEEEDPcosh () | (mathieeedoubtrans.library) |
| IEEEDPdiv () | (mathieeedoubbas.library) |
| IEEEDPexp () | (mathieeedoubtrans.library) |
| IEEEDPfieee () | (mathieeedoubtrans.library) |

| | |
|------------------|-----------------------------|
| IEEEDPFix () | (mathieeedoubbas.library) |
| IEEEDPFloor () | (mathieeedoubbas.library) |
| IEEEDPFlt () | (mathieeedoubbas.library) |
| IEEEDPLog () | (mathieeedoubtrans.library) |
| IEEEDPLog10 () | (mathieeedoubtrans.library) |
| IEEEDPMul () | (mathieeedoubbas.library) |
| IEEEDPNeg () | (mathieeedoubbas.library) |
| IEEEDPPow () | (mathieeedoubtrans.library) |
| IEEE DPSin () | (mathieeedoubtrans.library) |
| IEEE DPSincos () | (mathieeedoubtrans.library) |
| IEEE DPSinh () | (mathieeedoubtrans.library) |
| IEEE DPSqrt () | (mathieeedoubtrans.library) |
| IEEE DPSub () | (mathieeedoubbas.library) |
| IEEE DPTan () | (mathieeedoubtrans.library) |
| IEEE DPTanh () | (mathieeedoubtrans.library) |
| IEEE DPTieee () | (mathieeedoubtrans.library) |
| IEEE DPTst () | (mathieeedoubbas.library) |
| IEEE SPAbs () | (mathieeesingbas.library) |
| IEEE SPAcos () | (mathieeesingtrans.library) |
| IEEE SPAdd () | (mathieeesingbas.library) |
| IEEE SPAsin () | (mathieeesingtrans.library) |
| IEEE SPAtan () | (mathieeesingtrans.library) |
| IEEE SPCeil () | (mathieeesingbas.library) |
| IEEE SPCmp () | (mathieeesingbas.library) |
| IEEE SPCos () | (mathieeesingtrans.library) |
| IEEE SPCosh () | (mathieeesingtrans.library) |
| IEEE SPDiv () | (mathieeesingbas.library) |
| IEEE SPExp () | (mathieeesingtrans.library) |
| IEEE SPFieee () | (mathieeesingtrans.library) |
| IEEE SPFix () | (mathieeesingbas.library) |
| IEEE SPFloor () | (mathieeesingbas.library) |
| IEEE SPFlt () | (mathieeesingbas.library) |
| IEEE SPLog () | (mathieeesingtrans.library) |
| IEEE SPLog10 () | (mathieeesingtrans.library) |
| IEEE SPMul () | (mathieeesingbas.library) |
| IEEE SPNeg () | (mathieeesingbas.library) |
| IEEE SPPow () | (mathieeesingtrans.library) |
| IEEE SPSin () | (mathieeesingtrans.library) |
| IEEE SPSincos () | (mathieeesingtrans.library) |
| IEEE SPSinh () | (mathieeesingtrans.library) |
| IEEE SPSqrt () | (mathieeesingtrans.library) |
| IEEE SPSub () | (mathieeesingbas.library) |
| IEEE SPTan () | (mathieeesingtrans.library) |
| IEEE SPTanh () | (mathieeesingtrans.library) |
| IEEE SPTieee () | (mathieeesingtrans.library) |
| IEEE SPTst () | (mathieeesingbas.library) |
| IND_ADDHANDLER | (input.device) |
| IND_REMHANDLER | (input.device) |
| IND_SETMPORT | (input.device) |
| IND_SETMTRIG | (input.device) |
| IND_SETMTYPE | (input.device) |
| IND_SETPERIOD | (input.device) |
| IND_SETTHRESH | (input.device) |
| IND_WRITEEVENT | (input.device) |
| Info () | (dos.library) |
| Inhibit () | (dos.library) |
| InitArea () | (graphics.library) |

| | |
|----------------------|-----------------------|
| InitBitMap () | (graphics.library) |
| InitCode () | (exec.library) |
| InitGels () | (graphics.library) |
| InitGMasks () | (graphics.library) |
| InitIFF () | (iffparse.library) |
| InitIFFasClip () | (iffparse.library) |
| InitIFFasDOS () | (iffparse.library) |
| InitLayers () | (layers.library) |
| InitMasks () | (graphics.library) |
| InitRastPort () | (graphics.library) |
| InitRequester () | (intuition.library) |
| InitResident () | (exec.library) |
| InitSemaphore () | (exec.library) |
| InitStruct () | (exec.library) |
| InitTmpRas () | (graphics.library) |
| InitView () | (graphics.library) |
| InitVPort () | (graphics.library) |
| Input () | (dos.library) |
| Insert () | (exec.library) |
| InsertCxObj () | (commodities.library) |
| InstallClipRegion () | (layers.library) |
| InstallLayerHook () | (layers.library) |
| InternalLoadSeg () | (dos.library) |
| InternalUnLoadSeg () | (dos.library) |
| IntuiTextLength () | (intuition.library) |
| InvertKeyMap () | (commodities.library) |
| InvertString () | (amiga_lib.library) |
| IoErr () | (dos.library) |
| IsFileSystem () | (dos.library) |
| IsInteractive () | (dos.library) |
| IsRexxMsg () | (rexxsyslib.library) |
| ItemAddress () | (intuition.library) |
| | |
| KBD_ADDRESETHANDLER | (keyboard.device) |
| KBD_READEVENT | (keyboard.device) |
| KBD_READMATRIX | (keyboard.device) |
| KBD_REMRESETHANDLER | (keyboard.device) |
| KBD_RESETHANDLERDONE | (keyboard.device) |
| KCmpStr () | (ddebug_lib.library) |
| KCmpStr () | (debug_lib.library) |
| KGetChar () | (debug_lib.library) |
| KGetNum () | (debug_lib.library) |
| KMayGetChar () | (debug_lib.library) |
| KPrintF () | (debug_lib.library) |
| KPutChar () | (debug_lib.library) |
| KPutStr () | (debug_lib.library) |
| | |
| LayoutMenuItemsA () | (gadtools.library) |
| LayoutMenusA () | (gadtools.library) |
| LengthArgstring () | (rexxsyslib.library) |
| LoadRGB4 () | (graphics.library) |
| LoadSeg () | (dos.library) |
| LoadView () | (graphics.library) |
| LocalItemData () | (iffparse.library) |
| Lock () | (dos.library) |
| LockDosList () | (dos.library) |
| LockIBase () | (intuition.library) |

| | |
|------------------------|----------------------|
| LockLayer () | (layers.library) |
| LockLayerInfo () | (layers.library) |
| LockLayerRom () | (graphics.library) |
| LockLayers () | (layers.library) |
| LockPubScreen () | (intuition.library) |
| LockPubScreenList () | (intuition.library) |
| LockRecord () | (dos.library) |
| LockRecords () | (dos.library) |
| LockRexxBase () | (rexxsyslib.library) |
| | |
| MakeClass () | (intuition.library) |
| MakeDosEntry () | (dos.library) |
| MakeDosNode () | (expansion.library) |
| MakeFunctions () | (exec.library) |
| MakeLibrary () | (exec.library) |
| MakeLink () | (dos.library) |
| MakeScreen () | (intuition.library) |
| MakeVPort () | (graphics.library) |
| MapANSI () | (keymap.library) |
| MapRawKey () | (keymap.library) |
| MapTags () | (utility.library) |
| MatchEnd () | (dos.library) |
| MatchFirst () | (dos.library) |
| MatchNext () | (dos.library) |
| MatchPattern () | (dos.library) |
| MatchPatternNoCase () | (dos.library) |
| MatchToolValue () | (icon.library) |
| MaxCli () | (dos.library) |
| ModeNotAvailable () | (graphics.library) |
| ModifyIDCMP () | (intuition.library) |
| ModifyProp () | (intuition.library) |
| Move () | (graphics.library) |
| MoveLayer () | (layers.library) |
| MoveLayerInFrontOf () | (layers.library) |
| MoveScreen () | (intuition.library) |
| MoveSizeLayer () | (layers.library) |
| MoveSprite () | (graphics.library) |
| MoveWindow () | (intuition.library) |
| MoveWindowInFrontOf () | (intuition.library) |
| MrgCop () | (graphics.library) |
| | |
| NameFromFH () | (dos.library) |
| NameFromLock () | (dos.library) |
| NewFontContents () | (diskfont.library) |
| NewLayerInfo () | (layers.library) |
| NewList () | (amiga_lib.library) |
| NewLoadSeg () | (dos.library) |
| NewModifyProp () | (intuition.library) |
| NewObject () | (intuition.library) |
| NewRegion () | (graphics.library) |
| NewScaledDiskFont () | (diskfont.library) |
| NextDisplayInfo () | (graphics.library) |
| NextDosEntry () | (dos.library) |
| NextObject () | (intuition.library) |
| NextPubScreen () | (intuition.library) |
| NextTagItem () | (utility.library) |

| | |
|--------------------------|-----------------------|
| ObtainBattSemaphore () | (battmem.resource) |
| ObtainConfigBinding () | (expansion.library) |
| ObtainGIRPort () | (intuition.library) |
| ObtainSemaphore () | (exec.library) |
| ObtainSemaphoreList () | (exec.library) |
| ObtainSemaphoreShared () | (exec.library) |
| OffGadget () | (intuition.library) |
| OffMenu () | (intuition.library) |
| OldOpenLibrary () | (exec.library) |
| OnGadget () | (intuition.library) |
| OnMenu () | (intuition.library) |
| Open () | (dos.library) |
| OpenClipboard () | (iffparse.library) |
| OpenDevice () | (audio.device) |
| OpenDevice () | (console.device) |
| OpenDevice () | (exec.library) |
| OpenDevice () | (narrator.device) |
| OpenDevice () | (parallel.device) |
| OpenDevice () | (serial.device) |
| OpenDiskFont () | (diskfont.library) |
| OpenFont () | (graphics.library) |
| OpenFromLock () | (dos.library) |
| OpenIFF () | (iffparse.library) |
| OpenLibrary () | (exec.library) |
| OpenMonitor () | (graphics.library) |
| OpenResource () | (exec.library) |
| OpenScreen () | (intuition.library) |
| OpenScreenTagList () | (intuition.library) |
| OpenWindow () | (intuition.library) |
| OpenWindowTagList () | (intuition.library) |
| OpenWorkBench () | (intuition.library) |
| OrRectRegion () | (graphics.library) |
| OrRegionRegion () | (graphics.library) |
| Output () | (dos.library) |
| OwnBlitter () | (graphics.library) |
| | |
| PackBoolTags () | (utility.library) |
| ParentChunk () | (iffparse.library) |
| ParentDir () | (dos.library) |
| ParentOfFH () | (dos.library) |
| ParseIFF () | (iffparse.library) |
| ParseIX () | (commodities.library) |
| ParsePattern () | (dos.library) |
| ParsePatternNoCase () | (dos.library) |
| PathPart () | (dos.library) |
| PDCMD_QUERY | (parallel.device) |
| PDCMD_SETPARAMS | (parallel.device) |
| PeekQualifier () | (input.device) |
| Permit () | (exec.library) |
| PointInImage () | (intuition.library) |
| PolyDraw () | (graphics.library) |
| PopChunk () | (iffparse.library) |
| PRD_DUMPRPORT | (printer.device) |
| PRD_PRTCOMMAND | (printer.device) |
| PRD_QUERY | (printer.device) |
| PRD_RAWWRITE | (printer.device) |
| printf () | (amiga_lib.library) |

| | |
|-------------------------|----------------------|
| PrintFault () | (dos.library) |
| PrintIText () | (intuition.library) |
| Procure () | (exec.library) |
| PropChunk () | (iffparse.library) |
| PropChunks () | (iffparse.library) |
| PubScreenStatus () | (intuition.library) |
| PushChunk () | (iffparse.library) |
| PutDefDiskObject () | (icon.library) |
| PutDiskObject () | (icon.library) |
| PutMsg () | (exec.library) |
| PutStr () | (dos.library) |
| PWrite () | (printer.device) |
| | |
| QBlit () | (graphics.library) |
| QBSBlit () | (graphics.library) |
| QueryOverscan () | (intuition.library) |
| | |
| RangeRand () | (amiga_lib.library) |
| RawDoFmt () | (exec.library) |
| RawKeyConvert () | (console.device) |
| Read () | (dos.library) |
| ReadArgs () | (dos.library) |
| ReadBattClock () | (battclock.resource) |
| ReadBattMem () | (battmem.resource) |
| ReadChunkBytes () | (iffparse.library) |
| ReadChunkRecords () | (iffparse.library) |
| ReadEClock () | (timer.device) |
| ReadExpansionByte () | (expansion.library) |
| ReadExpansionRom () | (expansion.library) |
| ReadItem () | (dos.library) |
| ReadLink () | (dos.library) |
| ReadPixel () | (graphics.library) |
| ReadPixelArray8 () | (graphics.library) |
| ReadPixelLine8 () | (graphics.library) |
| ReadUnitID () | (disk.resource) |
| RectFill () | (graphics.library) |
| RefreshGadgets () | (intuition.library) |
| RefreshGList () | (intuition.library) |
| RefreshTagItemClones () | (utility.library) |
| RefreshWindowFrame () | (intuition.library) |
| Relabel () | (dos.library) |
| ReleaseBattSemaphore () | (battmem.resource) |
| ReleaseConfigBinding () | (expansion.library) |
| ReleaseGIRPort () | (intuition.library) |
| ReleaseSemaphore () | (exec.library) |
| ReleaseSemaphoreList () | (exec.library) |
| RemakeDisplay () | (intuition.library) |
| RemAssignList () | (dos.library) |
| RemBob () | (graphics.library) |
| RemConfigDev () | (expansion.library) |
| RemDevice () | (exec.library) |
| RemDosEntry () | (dos.library) |
| RemFont () | (graphics.library) |
| RemHead () | (exec.library) |
| RemIBob () | (graphics.library) |
| RemICRVector () | (cia.resource) |
| RemIntServer () | (exec.library) |

| | |
|------------------------|-----------------------|
| RemLibrary () | (exec.library) |
| Remove () | (exec.library) |
| RemoveAppIcon () | (wb.library) |
| RemoveAppMenuItem () | (wb.library) |
| RemoveAppWindow () | (wb.library) |
| RemoveClass () | (intuition.library) |
| RemoveCxObj () | (commodities.library) |
| RemoveGadget () | (intuition.library) |
| RemoveGList () | (intuition.library) |
| RemPort () | (exec.library) |
| RemResource () | (exec.library) |
| RemSegment () | (dos.library) |
| RemSemaphore () | (exec.library) |
| RemTail () | (exec.library) |
| RemTask () | (exec.library) |
| RemTOF () | (amiga_lib.library) |
| RemVSprite () | (graphics.library) |
| Rename () | (dos.library) |
| ReplyMsg () | (exec.library) |
| ReplyPkt () | (dos.library) |
| ReportMouse () | (intuition.library) |
| Request () | (intuition.library) |
| RequestFile () | (asl.library) |
| ResetBattClock () | (battclock.resource) |
| ResetMenuStrip () | (intuition.library) |
| RethinkDisplay () | (intuition.library) |
| RouteCxMsg () | (commodities.library) |
| RunCommand () | (dos.library) |
| SameDevice () | (dos.library) |
| SameLock () | (dos.library) |
| ScalerDiv () | (graphics.library) |
| ScreenToBack () | (intuition.library) |
| ScreenToFront () | (intuition.library) |
| ScrollLayer () | (layers.library) |
| ScrollRaster () | (graphics.library) |
| ScrollVPort () | (graphics.library) |
| SDCMD_BREAK | (serial.device) |
| SDCMD_QUERY | (serial.device) |
| SDCMD_SETPARAMS | (serial.device) |
| SDivMod32 () | (utility.library) |
| Seek () | (dos.library) |
| SelectInput () | (dos.library) |
| SelectOutput () | (dos.library) |
| SendIO () | (exec.library) |
| SendPkt () | (dos.library) |
| SetAPen () | (graphics.library) |
| SetArgStr () | (dos.library) |
| SetAttrsA () | (intuition.library) |
| SetBPen () | (graphics.library) |
| SetCollision () | (graphics.library) |
| SetComment () | (dos.library) |
| SetConsoleTask () | (dos.library) |
| SetCurrentBinding () | (expansion.library) |
| SetCurrentDirName () | (dos.library) |
| SetCxObjPri () | (commodities.library) |
| SetDefaultPubScreen () | (intuition.library) |

| | |
|----------------------|-----------------------|
| SetDMRequest () | (intuition.library) |
| SetDrMd () | (graphics.library) |
| SetEditHook () | (intuition.library) |
| SetExcept () | (exec.library) |
| SetFileDate () | (dos.library) |
| SetFileSize () | (dos.library) |
| SetFileSysTask () | (dos.library) |
| SetFilter () | (commodities.library) |
| SetFilterIX () | (commodities.library) |
| SetFont () | (graphics.library) |
| SetFunction () | (exec.library) |
| SetGadgetAttrsA () | (intuition.library) |
| SetICR () | (cia.resource) |
| SetIntVector () | (exec.library) |
| SetIoErr () | (dos.library) |
| SetKeyMapDefault () | (keymap.library) |
| SetLocalItemPurge () | (iffparse.library) |
| SetMenuStrip () | (intuition.library) |
| SetMode () | (dos.library) |
| SetMouseQueue () | (intuition.library) |
| SetOPen () | (graphics.library) |
| SetPointer () | (intuition.library) |
| SetPrefs () | (intuition.library) |
| SetProgramDir () | (dos.library) |
| SetProgramName () | (dos.library) |
| SetPrompt () | (dos.library) |
| SetProtection () | (dos.library) |
| SetPubScreenModes () | (intuition.library) |
| SetRast () | (graphics.library) |
| SetRexxVar () | (amiga_lib.library) |
| SetRGB4 () | (graphics.library) |
| SetRGB4CM () | (graphics.library) |
| SetSignal () | (exec.library) |
| SetSoftStyle () | (graphics.library) |
| SetSR () | (exec.library) |
| SetSuperAttrs () | (amiga_lib.library) |
| SetTaskPri () | (exec.library) |
| SetTranslate () | (commodities.library) |
| SetVar () | (dos.library) |
| SetVBuf () | (dos.library) |
| SetWindowTitles () | (intuition.library) |
| ShowTitle () | (intuition.library) |
| Signal () | (exec.library) |
| SizeLayer () | (layers.library) |
| SizeWindow () | (intuition.library) |
| SMult32 () | (utility.library) |
| SortGLList () | (graphics.library) |
| SPAbs () | (mathffp.library) |
| SPAcos () | (mathtrans.library) |
| SPAdd () | (mathffp.library) |
| SPAsin () | (mathtrans.library) |
| SPAtan () | (mathtrans.library) |
| SPCeil () | (mathffp.library) |
| SPCmp () | (mathffp.library) |
| SPCos () | (mathtrans.library) |
| SPCosh () | (mathtrans.library) |
| SPDiv () | (mathffp.library) |

| | |
|-----------------------------|---------------------|
| SPExp () | (mathtrans.library) |
| SPFieee () | (mathtrans.library) |
| SPFix () | (mathffp.library) |
| SPFloor () | (mathffp.library) |
| SPFlt () | (mathffp.library) |
| SplitName () | (dos.library) |
| SPLog () | (mathtrans.library) |
| SPLog10 () | (mathtrans.library) |
| SPMul () | (mathffp.library) |
| SPNeg () | (mathffp.library) |
| SPPow () | (mathtrans.library) |
| sprintf () | (amiga_lib.library) |
| SPSin () | (mathtrans.library) |
| SPSincos () | (mathtrans.library) |
| SPSinh () | (mathtrans.library) |
| SPSqrt () | (mathtrans.library) |
| SPSub () | (mathffp.library) |
| SPTan () | (mathtrans.library) |
| SPTanh () | (mathtrans.library) |
| SPTieee () | (mathtrans.library) |
| SPTst () | (mathffp.library) |
| StackSwap () | (exec.library) |
| StartNotify () | (dos.library) |
| stdio () | (amiga_lib.library) |
| StopChunk () | (iffparse.library) |
| StopChunks () | (iffparse.library) |
| StopOnExit () | (iffparse.library) |
| StoreItemInContext () | (iffparse.library) |
| StoreLocalItem () | (iffparse.library) |
| Stricmp () | (utility.library) |
| StripFont () | (graphics.library) |
| Strnicmp () | (utility.library) |
| StrToDate () | (dos.library) |
| StrToLong () | (dos.library) |
| SubTime () | (timer.device) |
| SumKickData () | (exec.library) |
| SumLibrary () | (exec.library) |
| SuperState () | (exec.library) |
| Supervisor () | (exec.library) |
| SwapBitsRastPortClipRect () | (layers.library) |
| SyncSBitMap () | (graphics.library) |
| SysReqHandler () | (intuition.library) |
| SystemTagList () | (dos.library) |
| TagInArray () | (utility.library) |
| TD_ADDCHANGEINT | (trackdisk.device) |
| TD_CHANGENUM | (trackdisk.device) |
| TD_CHANGESTATE | (trackdisk.device) |
| TD_EJECT | (trackdisk.device) |
| TD_FORMAT | (trackdisk.device) |
| TD_GETDRIVETYPE | (trackdisk.device) |
| TD_GETGEOMETRY | (trackdisk.device) |
| TD_GETNUMTRACKS | (trackdisk.device) |
| TD_MOTOR | (trackdisk.device) |
| TD_PROTSTATUS | (trackdisk.device) |
| TD_RAWREAD | (trackdisk.device) |
| TD_RAWWRITE | (trackdisk.device) |

| | |
|------------------------|----------------------|
| TD_REMCHANGEINT | (trackdisk.device) |
| TD_SEEK | (trackdisk.device) |
| Text () | (graphics.library) |
| TextExtent () | (graphics.library) |
| TextFit () | (graphics.library) |
| TextLength () | (graphics.library) |
| ThinLayerInfo () | (layers.library) |
| TimeDelay () | (amiga_lib.library) |
| ToLower () | (utility.library) |
| ToUpper () | (utility.library) |
| Translate () | (translator.library) |
| TR_ADDREQUEST | (timer.device) |
| TR_GETSYSTIME | (timer.device) |
| TR_SETSYSTIME | (timer.device) |
| TypeOfMem () | (exec.library) |
| | |
| UDivMod32 () | (utility.library) |
| UMult32 () | (utility.library) |
| UnGetC () | (dos.library) |
| UnLoadSeg () | (dos.library) |
| UnLock () | (dos.library) |
| UnLockDosList () | (dos.library) |
| UnLockIBase () | (intuition.library) |
| UnLockLayer () | (layers.library) |
| UnLockLayerInfo () | (layers.library) |
| UnLockLayerRom () | (graphics.library) |
| UnLockLayers () | (layers.library) |
| UnLockPubScreen () | (intuition.library) |
| UnLockPubScreenList () | (intuition.library) |
| UnLockRecord () | (dos.library) |
| UnLockRecords () | (dos.library) |
| UnLockRexxBase () | (rexxsyslib.library) |
| UpfrontLayer () | (layers.library) |
| UserState () | (exec.library) |
| | |
| Vacate () | (exec.library) |
| VBeamPos () | (graphics.library) |
| VFPrintf () | (dos.library) |
| VFWritef () | (dos.library) |
| VideoControl () | (graphics.library) |
| ViewAddress () | (intuition.library) |
| ViewPortAddress () | (intuition.library) |
| VPrintf () | (dos.library) |
| | |
| Wait () | (exec.library) |
| WaitBlit () | (graphics.library) |
| WaitBOVP () | (graphics.library) |
| WaitForChar () | (dos.library) |
| WaitIO () | (exec.library) |
| WaitPkt () | (dos.library) |
| WaitPort () | (exec.library) |
| WaitTOF () | (graphics.library) |
| WBenchToBack () | (intuition.library) |
| WBenchToFront () | (intuition.library) |
| WeighTAMatch () | (graphics.library) |
| WhichLayer () | (layers.library) |
| WindowLimits () | (intuition.library) |

| | |
|----------------------|----------------------|
| WindowToBack() | (intuition.library) |
| WindowToFront() | (intuition.library) |
| Write() | (dos.library) |
| WriteBattClock() | (battclock.resource) |
| WriteBattMem() | (battmem.resource) |
| WriteChars() | (dos.library) |
| WriteChunkBytes() | (iffparse.library) |
| WriteChunkRecords() | (iffparse.library) |
| WriteExpansionByte() | (expansion.library) |
| WritePixel() | (graphics.library) |
| WritePixelArray8() | (graphics.library) |
| WritePixelLine8() | (graphics.library) |
| WritePotgo() | (potgo.resource) |
| | |
| XorRectRegion() | (graphics.library) |
| XorRegionRegion() | (graphics.library) |
| | |
| ZipWindow() | (intuition.library) |
