

**hyperapp.hyper**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> hyperapp.hyper		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 28, 2025	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>hyperapp.hyper</b>	<b>1</b>
1.1	HyperApp Help . . . . .	1
1.2	quit . . . . .	1
1.3	Transmogrify gadget . . . . .	1
1.4	Cancel button . . . . .	2
1.5	OK button . . . . .	2

# Chapter 1

## hyperapp.hyper

### 1.1 HyperApp Help

```
Gadget
OK
Cancel
intuition.h
RXS
Help
Quit
```

### 1.2 quit

Format:       Quit

Template:     ,

Purpose:       To shut down the application.

Specification:

This command is used to close the application. This indicates acceptance of the Gadget command (if used).

### 1.3 Transmogrify gadget

Format:       Gadget

Template:     ,

Purpose:       Transmogrify things.

Specification:

This command is used to transmogrify things. Concentrate on what you want while you press this gadget, and just see what happens!

---

## 1.4 Cancel button

Format: Cancel

Template: ,

Purpose: Cancel the actions of Gadget

Specification:

Use this button to cancel the effects of the Transmogrify gadget.

## 1.5 OK button

Format: OK

Template: ,

Purpose: Accept the actions of Gadget

Specification:

Use this button to accept the effects of the Transmogrify gadget.