

FunctionXREF

COLLABORATORS

	TITLE : FunctionXREF		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		March 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	FunctionXREF	1
1.1	Function Index	1

Chapter 1

FunctionXREF

1.1 Function Index

--background--	(bullet.library)
--background--	(filesysres.resource)
--background--	(timer.device)
--rexxhost-- ()	(locale.library)
--structures-- ()	(locale.library)
AbleICR ()	(cia.resource)
AbortIO ()	(audio.device)
AbortIO ()	(exec.library)
AbortIO ()	(narrator.device)
AbortIO ()	(serial.device)
AbortIO ()	(timer.device)
AbortPkt ()	(dos.library)
ActivateCxObj ()	(commodities.library)
ActivateGadget ()	(intuition.library)
ActivateWindow ()	(intuition.library)
ADCMD_ALLOCATE	(audio.device)
ADCMD_FINISH	(audio.device)
ADCMD_FREE	(audio.device)
ADCMD_LOCK	(audio.device)
ADCMD_PERVOL	(audio.device)
ADCMD_SETPREC	(audio.device)
ADCMD_WAITCYCLE	(audio.device)
AddAnimObj ()	(graphics.library)
AddAppIconA ()	(wb.library)
AddAppMenuItemA ()	(wb.library)
AddAppWindowA ()	(wb.library)
AddBob ()	(graphics.library)
AddBootNode ()	(expansion.library)
AddBuffers ()	(dos.library)
AddClass ()	(intuition.library)
AddConfigDev ()	(expansion.library)
AddDevice ()	(exec.library)
AddDosEntry ()	(dos.library)
AddDosNode ()	(expansion.library)
AddFont ()	(graphics.library)
AddFreeList ()	(icon.library)
AddGadget ()	(intuition.library)

AddGList ()	(intuition.library)
AddHead ()	(exec.library)
AddICRVector ()	(cia.resource)
AddIEvents ()	(commodities.library)
AddIntServer ()	(exec.library)
AddLibrary ()	(exec.library)
AddMemList ()	(exec.library)
AddPart ()	(dos.library)
AddPort ()	(exec.library)
AddResource ()	(exec.library)
AddSegment ()	(dos.library)
AddSemaphore ()	(exec.library)
AddTail ()	(exec.library)
AddTask ()	(exec.library)
AddTime ()	(timer.device)
AddTOF ()	(amiga_lib.library)
AddVSprite ()	(graphics.library)
afp ()	(amiga_lib.library)
Alert ()	(exec.library)
AllocAbs ()	(exec.library)
AllocAslRequest ()	(asl.library)
Allocate ()	(exec.library)
AllocateTagItems ()	(utility.library)
AllocBitMap ()	(graphics.library)
AllocBitMapData ()	(graphics.library)
AllocConfigDev ()	(expansion.library)
AllocDosObject ()	(dos.library)
AllocEntry ()	(exec.library)
AllocExpansionMem ()	(expansion.library)
AllocFileRequest ()	(asl.library)
AllocIFF ()	(iffparse.library)
AllocLocalItem ()	(iffparse.library)
AllocMem ()	(exec.library)
AllocMiscResource ()	(misc.resource)
AllocPalette ()	(graphics.library)
AllocPotBits ()	(potgo.resource)
AllocRaster ()	(graphics.library)
AllocRemember ()	(intuition.library)
AllocSignal ()	(exec.library)
AllocTrap ()	(exec.library)
AllocUnit ()	(disk.resource)
AllocVec ()	(exec.library)
Amiga2Date ()	(utility.library)
AndRectRegion ()	(graphics.library)
AndRegionRegion ()	(graphics.library)
Animate ()	(graphics.library)
AreaCircle ()	(graphics.library)
AreaDraw ()	(graphics.library)
AreaEllipse ()	(graphics.library)
AreaEnd ()	(graphics.library)
AreaMove ()	(graphics.library)
ArgArrayDone ()	(amiga_lib.library)
ArgArrayInit ()	(amiga_lib.library)
ArgInt ()	(amiga_lib.library)
ArgString ()	(amiga_lib.library)
arnd ()	(amiga_lib.library)
AskFont ()	(graphics.library)

AskKeyMapDefault ()	(keymap.library)
AskSoftStyle ()	(graphics.library)
AslRequest ()	(asl.library)
AssignAdd ()	(dos.library)
AssignLate ()	(dos.library)
AssignLock ()	(dos.library)
AssignPath ()	(dos.library)
AttachCxObj ()	(commodities.library)
AttachPalExtra ()	(graphics.library)
AttemptLockDosList ()	(dos.library)
AttemptLockLayerRom ()	(graphics.library)
AttemptSemaphore ()	(exec.library)
AutoRequest ()	(intuition.library)
AvailFonts ()	(diskfont.library)
AvailMem ()	(exec.library)
BeginCardAccess ()	(cardres.resource)
BeginIO ()	(amiga_lib.library)
BeginIO ()	(audio.device)
BeginIO ()	(serial.device)
BeginRefresh ()	(intuition.library)
BeginUpdate ()	(layers.library)
BehindLayer ()	(layers.library)
BitMapScale ()	(graphics.library)
BltBitMap ()	(graphics.library)
BltBitMapRastPort ()	(graphics.library)
BltClear ()	(graphics.library)
BltMaskBitMapRastPort ()	(graphics.library)
BltPattern ()	(graphics.library)
BltTemplate ()	(graphics.library)
BuildEasyRequestArgs ()	(intuition.library)
BuildSysRequest ()	(intuition.library)
BumpRevision ()	(icon.library)
CacheClearE ()	(exec.library)
CacheClearU ()	(exec.library)
CacheControl ()	(exec.library)
CachePostDMA ()	(exec.library)
CachePreDMA ()	(exec.library)
CalcIVG ()	(graphics.library)
CallHook ()	(amiga_lib.library)
CallHookA ()	(amiga_lib.library)
CallHookPkt ()	(utility.library)
CardAccessSpeed ()	(cardres.resource)
CardChangeCount ()	(cardres.resource)
CardForceChange ()	(cardres.resource)
CardInterface ()	(cardres.resource)
CardMiscControl ()	(cardres.resource)
CardProgramVoltage ()	(cardres.resource)
CardResetCard ()	(cardres.resource)
CardResetRemove ()	(cardres.resource)
Cause ()	(exec.library)
CBD_CHANGEHOOK	(clipboard.device)
CBD_CURRENTREADID	(clipboard.device)
CBD_CURRENTWRITEID	(clipboard.device)
CBD_POST	(clipboard.device)
CBump ()	(graphics.library)

CDInputHandler()	(console.device)
CD_ASKDEFAULTKEYMAP	(console.device)
CD_ASKKEYMAP	(console.device)
CD_SETDEFAULTKEYMAP	(console.device)
CD_SETKEYMAP	(console.device)
CEND	(graphics.library)
ChangeMode()	(dos.library)
ChangeSprite()	(graphics.library)
ChangeWindowBox()	(intuition.library)
CheckDate()	(utility.library)
CheckIO()	(exec.library)
CheckRexxMsg()	(amiga_lib.library)
CheckSignal()	(dos.library)
CINIT	(graphics.library)
ClearCxObjError()	(commodities.library)
ClearDMRequest()	(intuition.library)
ClearEOL()	(graphics.library)
ClearMenuStrip()	(intuition.library)
ClearPointer()	(intuition.library)
ClearRectRegion()	(graphics.library)
ClearRegion()	(graphics.library)
ClearRexxMsg()	(rexsyslib.library)
ClearScreen()	(graphics.library)
Cli()	(dos.library)
CliInitNewcli()	(dos.library)
CliInitRun()	(dos.library)
ClipBlit()	(graphics.library)
CloneTagItems()	(utility.library)
Close()	(dos.library)
CloseCatalog()	(locale.library)
CloseClipboard()	(iffparse.library)
CloseDevice()	(audio.device)
CloseDevice()	(exec.library)
CloseDevice()	(narrator.device)
CloseDevice()	(serial.device)
CloseEngine()	(bullet.library)
CloseFont()	(graphics.library)
CloseIFF()	(iffparse.library)
CloseLibrary()	(exec.library)
CloseLocale()	(locale.library)
CloseMonitor()	(graphics.library)
CloseScreen()	(intuition.library)
CloseWindow()	(intuition.library)
CloseWorkBench()	(intuition.library)
CMD_CLEAR	(audio.device)
CMD_CLEAR	(console.device)
CMD_CLEAR	(keyboard.device)
CMD_CLEAR	(parallel.device)
CMD_CLEAR	(serial.device)
CMD_CLEAR	(trackdisk.device)
CMD_FLUSH	(audio.device)
CMD_FLUSH	(narrator.device)
CMD_FLUSH	(parallel.device)
CMD_FLUSH	(printer.device)
CMD_FLUSH	(serial.device)
CMD_INVALID	(printer.device)
CMD_READ	(audio.device)

CMD_READ	(clipboard.device)
CMD_READ	(console.device)
CMD_READ	(narrator.device)
CMD_READ	(parallel.device)
CMD_READ	(serial.device)
CMD_READ	(trackdisk.device)
CMD_RESET	(audio.device)
CMD_RESET	(narrator.device)
CMD_RESET	(parallel.device)
CMD_RESET	(printer.device)
CMD_RESET	(serial.device)
CMD_START	(audio.device)
CMD_START	(narrator.device)
CMD_START	(parallel.device)
CMD_START	(printer.device)
CMD_START	(serial.device)
CMD_STOP	(audio.device)
CMD_STOP	(narrator.device)
CMD_STOP	(parallel.device)
CMD_STOP	(printer.device)
CMD_STOP	(serial.device)
CMD_UPDATE	(audio.device)
CMD_UPDATE	(clipboard.device)
CMD_UPDATE	(trackdisk.device)
CMD_WRITE	(audio.device)
CMD_WRITE	(clipboard.device)
CMD_WRITE	(console.device)
CMD_WRITE	(narrator.device)
CMD_WRITE	(parallel.device)
CMD_WRITE	(printer.device)
CMD_WRITE	(serial.device)
CMD_WRITE	(trackdisk.device)
CMOVE	(graphics.library)
CmpTime()	(timer.device)
CoerceMethod()	(amiga_lib.library)
CoerceMethodA()	(amiga_lib.library)
ColdReboot()	(exec.library)
CollectionChunk()	(iffparse.library)
CollectionChunks()	(iffparse.library)
CompareDates()	(dos.library)
ConfigBoard()	(expansion.library)
ConvToLower()	(locale.library)
ConvToUpper()	(locale.library)
CopyMem()	(exec.library)
CopyMemQuick()	(exec.library)
CopySBitMap()	(graphics.library)
CopyTuple()	(cardres.resource)
CreateArgstring()	(rexsyslib.library)
CreateBehindHookLayer()	(layers.library)
CreateBehindLayer()	(layers.library)
CreateContext()	(gadtools.library)
CreateCxObj()	(commodities.library)
CreateDir()	(dos.library)
CreateExtIO()	(amiga_lib.library)
CreateGadgetA()	(gadtools.library)
CreateIORequest()	(exec.library)
CreateMenusA()	(gadtools.library)

CreateMsgPort ()	(exec.library)
CreateNewProc ()	(dos.library)
CreatePort ()	(amiga_lib.library)
CreateProc ()	(dos.library)
CreateRexxMsg ()	(rexsyslib.library)
CreateStdIO ()	(amiga_lib.library)
CreateTask ()	(amiga_lib.library)
CreateUpfrontHookLayer ()	(layers.library)
CreateUpfrontLayer ()	(layers.library)
CurrentChunk ()	(iffparse.library)
CurrentDir ()	(dos.library)
CurrentTime ()	(intuition.library)
CWAIT	(graphics.library)
CxBroker ()	(commodities.library)
CxCustom ()	(amiga_lib.library)
CxDebug ()	(amiga_lib.library)
CxFilter ()	(amiga_lib.library)
CxMsgData ()	(commodities.library)
CxMsgID ()	(commodities.library)
CxMsgType ()	(commodities.library)
CxObjError ()	(commodities.library)
CxObjType ()	(commodities.library)
CxSender ()	(amiga_lib.library)
CxSignal ()	(amiga_lib.library)
CxTranslate ()	(amiga_lib.library)
Date2Amiga ()	(utility.library)
DateStamp ()	(dos.library)
DateToStr ()	(dos.library)
dbf ()	(amiga_lib.library)
DDoFmt ()	(ddebug_lib.library)
Deallocate ()	(exec.library)
Debug ()	(exec.library)
Delay ()	(dos.library)
DeleteArgstring ()	(rexsyslib.library)
DeleteCxObj ()	(commodities.library)
DeleteCxObjAll ()	(commodities.library)
DeleteDiskObject ()	(icon.library)
DeleteExtIO ()	(amiga_lib.library)
DeleteFile ()	(dos.library)
DeleteIORequest ()	(exec.library)
DeleteLayer ()	(layers.library)
DeleteMsgPort ()	(exec.library)
DeletePort ()	(amiga_lib.library)
DeleteRexxMsg ()	(rexsyslib.library)
DeleteStdIO ()	(amiga_lib.library)
DeleteTask ()	(amiga_lib.library)
DeleteVar ()	(dos.library)
DeviceProc ()	(dos.library)
DeviceTuple ()	(cardres.resource)
DGetChar ()	(ddebug_lib.library)
DGetNum ()	(ddebug_lib.library)
Disable ()	(exec.library)
DisownBlitter ()	(graphics.library)
DisplayAlert ()	(intuition.library)
DisplayBeep ()	(intuition.library)
DisposeCxMsg ()	(commodities.library)

DisposeFontContents ()	(diskfont.library)
DisposeLayerInfo ()	(layers.library)
DisposeObject ()	(intuition.library)
DisposeRegion ()	(graphics.library)
DivertCxMsg ()	(commodities.library)
DMayGetChar ()	(ddebug_lib.library)
DoCollision ()	(graphics.library)
DoIO ()	(exec.library)
DoMethod ()	(amiga_lib.library)
DoMethodA ()	(amiga_lib.library)
DoPkt ()	(dos.library)
DoSuperMethod ()	(amiga_lib.library)
DoSuperMethodA ()	(amiga_lib.library)
DoubleClick ()	(intuition.library)
DPutChar ()	(ddebug_lib.library)
DPutFmt ()	(ddebug_lib.library)
DPutStr ()	(ddebug_lib.library)
Draw ()	(graphics.library)
DrawBevelBoxA ()	(gadtools.library)
DrawBorder ()	(intuition.library)
DrawEllipse ()	(graphics.library)
DrawGList ()	(graphics.library)
DrawImage ()	(intuition.library)
DrawImageState ()	(intuition.library)
DupLock ()	(dos.library)
DupLockFromFH ()	(dos.library)
EasyRequestArgs ()	(intuition.library)
Enable ()	(exec.library)
EndCardAccess ()	(cardres.resource)
EndNotify ()	(dos.library)
EndRefresh ()	(intuition.library)
EndRequest ()	(intuition.library)
EndUpdate ()	(layers.library)
Enqueue ()	(exec.library)
EnqueueCxObj ()	(commodities.library)
EntryHandler ()	(iffparse.library)
EraseImage ()	(intuition.library)
EraseRect ()	(graphics.library)
ErrorReport ()	(dos.library)
ExAll ()	(dos.library)
Examine ()	(dos.library)
ExamineFH ()	(dos.library)
Execute ()	(dos.library)
Exit ()	(dos.library)
ExitHandler ()	(iffparse.library)
ExNext ()	(dos.library)
Expunge ()	(audio.device)
ExtendFont ()	(graphics.library)
FastRand ()	(amiga_lib.library)
FattenLayerInfo ()	(layers.library)
Fault ()	(dos.library)
FGetC ()	(dos.library)
FGets ()	(dos.library)
FilePart ()	(dos.library)
FillRexxMsg ()	(rexsyslib.library)

FilterTagChanges()	(utility.library)
FilterTagItems()	(utility.library)
FindArg()	(dos.library)
FindCliProc()	(dos.library)
FindCollection()	(iffparse.library)
FindConfigDev()	(expansion.library)
FindDisplayInfo()	(graphics.library)
FindDosEntry()	(dos.library)
FindLocalItem()	(iffparse.library)
FindName()	(exec.library)
FindPort()	(exec.library)
FindProp()	(iffparse.library)
FindPropContext()	(iffparse.library)
FindResident()	(exec.library)
FindSegment()	(dos.library)
FindSemaphore()	(exec.library)
FindTagItem()	(utility.library)
FindTask()	(exec.library)
FindToolType()	(icon.library)
FindVar()	(dos.library)
Flood()	(graphics.library)
Flush()	(dos.library)
FontExtent()	(graphics.library)
Forbid()	(exec.library)
Format()	(dos.library)
FormatDate()	(locale.library)
FormatString()	(locale.library)
fpa()	(amiga_lib.library)
FPutC()	(dos.library)
Fputs()	(dos.library)
FRead()	(dos.library)
FreeArgs()	(dos.library)
FreeAslRequest()	(asl.library)
FreeBitMap()	(graphics.library)
FreeBitMapData()	(graphics.library)
FreeClass()	(intuition.library)
FreeColorMap()	(graphics.library)
FreeConfigDev()	(expansion.library)
FreeCopList()	(graphics.library)
FreeCprList()	(graphics.library)
FreeDeviceProc()	(dos.library)
FreeDiskObject()	(icon.library)
FreeDosEntry()	(dos.library)
FreeDosObject()	(dos.library)
FreeEntry()	(exec.library)
FreeExpansionMem()	(expansion.library)
FreeFileRequest()	(asl.library)
FreeFreeList()	(icon.library)
FreeGadgets()	(gadtools.library)
FreeGBuffers()	(graphics.library)
FreeIEvents()	(amiga_lib.library)
FreeIFF()	(iffparse.library)
FreeLocalItem()	(iffparse.library)
FreeMem()	(exec.library)
FreeMenus()	(gadtools.library)
FreeMiscResource()	(misc.resource)
FreePalette()	(graphics.library)

FreePotBits()	(potgo.resource)
FreeRaster()	(graphics.library)
FreeRemember()	(intuition.library)
FreeScreenDrawInfo()	(intuition.library)
FreeSignal()	(exec.library)
FreeSprite()	(graphics.library)
FreeSysRequest()	(intuition.library)
FreeTagItems()	(utility.library)
FreeTrap()	(exec.library)
FreeUnit()	(disk.resource)
FreeVec()	(exec.library)
FreeVisualInfo()	(gadtools.library)
FreeVPortCopLists()	(graphics.library)
FWrite()	(dos.library)
GadgetMouse()	(intuition.library)
GetAPen()	(graphics.library)
GetArgStr()	(dos.library)
GetAttr()	(intuition.library)
GetBPen()	(graphics.library)
GetCardMap()	(cardres.resource)
GetCatalogStr()	(locale.library)
GetCC()	(exec.library)
GetColorMap()	(graphics.library)
GetConsoleTask()	(dos.library)
GetCurrentBinding()	(expansion.library)
GetCurrentDirName()	(dos.library)
GetDefaultPubScreen()	(intuition.library)
GetDefDiskObject()	(icon.library)
GetDefPrefs()	(intuition.library)
GetDeviceProc()	(dos.library)
GetDiskObject()	(icon.library)
GetDiskObjectNew()	(icon.library)
GetDisplayInfoData()	(graphics.library)
GetDrMd()	(graphics.library)
GetFileSysTask()	(dos.library)
GetGBuffers()	(graphics.library)
GetLocaleStr()	(locale.library)
GetMsg()	(exec.library)
GetOpen()	(graphics.library)
GetPrefs()	(intuition.library)
GetProgramDir()	(dos.library)
GetProgramName()	(dos.library)
GetPrompt()	(dos.library)
GetRexxVar()	(amiga_lib.library)
GetRGB32()	(graphics.library)
GetRGB4()	(graphics.library)
GetScreenData()	(intuition.library)
GetScreenDrawInfo()	(intuition.library)
GetSprite()	(graphics.library)
GetSysTime()	(timer.device)
GetTagData()	(utility.library)
GetUnit()	(disk.resource)
GetUnitID()	(disk.resource)
GetVar()	(dos.library)
GetVisualInfoA()	(gadtools.library)
GetVPMODEID()	(graphics.library)

GfxAssociate()	(graphics.library)
GfxFree()	(graphics.library)
GfxLookUP()	(graphics.library)
GfxNew()	(graphics.library)
GiveUnit()	(disk.resource)
GoodID()	(iffparse.library)
GoodType()	(iffparse.library)
GPD_ASKCTYPE	(gameport.device)
GPD_ASKTRIGGER	(gameport.device)
GPD_READEVENT	(gameport.device)
GPD_SETCTYPE	(gameport.device)
GPD_SETTRIGGER	(gameport.device)
GT_BeginRefresh()	(gadtools.library)
GT_EndRefresh()	(gadtools.library)
GT_FilterIMsg()	(gadtools.library)
GT_GetIMsg()	(gadtools.library)
GT_PostFilterIMsg()	(gadtools.library)
GT_RefreshWindow()	(gadtools.library)
GT_ReplyIMsg()	(gadtools.library)
GT_SetGadgetAttrsA()	(gadtools.library)
HookEntry()	(amiga_lib.library)
HookEntry()	(iffparse.library)
HotKey()	(amiga_lib.library)
IDtoStr()	(iffparse.library)
IEEEDPAbs()	(mathieeedoubbas.library)
IEEEDPAcos()	(mathieeedoubtrans.library)
IEEEDPAdd()	(mathieeedoubbas.library)
IEEEDPAsin()	(mathieeedoubtrans.library)
IEEEDPAtan()	(mathieeedoubtrans.library)
IEEEDPCeil()	(mathieeedoubbas.library)
IEEEDPComp()	(mathieeedoubbas.library)
IEEEDPCos()	(mathieeedoubtrans.library)
IEEEDPCosh()	(mathieeedoubtrans.library)
IEEEDPDiv()	(mathieeedoubbas.library)
IEEEDPExp()	(mathieeedoubtrans.library)
IEEEDPFieee()	(mathieeedoubtrans.library)
IEEEDPFix()	(mathieeedoubbas.library)
IEEEDPFloor()	(mathieeedoubbas.library)
IEEEDPFlt()	(mathieeedoubbas.library)
IEEEDPLog()	(mathieeedoubtrans.library)
IEEEDPLog10()	(mathieeedoubtrans.library)
IEEEDPMul()	(mathieeedoubbas.library)
IEEEDPNeg()	(mathieeedoubbas.library)
IEEEDPPow()	(mathieeedoubtrans.library)
IEEEDPSin()	(mathieeedoubtrans.library)
IEEEDPSincos()	(mathieeedoubtrans.library)
IEEEDPSinh()	(mathieeedoubtrans.library)
IEEEDPSqrt()	(mathieeedoubtrans.library)
IEEEDPSub()	(mathieeedoubbas.library)
IEEEDPTan()	(mathieeedoubtrans.library)
IEEEDPTanh()	(mathieeedoubtrans.library)
IEEEDPTieee()	(mathieeedoubtrans.library)
IEEEDPTst()	(mathieeedoubbas.library)
IEEESPAbS()	(mathieeesingbas.library)
IEEESPACos()	(mathieeesingtrans.library)

IEEESPAdd ()	(mathieeesingbas.library)
IEEESPAsin ()	(mathieeesingtrans.library)
IEEESPAtan ()	(mathieeesingtrans.library)
IEEESPCeil ()	(mathieeesingbas.library)
IEEESPCmp ()	(mathieeesingbas.library)
IEEESPCos ()	(mathieeesingtrans.library)
IEEESPCosh ()	(mathieeesingtrans.library)
IEEESPDiv ()	(mathieeesingbas.library)
IEEESPExp ()	(mathieeesingtrans.library)
IEEESPFieee ()	(mathieeesingtrans.library)
IEEESPFix ()	(mathieeesingbas.library)
IEEESPFloor ()	(mathieeesingbas.library)
IEEESPFlt ()	(mathieeesingbas.library)
IEEESPLog ()	(mathieeesingtrans.library)
IEEESPLog10 ()	(mathieeesingtrans.library)
IEEESPMul ()	(mathieeesingbas.library)
IEEESPNeg ()	(mathieeesingbas.library)
IEEESPPow ()	(mathieeesingtrans.library)
IEEESPSin ()	(mathieeesingtrans.library)
IEEESPSincos ()	(mathieeesingtrans.library)
IEEESPSinh ()	(mathieeesingtrans.library)
IEEESPSqrt ()	(mathieeesingtrans.library)
IEEESPSub ()	(mathieeesingbas.library)
IEEESPTan ()	(mathieeesingtrans.library)
IEEESPTanh ()	(mathieeesingtrans.library)
IEEESPTieee ()	(mathieeesingtrans.library)
IEEESPTst ()	(mathieeesingbas.library)
IfAmigaXIP ()	(cardres.resource)
IND_ADDHANDLER	(input.device)
IND_REMHANDLER	(input.device)
IND_SETMPORT	(input.device)
IND_SETMTRIG	(input.device)
IND_SETMTYPE	(input.device)
IND_SETPERIOD	(input.device)
IND_SETTHRESH	(input.device)
IND_WRITEEVENT	(input.device)
Info ()	(dos.library)
Inhibit ()	(dos.library)
InitArea ()	(graphics.library)
InitBitMap ()	(graphics.library)
InitCode ()	(exec.library)
InitGels ()	(graphics.library)
InitGMasks ()	(graphics.library)
InitIFF ()	(iffparse.library)
InitIFFasClip ()	(iffparse.library)
InitIFFasDOS ()	(iffparse.library)
InitLayers ()	(layers.library)
InitMasks ()	(graphics.library)
InitRastPort ()	(graphics.library)
InitRequester ()	(intuition.library)
InitResident ()	(exec.library)
InitSemaphore ()	(exec.library)
InitStruct ()	(exec.library)
InitTmpRas ()	(graphics.library)
InitView ()	(graphics.library)
InitVPort ()	(graphics.library)
Input ()	(dos.library)

Insert ()	(exec.library)
InsertCxObj ()	(commodities.library)
InstallClipRegion ()	(layers.library)
InstallLayerHook ()	(layers.library)
InternalLoadSeg ()	(dos.library)
InternalUnLoadSeg ()	(dos.library)
IntuiTextLength ()	(intuition.library)
InvertKeyMap ()	(commodities.library)
InvertString ()	(amiga_lib.library)
IoErr ()	(dos.library)
IsFileSystem ()	(dos.library)
IsInteractive ()	(dos.library)
IsRexxMsg ()	(rexsyslib.library)
IsXXXX ()	(locale.library)
ItemAddress ()	(intuition.library)
KBD_ADDRESETHANDLER	(keyboard.device)
KBD_READEVENT	(keyboard.device)
KBD_READMATRIX	(keyboard.device)
KBD_REMRESETHANDLER	(keyboard.device)
KBD_RESETHANDLERDONE	(keyboard.device)
KCmpStr ()	(ddebug_lib.library)
KCmpStr ()	(debug_lib.library)
KGetChar ()	(debug_lib.library)
KGetNum ()	(debug_lib.library)
KMayGetChar ()	(debug_lib.library)
KPrintf ()	(debug_lib.library)
KPutChar ()	(debug_lib.library)
KPutStr ()	(debug_lib.library)
LayoutMenuItemsA ()	(gadtools.library)
LayoutMenusA ()	(gadtools.library)
LengthArgstring ()	(rexsyslib.library)
LoadRGB32 ()	(graphics.library)
LoadRGB32 ()	(graphics.library)
LoadRGB4 ()	(graphics.library)
LoadSeg ()	(dos.library)
LoadView ()	(graphics.library)
LocalItemData ()	(iffparse.library)
Lock ()	(dos.library)
LockDosList ()	(dos.library)
LockIBase ()	(intuition.library)
LockLayer ()	(layers.library)
LockLayerInfo ()	(layers.library)
LockLayerRom ()	(graphics.library)
LockLayers ()	(layers.library)
LockPubScreen ()	(intuition.library)
LockPubScreenList ()	(intuition.library)
LockRecord ()	(dos.library)
LockRecords ()	(dos.library)
LockRexxBase ()	(rexsyslib.library)
MakeClass ()	(intuition.library)
MakeDosEntry ()	(dos.library)
MakeDosNode ()	(expansion.library)
MakeFunctions ()	(exec.library)
MakeLibrary ()	(exec.library)

MakeLink ()	(dos.library)
MakeScreen ()	(intuition.library)
MakeVPort ()	(graphics.library)
MapANSI ()	(keymap.library)
MapRawKey ()	(keymap.library)
MapTags ()	(utility.library)
MatchEnd ()	(dos.library)
MatchFirst ()	(dos.library)
MatchIX ()	(commodities.library)
MatchNext ()	(dos.library)
MatchPattern ()	(dos.library)
MatchPatternNoCase ()	(dos.library)
MatchToolValue ()	(icon.library)
MaxCli ()	(dos.library)
ModeNotAvailable ()	(graphics.library)
ModifyIDCMP ()	(intuition.library)
ModifyProp ()	(intuition.library)
Move ()	(graphics.library)
MoveLayer ()	(layers.library)
MoveLayerInFrontOf ()	(layers.library)
MoveScreen ()	(intuition.library)
MoveSizeLayer ()	(layers.library)
MoveSprite ()	(graphics.library)
MoveWindow ()	(intuition.library)
MoveWindowInFrontOf ()	(intuition.library)
MrgCop ()	(graphics.library)
NameFromFH ()	(dos.library)
NameFromLock ()	(dos.library)
NewFontContents ()	(diskfont.library)
NewLayerInfo ()	(layers.library)
NewList ()	(amiga_lib.library)
NewLoadSeg ()	(dos.library)
NewModifyProp ()	(intuition.library)
NewObject ()	(intuition.library)
NewRegion ()	(graphics.library)
NewScaledDiskFont ()	(diskfont.library)
NextDisplayInfo ()	(graphics.library)
NextDosEntry ()	(dos.library)
NextObject ()	(intuition.library)
NextPubScreen ()	(intuition.library)
NextTagItem ()	(utility.library)
ObtainBattSemaphore ()	(battmem.resource)
ObtainConfigBinding ()	(expansion.library)
ObtainGIRPort ()	(intuition.library)
ObtainInfoA ()	(bullet.library)
ObtainSemaphore ()	(exec.library)
ObtainSemaphoreList ()	(exec.library)
ObtainSemaphoreShared ()	(exec.library)
OffGadget ()	(intuition.library)
OffMenu ()	(intuition.library)
OldOpenLibrary ()	(exec.library)
OnGadget ()	(intuition.library)
OnMenu ()	(intuition.library)
Open ()	(dos.library)
OpenCatalog ()	(locale.library)

OpenClipboard()	(iffparse.library)
OpenDevice()	(audio.device)
OpenDevice()	(console.device)
OpenDevice()	(exec.library)
OpenDevice()	(narrator.device)
OpenDevice()	(parallel.device)
OpenDevice()	(serial.device)
OpenDiskFont()	(diskfont.library)
OpenEngine()	(bullet.library)
OpenFont()	(graphics.library)
OpenFromLock()	(dos.library)
OpenIFF()	(iffparse.library)
OpenLibrary()	(exec.library)
OpenLocale()	(locale.library)
OpenMonitor()	(graphics.library)
OpenResource()	(exec.library)
OpenScreen()	(intuition.library)
OpenScreenTagList()	(intuition.library)
OpenWindow()	(intuition.library)
OpenWindowTagList()	(intuition.library)
OpenWorkBench()	(intuition.library)
OrRectRegion()	(graphics.library)
OrRegionRegion()	(graphics.library)
Output()	(dos.library)
OwnBlitter()	(graphics.library)
OwnCard()	(cardres.resource)
PackBoolTags()	(utility.library)
ParentChunk()	(iffparse.library)
ParentDir()	(dos.library)
ParentOfFH()	(dos.library)
ParseDate()	(locale.library)
ParseIFF()	(iffparse.library)
ParseIX()	(commodities.library)
ParsePattern()	(dos.library)
ParsePatternNoCase()	(dos.library)
PathPart()	(dos.library)
PDCMD_QUERY	(parallel.device)
PDCMD_SETPARAMS	(parallel.device)
PeekQualifier()	(input.device)
Permit()	(exec.library)
PickBestColor()	(graphics.library)
PointInImage()	(intuition.library)
PolyDraw()	(graphics.library)
PopChunk()	(iffparse.library)
PRD_DUMPRPORT	(printer.device)
PRD_PRTCOMMAND	(printer.device)
PRD_QUERY	(printer.device)
PRD_RAWWRITE	(printer.device)
printf()	(amiga_lib.library)
PrintFault()	(dos.library)
PrintIText()	(intuition.library)
Procure()	(exec.library)
PropChunk()	(iffparse.library)
PropChunks()	(iffparse.library)
PubScreenStatus()	(intuition.library)
PushChunk()	(iffparse.library)

PutDefDiskObject ()	(icon.library)
PutDiskObject ()	(icon.library)
PutMsg ()	(exec.library)
PutStr ()	(dos.library)
PWrite ()	(printer.device)
QBlit ()	(graphics.library)
QBSBlit ()	(graphics.library)
QueryOverscan ()	(intuition.library)
RangeRand ()	(amiga_lib.library)
RawDoFmt ()	(exec.library)
RawKeyConvert ()	(console.device)
Read ()	(dos.library)
ReadArgs ()	(dos.library)
ReadBattClock ()	(battclock.resource)
ReadBattMem ()	(battmem.resource)
ReadCardStatus ()	(cardres.resource)
ReadChunkBytes ()	(iffparse.library)
ReadChunkRecords ()	(iffparse.library)
ReadEClock ()	(timer.device)
ReadExpansionByte ()	(expansion.library)
ReadExpansionRom ()	(expansion.library)
ReadItem ()	(dos.library)
ReadLink ()	(dos.library)
ReadPixel ()	(graphics.library)
ReadPixelArray8 ()	(graphics.library)
ReadPixelLine8 ()	(graphics.library)
ReadUnitID ()	(disk.resource)
RectFill ()	(graphics.library)
RefreshGadgets ()	(intuition.library)
RefreshGList ()	(intuition.library)
RefreshTagItemClones ()	(utility.library)
RefreshWindowFrame ()	(intuition.library)
Relabel ()	(dos.library)
ReleaseBattSemaphore ()	(battmem.resource)
ReleaseCard ()	(cardres.resource)
ReleaseConfigBinding ()	(expansion.library)
ReleaseGIRPort ()	(intuition.library)
ReleaseInfoA ()	(bullet.library)
ReleaseSemaphore ()	(exec.library)
ReleaseSemaphoreList ()	(exec.library)
RemakeDisplay ()	(intuition.library)
RemAssignList ()	(dos.library)
RemBob ()	(graphics.library)
RemConfigDev ()	(expansion.library)
RemDevice ()	(exec.library)
RemDosEntry ()	(dos.library)
RemFont ()	(graphics.library)
RemHead ()	(exec.library)
RemIBob ()	(graphics.library)
RemICRVector ()	(cia.resource)
RemIntServer ()	(exec.library)
RemLibrary ()	(exec.library)
Remove ()	(exec.library)
RemoveAppIcon ()	(wb.library)
RemoveAppMenuItem ()	(wb.library)

RemoveAppWindow()	(wb.library)
RemoveClass()	(intuition.library)
RemoveCxObj()	(commodities.library)
RemoveGadget()	(intuition.library)
RemoveGList()	(intuition.library)
RemPort()	(exec.library)
RemResource()	(exec.library)
RemSegment()	(dos.library)
RemSemaphore()	(exec.library)
RemTail()	(exec.library)
RemTask()	(exec.library)
RemTOF()	(amiga_lib.library)
RemVSprite()	(graphics.library)
Rename()	(dos.library)
ReplyMsg()	(exec.library)
ReplyPkt()	(dos.library)
ReportMouse()	(intuition.library)
Request()	(intuition.library)
RequestFile()	(asl.library)
ResetBattClock()()	(battclock.resource)
ResetMenuStrip()	(intuition.library)
RethinkDisplay()	(intuition.library)
RouteCxMsg()	(commodities.library)
RunCommand()	(dos.library)
SameDevice()	(dos.library)
SameLock()	(dos.library)
ScalerDiv()	(graphics.library)
ScreenToBack()	(intuition.library)
ScreenToFront()	(intuition.library)
ScrollLayer()	(layers.library)
ScrollRaster()	(graphics.library)
ScrollVPort()	(graphics.library)
SDCMD_BREAK	(serial.device)
SDCMD_QUERY	(serial.device)
SDCMD_SETPARAMS	(serial.device)
SDivMod32()	(utility.library)
SearchColorMap()	(graphics.library)
Seek()	(dos.library)
SelectInput()	(dos.library)
SelectOutput()	(dos.library)
SendIO()	(exec.library)
SendPkt()	(dos.library)
SetABPenDrMd()	(graphics.library)
SetAPen()	(graphics.library)
SetArgStr()	(dos.library)
SetAttrrsA()	(intuition.library)
SetBPen()	(graphics.library)
SetCollision()	(graphics.library)
SetComment()	(dos.library)
SetConsoleTask()	(dos.library)
SetCurrentBinding()	(expansion.library)
SetCurrentDirName()	(dos.library)
SetCxObjPri()	(commodities.library)
SetDefaultPubScreen()	(intuition.library)
SetDMRequest()	(intuition.library)
SetDrMd()	(graphics.library)

SetEditHook()	(intuition.library)
SetExcept()	(exec.library)
SetFileDate()	(dos.library)
SetFileSize()	(dos.library)
SetFileSysTask()	(dos.library)
SetFilter()	(commodities.library)
SetFilterIX()	(commodities.library)
SetFont()	(graphics.library)
SetFunction()	(exec.library)
SetGadgetAttrsA()	(intuition.library)
SetICR()	(cia.resource)
SetInfoA()	(bullet.library)
SetIntVector()	(exec.library)
SetIoErr()	(dos.library)
SetKeyMapDefault()	(keymap.library)
SetLocalItemPurge()	(iffparse.library)
SetMenuStrip()	(intuition.library)
SetMode()	(dos.library)
SetMouseQueue()	(intuition.library)
SetOPen()	(graphics.library)
SetPointer()	(intuition.library)
SetPrefs()	(intuition.library)
SetProgramDir()	(dos.library)
SetProgramName()	(dos.library)
SetPrompt()	(dos.library)
SetProtection()	(dos.library)
SetPubScreenModes()	(intuition.library)
SetRast()	(graphics.library)
SetRexxVar()	(amiga_lib.library)
SetRGB32()	(graphics.library)
SetRGB4()	(graphics.library)
SetRGB4CM()	(graphics.library)
SetSignal()	(exec.library)
SetSoftStyle()	(graphics.library)
SetSR()	(exec.library)
SetSuperAttrs()	(amiga_lib.library)
SetTaskPri()	(exec.library)
SetTranslate()	(commodities.library)
SetVar()	(dos.library)
SetVBuf()	(dos.library)
SetWindowTitles()	(intuition.library)
ShowTitle()	(intuition.library)
Signal()	(exec.library)
SizeLayer()	(layers.library)
SizeWindow()	(intuition.library)
SMult32()	(utility.library)
SortGList()	(graphics.library)
SPAbs()	(mathffp.library)
SPAcos()	(mathtrans.library)
SPAdd()	(mathffp.library)
SPAsin()	(mathtrans.library)
SPAtan()	(mathtrans.library)
SPCeil()	(mathffp.library)
SPCmp()	(mathffp.library)
SPCos()	(mathtrans.library)
SPCosh()	(mathtrans.library)
SPDiv()	(mathffp.library)

SPExp ()	(mathtrans.library)
SPFieee ()	(mathtrans.library)
SPFix ()	(mathffp.library)
SPFloor ()	(mathffp.library)
SPFlt ()	(mathffp.library)
SplitName ()	(dos.library)
SPLog ()	(mathtrans.library)
SPLog10 ()	(mathtrans.library)
SPMul ()	(mathffp.library)
SPNeg ()	(mathffp.library)
SPPow ()	(mathtrans.library)
sprintf ()	(amiga_lib.library)
SPSin ()	(mathtrans.library)
SPSincos ()	(mathtrans.library)
SPSinh ()	(mathtrans.library)
SPSqrt ()	(mathtrans.library)
SPSub ()	(mathffp.library)
SPTan ()	(mathtrans.library)
SPTanh ()	(mathtrans.library)
SPTieee ()	(mathtrans.library)
SPTst ()	(mathffp.library)
StackSwap ()	(exec.library)
StartNotify ()	(dos.library)
stdio ()	(amiga_lib.library)
StopChunk ()	(iffparse.library)
StopChunks ()	(iffparse.library)
StopOnExit ()	(iffparse.library)
StoreItemInContext ()	(iffparse.library)
StoreLocalItem ()	(iffparse.library)
StrConvert ()	(locale.library)
Stricmp ()	(utility.library)
StripFont ()	(graphics.library)
StrnCmp ()	(locale.library)
Strnicmp ()	(utility.library)
StrToDate ()	(dos.library)
StrToLong ()	(dos.library)
SubTime ()	(timer.device)
SumKickData ()	(exec.library)
SumLibrary ()	(exec.library)
SuperState ()	(exec.library)
Supervisor ()	(exec.library)
SwapBitsRastPortClipRect ()	(layers.library)
SyncSBitMap ()	(graphics.library)
SysReqHandler ()	(intuition.library)
SystemTagList ()	(dos.library)
TagInArray ()	(utility.library)
TD_ADDCHANGEINT	(trackdisk.device)
TD_CHANGENUM	(trackdisk.device)
TD_CHANGESTATE	(trackdisk.device)
TD_EJECT	(trackdisk.device)
TD_FORMAT	(trackdisk.device)
TD_GETDRIVETYPE	(trackdisk.device)
TD_GETGEOMETRY	(trackdisk.device)
TD_GETNUMTRACKS	(trackdisk.device)
TD_MOTOR	(trackdisk.device)
TD_PROTSTATUS	(trackdisk.device)

TD_RAWREAD	(trackdisk.device)
TD_RAWWRITE	(trackdisk.device)
TD_REMCHANGEINT	(trackdisk.device)
TD_SEEK	(trackdisk.device)
Text ()	(graphics.library)
TextExtent ()	(graphics.library)
TextFit ()	(graphics.library)
TextLength ()	(graphics.library)
ThinLayerInfo ()	(layers.library)
TimeDelay ()	(amiga_lib.library)
ToLower ()	(utility.library)
ToUpper ()	(utility.library)
Translate ()	(translator.library)
TR_ADDREQUEST	(timer.device)
TR_GETSYSTIME	(timer.device)
TR_SETSYSTIME	(timer.device)
TypeOfMem ()	(exec.library)
UDivMod32 ()	(utility.library)
UMult32 ()	(utility.library)
UnGetC ()	(dos.library)
UnLoadSeg ()	(dos.library)
UnLock ()	(dos.library)
UnLockDosList ()	(dos.library)
UnlockIBase ()	(intuition.library)
UnlockLayer ()	(layers.library)
UnlockLayerInfo ()	(layers.library)
UnlockLayerRom ()	(graphics.library)
UnlockLayers ()	(layers.library)
UnlockPubScreen ()	(intuition.library)
UnlockPubScreenList ()	(intuition.library)
UnLockRecord ()	(dos.library)
UnLockRecords ()	(dos.library)
UnLockRexxBase ()	(rexxsyslib.library)
UpfrontLayer ()	(layers.library)
UserState ()	(exec.library)
Vacate ()	(exec.library)
VBeamPos ()	(graphics.library)
VFPrintf ()	(dos.library)
VFWritef ()	(dos.library)
VideoControl ()	(graphics.library)
ViewAddress ()	(intuition.library)
ViewPortAddress ()	(intuition.library)
VPrintf ()	(dos.library)
Wait ()	(exec.library)
WaitBlit ()	(graphics.library)
WaitBOVP ()	(graphics.library)
WaitForChar ()	(dos.library)
WaitIO ()	(exec.library)
WaitPkt ()	(dos.library)
WaitPort ()	(exec.library)
WaitTOF ()	(graphics.library)
WBenchToBack ()	(intuition.library)
WBenchToFront ()	(intuition.library)
WeighTAMatch ()	(graphics.library)

WhichLayer()	(layers.library)
WindowLimits()	(intuition.library)
WindowToBack()	(intuition.library)
WindowToFront()	(intuition.library)
Write()	(dos.library)
WriteBattClock()	(battclock.resource)
WriteBattMem()	(battmem.resource)
WriteChars()	(dos.library)
WriteChunkBytes()	(iffparse.library)
WriteChunkRecords()	(iffparse.library)
WriteExpansionByte()	(expansion.library)
WritePixel()	(graphics.library)
WritePixel()	(graphics.library)
WritePixelArray8()	(graphics.library)
WritePixelLine8()	(graphics.library)
WritePotgo()	(potgo.resource)
XorRectRegion()	(graphics.library)
XorRegionRegion()	(graphics.library)
ZipWindow()	(intuition.library)
