

OctaMEDPlayer

COLLABORATORS

	<i>TITLE :</i> OctaMEDPlayer		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 29, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	OctaMEDPlayer	1
1.1	OctaMEDPlayer Guide	1
1.2	OctaMEDPlayer File Formats	1
1.3	Notes for MED V2.1 / MED V3 Modules	2
1.4	System Compatibility	2
1.5	HQ (High Quality) Mode	2
1.6	Shell Usage	2
1.7	Workbench Usage	3
1.8	OctaMEDPlayer Window	3
1.9	OctaMEDPlayer ARexx Interface	4
1.10	About OctaMEDPlayer...	5
1.11	OctaMEDPlayer History	5

Chapter 1

OctaMEDPlayer

1.1 OctaMEDPlayer Guide

```
OctaMEDPlayer V5.10
~~~~~
```

OctaMEDPlayer is a stand-alone, freely distributable player program for OctaMED songs. It can be used from both Shell and Workbench LINK wb_usage}.

```
Supported File Formats
System Compatibility
Shell Usage
Workbench Usage
OctaMEDPlayer Window
ARexx Interface
About Program...
Changes
```

Document last changed: 10.04.1994.

1.2 OctaMEDPlayer File Formats

OctaMEDPlayer V5 supports several MED/OctaMED file formats:

- * Old Sng+Samples format (MED V2.1 - OctaMED V2). OctaMEDPlayer is probably the only external program capable of playing this format.
- * MED/OctaMED modules of type MMD0 (MED V2.1 - OctaMED V5), MMD1 (OctaMED V3 - OctaMED V5) and MMD2 (OctaMED V5).

OctaMEDPlayer is a MED/OctaMED-only player program. In particular, support of other music programs will NOT be added. There are more general player programs for this purpose (e.g. MultiPlayer and PowerPlayer).

OctaMEDPlayer supports normal four-channel songs, MIDI, and the split (5-8) channel modes, as well as multi-modules. Powerpacked MMD-modules

are automatically decrunched (powerpacker.library required).

NEW: V5.10 supports SFCD/SFHD compression (this compression method is supported by OctaMED and Stephan Fuhrmann's PowerPlayer). Lh.library is required.

There are some special Notes for MED V2.1 / MED V3 Modules .

1.3 Notes for MED V2.1 / MED V3 Modules

MED V2.1 Modules

~~~~~

There may be problems with the playing speed. If the playing speed isn't correct, load the module into a newer MED/OctaMED, change the secondary tempo to 6, and save it back.

MED V3.00 Modules

~~~~~

There's an alignment bug in the module saving routine of MED V3.0. Some modules may crash when played (on 68000/68010-based Amigas). This problem can be fixed by loading the module into a newer MED/OctaMED and simply saving it back.

1.4 System Compatibility

OctaMEDPlayer is compatible with all versions of the operating system, even with the obsolete V1.3. Of course, OctaMEDPlayer is fully multitasking and OS-friendly.

OctaMEDPlayer uses the system standard ASL file requester, it is available only under Workbench 2.0 and later.

1.5 HQ (High Quality) Mode

The HQ Mode enhances the sound quality of 5-8 channel modes. It will, however, cause increased processor load. This mode is available in OctaMEDPlayer, as well as in OctaMED.

Due to the high processor load, the HQ mode in 7/8 channel modes is not usable on slow (7.14 MHz/68000) Amigas.

The HQ Mode gadget doesn't do anything when it's clicked. The change will take place next time Play or Cont is clicked.

1.6 Shell Usage

OctaMEDPlayer is started from Shell as follows:

~~~~~

```
OctaMEDPlayer <song> <number> <options>
```

<song> Optional, if not specified, OctaMEDPlayer Window appears and waits for your interaction. If <song> is present, the song is loaded. If it loaded OK, the playing will start. Ctrl-C quits.

<number> If <song> is a multi-module, this number specifies the song you want to play.

<options> Additional command line options. Currently supported are:

HQ Activate the HQ mode (5-8 channel modes only).

WINDOW Open the OctaMEDPlayer Window .

MBEXIT Stop playing when both mouse buttons pressed (when started from Shell, also exits).

QUIET Don't display any messages (in Shell mode only).

Examples:

~~~~~

```
octamedplayer multimod 2 ;plays the second song of 'multimod'
```

```
octamedplayer eightchsng hq ;play 'eightchsng' (use HQ mode)
```

```
octamedplayer eightchsng window hq ;as above, but open the window
```

```
octamedplayer hq window ;open the window and activate the HQ mode
```

1.7 Workbench Usage

Workbench usage:

~~~~~

You can run OctaMEDPlayer by double-clicking its icon. To automatically play a song when its icon is clicked, set the icon default tool (the default setting is "OctaMEDPlayer"). You can click the song icon and then shift-double click the OctaMEDPlayer icon to play that song. OctaMEDPlayer always opens its window when started from the WB.

## 1.8 OctaMEDPlayer Window

The OctaMEDPlayer Window:

~~~~~

When you start OctaMEDPlayer from WB or Shell without arguments, the window appears. There are gadgets for controlling the playing:

The string gadget Holds the name of the current song. You can load a

new song by typing its path and filename into this gadget, and pressing Enter.

Play Starts playing the song from the beginning. If shift-clicked and there's a multi-module in memory, all songs of the multi-module will be played.

Cont Plays the current song starting from the point where you stopped it.

Stop Stops the playing.

MIDI: Y/N This gadget allows you to turn MIDI on/off. It has no effect when in 5 - 8 channel mode!

Load... Allows you to load a song by using the ASL file-requester. This feature requires OS Release 2.

< > With these gadgets you can select the song, if there's a multi-module in memory.

HQ This switch toggles the HQ mode . Affects only 5-8 channel songs. It has no effect when clicked during playing.

There's some information about the playing position displayed:

```
Sg:01/01 Sc#:001/010 Sec:002/005
Seq:002/009 B:000/140 L:0012
```

Sg: The number of the current song, and the total number of songs in the current module.

Sc#: Current section list position. (MMD2 only)

Sec: Current playing sequence/section. (MMD2 only)

Seq: Current playing sequence position.

B: Current block.

L: Current line number.

1.9 OctaMEDPlayer ARexx Interface

ARexx interface

~~~~~

OctaMEDPlayer has a small ARexx interface, which is useful for multimedia use, for example. The port name is OCTAMEDPLAYER. The following commands are recognized (not case sensitive):

**PLAY** Plays the current module (equivalent to clicking the "Play" button).

**PLAYALL** Plays all songs of the multi-module (= shift-click

Play button).

CONT Continue playing the current module.

STOP Stop playing.

LOADMOD Loads a module (e.g. loadmod 'module').

SONGNUM Sets the multi-module song number (e.g. songnum 2).

GETSONGS Returns the number of the songs in the current module (1) or multi-module (> 1).

QUIT Quits OctaMEDPlayer

## 1.10 About OctaMEDPlayer...

OctaMEDPlayer version 5 is copyright ©1991-1994 Teijo Kinnunen. All Rights Reserved. This program is Freely Distributable. You are encouraged to distribute OctaMEDPlayer and this document file.

OctaMEDPlayer supports all features of OctaMED V5, copyright ©1991-1993 Teijo Kinnunen & Ray Burt-Frost (RBF Software). OctaMED is available from several retailers around the world.

A freely distributable demo version of OctaMED V5 is also available.

The author's address is:

```
~~~~~  
Teijo Kinnunen
Oksantie 19
FIN-86300 OULAINEN
FINLAND
```

## 1.11 OctaMEDPlayer History

V5.10 (10.04.1994)

```
~~~~~
```

- \* added support for SFCD/SFHD modules
- \* recompiled with SAS/C V6.51

V5.01 (10.10.1993)

```
~~~~~
```

Some minor fixes (can't remember any more).

V5.00 (09.06.1993)

```
~~~~~
```

Initial release for V5.

---