

FileIdent

sTRIDER / sYNDicATE

COLLABORATORS

	<i>TITLE :</i> FileIdent		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	sTRIDER / sYNDIcATE	March 28, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	FileIdent	1
1.1	FileIdent: Contents	1
1.2	FileIdent history	1
1.3	Using FileIdent	1
1.4	FileIdent: requirements	2
1.5	codernote	2

Chapter 1

FileIdent

1.1 FileIdent: Contents

FileIdent V 1.14 (C) Copyright 1993,1994,1995 by sTRIDER sYNDIcATE

short docs

[Requirements](#)

[Usage](#)

[History](#)

[Note to coder](#)

1.2 FileIdent history

History:

V1.14: Build in ASL-File requester for non given argument execution.

ReadArgs() to interpret the arguments.

V1.13: Some parts optimized. Wherever it was possible ANSI-C code is replaced by AmigaOS calls and ASM code.

V1.12: Grafical bugfix. Bugfix by quoting filenames.

Own error message replaced with FileID internal one.

V1.11: You may quote filenames now.

V1.10: FileIdent first Version.

1.3 Using FileIdent

FileIdent does principle the same as WhatIs but it's written in C language and the source is included in the archive, so every C-coder can see fast and simple how to use the FileID.library in his own C-codes. Also the

ASL-Filerequester is used for easy handling of identifying (a) file(s).

FileIdent is a little tool for identifying files using the FileID.library.

For further information please read the library documentations.

Usage:

FileIdent is a very small tool, made for CLI usage.

You may call FileIdent like this:

TEMPLATE: FILES/M (multiple arguments)

FileIdent <filename1> <filename2> <filename3> <filename4> ...

Example:

FileIdent DH0:Sound/Modules/unknown "Ram Disk:Disk.info"

Or u start FileIdent with no arguments and an ASL-Filerequester will appear.

1.4 FileIdent: requirements

FileIdent requires FileID.library stored in the libs: drawer.

No further system requirements, also no further requirements using

FileID.library. Both run on every Amiga, but FileIdent needs AmigaOS 2.0

as an minimum, because of the ASL-Filerequester.

If you want to use the libraries locale function, you just have to install

Workbench 2.1+ and the right FileID locale catalog.

1.5 codernote

The optimizing in V1.13 and V1.14 has the result of smaller executable code,
but the Sourcecode is grown:

FileIdent v1.12 size was: 8792 bytes.

Now FileIdent v1.14 size is: 2936 bytes.

You can see that such optimizing can save much code on bigger programs.

I know this, because of my Program FAME.

Use AmigaOS and library calls often as you can and less C-specifics like

ANSI-C. Use only C-specifics if u write a program which should be converted
to other computers.