

INS Entries used by IEDKCS32.DLL

Section	Entry	Value Type
[Animation]	Big_Name	Filename
	Big_Path	File path
	DoAnimation	Boolean 0/1
	Small_Name	Filename
	Small_Path	File path
[ActiveSetup]	WizardBitmap	File path
	WizardBitmapTop	File path
	WizardTitle	String
[ActiveSetupSites]	SiteName0	String
	1 SiteRegion0	String
	1 SiteURL0	URL
	2 SiteName1	String
	2 SiteRegion1	String
	2 SiteURL1	URL
	3 SiteNameX	String
	3 SiteRegionX	String
	3 SiteURLX	URL
	3 TestCertsOK	Boolean 0/1

[Batch]	Build_CD	Boolean 0/1
	Build_Floppy	Boolean 0/1
	Build_MultiFloppy	Boolean 0/1
	Build_W31	Boolean 0/1

[Big_Logo]	Name	Filename
	Path	

[Branding]	Add on Url	URL
	BrowserDefault	Numeric (0,1
	CMBitmapName	Filename
	CMBitmapPath	File path
	CMProfileName	Filename
	CMProfilePath	File path
	CMUseCustom	Boolean 0/1
	CompanyName	String
	EncodeFavs	Boolean 0/1
	FavoritesDelete	

FavoritesOnTop	Boolean 0/1
IE4 Welcome Msg	Boolean 0/1
Language ID	Numeric
Language Locale	String
NoDial	Boolean 0/1
NoELite	Boolean 0/1
Silent Install	Boolean 0/1
StealthInstall	Boolean 0/1
Toolbar Bitmap	File path
Type	Numeric
User Agent	String
Version	String
WebIntegrated	Boolean 0/1
Win32DownloadSite	Boolean 0/1
Window_Title	String
Window_Title_CN	String
WizardVersion	String

[BrowserToolbars]	Action0	File path
	Caption0	String
	DeleteButtons	Boolean 0/1
	HotIcon0	File path
	Icon0	File path
	Show0	Boolean 0/1
ToolTipText0	String	

[CabSigning]	InfoURL	URL
	Name	String
	pvkFile	File path
	spcFile	File path

[CDCustomFiles]	DisableStart MoreInfo	
	StartHtm	

[Channel Add]	Category	Boolean 0/1
	CDFUrI0	URL
	ChBmpPath0	File Path

ChIconPath0	File Path
ChPreloadUrlName0	File Path
ChPreloadUrlPath0	File Path
ChTitle0	String
No Channels	

[ConnectionSettings]

ConnectName0	
ConnectName1	
DeleteConnectionSettings	Boolean 0/1

Option	Boolean 0/1
--------	-------------

[Custom Branding]

Branding	URL
----------	-----

[Custom Wallpaper]

File0	Filename
-------	----------

File1	Filename
-------	----------

NumFiles	number
----------	--------

[DesktopObjects]

Channel Bar	
Delete Old Channels	

Desktop Component URL	url
-----------------------	-----

Desktop Wallpaper Path	File path
Option	Boolean 0/1

[DeleteChannels]

ChannelP	
ChannelZ	

[Device]	Type	String
[Entry]	Cancel Entry_Name	String String
[ExtRegInf]	chat	String
	conf	String
	inetres	String
	inetset	String
	oe	String
	shell	String
	sp1shell	String
	subs	String
	ConnectionSettings	String
[FavoritesEx]	IconFile1	File Path
	Offline1	Boolean 0/1
	Title1	String
	Url1	URL
[Favorites] legacy	fav name.url	URL
[HideCustom]	GUID	Boolean 0/1
[ICW_IEAK]	Header_Bitmap	File path
	Watermark_Bitmap	File path
[Internet_Mail]	Default_Client	yes/no
	Infopane	File path

Infopane_Bitmap	File path
Install_Mail_16	Boolean 0/1
Junk_Mail_Filtering	Boolean 0/1
Logon_Using_SPA	yes/no
POP_Server	hostname
SMTP_Logon_Required	Boolean 0/1
SMTP_Logon_Using_SPA	yes/no
SMTP_Server	hostname
Use_IMAP	yes/no
Welcome_Address	email address
Welcome_Message	File path
Welcome_Name	String
Window_Title	String

[Internet_News]

Default_Client	yes/no
Logon_Required	Boolean 0/1
Logon_Using_SPA	yes/no
NNTP_Server	hostname

[ISP_Security]

RootCertPath	Full path
--------------	-----------

[LDAP]

AuthType	Boolean 0/1
----------	-------------

Bitmap	File Path
Checknames	Boolean 0/1

FriendlyName	String
--------------	--------

HomePage	URL
SearchBase	URL
Server	hostname

[Mail_Signature]

Signature_Text	text String
Use_Mail_For_News	Boolean 0/1
Use_Signature	Boolean 0/1

[Media]

Build_CD	Boolean 0/1
----------	-------------

Build_Download	Boolean 0/1
----------------	-------------

Build_Floppy	Boolean 0/1
--------------	-------------

Build_LAN	Boolean 0/1
-----------	-------------

Build_MultiFloppy	Boolean 0/1
-------------------	-------------

[Outlook_Express_Global]	Read_Only	Boolean 0/1
--------------------------	-----------	-------------

Service_Name	String
--------------	--------

Service_URL	URL
-------------	-----

[Outlook_Express]

Contacts Boolean 0/1

Folder_Bar Boolean 0/1

Folder_List Boolean 0/1

Outlook_Bar Boolean 0/1

Preview_Pane Boolean 0/1

Show_Preview_Beside_Msg Boolean 0/1

Show_Preview_Header Boolean 0/1

Show_Toolbar_Text Boolean 0/1

Status_Bar Boolean 0/1

Tip_Day Boolean 0/1

Toolbar Boolean 0/1

[Phone]

Area_Code number

Country_Code number

Country_ID number

Dial_As_Is String

	Phone_Number	number
[Proxy]	FTP_Proxy_Server	String
	Gopher_Proxy_Server	String
	HTTP_Proxy_Server	String
	Proxy_Enable	Boolean 0/1
	Proxy_Override	String
	Secure_Proxy_Server	String
	Socks_Proxy_Server	String
	Use_Same_Proxy	Boolean 0/1

[Scripting]	Name
	Name16
	Name32
	Path16
	Path32

[Script_File]	1	text
	2	
	3...	
	n	

[Security Imports]	ImportAuthCode
	ImportRatings
	ImportSecZones
	ImportSiteCert
	Win16SiteCerts

[Server]	Disable_LCP	String
	Negotiate_IPX/SPX	String
	Negotiate_NetBEUI	String
	Negotiate_TCP/IP	String
	Network_Logon	String
	PW_Encrypt	String
	SW_Compress	String
	SW_Encrypt	String
	Type	String
[Signature]		
	Signature_Text	String
	Use_Signature	Boolean 0/1
[SignupFiles]	file0	
	file1	
	file2	
	file3	
[Small_Logo]	Name	
	Path	
[TCP/IP]	DNS_Address	IP Number
	DNS_Alt_Address	IP Number
	Gateway_On_Remote	String
	IP_Header_Compress	String
	Specify_IP_Address	String
	Specify_Server_Address	String
[URL]	AutoConfig	Boolean 0/1
	AutoConfigJSURL	URL
	AutoConfigTime	number
	AutoConfigURL	URL

FirstHomePage	URL
Help_Page	URL
Home_Page	URL
NoWelcome	Boolean 0/1
Quick_Link_1	URL
Quick_Link_1_Name	String
Quick_Link_2	URL
Quick_Link_2_Name	String
Quick_Link_X	URL
Quick_Link_X_Icon	File path
Quick_Link_X_Name	String
Quick_Link_X_Offline	Boolean 0/1
Search_Page	URL
Signup	File path
UseLocalIns	Boolean 0/1
Display_Password	yes/no
Name	String
Password	String
Requires_Logon	yes/no

[User]

Sample Value	Used By
38ani.bmp	Branding DLL
C:\My Documents\Branding\38ani.bmp	Branding DLL
1	Branding DLL
22ani.bmp	Branding DLL
C:\My Documents\Branding\22ani.bmp	Branding DLL
C:\My Documents\Branding\wizard.bmp	Branding DLL
C:\My Documents\Branding\wizardtop.bmp	Branding DLL
Custom Browser Setup	Branding DLL
Microsoft Download Page	Branding DLL
Northwest Region	Branding DLL
http://www.microsoft.com/ie5/download/northwest	Branding DLL
Microsoft Download Page	Branding DLL
Midwest Region	Branding DLL
http://www.microsoft.com/ie5/download/midwest	Branding DLL
Microsoft Download Page	Branding DLL
Atlantic Region	Branding DLL
http://www.microsoft.com/ie5/download/atlantic	Branding DLL

0	Branding DLL
static38x38.bmp	Branding DLL
C:\My Documents\Branding\static38x38.bmp	Branding DLL
http://server/addons/addon.htm	wizard only
0	Wizard Only
	Branding DLL
0	Branding DLL
Custom Company Name	Branding DLL
0	Branding DLL
0x89	Branding DLL

1 Branding DLL

1 Branding DLL

1033 Branding DLL

EN Branding DLL

0 Branding DLL

0 Branding DLL

1 Wizard Only

0 Wizard Only

\\server\share\bitmaps\toolbar.bmp

2

Acme v1.1 Branding DLL

5,0,0,1

0 Wizard Only

0 Branding DLL

Microsoft Internet Explorer provided by Custom Company Branding DLL

Custom Company Name Branding DLL

5.00.0707.2800

just handy
information for
pss and stuff

c:\windows\notepad.exe	Branding DLL
Sample	Branding DLL
1	Branding DLL
C:\My Documents\Branding\Icons\hoticon.ico	Branding DLL
C:\My Documents\Branding\Icons\icon.ico	Branding DLL
1	Branding DLL
Click on the sample button...	Branding DLL
http://mycompany.net/moreinfo.htm	Wizard and Profile Manager
Microsoft	Wizard and Profile Manager
c:\key.pvk	Wizard and Profile Manager
c:\cert.spc	Wizard and Profile Manager
0	
D:\PROGRAM FILES\IEAK\iebin\EN\Optional\cdinfo.txt	Branding DLL
D:\PROGRAM FILES\IEAK\iebin\EN\Optional\cdstart.htm	Branding DLL
0	Branding DLL
http://server/sample.cdf	Branding DLL
sample.bmp	Branding DLL

sample.ico	Branding DLL
sample.cdf	Branding DLL
C:\WINDOWS\WEB\sample.cdf	Branding DLL
Sample Custom Channel	Branding DLL
	Branding DLL
Microsoft	Branding DLL
Test	Branding DLL
0/1	Branding DLL
1	Wizard, Profile Manager, and Branding DLL
http://www.yourserver.net/cabs/branding.cab , 1998.09.	Branding DLL
wallpaper.htm	Branding DLL
wallpaper.gif	Branding DLL
2	Branding DLL
	Branding DLL
1	Branding DLL
1	Branding DLL
http://	Branding DLL
C:\My Documents\Branding\wallpapr.bmp	Branding DLL
1	Branding DLL
	Branding DLL
	Branding DLL

modem	Branding DLL
yes / no XYZ Internet	Used by ICW
*.chat.inf,DefaultInstall	
*.conf.inf,DefaultInstall	
*.inetres.inf,DefaultInstall	
*.inetset.inf,DefaultInstall	
*.oe.inf,DefaultInstall	
*.shell.inf,DefaultInstall	
*.sp1shell.inf,DefaultInstall	
*.subs.inf,DefaultInstall	
*.connect.inf,DefaultInstall	
c:\windows\temp\iedktemp\branding\fav\news.ico	Branding DLL
1	Branding DLL
fav name.url	Branding DLL
http://fav url	Branding DLL
http://fav url	Branding DLL
0	Branding DLL
C:\My Documents\Branding\ICW_Header	Used by ICW
C:\My Documents\Branding\ICW_Watermark	Used by ICW
No	Branding DLL
c:\My Documents\Branding\infopane.htm	Branding DLL

C:\My Document\Branding\fldr194x32.gif Branding DLL

0 Branding DLL

1 Branding DLL

No Branding DLL

pop.yourserver.net Branding DLL

1 Branding DLL

Yes Branding DLL

smtp.yourserver.net Branding DLL

No Branding DLL

welcome@yourserver.net Branding DLL

c:\My Documents\Branding\welcmmsg.htm Branding DLL

Welcome To Custom Internet Mail!!! Branding DLL

Outlook Express provided by Custom Name Here Branding DLL

no Branding DLL

1 Branding DLL

No Branding DLL

news.yourserver.net Branding DLL

C:\Security\certificate.cer Wizard and Branding DLL

1 used by oe branding dll (contact justinf or neil brench)

C:\My Documents\Branding\LDAP.bmp
1

LDAPServer

www.microsoft.com
www.microsoft.com
LDAP-SRV-1

used by oe
branding dll
(contact justinf
or neil brench)

This is a witty saying in my signature file \n
1
1

Branding DLL
Branding DLL
Branding DLL

used by wizard
internally

1

Branding DLL

1

Outlook Express
Branding DLL

Acme

Outlook Express
Branding DLL

<http://www.acme.net>

Outlook Express
Branding DLL

used by oe
branding dll
(contact justinf
or neil brench)

1 Outlook Express
Branding DLL

425 used by icw?

1

1

yes / no

5551212

proxy	Branding DLL
proxy	Branding DLL
proxy	Branding DLL
0	Branding DLL
<local>	Branding DLL
proxy	Branding DLL
proxy	Branding DLL
1	Branding DLL

dialup.scip	used by icw?
-------------	--------------

dialup.scip

dialup.scip

c:\scripts\dialup.scip

c:\scripts\dialup.scip

First line of script file	used by icw?
---------------------------	--------------

Second line of script file

Third line of script file

n'th line of script file

0	Wizard and Profile Manager
---	-------------------------------

0	Wizard and Profile Manager
---	-------------------------------

0	Wizard and Profile Manager
---	-------------------------------

0	Wizard and Profile Manager
---	-------------------------------

0	Branding DLL
---	--------------

yes / no

used by icw

yes / no

ppp

This is fun\n

Outlook Express
Branding DLL

1

Outlook Express
Branding DLL

cancel.ins
signup.htm
signup.isp

icw?

static22x22.bmp

Branding DLL

C:\My Documents\Branding\static22x22.bmp

Branding DLL

127.0.0.1

127.0.0.1

icw?

yes / no

yes / no

yes / no

yes / no

1

Branding DLL

http://auto proxy url

99

http://auto config url

Branding DLL

Branding DLL

Branding DLL

http://custom welcome page	Branding DLL
http://online support	Branding DLL
http://homepage	Branding DLL
1	Branding DLL
http://www.microsoft.com/isapi/redir.dll?prd	Branding DLL
Best of the Web.url	Branding DLL
http://www.microsoft.com/isapi/redir.dll?prd	Branding DLL
Channel Guide.url	Branding DLL
http://link url	Branding DLL
c:\windows\temp\iedktemp\branding\fav\news.ico	Branding DLL
News	
1	Branding DLL
http://searchpane	Branding DLL
signup.htm	Branding DLL
0	Branding DLL
yes	ICW
User	
Pass	
yes	

Description**Notes**

Filename of bitmap file which contains the frames for the 38x38 animation.

Full path to the large 38x38 icon animation bitmap file.

Indicates weather or not to customize the animation

Filename of bitmap file which contains the frames for the 22x22 animation.

Full path to the large 22x22 icon animation bitmap file.

Full path of the bitmap file to appear in the left pane of the setup wizard.

Full path of the bitmap file to appear across the top of the setup wizard.

Text to appear in the wizard's title bar.

Friendly name of the download site, which will be displayed to the user

Geographical region in which the first download site is located

URL of the first download site

Friendly name of the download site, which will be displayed to the user

Geographical region in which the second download site is located

URL of the second download site

Friendly name of the download site, which will be displayed to the user

Geographical region in which the first download site is located

URL of the second download site

1 if CD package was built, 0 if not

1 if single floppy disk package was built, 0 if not

1 if multiple floppy disk package was built, 0 if not

1 if Windows 3.1 package was built, 0 if not

Name of the bitmap file containing the icon.

Full path to the bitmap file containing the icon.

Add on URL for Help > Product Updates in browser written to registry via iesetup.inf

In corporate administrator mode, set to 0 if you want to lock down IE5 as the default browser, set to 1 if you want to preserve existing default browser, and 2 will let the user decide.

Connection manager custom bitmap filename

Full path to connection manager custom bitmap file.

Name of connection manager profile

Full path to connection manager profile.

Indicates whether or not a custom connection manager profile is getting used

Name of company to which the IEAK license belongs.

Set this value to 1 to correctly encode pre-IEAK5 generated [Favorites] section

Set this value to 0x89 in order to remove all pre-existing Favorites and Quick Links. This feature is for use by corporate administrators only.

Indicates to put new favorites at the top of the Favorites Menu

Indicates to go to a welcome page the first time the browser is opened

code page of the language used?

Locale of the version of IE being customized

For ISPs: Set this value to 1 if you are not using any kind of an IEAK based sign-up process.

Set this to 1 if you want the Active Setup Wizard to optimize for download, using existing files if possible.

Corporate administrators should set this to 1 if they want IE5 Setup to run non-interactively, but show progress and error messages.

Corporate administrators should set this to 1 if they want IE5 Setup to run without any visual feedback.

This is the bitmap which appears on the browser toolbar.

The type of customization being used: 2 = Corporate Administrator, 1= Internet Service Provider, 0 = Internet Content Provider

String to be appended to default User Agent string

If this is set to 1, the IE4 integrated shell was included in this package using the IEAK Wizard

URL from which the IE5 Setup file will be downloaded

Customized window title for IE 5
The name to be appended to the window title

Version of the IEAK wizard which created the ins file

Action for custom toolbar buttons

Caption for the custom toolbar button

Indicates whether or not to delete existing custom toolbar buttons upon install

The highlighted icon to appear in the button when moused-over

the gray icon to appear when not moused-over

Display the new toolbar button on the toolbar by default

ToolTip text for the custom button

The URL which will show up on the certificate dialog

The company name that is associated with the Certificate

Private Key File

The actual certificate file.

The file to pop up when the "More Info" button is clicked on in the CD Autorun Screen

An html file which can be triggered from the CD Autorun Screen

Set this to 1 if there will be only one channel category, for multiple channel categories, set this value to 0

URL of the channel's .CDF file to be added

The bitmap for the channel, to appear in the Channel Bar

Icon for the channel

Name of .CDF file

Full path to .CDF file

Title for the channel

No Channels indicates that no channels will be added

Name for connection.

Corporate Administrator Mode Only:
Set this to 1 to remove the existing connection settings at install time.

This will be set to 1 if a user selected to import connection settings in the IEAK Wizard

URL to branding cab

HTML file for custom wallpaper to be installed

supporting files for custom wallpaper

Total number of files for custom wallpaper

HTML file for custom wallpaper to be installed

Display the Channel Bar on startup

Indicates to delete existing channels at install time

URL to the desktop component being added

Path to the desktop wallpaper

Set this to 1 if using any desktop customizations

Channels to be deleted

Channels to be deleted

The type of connection being used
for setup

If this is yes, then this ins cancels
The name of the Dial-Up Networking
to be created

INF file and install mode for
components

Icon for favorite to be added
Indicates if the favorite should be
made available for offline browsing

Title of the Favorite
URL of the Favorite

left-half of value pair is the favorite
name

The left-half of the pair is the GUID
for the component, and the value
should be 1 if it should be hidden on
the custom screen, and 0 if not.

Custom header bitmap for the
Internet Connection Wizard

Custom watermark bitmap for the
Internet Connection Wizard

Should Internet Mail be the default
client (for IE4 Custom)

HTML file for branded infopane for
the custom Outlook Express

Branded GIF file for custom Outlook Express

Install the Mail Client on 16-Bit Windows computers.

Activate the Junk-mail filtering feature by default

Logon using Secure Password Authentication

Hostname of POP3 Server to be set by default

Require logon to SMTP Server by default

Logon to SMTP Server using Secure Password Authentication

Hostname of SMTP server to be set by default

Use IMAP protocol for email.

"From Address" for the Welcome message in Outlook Express

Location of the html file containing the Welcome message.

Friendly name of the "From Address" for the welcome message

Custom window title for Outlook Express

Should Outlook Express be set as default news client?

1 if NNTP server requires that users log on to it.

Yes, if NNTP server uses Secure Password Authentication

Hostname of your NNTP Server

Specifies a root certificate to add to the system.

Should Outlook Express always check names and email addresses against the LDAP server?

Friendly name for the LDAP server account

Hostname of LDAP server.

Text of email Signature

Use email signature for news also.

Use signature

Indicates that a CD install package should be created

Indicates that a download install package should be created

Indicates that a single floppy, branding only install package should be created

Indicates that a LAN-based install package should be created

Indicates that a multiple floppy disk install package should be created

Display contacts by default

display folder bar by default

display folder list by default

display Outlook Bar by default

Display preview pane by default

Display the preview pane header bar
by default

Display the toolbar text by default

Display the status bar by default

Display the tip of the day by default

Display the toolbar by default

Area code for dial up connection

Country code for dial up connection

Country ID for dial up connection

Dial the number as is, without
appending area code, etc...

Phone number to dial

Hostname for Proxy Server

Hostname for Proxy Server

Hostname for Proxy Server

Use a proxy server

Hostname for Proxy Server

Hostname for Proxy Server

Hostname for Proxy Server

Use one proxy server for all services

Filename of dial up networking script

Filename of dial up networking script
(16 Bit)

Filename of dial up networking script
(32 Bit)

Full path to 16 bit script

Full path to 32 bit script

Actual text of the script file to
create

Imports the existing Authenticode
settings

Imports the existing Content Ratings
settings

Imports the existing Security Zones
settings

Imports existing site Certificate
Authorities

Uses site certificates for 16 bit
Windows systems.

Default settings for Internet connection

Use IPX Protocol
Use NetBEUI Protocol
Use TCP/IP Protocol
Log on to network
Use Encrypted Password
Use software compression
Require Data encryption
Server Type

Text of signature

Use Signature

Filename

Name of 22x22 pixel bitmap file for icon to appear in top right corner of browser

Full path to bitmap file

IP Number of DNS server to use

IP Number of alternate DNS server to use

Use remote gateway

Use IP Header compression

Specify an IP Address to use

Specify a server address to use

Set this to 1 to use an auto-configured proxy.

URL of JS format auto-proxy file

AutoConfig after this many minutes

url of auto-proxy file

Page to browse to on first run of
customized browser

URL of help page

URL for default homepage

Do not display a welcome page the
first time the browser is used

Quick link URL

Quick Link Name

Quick link URL

Quick Link Name

Quick link URL

Quick Link Icon

Quick link Name

Make the quick link available for
offline browsing

Default search page

Path to page with link to ins file for
signup server

Use a local ins file

Display the password

Username

Password

Is user logon required