Symbols

3
__abs__ 22
__add__ 21
__and__ 21
__bases__ 16
__builtin__ 24, 51
__builtins__ 24
__call__ 15, 20
__class__ 16
__cmp__ 19
__coerce__ 22
__del__ 18
  exception in 18
__delattr__ 16, 20
__delitem__ 20
__delslice__ 21
__dict__ 15–16, 20
__div__ 21
__divmod__ 21
__doc__ 14–16
__file__ 15
__float__ 22
__getattr__ 16, 19
__getitem__ 18, 20
__getslice__ 20
__hash__ 19
__hex__ 22
__init__ 15, 18
__int__ 22
__invert__ 22
__len__ 19–20
__long__ 22
__lshift__ 21
__main__ 24, 51
__members__ 12
__methods__ 12
__mod__ 21
__mul__ 21
__name__ 14–16
__neg__ 21
__nonzero__ 19–20
__oct__ 22
__or__ 21
__pos__ 21
__pow__ 21
__radd__ 21
__rand__ 21
__rdiv__ 21
__rdivmod__ 21

__repr__ 18–19
__rlshift__ 21
__rmod__ 21
__rmul__ 21
__ror__ 21
__rpow__ 21
__rrshift__ 21
__rshift__ 21
__rsub__ 21
__rxor__ 21
__self__ 15
__setattr__ 16, 19
__setitem__ 20
__setslice__ 20
__str__ 19
__sub__ 21
__xor__ 21

A

abstraction 11
actual
    parameter 48
addition 33
and 35
    bit-wise 34
argument 48
    default value 31
    function 14
    keyword 31
arguments
    positional 31
array of bytes 13
ASCII 6–7, 9, 13
assignment 13, 30
    attribute 40
        class 16
        class instance 16
    attributes 39
    formal parameter 48
    list
        target 40
    slicing 40
    subscription 40
atom 27
attribute 12
    class 16
    class instance 16
    generic 12
    special 12
attribute access 19
attribute search 15

AttributeError 19, 29, 40

B

back-quotes 18, 29
backslash 6
backslash character 3
binary arithmetic operations 21
binding
    name 27, 43, 48–49
        global 44
bitwise operations 21
blank line 4
block
    code 23
BNF 1, 27
break 42, 46–47
built-in 15, 32
built-in method 32
byte 13
bytecode 16
byte-compile 16

C

C 7, 12, 15–16, 34
call 31
    built-in function 32
    built-in method 32
    class instance 32
    class object 15–16, 32
    function 32, 48
        user-defined 32, 48
    function invocation 14
    instance 32
    method 32
    procedure 39
callable 14, 31
characters 30
chr 13
circular references 11
class 15–16, 32, 49
class instance 15
clause 45
close 11
code block 23, 27, 43–44
code generation phase 41
code object 16
    co_argcount 17
    co_code 17
    co_consts 17
    co_filename 17
    co_flags 17

co_names 17
co_nlocals 17
co_varnames 17
coercion 27, 32
coercion rules 22
colon 45
comma
trailing 36, 42
comma operator 28
command line 51
comment 3
comparison 34
chaining 34
comparison operator 9
compile 44
complex literal 8
complex number 9, 13, 27
constant 6
constructor
class 18
container 11, 16
continue 43, 46–47
conversion
arithmetic 27
string 18, 29, 39
curly brace 4

D

data 11
datum 28
debugger 17
debugging 11
decimal literal 8
DEDENT token 4, 45
definition
class 42, 49
function 42, 48
del 13, 18, 23, 30, 41
delete
attribute 41
delimiter 9
dictionary 14–15, 19, 28–29, 40
display
dictionary 28
tuple 28
division 33
divmod 33
double precision 12

E

elif 45

Ellipsis 12
ellipsis 17
else 42, 45–47
    dangling 45
end-of-line character 3
error 25
error handling 25
escape sequence 7
eval 23, 29, 44, 52
except 47
except clause 23
exception 25, 42
    class 47
    raised by comparisons 19
    raising 42
exception handler 25, 47
exec 23, 44
execfile 23, 44
execution model 23
expression 27, 30
    lambda 35
expression input 52
expression list 36, 39
extended slice notation 21
extended slice syntax 17
extension
    filename 43

F

fdopen 16
file 16, 52
finally 11, 42, 47
floating point 12
floating point literal 8
floating point number 27
floor 33
flow of control 25
for 23, 42–43, 46
form
    lambda 35
formal
    parameter 48
formfeed character 4
frame 17
    execution 23, 49
frame object
    f_back 17
    f_builtins 17
    f_code 17
    f_globals 17
    f_lasti 17

f_lineno 17
f_locals 17
f_owner 17
f_restricted 17
f_trace 17
from 6, 23, 43
from x import * 43
function 14, 32, 48
anonymous 35
built-in 15
user-defined 14, 48
function object 16
func_code 14
func_defaults 14
func_doc 14
func_globals 14–15
func_name 14

G

garbage collection 11
getlineno 17
global 23, 27, 40–41, 43–44
globals 24, 44
grammar 1

H

handle an exception 25
handler
exception 17
hash 19
hash character 3
hexadecimal literal 8

I

id 11
Identifier 5
identifier 27
special meaning 6
if 45
im_class 16
im_self 15
imaginary literal 8
immutable 13
import 6, 15, 23, 43
ImportError 43
in 35, 46
INDENT token 4
Indentation 4
indentation 4
indentation errors 5
index operation 13

IndexError 40
inheritance 49
initialization
    module 43
input 52
instance 15–16, 32
    call 20
    class 16
integer 8, 12, 27
    long 8
integer literal 8
interactive mode 51
internal type 16
interpreter 51
invertion 32
is 11, 35
is not 35
item
    selection 13
    string 30

K

key 28
key/datum pair 28
keyword 5

L

Lambda 35
leading whitespace 4
len 13
lexical analysis 3
lexical analyzer 5
line
    blank 4
    continuation 3
    joining 3
    physical
        split across 3
line joining
    implicit 4
line structure 3
lines
    logical 3
    physical 3
list 13, 28–30, 40, 46
    empty 28
    expression 36, 39
    target 40
        deletion 41
Literal 6
literal 27

locals 24, 44
logical line 3
long integer 12, 27
long integer literal 8
loop
    over mutable sequence 46

M

makefile 16
mapping 13, 16, 29, 40
method 32
    bound 14
    built-in 15
    unbound 14
    user-defined 14
        creation 14
method object
    __name__ 14
    im_class 14
    im_func 14
    im_func.__doc__ 14
    im_self 14
minus 32
module 15, 29, 43
    built-in 43
    extension 12
    importing 43
    user-defined 43
modulo 33
multiplication 33
mutable 14, 39–40
mutable sequence
    loop over 46

N

name 5, 27
    binding 23, 39
    class 49
    function 48
    global 27
    mangling 6
    module 43
    rebinding 23, 39
    unbinding 23, 41
name space 23
    global 14, 23
    local 23
    module 15
NameError 24, 27
negation 32
NEWLINE token 3–4, 45

None 12, 39
not 35
not in 35
notation 1
null operation 41
number 8, 12, 16
numbers 16
numeric 12
numeric arithmetic
    mixed mode 22
numeric literal 8

O

object 11
    address in memory 11
    container 11
    identity 11
    immutable 11
    mutable 11
    reference to external resource 11
    type 11
    unreachable 11
    value 11
object closure 14
octal literal 8
open 16
operation
    arithmetic
        binary 32
        unary 32
    bit-wise
        binary 33
        unary 32
    boolean 35
    null 41
    shifting 33
operator 9
optimization 15
or 35
    bit-wise 34
    exclusive 34
    inclusive 34
ord 13
output
    standard 39, 41
OverflowError 12

P

parameter 48
parameter list
    variable length 48

parenthesized form 28
parser 3, 5
Pascal 46
pass 41
path 43
plain integer 12, 27
plain integer literal 8
plus 32
popen 16
pow 32
power operator 32
primary 29
print 19, 41
program 51
PYTHONPATH 43

Q

quotes
    backward 18, 29
    double 6
    reverse 18, 29
    single 6

R

raise 42
raised an exception 25
range 46
raw_input 52
readline 52
recursive 29
reference
    attribute 29
    circular 11
    count 18
    counting 11
remainder 33
repr 18, 29, 39
representation
    integer 12
reserved word 5
restricted execution mode 24
return 42, 47
RuntimeError 42

S

scope 24
script 23
search path 43
semicolon 45
sequence .13, 16, 29–30, 35, 40, 46
    immutable 13

mutable 13
sign 9
slice 20, 30, 40
boundary 30, 41
extended 30
simple 30
Slice objects 17
slicing 13, 30
space 4
space count 4
square bracket 4
stack 4
execution 17
stack frame 17
standard inpu 51
standard output 41
statement
assignment 13
compound 45
expression 39
loop 42–43, 46
simple 39
statement grouping 4
statements
assignment 39
stderr 16
stdin 16
stdio 16
stdout 16, 42
str 19, 29
string 13, 29–30, 46
triple-quoted 4
string literal 6
concatenation 7
subscription 13, 29
subtraction 33
suite 45
suppression
newline 42
syntax 1, 27
SyntaxError 43
sys 42, 51
exc_traceback 17, 47
exc_type 47
exc_value 47
last_traceback 17
sys.exc_traceback 18
sys.last_traceback 18
sys.modules 43
sys.path 43

sys.stderr 16
sys.stdin 16
sys.stdout 16

T

tab 4
target 40
  deletion 41
  loop control 42
test
  identity 35
  membership 35
token 3
  delimiter 5
  identifier 5
  keyword 5
  literal 5
  operator 5
tracback object
  tb_frame 17
  tb_lasti 17
  tb_lineno 17
  tb_next 17
trace
  stack 17
traceback 42
traceback object
  exc_traceback 17
  last_traceback 17
transformation 15
triple-quoted strings 6
try 11, 17, 42, 47
  finally 43
tuple 13, 29–30, 36, 46
  empty 13, 28, 36
  singleton 13
type 11–12
  data 12
    immutable 28
  hierarchy 12
TypeError 29, 31–32, 40

U

UNIX 4, 51
unrecognized escape sequences ...7
user-defined 14
user-defined function 32

V

value
  parameter

default 48
writing 39
ValueError 33
values
writing 41
Von Neumann 11

W

while 42–43, 46
whitespace 4

X

xor
bit-wise 34

Z

ZeroDivisionError 33

INDEX