

\$ \$ # #

—

の “ の “ ⊕ “ の “ の “ の “

\$

\$ # DOS

AUTOEXEC.BAT /-” CONFIG.SYS

• —L DOS

“ ”

Ⓢ Ⓢ Ⓢ

Ⓢ Ⓢ Ⓢ “

\$

\$ # Windows



“

”

•

—L

“

“

\$

\$# —

—

の \

“OK”

“

s

\$# の

' の の “ の の の ” ‘ \

の の の “ ” ‘ I “ ‘ E ”

—1 の ‘ — ‘ O

\$

\$# ~

~

~ “ ”

“ ”

~) K—v “

llatsni.exe filog.ini ⊕ v—

llatsni c:\windows\filog.ini

“

\$

\$## ‘}“

∅ K—v ∅ K—v

‘}“

‘ ‘ “OK”

‘ ‘ ~ ‘ “ ”

\$

\$ # ESC “ —

Ⓢ Ⓜ ‘O Ⓜ —

の Ⓢ のの ESC \

“ Ⓢ Ⓜ Ⓢ

— “ ’

Ⓢ Ⓢ ~ Ⓢ “ ”

\$

• • • K—v Ⓢ

“OK”

’N

\$##

の “ } “ ”

“ - “ ”

•

\$

\$ # #

•

} —

.æ,α,±,»

ft[fU[[]î•ñ,đ“ü—í,μ,Ä,,¾,³,¢

ffBfXfN,đ}“ü,μ,Ä,,¾,³,¢

fCf“fXfg[f<,đ'tŽ~,μ,Ä,,¾,³,¢

fo[fWf±f“,^á,α,ì,Å“Ç,Β,Ü,¹,ñ

fCf“fXfg[f<f^[]fQfbfgffBfÇfNfgfŠ,đ“ü—í,μ,Ä,,¾,³,¢

fEfBf“fhfEfY,đ□ÄfXf^[]fg,μ,Ä,,¾,³,¢

DOS,đ□ÄfXf^[]fg,μ,Ä,,¾,³,¢

fCf“fXfg[f<Š®—¹

DOSfvfXfef€ftf@fCf<,đ□C□³†,Å,.

fCf“fXfg[f<.,é,à,ì,đ'ì,đ,μ,Ä,,¾,³,¢

s

\$## · 'I'⁴

のの”の I'⁴

“ —e のの

{

“ —e の'm

“ { } } \

“ ”

の [ESC]

1. のの' —e —

2. の “S の —e —

3. —p ”\ —e —

“ ” ‘I ‘E

“ ” ‘ ”c の “OK”

“ ”

“ ”

\$

\$## DOS

AUTOEXEC.BAT CONFIG.SYS の

‘O’の “ —e ‘ \ ’ “ —e ‘ \ ”c
{ —e “ —
の “ ‘ ” “ “ ” — ‘O
,
ののの “ —
“ ‘ ” ‘I’ ‘E ”[“ “ “ “

\$
cs9 —
\$DOS
cs8
\$Windows
cs7
\$ —
cs6
\$)
cs5
\$ ~
cs4
\$ ‘}“
cs3
\$ “ —
cs2
\$
cs1
\$
cs0 • ‘I‘
\$DOS
cs10