

**BED**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> BED	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		April 25, 2025
<i>SIGNATURE</i>		

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>BED</b>	<b>1</b>
1.1	BlacksEditor Guide . . . . .	1
1.2	Introduction . . . . .	2
1.3	The Author . . . . .	3
1.4	Credits . . . . .	3
1.5	Bug Reports . . . . .	4
1.6	History . . . . .	4
1.7	Future . . . . .	4
1.8	Before you begin . . . . .	5
1.9	Distribution . . . . .	5
1.10	Disclaimer . . . . .	6
1.11	Requirements . . . . .	6
1.12	Installation . . . . .	7
1.13	Quick Starting . . . . .	7
1.14	Starting Blacks Editor . . . . .	8
1.15	Starting from the Shell . . . . .	8
1.16	Starting from the Workbench . . . . .	8
1.17	FILENAME . . . . .	9
1.18	DEFS/K . . . . .	9
1.19	PREFS/K . . . . .	9
1.20	MACRO/K . . . . .	9
1.21	QUIT/S . . . . .	9
1.22	The Standard Configuration . . . . .	9
1.23	Standard Menus . . . . .	10
1.24	Menu name: File . . . . .	10
1.25	Menu name: Window . . . . .	11
1.26	Menu name: Edit . . . . .	11
1.27	Menu name: Find . . . . .	11
1.28	Menu name: Format . . . . .	12
1.29	Menu name: Extras . . . . .	13

---

---

1.30	Menu name: Macro . . . . .	13
1.31	Menu name: Tools . . . . .	13
1.32	Menu name: ARexx . . . . .	14
1.33	Menu name: Settings . . . . .	14
1.34	Menu name: ? . . . . .	14
1.35	File/New Doc . . . . .	15
1.36	File/Clear File . . . . .	15
1.37	File/Open File... . . . .	15
1.38	File/Open New Doc... . . . .	15
1.39	File/Insert File... . . . .	16
1.40	File/Save File . . . . .	16
1.41	File/Save File As... . . . .	16
1.42	File/Save & Close . . . . .	16
1.43	File/Print File... . . . .	16
1.44	File/Close Doc . . . . .	17
1.45	File/Quit . . . . .	17
1.46	Window/Select... . . . .	17
1.47	Window/Minimize . . . . .	17
1.48	Window/Maximize . . . . .	18
1.49	Window/Normalize . . . . .	18
1.50	Window/Snapshot . . . . .	18
1.51	Window/Iconify . . . . .	18
1.52	Window/Iconify All . . . . .	18
1.53	Window/Tile . . . . .	19
1.54	Window/Stack . . . . .	19
1.55	Window/Cascade . . . . .	19
1.56	Window/Open Desktop... . . . .	19
1.57	Window/Save Desktop As... . . . .	20
1.58	Edit/Mark Block . . . . .	20
1.59	Edit/Select Word . . . . .	20
1.60	Edit/Select Line . . . . .	20
1.61	Edit/Select All . . . . .	20
1.62	Edit/Cut . . . . .	21
1.63	Edit/Copy . . . . .	21
1.64	Edit/Paste . . . . .	21
1.65	Edit/Erase . . . . .	21
1.66	Edit/Cut Append . . . . .	22
1.67	Edit/Copy Append . . . . .	22
1.68	Edit/Open Clip... . . . .	22

---

---

1.69 Edit/Save Clip As...	22
1.70 Edit/Print Clip...	22
1.71 Find/Find...	23
1.72 Find/Find Next	23
1.73 Find/Find & Replace...	23
1.74 Find/Replace Next	23
1.75 Find/Goto Line...	24
1.76 Find/Match Bracket	24
1.77 Find/Set Bookmark	24
1.78 Find/Set Bookmark/# 1	24
1.79 Find/Set Bookmark/# 2	24
1.80 Find/Set Bookmark/# 3	25
1.81 Find/Set Bookmark/# 4	25
1.82 Find/Set Bookmark/# 5	25
1.83 Find/Set Bookmark/# 6	25
1.84 Find/Set Bookmark/# 7	26
1.85 Find/Set Bookmark/# 8	26
1.86 Find/Set Bookmark/# 9	26
1.87 Find/Set Bookmark/# 10	26
1.88 Find/Goto Bookmark	26
1.89 Find/Goto Bookmark/# 1	27
1.90 Find/Goto Bookmark/# 2	27
1.91 Find/Goto Bookmark/# 3	27
1.92 Find/Goto Bookmark/# 4	27
1.93 Find/Goto Bookmark/# 5	28
1.94 Find/Goto Bookmark/# 6	28
1.95 Find/Goto Bookmark/# 7	28
1.96 Find/Goto Bookmark/# 8	28
1.97 Find/Goto Bookmark/# 9	28
1.98 Find/Goto Bookmark/# 10	29
1.99 Format/Format Paragraph	29
1.100Format/Goto Paragraph	29
1.101Format/Goto Paragraph/Previous	29
1.102Format/Goto Paragraph/Next	30
1.103Format/Documentize	30
1.104Format/Left Justify	30
1.105Format/Right Justify	30
1.106Format/L/R Justify	30
1.107Format/Center	31

---

---

1.108Format/Tabs -> Spaces . . . . .	31
1.109Format/Spaces -> Tabs . . . . .	31
1.110Format/Remove EOL Blanks . . . . .	31
1.111Format/Indent Block . . . . .	32
1.112Format/Unindent Block . . . . .	32
1.113Format/Indent Line . . . . .	32
1.114Format/Unindent Line . . . . .	32
1.115Extras/Undo Line . . . . .	32
1.116Extras/Undelete Line . . . . .	33
1.117Extras/Insert Current Date . . . . .	33
1.118Extras/Insert Current Time . . . . .	33
1.119Extras/Insert ASCII Char . . . . .	33
1.120Extras/Insert Version String . . . . .	34
1.121Extras/Comment Block . . . . .	34
1.122Extras/Number Lines . . . . .	34
1.123Extras/Word -> Lower Case . . . . .	34
1.124Extras/Word -> Upper Case . . . . .	34
1.125Extras/Toggle Char Case . . . . .	35
1.126Extras/Encrypt Block . . . . .	35
1.127Macro/Start Recording . . . . .	35
1.128Macro/Stop Recording . . . . .	35
1.129Macro/Play Macro . . . . .	36
1.130Macro/Play Many... . . . .	36
1.131Macro/Open Macro... . . . .	36
1.132Macro/Save Macro as... . . . .	36
1.133Tools/New Shell... . . . .	36
1.134Tools/New Console... . . . .	37
1.135Tools/Exec Tool... . . . .	37
1.136Tools/Run Tool... . . . .	37
1.137Tools/Exec DOS Script... . . . .	37
1.138Tools/Calculator . . . . .	38
1.139Tools/Multiview . . . . .	38
1.140Tools/... . . . .	38
1.141ARexx/Exec ARexx Macro... . . . .	38
1.142ARexx/Exec ARexx String... . . . .	38
1.143ARexx/AddChars . . . . .	39
1.144ARexx/CountWords . . . . .	39
1.145ARexx/ExecBlk . . . . .	39
1.146ARexx/PrintBlk . . . . .	39

---

---

1.147ARexx/RemoveBlankLines . . . . .	40
1.148ARexx/SaveBlk . . . . .	40
1.149ARexx/SaveChangedDocs . . . . .	40
1.150ARexx/SetConfig . . . . .	40
1.151ARexx/ShowAG . . . . .	40
1.152ARexx/SortBlk . . . . .	41
1.153ARexx/UnSetLocks . . . . .	41
1.154ARexx/... . . . .	41
1.155Settings/Change Prefs . . . . .	41
1.156Settings/Change Prefs/Auto-Save . . . . .	42
1.157Settings/Change Prefs/Backup . . . . .	42
1.158Settings/Change Prefs/Colors . . . . .	42
1.159Settings/Change Prefs/Display . . . . .	42
1.160Settings/Change Prefs/Edit . . . . .	42
1.161Settings/Change Prefs/End Of Lines . . . . .	43
1.162Settings/Change Prefs/Fonts . . . . .	43
1.163Settings/Change Prefs/Icons . . . . .	43
1.164Settings/Change Prefs/Miscellanea . . . . .	43
1.165Settings/Change Prefs/Tabs . . . . .	44
1.166Settings/Open Prefs... . . . .	44
1.167Settings/Save Prefs... . . . .	44
1.168Settings/Save Prefs As Defaults . . . . .	44
1.169Settings/Open Definitions... . . . .	44
1.170?/About BED . . . . .	45
1.171?/Quick Reference . . . . .	45
1.172?/BED Menus . . . . .	45
1.173?/BED Commands . . . . .	45
1.174?/BED Main Help . . . . .	46
1.175The Standard Keyboard Sequences . . . . .	46
1.176The Standard Mouse Clicks . . . . .	46
1.177Customize Blacks Editor . . . . .	46
1.178Definitions Files . . . . .	46
1.179Preferences Files . . . . .	47
1.180Supplied Material . . . . .	47
1.181Supplied Emulations . . . . .	47
1.182Supplied Macros . . . . .	47
1.183Quick Reference for Blacks Editor . . . . .	47
1.184Commands Reference . . . . .	50
1.185Alphabetical List of Commands . . . . .	51

---

---

1.186	Functional Grouping of Commands	53
1.187	List of Global Commands	57
1.188	About	58
1.189	ActivateLastDoc	58
1.190	ActivateNextDoc	59
1.191	ActivatePrevDoc	59
1.192	ActivateWindow	60
1.193	BackSpace	60
1.194	BeepScreen	61
1.195	Center	61
1.196	CenterView	62
1.197	ClearBookMark	62
1.198	ClearFile	63
1.199	CloseDoc	63
1.200	Conv2Lower	64
1.201	Conv2Spaces	64
1.202	Conv2Tabs	65
1.203	Conv2Upper	65
1.204	CopyBlk	66
1.205	CutBlk	66
1.206	Delete	67
1.207	DeleteBlk	67
1.208	DeleteEOL	68
1.209	DeleteEOF	68
1.210	DeleteEOW	69
1.211	DeleteLine	69
1.212	DeleteSOL	70
1.213	DeleteSOF	70
1.214	DeleteSOW	71
1.215	DeleteWord	71
1.216	EncryptBlk	72
1.217	EndMacro	72
1.218	ExecARexxMacro	73
1.219	ExecARexxString	73
1.220	ExecDosScript	74
1.221	ExecTool	74
1.222	Exist	75
1.223	Find	75
1.224	FindChange	76

---

---

1.225FormatParagraph . . . . .	76
1.226GetBlk . . . . .	77
1.227GetBlkDims . . . . .	77
1.228GetBlkInfo . . . . .	78
1.229GetChar . . . . .	78
1.230GetCurrentDir . . . . .	79
1.231GetCursorPos . . . . .	79
1.232GetDocuments . . . . .	80
1.233GetErrorInfo . . . . .	80
1.234GetFileInfo . . . . .	81
1.235GetFilePath . . . . .	81
1.236GetLine . . . . .	82
1.237GetLockInfo . . . . .	82
1.238GetMacroInfo . . . . .	83
1.239GetPort . . . . .	83
1.240GetPrefs . . . . .	84
1.241GetPriority . . . . .	84
1.242GetScreenInfo . . . . .	85
1.243GetTemplate . . . . .	85
1.244GetVersion . . . . .	86
1.245GetViewInfo . . . . .	86
1.246GetWindowInfo . . . . .	87
1.247GetWindowSpec . . . . .	87
1.248GetWord . . . . .	88
1.249Help . . . . .	88
1.250IconifyWindow . . . . .	89
1.251Illegal . . . . .	89
1.252Insert . . . . .	90
1.253InsertTab . . . . .	90
1.254InsertFile . . . . .	91
1.255InsertLine . . . . .	91
1.256Justify . . . . .	92
1.257LeftJustify . . . . .	92
1.258MarkBlk . . . . .	93
1.259Move . . . . .	93
1.260MoveBookMark . . . . .	94
1.261MoveDown . . . . .	94
1.262MoveDownScr . . . . .	95
1.263MoveEOF . . . . .	95

---

---

1.264MoveEOL . . . . .	96
1.265MoveEOW . . . . .	96
1.266MoveLeft . . . . .	97
1.267MoveMatchBkt . . . . .	97
1.268MoveNextTabStop . . . . .	98
1.269MoveNextWord . . . . .	98
1.270MovePrevTabStop . . . . .	99
1.271MovePrevWord . . . . .	99
1.272MoveRight . . . . .	100
1.273MoveSizeWindow . . . . .	100
1.274MoveSOF . . . . .	101
1.275MoveSOL . . . . .	101
1.276MoveSOW . . . . .	102
1.277MoveUp . . . . .	102
1.278MoveUpScr . . . . .	103
1.279MoveWindow . . . . .	103
1.280NewShell . . . . .	104
1.281Nop . . . . .	104
1.282OpenClip . . . . .	105
1.283OpenDefinitions . . . . .	105
1.284OpenDoc . . . . .	106
1.285OpenFile . . . . .	106
1.286OpenMacro . . . . .	107
1.287OpenPrefs . . . . .	107
1.288OpenRequester . . . . .	108
1.289PasteClip . . . . .	108
1.290PlayMacro . . . . .	109
1.291PrintClip . . . . .	109
1.292PrintFile . . . . .	110
1.293Quit . . . . .	110
1.294RecordMacro . . . . .	111
1.295RemakeScreen . . . . .	111
1.296RequestBool . . . . .	112
1.297RequestChoice . . . . .	112
1.298RequestFile . . . . .	113
1.299RequestFont . . . . .	113
1.300RequestNum . . . . .	114
1.301RequestStr . . . . .	114
1.302RightJustify . . . . .	115

---

---

1.303RunTool . . . . .	115
1.304SaveClip . . . . .	116
1.305SaveDefPrefs . . . . .	116
1.306SaveFile . . . . .	117
1.307SaveFileAs . . . . .	117
1.308SaveMacro . . . . .	118
1.309SavePrefs . . . . .	118
1.310Screen2Back . . . . .	119
1.311Screen2Front . . . . .	119
1.312ScrollVert . . . . .	120
1.313ScrollView . . . . .	120
1.314SelectLine . . . . .	121
1.315SetBookMark . . . . .	121
1.316SetChar . . . . .	122
1.317SetCurrentDir . . . . .	122
1.318SetDisplayLock . . . . .	123
1.319SetFilePath . . . . .	123
1.320SetInputLock . . . . .	124
1.321SetPrefs . . . . .	124
1.322SetPriority . . . . .	125
1.323SetQuoteMode . . . . .	125
1.324SetStatusBar . . . . .	126
1.325SetWindowSpec . . . . .	126
1.326ShiftLeft . . . . .	127
1.327ShiftRight . . . . .	127
1.328SizeWindow . . . . .	128
1.329StripEOLBlanks . . . . .	128
1.330SwapChars . . . . .	129
1.331Text . . . . .	129
1.332ToggleCharCase . . . . .	130
1.333UndeleteLine . . . . .	130
1.334UndoLine . . . . .	131
1.335Window2Back . . . . .	131
1.336Window2Front . . . . .	132
1.337Preferences Reference . . . . .	132
1.338Alphabetical List of Preferences . . . . .	133
1.339Functional Grouping of Preferences . . . . .	134
1.340AUTOSAVE . . . . .	136
1.341AUTOSAVECONFIRM . . . . .	136

---

---

1.342AUTOSAVEDELAY . . . . .	136
1.343MAKEBACKUPS . . . . .	137
1.344CANTBACKUPCONFIRM . . . . .	137
1.345BACKUPTEMPLATE . . . . .	138
1.346MAXBACKUPVERSION . . . . .	138
1.347TEXTCOLOR . . . . .	138
1.348BACKGROUNDCOLOR . . . . .	139
1.349SELTEXTCOLOR . . . . .	139
1.350SELBACKGROUNDCOLOR . . . . .	139
1.351PALETTE . . . . .	140
1.352SCREEN . . . . .	140
1.353AUTOINDENT . . . . .	141
1.354FREEFORM . . . . .	141
1.355OVERSTRIKE . . . . .	141
1.356WORDWRAP . . . . .	142
1.357JUMPSCROLL . . . . .	142
1.358RIGHTMARGINWBORDER . . . . .	142
1.359LEFTMARGIN . . . . .	143
1.360RIGHTMARGIN . . . . .	143
1.361STRIPEOLBLANKS . . . . .	144
1.362TRANSLATECRS . . . . .	144
1.363SAVEEOLAS . . . . .	144
1.364TEXTFONT . . . . .	145
1.365MENUFONT . . . . .	145
1.366SAVEICONS . . . . .	145
1.367ICONDRAWER . . . . .	146
1.368MOUSEBLANKER . . . . .	146
1.369OVERWRITECONFIRM . . . . .	147
1.370DOUBLELOADCONFIRM . . . . .	147
1.371SELECTWHENDRAGGING . . . . .	147
1.372AUTODETECTBINFILES . . . . .	148
1.373PRINTDEVICE . . . . .	148
1.374CONSOLE . . . . .	148
1.375DEFAULTWINDOW . . . . .	149
1.376TABWIDTH . . . . .	149
1.377TABSGIVESPACES . . . . .	150
1.378CONVERSIONONLOAD . . . . .	150
1.379CONVERSIONONSAVE . . . . .	150
1.380CONVERSIONONPRINT . . . . .	151

---

---

1.381FINDSTRING . . . . .	151
1.382CHANGESTRING . . . . .	151
1.383FINDBACKWARD . . . . .	152
1.384FINDIGNORECASE . . . . .	152
1.385FINDWHOLEWORD . . . . .	153
1.386FILEREQUESTER . . . . .	153
1.387FONTREQUESTER . . . . .	153
1.388SCREENMODEREQUESTER . . . . .	154
1.389FILEPATTERN . . . . .	154
1.390REXXDRAWER . . . . .	154
1.391REXXPATTERN . . . . .	155
1.392DOSDRAWER . . . . .	155
1.393DOSPATTERN . . . . .	156
1.394TOOLSDRAWER . . . . .	156
1.395TOOLSPATTERN . . . . .	156
1.396PREFSDRAWER . . . . .	157
1.397PREFSPATTERN . . . . .	157
1.398DEFSDRAWER . . . . .	157
1.399DEFSPATTERN . . . . .	158
1.400READONLY . . . . .	158
1.401Errors Reference . . . . .	159
1.402BED Errors . . . . .	159
1.403Definitions Files Errors . . . . .	160
1.404Preferences Files Errors . . . . .	160
1.405Error #1 . . . . .	161
1.406Error #2 . . . . .	161
1.407Error #3 . . . . .	161
1.408Error #4 . . . . .	161
1.409Error #5 . . . . .	162
1.410Error #6 . . . . .	162
1.411Hit document boundary . . . . .	162
1.412Not on {, [, (<, «, », >, ), ], } . . . . .	162
1.413Not allowed in read-only mode . . . . .	163
1.414User requested abort . . . . .	163
1.415Bookmark not set . . . . .	163
1.416No block marked . . . . .	163
1.417Error #13 . . . . .	164
1.418Error #14 . . . . .	164
1.419Error #15 . . . . .	164

---

---

1.420	Not currently recording . . . . .	164
1.421	Not found . . . . .	165
1.422	Clipboard is empty . . . . .	165
1.423	Clipboard does not contain text . . . . .	165
1.424	Clipboard device not found . . . . .	166
1.425	ARexx process or library not found . . . . .	166
1.426	Command only allowed in ARexx macros . . . . .	166
1.427	Bookmark not found . . . . .	166
1.428	No macro to play . . . . .	167
1.429	Error #25 . . . . .	167
1.430	Error #26 . . . . .	167
1.431	Error #27 . . . . .	167
1.432	Illegal while recording . . . . .	168
1.433	Illegal command . . . . .	168
1.434	Insufficient memory . . . . .	168
1.435	Load error . . . . .	168
1.436	Save error . . . . .	169
1.437	Backup error - not saved . . . . .	169
1.438	Print error . . . . .	169
1.439	Clipboard I/O error . . . . .	169
1.440	ARexx Error . . . . .	170
1.441	Couldn't execute tool . . . . .	170
1.442	AmigaGuide error . . . . .	170
1.443	Couldn't open console . . . . .	170
1.444	Error #40 . . . . .	171
1.445	AmigaGuide library not found . . . . .	171
1.446	--- Illegal --- . . . . .	171
1.447	Definitions file not loaded successfully . . . . .	171
1.448	Preferences file not loaded successfully . . . . .	172
1.449	Preferences file not saved successfully . . . . .	172
1.450	Macro not loaded successfully . . . . .	172
1.451	Macro not saved successfully . . . . .	172
1.452	Unknown preference . . . . .	173
1.453	Invalid template . . . . .	173
1.454	Command not global . . . . .	173
1.455	AmigaDOS error . . . . .	173
1.456	Bad parameter . . . . .	174
1.457	Parameter out of range . . . . .	174
1.458	Cannot swap tabs . . . . .	174

---

---

1.459	Cursor not on a word . . . . .	174
1.460	No string to find . . . . .	175
1.461	Window is iconified . . . . .	175
1.462	Input is locked . . . . .	175
1.463	Line too long . . . . .	175
1.464	No line to undelete . . . . .	176
1.465	Cannot undo . . . . .	176
1.466	AmigaDOS error . . . . .	176
1.467	Insufficient memory . . . . .	176
1.468	Error creating menus . . . . .	177
1.469	Unknown keyword . . . . .	177
1.470	Unknown command . . . . .	177
1.471	Unknown key . . . . .	177
1.472	Key not mapped on this keyboard . . . . .	178
1.473	Quoted argument expected . . . . .	178
1.474	AmigaDOS error . . . . .	178
1.475	Insufficient memory . . . . .	178
1.476	Unknown preference . . . . .	179
1.477	Wrong template for preference . . . . .	179

---

# Chapter 1

## BED

### 1.1 BlacksEditor Guide

- Blacks Editor 1.0 -  
By Marco Negri

Blacks Editor is CardWare , that is I ask you to send me a postcard of your country or a message by E-Mail because I'd like to see where my program is used.

Thanks. ;-)

Introduction

The Author

Credits

Bug Reports

History

Future

Before You Begin

Distribution

Disclaimer

Requirements

Installation

Quick Starting (If you don't like reading long documentations)

Starting Blacks Editor

From the Shell

From Workbench

Beginners:

The Standard Configuration

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

Advanced:

Customizing Blacks Editor

The definitions file

---

The preferences file

Using supplied material  
Supplied emulations  
Supplied AReXX Macros

Reference:

Quick Reference

The Command Reference  
Alphabetical order  
Functional groupings  
Global commands

The Preferences Reference  
Alphabetical order  
Functional groupings

Error codes and messages  
Blacks Editor errors  
Definitions file errors  
Preferences file errors

## 1.2 Introduction

Introduction

Blacks Editor is a powerful, user-friendly, very configurable text editor.

The main features are:

- \* Multi-window. You can have how many opened windows as your memory lets.
  - \* Configurability. You can define the layout of the menus, the function of every keystroke, the function of every kind of mouse click. Moreover, each window can have different definitions.
  - \* A lot of preferences. They are too many to list here... give BED a try and see them.
  - \* SAS C Support. You can easily arrange it for any other compiler or language.
  - \* Backup. When you save a file, a number of backups can be maintained.
  - \* Autosave. Your files can be automatically saved at the interval you select.
  - \* Advanced Icon Saving. An icon can be saved, according to the filename extension of your file.
-

- \* End of Line Handling. You can easily load or save files with EOL different from LF, for example files saved on PCs.
- \* ARexx support. There are 149 commands, usable in ARexx Macros or in the definition of menus, keystrokes and mouse clicks. The main abilities are the following:
  - Edit and Move commands
  - Clipboard Function
  - Recorded Macros
  - Paragraph Formatting
  - Bookmarks
  - Find & Replace
  - Matching Brackets
  - Undo & Undelete line
  - Run external Tools, DOS Scripts, ARexx Macros
  - Encrypting
- \* And, above all, it's made by ME.

Give it a try... a look can explain better than thousands of words.

## 1.3 The Author

Author

Marco Negri  
Via delle Alpi 19  
20026 Novate Milanese (MILANO)  
I T A L I A

e-mail: s592345@vm.uni-bocconi.it  
www: <http://www.ing.unico.it/~mfontana/marco.html>

This is me...

## 1.4 Credits

Credits

These are all the people who have been very important for the realisation of Blacks Editor:

- \* Mauro Fontana
- \* Andrew Martin

For their suggestions, help and testing.

- \* Commodore
-

For having invented the Amiga

\* Lara

My girlfriend, for having listened to me for months talking about window refreshing, IDCMP, ARexx, etc.

\* Pat Metheny & Mark Knopfler

For their wonderful guitars who conformed me in sleepless nights spent on my keyboard.

Well... maybe I'm a bit exaggerating with the credits...

Let's go to see this Blacks Editor, finally...

## 1.5 Bug Reports

Bug Reports

This is a beta release, and beta releases are for finding bugs and fixing them.

Even if I don't guarantee anything (read the disclaimer), I think that BED at the moment doesn't contain major bugs (i.e. you don't have to worry to lose your data).

But if you found some bugs, even minor, or if you have some suggestions for this or another release of BED, please tell me.

[Click here for my address.](#)

## 1.6 History

History

--- 1.0B - 14-Jan-96 -----

First public release. Beta release. OS v39 required.

--- 1.0B - 28-Jan-96 -----

First v37 compatible release.

## 1.7 Future

---

Future

First of all I have to finish this documentation...

When a final 1.0 release will be ready, I want to check the success of this first version to decide whether investing a LOT of my time in developing BED.

The ideas for next version are:

<\*> Full Undo.

<\*> ToolManager-like Docks, or simple groups of gadgets (of course user-definable) for each window

<\*> Standard Clipboard support

<\*> Word colouring

<\*> More and more AReXX Macros, for syntax checking, auto-indenting, etc.

<\*> Custom Progress Indicator support

<\*> Gadgets Shortcuts.

<\*> Implementation of the #LINKS keyword in the definitions file, which includes another file, something like the #include directive in C

<\*> ... and whatever you will suggest me

## 1.8 Before you begin

Before you begin it's better if you read something about...

Distribution

Disclaimer

Hardware requirements

Installation

## 1.9 Distribution

Distribution

Blacks Editor v1.0B - By Marco Negri - 28-Jan-1996

This entire package is designated Cardware, that is I ask you to

---

send me a postcard of your country or a message by E-Mail, because I like to know where my program is used.

You may freely copy and distribute it as often as you like, with the following limitations:

- \* The package must remain complete and unchanged
- \* The package can be included on CD-ROMs, BBS, magazines, but I ask you to inform the Author.
- \* Donations are welcome.
- \* It is expressly forbidden to use this program, or any programs or data developed using this program to directly or indirectly benefit the military.

## 1.10 Disclaimer

Disclaimer

THIS PROGRAM IS PROVIDED ON AN "AS IS" BASIS, NO WARRANTIES ARE MADE, EITHER EXPRESSED OR IMPLIED. IN NO EVENT WILL I, MARCO NEGRI, BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING FROM ANY USE OR MISUSE OF THIS PROGRAM. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THIS PROGRAM IS ASSUMED BY YOU.

## 1.11 Requirements

Requirements

- \* An Amiga ; -)
- \* OS 2.04+ (V37)
- \* Reqtools.library v38+ (Copyright by Nico François)
- \* Commodore Installer (needed only for the installation)

(Recommended for better use)

- \* A Hard Disk
- \* ARexx running

-----  
Also available:

- \* Versions optimized for 68020, 68030, 68040

As Blacks Editor is written in C, these versions are obtained

---

compiling the same source with the optimization for a specific processor.

These versions have not been included for space reasons, but you can ask me for them.

If you are on Internet I can send it to you for free, else you have to send me the money for the shipping of the disk.

-----

## 1.12 Installation

Installation

To install Blacks Editor simply open the Install drawer and double-click on the icon of your language.

A Standard Installer Script will guide you through the short installation process.

## 1.13 Quick Starting

Quick Starting

This section is for you who hate reading documentations and want to know only the most important things.

So here they are:

<\*> You can start BED from the Shell or from the Workbench

<\*> The layout of the menus, of the keyboard and the actions to take at each mouse click are called definitions, and are specified in a file with the ".dfn" extension in the "BED:Support" directory.

<\*> A lot of preferences are specified in files with ".prf" extension in the "BED:Support" directory

<\*> In the "Rexx" directory there are a lot of useful ARexx Macros. They can be executed using the ARexx menu.

<\*> If not differently specified, BED load at startup the definitions from "BED:Support/Startup.dfn", the preferences from "BED:Support/Startup.prf", and executes the ARexx Macro "BED:Rexx/Startup.bed, if it exists.

<\*> If not differently specified, BED executes at the opening of a new window the ARexx Macro

---

"BED:Rexx/Doc\_Startup.bed", if it exists. In the original configuration this macro does the same as SetConfig, i.e. it loads the preferences and the definitions according to the current filename extension. You can, of course, modify or delete this macro.

## 1.14 Starting Blacks Editor

Starting Blacks Editor

Blacks Editor can be started either from WB or from the Shell.

Starting from the Shell

Starting from Workbench

## 1.15 Starting from the Shell

From the Shell

If you want to run Blacks Editor from the Shell you just have to type:

BED

followed by these optional arguments

FILENAME, DEFS/K, PREFS/K, MACRO/K, QUIT/S

## 1.16 Starting from the Workbench

From the Workbench

If you want to run Blacks Editor from the Workbench you have to double click on the BED icon or on any Project Icon with BED as Default Tool.

The following Tooltypes are supported:

FILENAME	- File to edit
DEFS	- Definitions file
PREFS	- Preferences file
MACRO	- Macro to execute at startup
QUIT	- Quit BED

## 1.17 FILENAME

FILENAME

FILENAME: If a filename is specified then this file is loaded in the first document window.  
If there is a copy of BED running, then it will open a new document window and load the specified file.

## 1.18 DEFS/K

DEFS

DEFS/K: If a defs file is specified then the definitions are loaded from it.  
It defaults to BED:Support/Startup.dfn.

## 1.19 PREFS/K

PREFS

PREFS/K: If a prefs file is specified then the preferences are loaded from it.  
It defaults to BED:Support/Startup.prf

## 1.20 MACRO/K

MACRO

MACRO/K: If this argument is specified then the ARexx Macro is executed.  
It defaults to BED:Support/Startup.bed

## 1.21 QUIT/S

QUIT

QUIT/S: When there is a copy of BED running, this switch force him to quit.

## 1.22 The Standard Configuration

---

Standard configuration

This is the standard configuration of Blacks Editor, and can be found in the definition file `BED:Support/Standard.dfn`.

This file define the menus, the keyboard sequences and the actions to take at each type of mouse click.

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

## 1.23 Standard Menus

Standard menus:

```
File
Window
Edit
Find
Format
Extras
Macro
Tools
ARexx
Settings
?
```

## 1.24 Menu name: File

File:

```
New Doc           OpenDoc
Clear File        ClearFile
=====
Open File...      OpenFile
Open New Doc...   OpenDoc FILEREQ
Insert File...    InsertFile
=====
Save File         SaveFile
Save File As...   SaveFileAs
Save & Close      ExecARexxString SaveFile MODIFIED QUIET; CloseDoc;
=====
Print File...     PrintFile
=====
Close Doc         CloseDoc
Quit              Quit
```

## 1.25 Menu name: Window

Window:

```

Select...                               ExecARexxMacro WINDOW=CON:////Select.../SCREEN BED:Rexx ←
  /SelectDoc.bed
=====
Minimize                                SizeWindow 0 0
Maximize                                 SizeWindow 10000 10000
Normalize                                SetWindowSpec
=====
Snapshot                                ExecARexxString OPTIONS RESULTS; GetWindowSpec; ←
  SetPrefs DefaultWindow RESULT;
=====
Iconify                                  IconifyWindow TOGGLE
Iconify All                              ExecARexxMacro BED:Rexx/OrganizeWindows.bed ICONIFY
Tile                                      ExecARexxMacro BED:Rexx/OrganizeWindows.bed TILE
Stack                                     ExecARexxMacro BED:Rexx/OrganizeWindows.bed STACK
Cascade                                  ExecARexxMacro BED:Rexx/OrganizeWindows.bed CASCADE
=====
Open Desktop...                          ExecARexxMacro BED:Rexx/LoadDesktop.bed
Save Desktop As...                       ExecARexxMacro BED:Rexx/SaveDesktop.bed

```

## 1.26 Menu name: Edit

Edit:

```

Mark Block                               MarkBlk
=====
Select Word                              MarkBlk WORD
Select Line                              SelectLine
Select All                                ExecARexxString MoveSOF; MarkBlk; MoveEOF;
=====
Cut                                        CutBlk
Copy                                       CopyBlk
Paste                                       PasteClip
Erase                                       DeleteBlk QUIET
=====
Cut Append                               CutBlk APPEND
Copy Append                              CopyBlk APPEND
=====
Open Clip...                              OpenClip
Save Clip As...                           SaveClip
Print Clip...                             PrintClip

```

## 1.27 Menu name: Find

Find:

```

Find...                                  OpenRequester FIND
Find Next                                Find
Find & Replace...                        OpenRequester FINDCHANGE

```

Replace Next	FindChange
=====	
Goto Line...	Move
Match Bracket	MoveMatchBkt
=====	
Set Bookmark	Nop
# 1	SetBookmark 1
# 2	SetBookmark 2
# 3	SetBookmark 3
# 4	SetBookmark 4
# 5	SetBookmark 5
# 6	SetBookmark 6
# 7	SetBookmark 7
# 8	SetBookmark 8
# 9	SetBookmark 9
# 10	SetBookmark 10
Goto Bookmark	Nop
# 1	MoveBookmark 1
# 2	MoveBookmark 2
# 3	MoveBookmark 3
# 4	MoveBookmark 4
# 5	MoveBookmark 5
# 6	MoveBookmark 6
# 7	MoveBookmark 7
# 8	MoveBookmark 8
# 9	MoveBookmark 9
# 10	MoveBookmark 10

## 1.28 Menu name: Format

Format :

Format Paragraph	FormatParagraph
Goto Paragraph	Nop
Previous	ExecARexxMacro BED:Rexx/PrevParagraph
Next	ExecARexxMacro BED:Rexx/NextParagraph
Documentize	ExecARexxMacro BED:Rexx/Documentize.bed
=====	
Left Justify	LeftJustify
Right Justify	RightJustify
L/R Justify	Justify
Center	Center
=====	
Tabs -> Spaces	Conv2Spaces
Spaces -> Tabs	Conv2Tabs
Remove EOL Blanks	StripEOLBlanks
=====	
Indent Block	ExecARexxMacro BED:Rexx/IndentBlk.bed
Unindent Block	ExecARexxMacro BED:Rexx/UnindentBlk.bed
=====	
Indent Line	ShiftRight TABS
Unindent Line	ShiftLeft TABS

## 1.29 Menu name: Extras

Extras:

Undo Line	UndoLine
Undelete Line	UndeleteLine
=====	
Insert Current Date	ExecARExxString Insert DATE();
Insert Current Time	ExecARExxString Insert TIME();
Insert ASCII Char	SetChar
Insert Version String	ExecARExxMacro BED:Rexx/InsertVersion.bed
=====	
Comment Block	ExecARExxMacro BED:Rexx/CommentBlk.bed
Number Lines	ExecARExxMacro BED:Rexx/NumberLines.bed
=====	
Word -> Lower Case	Conv2Lower
Word -> Upper Case	Conv2Upper
Toggle Char Case	ToggleCharCase
=====	
Encrypt Block	EncryptBlk

## 1.30 Menu name: Macro

Macro:

Start Recording	RecordMacro
Stop Recording	EndMacro
=====	
Play Macro	PlayMacro 1
Play Many...	PlayMacro
=====	
Open Macro...	OpenMacro
Save Macro as...	SaveMacro

## 1.31 Menu name: Tools

Tools:

New Shell...	NewShell
New Console...	ExecARExxMacro CONSOLE BED:Rexx/CmdShell.bed
=====	
Exec Tool...	ExecTool
Run Tool...	RunTool
Exec DOS Script...	ExecDOSScript CONSOLE
=====	
Calculator	RunTool Calculator PUBSCREEN=Blacks_Editor
Multiview	RunTool Multiview
=====	
...	RunTool

### 1.32 Menu name: ARexx

ARexx:

```

Exec ARexx Macro...      ExecARexxMacro
Exec ARexx String...    ExecARexxString
=====
AddChars                 ExecARexxMacro BED:Rexx/AddChars.bed
CountWords               ExecARexxMacro BED:Rexx/CountWords.bed
ExecBlk                  ExecARexxMacro CONSOLE BED:Rexx/ExecBlk.bed
PrintBlk                 ExecARexxMacro BED:Rexx/PrintBlk.bed
RemoveBlankLines        ExecARexxMacro BED:Rexx/RemoveBlankLines.bed
SaveBlk                  ExecARexxMacro BED:Rexx/SaveBlk.bed
SaveChangedDocs          ExecARexxMacro BED:Rexx/SaveChangedDocs.bed
SetConfig                ExecARexxMacro BED:Rexx/SetConfig.bed
ShowAG                   ExecARexxMacro BED:Rexx/ShowAG.bed
SortBlk                  ExecARexxMacro BED:Rexx/SortBlk.bed
UnSetLocks               ExecARexxMacro BED:Rexx/UnSetLocks.bed
=====
...                       ExecARexxMacro

```

### 1.33 Menu name: Settings

Settings:

```

Change Prefs             Nop
  Auto-Save               OpenRequester AUTOSAVEPREFS
  Backup                   OpenRequester BACKUPPREFS
  Colors                   OpenRequester COLORPREFS
  Display                  OpenRequester DISPLAYPREFS
  Edit                     OpenRequester EDITPREFS
  End Of Lines             OpenRequester ENDOFLINEPREFS
  Fonts                    OpenRequester FONTPREFS
  Icons                    OpenRequester ICONPREFS
  Miscellanea              OpenRequester MISCPREFS
  Tabs                     OpenRequester TABPREFS
=====
Open Prefs...            OpenPrefs
Save Prefs...            SavePrefs
Save Prefs As Defaults   SaveDefPrefs
=====
Open Definitions...      OpenDefinitions

```

### 1.34 Menu name: ?

?:

```

About BED                About
=====
Quick Reference          Help QuickReference
BED Menus                Help Standard_Menus
BED Commands             ExecARexxMacro BED:Rexx/BedCmdHelp.bed

```

=====

BED Main Help                      Help

### 1.35 File/New Doc

Menu name:        File/New Doc

Shortcut:        Amiga-W

Command:        OpenDoc

Description:

### 1.36 File/Clear File

Menu name:        File/Clear File

Shortcut:        None

Command:        ClearFile

Description:

### 1.37 File/Open File...

Menu name:        File/Open File...

Shortcut:        Amiga-O

Command:        OpenFile

Description:

### 1.38 File/Open New Doc...

Menu name:        File/Open New Doc...

Shortcut:        Amiga-D

Command:        OpenDoc FILEREQ

Description:

---

### 1.39 File/Insert File...

Menu name: File/Insert File...

Shortcut: None

Command: InsertFile

Description:

### 1.40 File/Save File

Menu name: File/Save File

Shortcut: Amiga-S

Command: SaveFile

Description:

### 1.41 File/Save File As...

Menu name: File/Save File As...

Shortcut: Amiga-A

Command: SaveFileAs

Description:

### 1.42 File/Save & Close

Menu name: File/Save & Close

Shortcut: None

Command: ExecARexxString SaveFile MODIFIED QUIET; CloseDoc;

Description:

### 1.43 File/Print File...

Menu name: File/Print File...

Shortcut: None

Command: PrintFile

Description:

## 1.44 File/Close Doc

Menu name: File/Close Doc

Shortcut: Amiga-Q

Command: CloseDoc

Description:

## 1.45 File/Quit

Menu name: File/Quit

Shortcut: None

Command: Quit

Description:

## 1.46 Window/Select...

Menu name: Window/Select...

Shortcut: None

Command: ExecARexxMacro WINDOW=CON:////Select.../SCREEN BED:Rexx/SelectDoc ↔  
.bed

Description:

## 1.47 Window/Minimize

Menu name: Window/Minimize

Shortcut: None

Command: SizeWindow 0 0

Description:

## 1.48 Window/Maximize

Menu name: Window/Maximize  
Shortcut: None  
Command: SizeWindow 10000 10000  
Description:

## 1.49 Window/Normalize

Menu name: Window/Normalize  
Shortcut: None  
Command: SetWindowSpec  
Description:

## 1.50 Window/Snapshot

Menu name: Window/Snapshot  
Shortcut: None  
Command: ExecARExxString OPTIONS RESULTS; GetWindowSpec; SetPrefs ↔  
DefaultWindow RESULT;  
Description:

## 1.51 Window/Iconify

Menu name: Window/Iconify  
Shortcut: None  
Command: IconifyWindow TOGGLE  
Description:

## 1.52 Window/Iconify All

Menu name: Window/Iconify All  
Shortcut: None

---

Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed ICONIFY

Description:

### 1.53 Window/Tile

Menu name: Window/Tile

Shortcut: None

Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed TILE

Description:

### 1.54 Window/Stack

Menu name: Window/Stack

Shortcut: None

Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed STACK

Description:

### 1.55 Window/Cascade

Menu name: Window/Cascade

Shortcut: None

Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed CASCADE

Description:

### 1.56 Window/Open Desktop...

Menu name: Window/Open Desktop...

Shortcut: None

Command: ExecARexxMacro BED:Rexx/LoadDesktop.bed

Description:

---

## 1.57 Window/Save Desktop As...

Menu name: Window/Save Desktop As...

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SaveDesktop.bed

Description:

## 1.58 Edit/Mark Block

Menu name: Edit/Mark Block

Shortcut: Amiga-B

Command: MarkBlk

Description:

## 1.59 Edit/Select Word

Menu name: Edit/Select Word

Shortcut: None

Command: MarkBlk WORD

Description:

## 1.60 Edit/Select Line

Menu name: Edit/Select Line

Shortcut: Amiga-E

Command: SelectLine

Description:

## 1.61 Edit/Select All

Menu name: Edit/Select All

Shortcut: Amiga-T

Command: ExecARexxString MoveSOF; MarkBlk; MoveEOF;

---

Description:

## 1.62 Edit/Cut

Menu name: Edit/Cut

Shortcut: Amiga-X

Command: CutBlk

Description:

## 1.63 Edit/Copy

Menu name: Edit/Copy

Shortcut: Amiga-C

Command: CopyBlk

Description:

## 1.64 Edit/Paste

Menu name: Edit/Paste

Shortcut: Amiga-V

Command: PasteClip

Description:

## 1.65 Edit/Erase

Menu name: Edit/Erase

Shortcut: None

Command: DeleteBlk QUIET

Description:

---

## 1.66 Edit/Cut Append

Menu name: Edit/Cut Append

Shortcut: None

Command: CutBlk APPEND

Description:

## 1.67 Edit/Copy Append

Menu name: Edit/Copy Append

Shortcut: Amiga-Z

Command: CopyBlk APPEND

Description:

## 1.68 Edit/Open Clip...

Menu name: Edit/Open Clip...

Shortcut: None

Command: OpenClip

Description:

## 1.69 Edit/Save Clip As...

Menu name: Edit/Save Clip As...

Shortcut: None

Command: SaveClip

Description:

## 1.70 Edit/Print Clip...

Menu name: Edit/Print Clip...

Shortcut: None

Command: PrintClip

Description:

### 1.71 Find/Find...

Menu name: Find/Find...

Shortcut: Amiga-F

Command: OpenRequester FIND

Description:

### 1.72 Find/Find Next

Menu name: Find/Find Next

Shortcut: Amiga-N

Command: Find

Description:

### 1.73 Find/Find & Replace...

Menu name: Find/Find & Replace...

Shortcut: Amiga-R

Command: OpenRequester FINDCHANGE

Description:

### 1.74 Find/Replace Next

Menu name: Find/Replace Next

Shortcut: Amiga-Y

Command: FindChange

Description:

---

## 1.75 Find/Goto Line...

Menu name: Find/Goto Line...

Shortcut: Amiga-L

Command: Move

Description:

## 1.76 Find/Match Bracket

Menu name: Find/Match Bracket

Shortcut: None

Command: MoveMatchBkt

Description:

## 1.77 Find/Set Bookmark

Menu name: Find/Set Bookmark

Shortcut: None

Command: Nop

Description:

## 1.78 Find/Set Bookmark/# 1

Menu name: Find/Set Bookmark/# 1

Shortcut: None

Command: SetBookmark 1

Description:

## 1.79 Find/Set Bookmark/# 2

Menu name: Find/Set Bookmark/# 2

Shortcut: None

Command: SetBookmark 2

Description:

### 1.80 Find/Set Bookmark/# 3

Menu name: Find/Set Bookmark/# 3

Shortcut: None

Command: SetBookmark 3

Description:

### 1.81 Find/Set Bookmark/# 4

Menu name: Find/Set Bookmark/# 4

Shortcut: None

Command: SetBookmark 4

Description:

### 1.82 Find/Set Bookmark/# 5

Menu name: Find/Set Bookmark/# 5

Shortcut: None

Command: SetBookmark 5

Description:

### 1.83 Find/Set Bookmark/# 6

Menu name: Find/Set Bookmark/# 6

Shortcut: None

Command: SetBookmark 6

Description:

---

### 1.84 Find/Set Bookmark/# 7

Menu name: Find/Set Bookmark/# 7

Shortcut: None

Command: SetBookmark 7

Description:

### 1.85 Find/Set Bookmark/# 8

Menu name: Find/Set Bookmark/# 8

Shortcut: None

Command: SetBookmark 8

Description:

### 1.86 Find/Set Bookmark/# 9

Menu name: Find/Set Bookmark/# 9

Shortcut: None

Command: SetBookmark 9

Description:

### 1.87 Find/Set Bookmark/# 10

Menu name: Find/Set Bookmark/# 10

Shortcut: None

Command: SetBookmark 10

Description:

### 1.88 Find/Goto Bookmark

Menu name: Find/Goto Bookmark

Shortcut: None

Command: Nop

Description:

### **1.89 Find/Goto Bookmark/# 1**

Menu name: Find/Goto Bookmark/# 1

Shortcut: None

Command: MoveBookmark 1

Description:

### **1.90 Find/Goto Bookmark/# 2**

Menu name: Find/Goto Bookmark/# 2

Shortcut: None

Command: MoveBookmark 2

Description:

### **1.91 Find/Goto Bookmark/# 3**

Menu name: Find/Goto Bookmark/# 3

Shortcut: None

Command: MoveBookmark 3

Description:

### **1.92 Find/Goto Bookmark/# 4**

Menu name: Find/Goto Bookmark/# 4

Shortcut: None

Command: MoveBookmark 4

Description:

---

### 1.93 Find/Goto Bookmark/# 5

Menu name: Find/Goto Bookmark/# 5

Shortcut: None

Command: MoveBookmark 5

Description:

### 1.94 Find/Goto Bookmark/# 6

Menu name: Find/Goto Bookmark/# 6

Shortcut: None

Command: MoveBookmark 6

Description:

### 1.95 Find/Goto Bookmark/# 7

Menu name: Find/Goto Bookmark/# 7

Shortcut: None

Command: MoveBookmark 7

Description:

### 1.96 Find/Goto Bookmark/# 8

Menu name: Find/Goto Bookmark/# 8

Shortcut: None

Command: MoveBookmark 8

Description:

### 1.97 Find/Goto Bookmark/# 9

Menu name: Find/Goto Bookmark/# 9

Shortcut: None

Command: MoveBookmark 9

Description:

## 1.98 Find/Goto Bookmark/# 10

Menu name: Find/Goto Bookmark/# 10

Shortcut: None

Command: MoveBookmark 10

Description:

## 1.99 Format/Format Paragraph

Menu name: Format/Format Paragraph

Shortcut: None

Command: FormatParagraph

Description:

## 1.100 Format/Goto Paragraph

Menu name: Format/Goto Paragraph

Shortcut: None

Command: Nop

Description:

## 1.101 Format/Goto Paragraph/Previous

Menu name: Format/Goto Paragraph/Previous

Shortcut: None

Command: ExecARexxMacro BED:Rexx/PrevParagraph

Description:

---

### 1.102 Format/Goto Paragraph/Next

Menu name: Format/Goto Paragraph/Next  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/NextParagraph  
Description:

### 1.103 Format/Documentize

Menu name: Format/Documentize  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/Documentize.bed  
Description:

### 1.104 Format/Left Justify

Menu name: Format/Left Justify  
Shortcut: None  
Command: LeftJustify  
Description:

### 1.105 Format/Right Justify

Menu name: Format/Right Justify  
Shortcut: None  
Command: RightJustify  
Description:

### 1.106 Format/L/R Justify

Menu name: Format/L/R Justify  
Shortcut: None  
Command: Justify

---

Description:

### **1.107 Format/Center**

Menu name: Format/Center

Shortcut: None

Command: Center

Description:

### **1.108 Format/Tabs -> Spaces**

Menu name: Format/Tabs -> Spaces

Shortcut: None

Command: Conv2Spaces

Description:

### **1.109 Format/Spaces -> Tabs**

Menu name: Format/Spaces -> Tabs

Shortcut: None

Command: Conv2Tabs

Description:

### **1.110 Format/Remove EOL Blanks**

Menu name: Format/Remove EOL Blanks

Shortcut: None

Command: StripEOLBlanks

Description:

---

### 1.111 Format/Indent Block

Menu name: Format/Indent Block  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/IndentBlk.bed  
Description:

### 1.112 Format/Unindent Block

Menu name: Format/Unindent Block  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/UnindentBlk.bed  
Description:

### 1.113 Format/Indent Line

Menu name: Format/Indent Line  
Shortcut: None  
Command: ShiftRight TABS  
Description:

### 1.114 Format/Unindent Line

Menu name: Format/Unindent Line  
Shortcut: None  
Command: ShiftLeft TABS  
Description:

### 1.115 Extras/Undo Line

Menu name: Extras/Undo Line  
Shortcut: Amiga-U  
Command: UndoLine

---

Description:

### 1.116 Extras/Undelete Line

Menu name: Extras/Undelete Line

Shortcut: None

Command: UndeleteLine

Description:

### 1.117 Extras/Insert Current Date

Menu name: Extras/Insert Current Date

Shortcut: None

Command: ExecARExxString Insert DATE();

Description:

### 1.118 Extras/Insert Current Time

Menu name: Extras/Insert Current Time

Shortcut: None

Command: ExecARExxString Insert TIME();

Description:

### 1.119 Extras/Insert ASCII Char

Menu name: Extras/Insert ASCII Char

Shortcut: None

Command: SetChar

Description:

---

### 1.120 Extras/Insert Version String

Menu name: Extras/Insert Version String  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/InsertVersion.bed  
Description:

### 1.121 Extras/Comment Block

Menu name: Extras/Comment Block  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/CommentBlk.bed  
Description:

### 1.122 Extras/Number Lines

Menu name: Extras/Number Lines  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/NumberLines.bed  
Description:

### 1.123 Extras/Word -> Lower Case

Menu name: Extras/Word -> Lower Case  
Shortcut: None  
Command: Conv2Lower  
Description:

### 1.124 Extras/Word -> Upper Case

Menu name: Extras/Word -> Upper Case  
Shortcut: None  
Command: Conv2Upper

---

Description:

### **1.125 Extras/Toggle Char Case**

Menu name: Extras/Toggle Char Case

Shortcut: None

Command: ToggleCharCase

Description:

### **1.126 Extras/Encrypt Block**

Menu name: Extras/Encrypt Block

Shortcut: None

Command: EncryptBlk

Description:

### **1.127 Macro/Start Recording**

Menu name: Macro/Start Recording

Shortcut: Amiga-G

Command: RecordMacro

Description:

### **1.128 Macro/Stop Recording**

Menu name: Macro/Stop Recording

Shortcut: Amiga-H

Command: EndMacro

Description:

---

### 1.129 Macro/Play Macro

Menu name: Macro/Play Macro

Shortcut: Amiga-M

Command: PlayMacro 1

Description:

### 1.130 Macro/Play Many...

Menu name: Macro/Play Many...

Shortcut: Amiga-I

Command: PlayMacro

Description:

### 1.131 Macro/Open Macro...

Menu name: Macro/Open Macro...

Shortcut: None

Command: OpenMacro

Description:

### 1.132 Macro/Save Macro as...

Menu name: Macro/Save Macro as...

Shortcut: None

Command: SaveMacro

Description:

### 1.133 Tools/New Shell...

Menu name: Tools/New Shell...

Shortcut: None

Command: NewShell

Description:

### 1.134 Tools/New Console...

Menu name: Tools/New Console...

Shortcut: None

Command: ExecARexxMacro CONSOLE BED:Rexx/CmdShell.bed

Description:

### 1.135 Tools/Exec Tool...

Menu name: Tools/Exec Tool...

Shortcut: None

Command: ExecTool

Description:

### 1.136 Tools/Run Tool...

Menu name: Tools/Run Tool...

Shortcut: None

Command: RunTool

Description:

### 1.137 Tools/Exec DOS Script...

Menu name: Tools/Exec DOS Script...

Shortcut: None

Command: ExecDOSScript CONSOLE

Description:

---

### 1.138 Tools/Calculator

Menu name: Tools/Calculator  
Shortcut: None  
Command: RunTool Calculator PUBSCREEN=Blacks\_Editor  
Description:

### 1.139 Tools/Multiview

Menu name: Tools/Multiview  
Shortcut: None  
Command: RunTool Multiview  
Description:

### 1.140 Tools/...

Menu name: Tools/...  
Shortcut: None  
Command: RunTool  
Description:

### 1.141 ARexx/Exec ARexx Macro...

Menu name: ARexx/Exec ARexx Macro...  
Shortcut: None  
Command: ExecARexxMacro  
Description:

### 1.142 ARexx/Exec ARexx String...

Menu name: ARexx/Exec ARexx String...  
Shortcut: Amiga-K  
Command: ExecARexxString

---

Description:

### 1.143 ARexx/AddChars

Menu name: ARexx/AddChars

Shortcut: None

Command: ExecARexxMacro BED:Rexx/AddChars.bed

Description:

### 1.144 ARexx/CountWords

Menu name: ARexx/CountWords

Shortcut: None

Command: ExecARexxMacro BED:Rexx/CountWords.bed

Description:

### 1.145 ARexx/ExecBlk

Menu name: ARexx/ExecBlk

Shortcut: None

Command: ExecARexxMacro CONSOLE BED:Rexx/ExecBlk.bed

Description:

### 1.146 ARexx/PrintBlk

Menu name: ARexx/PrintBlk

Shortcut: None

Command: ExecARexxMacro BED:Rexx/PrintBlk.bed

Description:

---

### 1.147 ARexx/RemoveBlankLines

Menu name: ARexx/RemoveBlankLines  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/RemoveBlankLines.bed  
Description:

### 1.148 ARexx/SaveBlk

Menu name: ARexx/SaveBlk  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/SaveBlk.bed  
Description:

### 1.149 ARexx/SaveChangedDocs

Menu name: ARexx/SaveChangedDocs  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/SaveChangedDocs.bed  
Description:

### 1.150 ARexx/SetConfig

Menu name: ARexx/SetConfig  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/SetConfig.bed  
Description:

### 1.151 ARexx/ShowAG

Menu name: ARexx/ShowAG  
Shortcut: None  
Command: ExecARexxMacro BED:Rexx/ShowAG.bed

---

Description:

### 1.152 ARexx/SortBlk

Menu name: ARexx/SortBlk

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SortBlk.bed

Description:

### 1.153 ARexx/UnSetLocks

Menu name: ARexx/UnSetLocks

Shortcut: None

Command: ExecARexxMacro BED:Rexx/UnSetLocks.bed

Description:

### 1.154 ARexx/...

Menu name: ARexx/...

Shortcut: None

Command: ExecARexxMacro

Description:

### 1.155 Settings/Change Prefs

Menu name: Settings/Change Prefs

Shortcut: None

Command: Nop

Description:

---

### 1.156 Settings/Change Prefs/Auto-Save

Menu name: Settings/Change Prefs/Auto-Save

Shortcut: Amiga-1

Command: OpenRequester AUTOSAVEPREFS

Description:

### 1.157 Settings/Change Prefs/Backup

Menu name: Settings/Change Prefs/Backup

Shortcut: Amiga-2

Command: OpenRequester BACKUPPREFS

Description:

### 1.158 Settings/Change Prefs/Colors

Menu name: Settings/Change Prefs/Colors

Shortcut: Amiga-3

Command: OpenRequester COLORPREFS

Description:

### 1.159 Settings/Change Prefs/Display

Menu name: Settings/Change Prefs/Display

Shortcut: Amiga-4

Command: OpenRequester DISPLAYPREFS

Description:

### 1.160 Settings/Change Prefs/Edit

Menu name: Settings/Change Prefs/Edit

Shortcut: Amiga-5

Command: OpenRequester EDITPREFS

Description:

### **1.161 Settings/Change Prefs/End Of Lines**

Menu name: Settings/Change Prefs/End Of Lines

Shortcut: Amiga-6

Command: OpenRequester ENDOFLINEPREFS

Description:

### **1.162 Settings/Change Prefs/Fonts**

Menu name: Settings/Change Prefs/Fonts

Shortcut: Amiga-7

Command: OpenRequester FONTPREFS

Description:

### **1.163 Settings/Change Prefs/Icons**

Menu name: Settings/Change Prefs/Icons

Shortcut: Amiga-8

Command: OpenRequester ICONPREFS

Description:

### **1.164 Settings/Change Prefs/Miscellanea**

Menu name: Settings/Change Prefs/Miscellanea

Shortcut: Amiga-9

Command: OpenRequester MISCPREFS

Description:

---

### 1.165 Settings/Change Prefs/Tabs

Menu name: Settings/Change Prefs/Tabs  
Shortcut: Amiga-0  
Command: OpenRequester TABPREFS  
Description:

### 1.166 Settings/Open Prefs...

Menu name: Settings/Open Prefs...  
Shortcut: None  
Command: OpenPrefs  
Description:

### 1.167 Settings/Save Prefs...

Menu name: Settings/Save Prefs...  
Shortcut: None  
Command: SavePrefs  
Description:

### 1.168 Settings/Save Prefs As Defaults

Menu name: Settings/Save Prefs As Defaults  
Shortcut: None  
Command: SaveDefPrefs  
Description:

### 1.169 Settings/Open Definitions...

Menu name: Settings/Open Definitions...  
Shortcut: None  
Command: OpenDefinitions

---

Description:

### **1.170 ?/About BED**

Menu name: ?/About BED

Shortcut: None

Command: About

Description:

### **1.171 ?/Quick Reference**

Menu name: ?/Quick Reference

Shortcut: None

Command: Help QuickReference

Description:

### **1.172 ?/BED Menus**

Menu name: ?/BED Menus

Shortcut: None

Command: Help Standard\_Menus

Description:

### **1.173 ?/BED Commands**

Menu name: ?/BED Commands

Shortcut: None

Command: ExecARexxMacro BED:Rexx/BedCmdHelp.bed

Description:

---

## 1.174 ?/BED Main Help

Menu name: ?/BED Main Help

Shortcut: None

Command: Help

Description:

## 1.175 The Standard Keyboard Sequences

Still writing

Sorry :-(

I still have to write this page...

## 1.176 The Standard Mouse Clicks

Still writing

Sorry :-(

I still have to write this page...

## 1.177 Customize Blacks Editor

Still writing

Sorry :-(

I still have to write this page...

## 1.178 Definitions Files

Still writing

Sorry :-(

I still have to write this page...

---

## 1.179 Preferences Files

Still writing

Sorry :-(

I still have to write this page...

## 1.180 Supplied Material

Still writing

Sorry :-(

I still have to write this page...

## 1.181 Supplied Emulations

Still writing

Sorry :-(

I still have to write this page...

## 1.182 Supplied Macros

Still writing

Sorry :-(

I still have to write this page...

## 1.183 Quick Reference for Blacks Editor

Quick reference for Blacks Editor

IMPORTANT !!! These three keyboard sequences are always valid:

-----

[Ctrl]-[Shift]-[Alt]-F1	Restore the built-in default definitions (menus, keys, ↵ etc...)
[Ctrl]-[Shift]-[Alt]-F2	Restore the built-in default preferences
[Ctrl]-[Shift]-[Alt]-F3	Remake the screen

Standard keyboard sequences:

-----

---

---

[Return]	Insert a line
[Enter]	Insert a line with indent
[Backspace]	Delete the previous character
[Del]	Delete the current character
[Tab]	Insert a tab
[Esc]	
[Help]	This help
[CursorUp]	Move the cursor up by one line
[CursorDown]	Move the cursor down by one line
[CursorRight]	Move the cursor right by one character
[CursorLeft]	Move the cursor left by one character
[F1]	Open a new document
[F2]	Open a new file in the current document
[F3]	Find matching bracket
[F4]	Open the Command Shell
[F5]	Open a DOS Shell
[F6]	Move the cursor to the start of previous paragraph
[F7]	Move the cursor to the start of next paragraph
[F8]	Indent the selected block
[F9]	Save the current file if modified
[F10]	Activate the next document and bring it to front
[Shift]-[Return]	Insert a line without breaking the current line
[Shift]-[Enter]	Insert a line with indent without breaking the current line ←
[Shift]-[BackSpace]	Delete to the start of the current word
[Shift]-[Del]	Delete to the end of the current word
[Shift]-[Tab]	Move to the previous tab stop on the current line
[Shift]-[Esc]	
[Shift]-[Help]	Display the General Blacks Editor Help
[Shift]-[CursorUp]	Move the cursor up by one screenful
[Shift]-[CursorDown]	Move the cursor down by one screenful
[Shift]-[CursorRight]	Move to the start of the next word
[Shift]-[CursorLeft]	Move to the start of the previous word
[Shift]-[F1]	Display the General Blacks Editor Help
[Shift]-[F2]	Open a new file in a new document
[Shift]-[F3]	Undo the current line
[Shift]-[F4]	Restore the window default position
[Shift]-[F5]	Iconify / Deiconify the current document window
[Shift]-[F6]	Format the current paragraph
[Shift]-[F7]	Justify current paragraph
[Shift]-[F8]	Unindent the selected block
[Shift]-[F9]	Save the current file with a different name
[Shift]-[F10]	Activate the previous document and bring it to front
[Alt]-[Return]	Insert a line with indent without breaking the current line ←
[Alt]-[Enter]	Insert a line without breaking the current line
[Alt]-[BackSpace]	Delete to the start of the current line
[Alt]-[Del]	Delete to the end of the current line

---

---

[Alt]-[Tab]	Move to the previous tab stop on the current line
[Alt]-[Esc]	Close the current document
[Alt]-[Help]	
[Alt]-[CursorUp]	Move the cursor to the start of the document
[Alt]-[CursorDown]	Move the cursor to the end of the document
[Alt]-[CursorRight]	Move the cursor to the end of the line
[Alt]-[CursorLeft]	Move the cursor to the start of the line
[Alt]-[F1]	Move to the position indicated by bookmark 1
[Alt]-[F2]	Move to the position indicated by bookmark 2
[Alt]-[F3]	Move to the position indicated by bookmark 3
[Alt]-[F4]	Move to the position indicated by bookmark 4
[Alt]-[F5]	Move to the position indicated by bookmark 5
[Alt]-[F6]	Move to the position indicated by bookmark 6
[Alt]-[F7]	Move to the position indicated by bookmark 7
[Alt]-[F8]	Move to the position indicated by bookmark 8
[Alt]-[F9]	Move to the position indicated by bookmark 9
[Alt]-[F10]	Move to the position indicated by bookmark 10
[Ctrl]-[Return]	Insert a line with indent
[Ctrl]-[Enter]	Insert a line
[Ctrl]-[Backspace]	Delete the current line
[Ctrl]-[Del]	Delete the current line
[Ctrl]-[Tab]	Move to the next tab stop on the current line
[Ctrl]-[Esc]	Quit BED
[Ctrl]-[Help]	
[Ctrl]-[CursorUp]	Scroll the current document up
[Ctrl]-[CursorDown]	Scroll the current document down
[Ctrl]-[CursorRight]	Shift the current line or block right
[Ctrl]-[CursorLeft]	Shift the current line or block left
[Ctrl]-[F1]	Set bookmark 1 to the current cursor position
[Ctrl]-[F2]	Set bookmark 2 to the current cursor position
[Ctrl]-[F3]	Set bookmark 3 to the current cursor position
[Ctrl]-[F4]	Set bookmark 4 to the current cursor position
[Ctrl]-[F5]	Set bookmark 5 to the current cursor position
[Ctrl]-[F6]	Set bookmark 6 to the current cursor position
[Ctrl]-[F7]	Set bookmark 7 to the current cursor position
[Ctrl]-[F8]	Set bookmark 8 to the current cursor position
[Ctrl]-[F9]	Set bookmark 9 to the current cursor position
[Ctrl]-[F10]	Set bookmark 10 to the current cursor position
[Ctrl]-F	Toggle free form mode
[Ctrl]-I	Toggle auto-indent mode
[Ctrl]-J	Toggle jump scroll mode
[Ctrl]-O	Toggle overstrike mode
[Ctrl]-R	Toggle read-only mode
[Ctrl]-T	Toggle expand tabs mode
[Ctrl]-W	Toggle word wrap mode
[Ctrl]-Q	Quote character, next character entered is taken as is
[Ctrl]-1	Change the text color
[Ctrl]-2	Change the background color

---

[Ctrl]-3	Change the text color of selected text
[Ctrl]-4	Change the background color of selected text
[Alt]-[Ctrl]-[CursorLeft]	Move the cursor to the start of the word
[Alt]-[Ctrl]-[CursorRight]	Move the cursor to the end of the word
[Alt]-[Ctrl]-[Del]	Delete to the start of the word
[Alt]-[Ctrl]-[Backspace]	Delete to the end of the word

Standard mouse sequences:

-----

Holding down the left button and pushing the mouse off the bottom or top edges of the window scrolls the display.

Double-clicking the left button marks the start of a selection block.

Holding down the middle button and clicking the right button marks the start of a selection block

Status Area Information

-----

The letters in the status area have the following meaning:

M/m Document modified since last save? (M=Yes, m=No)  
R/r Read Only (R=On, r=Off)  
T/t Expand Tabs (T=On, t=Off)  
I/i Auto-Indent (I=On, i=Off)  
F/f Free Form (F=On, f=Off)  
O/o Overstrike (O=On, o=Off)  
W/w Word Wrap (W=On, w=Off)  
J/j Jump Scroll (J=On, j=Off)  
B/b Create Backups (B=On, b=Off)

## 1.184 Commands Reference

Commands Reference

Blacks Editor 1.08 supports 149 ARexx commands.

You can use these commands to write your own definition file, to modify an existing one, or to write ARexx Macros.

The global commands are the only who can be sent to the general ARexx port called BED. The others can only be sent to the specific ARexx port of some document.

The commands are listed according different criteria:

Alphabetical order

Functional groupings

---

Global commands

## 1.185 Alphabetical List of Commands

Alphabetical List of Commands

About	- Bring up the About requester
ActivateLastDoc	- Activates and bring to front the last document
ActivateNextDoc	- Activates and bring to front the next document
ActivatePrevDoc	- Activates and grong to front the previous document
ActivateWindow	- Activates the window of the current document
BackSpace	- Delete the character before the cursor
BeepScreen	- Flashes the screen
Center	- Center the current paragraph
CenterView	- Center vertically the current line
ClearBookMark	- Clear the specified bookmark
ClearFile	- Clears the current file
CloseDoc	- Closes the current document
Conv2Lower	- Convert the character to lower case
Conv2Spaces	- Convert the tabs to spaces
Conv2Tabs	- Convert the spaces to tabs
Conv2Upper	- Convert the character to upper case
CopyBlk	- Copy the selected block to the clipboard
CutBlk	- Copy the selected block to the clipboard and erase it
Delete	- Delete the character under the cursor character
DeleteBlk	- Erase the selected block
DeleteEOL	- Delete from the cursor to the end of the line
DeleteEOF	- Delete from the cursor to the end of the file
DeleteEOW	- Delete from the cursor to the end of the word
DeleteLine	- Delete the current line
DeleteSOL	- Delete from the cursor to the start of the line
DeleteSOF	- Delete from the cursor to the start of the file
DeleteSOW	- Delete from the cursor to the start of the word
DeleteWord	- Delete the word under the cursor
EncryptBlk	- Encrypt the selected block
EndMacro	- Stops the recording of a macro
ExecARexxMacro	- Execute am ARexx script
ExecARexxString	- Execute an ARexx string
ExecDosScript	- Execute a DOS script
ExecTool	- Execute synchronously a Tool
Exist	- Check if a the specified command is supported by BED
Find	- Search in the current document for the specified string
FindChange	- Search in the current document for the specified string and ← replace it with another
FormatParagraph	- Format the current paragraph
GetBlk	- Return the text in the selected block
GetBlkDims	- Return info about the selected block
GetBlkInfo	- Return info about the selected block
GetChar	- Return the current character
GetCurrentDir	- Return the name of the current dir
GetCursorPos	- Return info about the current position of the cursor
GetDocuments	- Return the names of the documents and their ARexx port name
GetErrorInfo	- Return the string of the specified error code
GetFileInfo	- Return info about the current document

GetFilePath	- Return the path and/or filename of the current document
GetLine	- Return the text of the current line
GetLockInfo	- Return info about the locks
GetMacroInfo	- Return info about the current macro recorded
GetPort	- Return the ARexx port name of a document
GetPrefs	- Return the value of the specified preference
GetPriority	- Return the task priority of BED
GetScreenInfo	- Return info about the screen
GetTemplate	- Return the template of the specified command
GetVersion	- Return the version string of BED
GetViewInfo	- Return info about the current view
GetWindowInfo	- Return info about the current document window
GetWindowSpec	- Return the specification of the current document window
GetWord	- Return the word under the cursor
Help	- Display an AmigaGuide document with an help about the ← specified topic
IconifyWindow	- Iconify/uniconify the current document window
Illegal	- Produces an error
Insert	- Insert the specified string in the document
InsertTab	- Insert a tab in the text
InsertFile	- Insert a file in the document
InsertLine	- Insert a new line in the document
Justify	- Justify the current paragraph
LeftJustify	- Left justify the current paragraph
MarkBlk	- Mark the start of the selection block
Move	- Move the cursor to the specified line and/or column
MoveBookMark	- Move the cursor to the specified bookmark
MoveDown	- Move the cursor down one or more lines line
MoveDownScr	- Move the cursor down one page
MoveEOF	- Move the cursor to the end of the document
MoveEOL	- Move the cursor to the end of the current line
MoveEOW	- Move the cursor to the end of the word
MoveLeft	- Move the cursor left one or more characters
MoveMatchBkt	- Move the cursor on the matching bracket
MoveNextTabStop	- Move the cursor to the next tab stop position
MoveNextWord	- Move the cursor to the start of the next word
MovePrevTabStop	- Move the cursor to the previous tab stop
MovePrevWord	- Move the cursor to the start of the previous word
MoveRight	- Move the cursor right one or more characters
MoveSizeWindow	- Change the dimensions and position of the current document ← window
MoveSOF	- Move the cursor to the start of the file
MoveSOL	- Move the cursor to the start of the current line
MoveSOW	- Move the cursor to the start of the current word
MoveUp	- Move the cursor up one or more lines
MoveUpScr	- Move the cursor up one page
MoveWindow	- Change the position of the current document window
NewShell	- Opens a new shell
Nop	- Absolutely nothing
OpenClip	- Load the specified file in the clipboard
OpenDefinitions	- Load the specified definitions file for the current document
OpenDoc	- Open a new document
OpenFile	- Load the specified file in the current document
OpenMacro	- Load the specified macro
OpenPrefs	- Load the specified preference file for the current document
OpenRequester	- Open the specified requester
PasteClip	- Paste the clipboard in the current document

PlayMacro	- Play the recorded macro
PrintClip	- Print the contents of the clipboard
PrintFile	- Print the current document
Quit	- Close all the documents and exit
RecordMacro	- Start recording a macro
RemakeScreen	- Remake the screen
RequestBool	- Open a bool requester
RequestChoice	- Open a requester with multiple choices
RequestFile	- Open a file requester
RequestFont	- Open a font requester
RequestNum	- Open a number requester
RequestStr	- Open a string requester
RightJustify	- Right justify teh current paragraph
RunTool	- Run asynchronously the selected Tool
SaveClip	- Save the contents of the clipboard in a file
SaveDefPrefs	- Save the preferences on disk, as defaults
SaveFile	- Save the current document
SaveFileAs	- Save the current document with a different filename
SaveMacro	- Save the currently recorded macro
SavePrefs	- Save the preferences on disk
Screen2Back	- Move the screen to back
Screen2Front	- Move the screen to front
ScrollVert	- ...
ScrollView	- Scroll vertically the current view
SelectLine	- Select the currrent line
SetBookMark	- Set the specified bookmark
SetChar	- Set the char under the cursor
SetCurrentDir	- Set the current directory
SetDisplayLock	- Set the lock on the display of the current file
SetFilePath	- Set the path of the curret document
SetInputLock	- Set the lock on the input in the current document
SetPrefs	- Set the specified preference
SetPriority	- Set the task priority of BED
SetQuoteMode	- Set the quote mode
SetStatusBar	- Display the specified string in the status bar
SetWindowSpec	- Dimension the current document window according to the ↔ specification
ShiftLeft	- Shift left the current line one or more characters or tabs
ShiftRight	- Shift right the current line one or more characters or tabs
SizeWindow	- Change the dimensions of the current document window
StripEOLBlanks	- Strip all the blanks at the end of the lines
SwapChars	- Swap the character under the cursor with the next
Text	- Insert the specified string in the current document
ToggleCharCase	- Toggle the upper/lower case of the character under the ↔ cursor
UndeleteLine	- Undelete the current line
UndoLine	- Undo all the changes on the current line
Window2Back	- Move the current document window to back
Window2Front	- Move the current document window to front

## 1.186 Functional Grouping of Commands

Functional Grouping of Commands

Commands dealing with load & save

GetFileInfo	- Return info about the current document
GetFilePath	- Return the path and/or filename of the current document
InsertFile	- Insert a file in the document
OpenFile	- Load the specified file in the current document
PrintFile	- Print the current document
SaveFile	- Save the current document
SaveFileAs	- Save the current document with a different filename
SetFilePath	- Set the path of the current document

#### Commands dealing with the editing

BackSpace	- Delete the character before the cursor
Delete	- Delete the character under the cursor character
DeleteEOL	- Delete from the cursor to the end of the line
DeleteEOF	- Delete from the cursor to the end of the file
DeleteEOW	- Delete from the cursor to the end of the word
DeleteLine	- Delete the current line
DeleteSOL	- Delete from the cursor to the start of the line
DeleteSOF	- Delete from the cursor to the start of the file
DeleteSOW	- Delete from the cursor to the start of the word
DeleteWord	- Delete the word under the cursor
Insert	- Insert the specified string in the document
InsertTab	- Insert a tab in the text
InsertLine	- Insert a new line in the document
ShiftLeft	- Shift left the current line one or more characters or tabs
ShiftRight	- Shift right the current line one or more characters or ←
Text	- Insert the specified string in the current document
UndeleteLine	- Undelete the current line
UndoLine	- Undo all the changes on the current line

#### Commands dealing with cursor movements

GetCursorPos	- Return info about the current position of the cursor
Move	- Move the cursor to the specified line and/or column
MoveDown	- Move the cursor down one or more lines
MoveDownScr	- Move the cursor down one page
MoveEOF	- Move the cursor to the end of the document
MoveEOL	- Move the cursor to the end of the current line
MoveEOW	- Move the cursor to the end of the word
MoveLeft	- Move the cursor left one or more characters
MoveMatchBkt	- Move the cursor on the matching bracket
MoveNextTabStop	- Move the cursor to the next tab stop position
MoveNextWord	- Move the cursor to the start of the next word
MovePrevTabStop	- Move the cursor to the previous tab stop
MovePrevWord	- Move the cursor to the start of the previous word
MoveRight	- Move the cursor right one or more characters
MoveSOF	- Move the cursor to the start of the file
MoveSOL	- Move the cursor to the start of the current line
MoveSOW	- Move the cursor to the start of the current word
MoveUp	- Move the cursor up one or more lines
MoveUpScr	- Move the cursor up one page
ScrollVert	- ...
ScrollView	- Scroll vertically the current view

#### Commands dealing with bookmarks

- ClearBookMark - Clear the specified bookmark
- MoveBookMark - Move the cursor to the specified bookmark
- SetBookMark - Set the specified bookmark

#### Commands dealing with special edit functions

- ClearFile - Clears the current file
- Conv2Lower - Convert the character to lower case
- Conv2Spaces - Convert the tabs to spaces
- Conv2Tabs - Convert the spaces to tabs
- Conv2Upper - Convert the character to upper case
- EncryptBlk - Encrypt the selected block
- SetChar - Set the char under the cursor
- StripEOLBlanks - Strip all the blanks at the end of the lines
- SwapChars - Swap the character under the cursor with the next
- ToggleCharCase - Toggle the upper/lower case of the character under the cursor ↔

#### Commands dealing with selection block and the clipboard

- CopyBlk - Copy the selected block to the clipboard
- CutBlk - Copy the selected block to the clipboard and erase it
- DeleteBlk - Erase the selected block
- GetBlk - Return the text in the selected block
- GetBlkDims - Return info about the selected block
- GetBlkInfo - Return info about the selected block
- MarkBlk - Mark the start of the selection block
- OpenClip - Load the specified file in the clipboard
- PasteClip - Paste the clipboard in the current document
- PrintClip - Print the contents of the clipboard
- SaveClip - Save the contents of the clipboard in a file
- SelectLine - Select the current line

#### Commands dealing with search & replace

- Find - Search in the current document for the specified string
- FindChange - Search in the current document for the specified string and replace it with another ↔

#### Commands dealing with formatting of paragraph

- Center - Center the current paragraph
- FormatParagraph - Format the current paragraph
- Justify - Justify the current paragraph
- LeftJustify - Left justify the current paragraph
- RightJustify - Right justify the current paragraph

#### Commands dealing with recorded macros

- EndMacro - Stops the recording of a macro
  - GetMacroInfo - Return info about the current macro recorded
  - OpenMacro - Load the specified macro
  - PlayMacro - Play the recorded macro
  - RecordMacro - Start recording a macro
  - SaveMacro - Save the currently recorded macro
-

## Commands dealing with external Tools or ARexx macros

ExecARexxMacro - Execute an ARexx script  
ExecARexxString - Execute an ARexx string  
ExecDosScript - Execute a DOS script  
ExecTool - Execute synchronously a Tool  
NewShell - Opens a new shell  
RunTool - Run asynchronously the selected Tool

## Commands dealing with the configuration of the program

GetPrefs - Return the value of the specified preference  
OpenDefinitions - Load the specified definitions file for the current document ↔  
OpenPrefs - Load the specified preference file for the current document ↔  
SaveDefPrefs - Save the preferences on disk, as defaults  
SavePrefs - Save the preferences on disk  
SetPrefs - Set the specified preference

## Commands dealing with windows and screen

ActivateLastDoc - Activates and bring to front the last document  
ActivateNextDoc - Activates and bring to front the next document  
ActivatePrevDoc - Activates and bring to front the previous document  
ActivateWindow - Activates the window of the current document  
BeepScreen - Flashes the screen  
GetScreenInfo - Return info about the screen  
GetWindowInfo - Return info about the current document window  
GetWindowSpec - Return the specification of the current document window  
IconifyWindow - Iconify/uniconify the current document window  
MoveSizeWindow - Change the dimensions and position of the current document window ↔  
window  
MoveWindow - Change the position of the current document window  
RemakeScreen - Remake the screen  
Screen2Back - Move the screen to back  
Screen2Front - Move the screen to front  
SetStatusBar - Display the specified string in the status bar  
SetWindowSpec - Dimension the current document window according to the specification ↔  
SizeWindow - Change the dimensions of the current document window  
Window2Back - Move the current document window to back  
Window2Front - Move the current document window to front

## Commands dealing with views

CenterView - Center vertically the current line  
GetViewInfo - Return info about the current view

## Commands dealing with documents

CloseDoc - Closes the current document  
GetDocuments - Return the names of the documents and their ARexx port name ↔  
GetPort - Return the ARexx port name of a document  
OpenDoc - Open a new document  
Quit - Close all the documents and exit

---

### Command allowing input in ARexx Macros

RequestBool - Open a bool requester  
 RequestChoice - Open a requester with multiple choices  
 RequestFile - Open a file requester  
 RequestFont - Open a font requester  
 RequestNum - Open a number requester  
 RequestStr - Open a string requester

### Commands dealing with text in ARexx macros

GetChar - Return the current character  
 GetLine - Return the text of the current line  
 GetWord - Return the word under the cursor

### Commands useful when developing ARexx Macros

Exist - Check if a the specified command is supported by BED  
 GetErrorInfo - Return the string of the specified error code  
 GetTemplate - Return the template of the specified command  
 GetVersion - Return the version string of BED  
 Help - Display an AmigaGuide document with an help about the  
     specified topic ←  
 Illegal - Produces an error  
 Nop - Absolutely nothing

### Miscellanea commands

About - Bring up the About requester  
 GetCurrentDir - Return the name of the current dir  
 GetPriority - Return the task priority of BED  
 OpenRequester - Open the specified requester  
 SetCurrentDir - Set the current directory  
 SetPriority - Set the task priority of BED  
 SetQuoteMode - Set the quote mode

## 1.187 List of Global Commands

### List of Global Commands

ActivateLastDoc - Activates and bring to front the last document  
 ActivateNextDoc - Activates and bring to front the next document  
 ActivatePrevDoc - Activates and grong to front the previous document  
 ActivateWindow - Activates the window of the current document  
 BeepScreen - Flashes the screen  
 ExecARexxMacro - Execute am ARexx script  
 ExecARexxString - Execute an ARexx string  
 ExecDosScript - Execute a DOS script  
 ExecTool - Execute synchronously a Tool  
 Exist - Check if a the specified command is supported by BED  
 GetCurrentDir - Return the name of the current dir  
 GetDocuments - Return the names of the documents and their ARexx port name  
 GetErrorInfo - Return the string of the specified error code  
 GetPort - Return the ARexx port name of a document

GetPriority - Return the task priority of BED  
GetScreenInfo - Return info about the screen  
GetTemplate - Return the template of the specified command  
GetVersion - Return the version string of BED  
Help - Display an AmigaGuide document with an help about the ←  
specified topic  
Illegal - Produces an error  
Nop - Absolutely nothing  
OpenDoc - Open a new document  
Quit - Close all the documents and exit  
RemakeScreen - Remake the screen  
RunTool - Run asynchronously the selected Tool  
Screen2Back - Move the screen to back  
Screen2Front - Move the screen to front  
SetCurrentDir - Set the current directory  
SetPriority - Set the task priority of BED

## 1.188 About

Command name: About  
Format: About  
Release: Version 1.00  
Purpose: Bring up the About requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.189 ActivateLastDoc

Command name: ActivateLastDoc  
Format: ActivateLastDoc FRONT/S  
Release: Version 1.00  
Purpose: Activates and bring to front the last document

---

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.190 ActivateNextDoc

Command name: ActivateNextDoc

Format: ActivateNextDoc FRONT/S

Release: Version 1.00

Purpose: Activates and bring to front the next document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.191 ActivatePrevDoc

Command name: ActivatePrevDoc

Format: ActivatePrevDoc FRONT/S

Release: Version 1.00

Purpose: Activates and grong to front the previous document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.192 ActivateWindow

Command name: ActivateWindow

Format: ActivateWindow FRONT/S

Release: Version 1.00

Purpose: Activates the window of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.193 BackSpace

Command name: BackSpace

Format: BackSpace CHARS/N

Release: Version 1.00

Purpose: Delete the character before the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.194 BeepScreen

Command name: BeepScreen

Format: BeepScreen

Release: Version 1.00

Purpose: Flashes the screen

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.195 Center

Command name: Center

Format: Center

Release: Version 1.00

Purpose: Center the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.196 CenterView

Command name: CenterView

Format: CenterView

Release: Version 1.00

Purpose: Center vertically the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.197 ClearBookMark

Command name: ClearBookMark

Format: ClearBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Clear the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.198 ClearFile

Command name: ClearFile

Format: ClearFile QUIET/S

Release: Version 1.00

Purpose: Clears the current file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.199 CloseDoc

Command name: CloseDoc

Format: CloseDoc QUIET/S

Release: Version 1.00

Purpose: Closes the current document

---

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.200 Conv2Lower

Command name: Conv2Lower

Format: Conv2Lower

Release: Version 1.00

Purpose: Convert the character to lower case

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.201 Conv2Spaces

Command name: Conv2Spaces

Format: Conv2Spaces SOL/S

Release: Version 1.00

Purpose: Convert the tabs to spaces

---

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.202 Conv2Tabs

Command name: Conv2Tabs

Format: Conv2Tabs SOL/S

Release: Version 1.00

Purpose: Convert the spaces to tabs

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.203 Conv2Upper

Command name: Conv2Upper

Format: Conv2Upper

Release: Version 1.00

Purpose: Convert the character to upper case

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.204 CopyBlk

Command name: CopyBlk

Format: CopyBlk APPEND/S

Release: Version 1.00

Purpose: Copy the selected block to the clipboard

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.205 CutBlk

Command name: CutBlk

Format: CutBlk APPEND/S

Release: Version 1.00

Purpose: Copy the selected block to the clipboard and erase it

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.206 Delete

Command name: Delete

Format: Delete CHARS/N

Release: Version 1.00

Purpose: Delete the character under the cursor character

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.207 DeleteBlk

Command name: DeleteBlk

Format: DeleteBlk QUIET/S

Release: Version 1.00

Purpose: Erase the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.208 DeleteEOL

Command name: DeleteEOL

Format: DeleteEOL

Release: Version 1.00

Purpose: Delete from the cursor to the end of the line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.209 DeleteEOF

Command name: DeleteEOF

Format: DeleteEOF

Release: Version 1.00

Purpose: Delete from the cursor to the end of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.210 DeleteEOW

Command name: DeleteEOW

Format: DeleteEOW

Release: Version 1.00

Purpose: Delete from the cursor to the end of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.211 DeleteLine

Command name: DeleteLine

Format: DeleteLine

Release: Version 1.00

Purpose: Delete the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.212 DeleteSOL

Command name: DeleteSOL

Format: DeleteSOL

Release: Version 1.00

Purpose: Delete from the cursor to the start of the line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.213 DeleteSOF

Command name: DeleteSOF

Format: DeleteSOF

Release: Version 1.00

Purpose: Delete from the cursor to the start of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.214 DeleteSOW

Command name: DeleteSOW

Format: DeleteSOW

Release: Version 1.00

Purpose: Delete from the cursor to the start of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.215 DeleteWord

Command name: DeleteWord

Format: DeleteWord

Release: Version 1.00

Purpose: Delete the word under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.216 EncryptBlk

Command name: EncryptBlk

Format: EncryptBlk

Release: Version 1.00

Purpose: Encrypt the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.217 EndMacro

Command name: EndMacro

Format: EndMacro

Release: Version 1.00

Purpose: Stops the recording of a macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.218 ExecARexxMacro

Command name: ExecARexxMacro

Format: ExecARexxMacro CONSOLE/S,WINDOW/K,NAME/F

Release: Version 1.00

Purpose: Execute an ARexx script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.219 ExecARexxString

Command name: ExecARexxString

Format: ExecARexxString CONSOLE/S,WINDOW/K,MACRO/F

Release: Version 1.00

Purpose: Execute an ARexx string

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.220 ExecDosScript

Command name: ExecDosScript

Format: ExecDosScript CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute a DOS script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.221 ExecTool

Command name: ExecTool

Format: ExecTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute synchronously a Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.222 Exist

Command name: Exist

Format: Exist COMMAND/A

Release: Version 1.00

Purpose: Check if a the specified command is supported by BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.223 Find

Command name: Find

Format: Find FIND/F

Release: Version 1.00

Purpose: Search in the current document for the specified string

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.224 FindChange

Command name: FindChange

Format: FindChange FIND/K,CHANGE,ALL/S

Release: Version 1.00

Purpose: Search in the current document for the specified string and ↔  
replace it with another

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.225 FormatParagraph

Command name: FormatParagraph

Format: FormatParagraph

Release: Version 1.00

Purpose: Format the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.226 GetBlk

Command name: GetBlk

Format: GetBlk STEM/A

Release: Version 1.00

Purpose: Return the text in the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.227 GetBlkDims

Command name: GetBlkDims

Format: GetBlkDims

Release: Version 1.00

Purpose: Return info about the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.228 GetBlkInfo

Command name: GetBlkInfo

Format: GetBlkInfo

Release: Version 1.00

Purpose: Return info about the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.229 GetChar

Command name: GetChar

Format: GetChar

Release: Version 1.00

Purpose: Return the current character

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.230 GetCurrentDir

Command name: GetCurrentDir

Format: GetCurrentDir

Release: Version 1.00

Purpose: Return the name of the current dir

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.231 GetCursorPos

Command name: GetCursorPos

Format: GetCursorPos

Release: Version 1.00

Purpose: Return info about the current position of the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.232 GetDocuments

Command name: GetDocuments

Format: GetDocuments

Release: Version 1.00

Purpose: Return the names of the documents and their ARexx port name

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.233 GetErrorInfo

Command name: GetErrorInfo

Format: GetErrorInfo ERROR/N/A,SPECIAL/N

Release: Version 1.00

Purpose: Return the string of the specified error code

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.234 GetFileInfo

Command name: GetFileInfo

Format: GetFileInfo

Release: Version 1.00

Purpose: Return info about the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.235 GetFilePath

Command name: GetFilePath

Format: GetFilePath PATH/S,FILE/S

Release: Version 1.00

Purpose: Return the path and/or filename of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.236 GetLine

Command name: GetLine

Format: GetLine STARTCOL/N,ENDCOL/N

Release: Version 1.00

Purpose: Return the text of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.237 GetLockInfo

Command name: GetLockInfo

Format: GetLockInfo

Release: Version 1.00

Purpose: Return info about the locks

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.238 GetMacroInfo

Command name: GetMacroInfo

Format: GetMacroInfo

Release: Version 1.00

Purpose: Return info about the current macro recorded

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.239 GetPort

Command name: GetPort

Format: GetPort NAME/F

Release: Version 1.00

Purpose: Return the ARexx port name of a document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.240 GetPrefs

Command name: GetPrefs

Format: GetPrefs Prefs/A

Release: Version 1.00

Purpose: Return the value of the specified preference

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.241 GetPriority

Command name: GetPriority

Format: GetPriority

Release: Version 1.00

Purpose: Return the task priority of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.242 GetScreenInfo

Command name: GetScreenInfo

Format: GetScreenInfo

Release: Version 1.00

Purpose: Return info about the screen

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.243 GetTemplate

Command name: GetTemplate

Format: GetTemplate COMMAND/A

Release: Version 1.00

Purpose: Return the template of the specified command

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.244 GetVersion

Command name: GetVersion

Format: GetVersion

Release: Version 1.00

Purpose: Return the version string of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.245 GetViewInfo

Command name: GetViewInfo

Format: GetViewInfo

Release: Version 1.00

Purpose: Return info about the current view

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.246 GetWindowInfo

Command name: GetWindowInfo

Format: GetWindowInfo

Release: Version 1.00

Purpose: Return info about the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.247 GetWindowSpec

Command name: GetWindowSpec

Format: GetWindowSpec

Release: Version 1.00

Purpose: Return the specification of the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.248 GetWord

Command name: GetWord

Format: GetWord

Release: Version 1.00

Purpose: Return the word under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.249 Help

Command name: Help

Format: Help FILE/K, TOPIC

Release: Version 1.00

Purpose: Display an AmigaGuide document with an help about the specified topic ↔

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.250 IconifyWindow

Command name: IconifyWindow

Format: IconifyWindow ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Iconify/uniconify the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.251 Illegal

Command name: Illegal

Format: Illegal

Release: Version 1.00

---

Purpose: Produces an error

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.252 Insert

Command name: Insert

Format: Insert TEXT/F

Release: Version 1.00

Purpose: Insert the specified string in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.253 InsertTab

Command name: InsertTab

Format: InsertTab NUM/N,EXPAND/S

Release: Version 1.00

---

Purpose: Insert a tab in the text

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.254 InsertFile

Command name: InsertFile

Format: InsertFile NAME/F

Release: Version 1.00

Purpose: Insert a file in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.255 InsertLine

Command name: InsertLine

Format: InsertLine NOBREAK/S, INDENT/S

Release: Version 1.00

---

Purpose: Insert a new line in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.256 Justify

Command name: Justify

Format: Justify

Release: Version 1.00

Purpose: Justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.257 LeftJustify

Command name: LeftJustify

Format: LeftJustify

Release: Version 1.00

Purpose: Left justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.258 MarkBlk

Command name: MarkBlk

Format: MarkBlk WORD/S

Release: Version 1.00

Purpose: Mark the start of the selection block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.259 Move

Command name: Move

Format: Move LINE/N,COLUMN/N,CENTER/S

Release: Version 1.00

---

Purpose: Move the cursor to the specified line and/or column

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.260 MoveBookMark

Command name: MoveBookMark

Format: MoveBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Move the cursor to the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.261 MoveDown

Command name: MoveDown

Format: MoveDown LINES/N

Release: Version 1.00

Purpose: Move the cursor down one or more lines line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.262 MoveDownScr

Command name: MoveDownScr

Format: MoveDownScr

Release: Version 1.00

Purpose: Move the cursor down one page

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.263 MoveEOF

Command name: MoveEOF

Format: MoveEOF

Release: Version 1.00

Purpose: Move the cursor to the end of the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.264 MoveEOL

Command name: MoveEOL

Format: MoveEOL NONBLANK/S

Release: Version 1.00

Purpose: Move the cursor to the end of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.265 MoveEOW

Command name: MoveEOW

Format: MoveEOW

Release: Version 1.00

Purpose: Move the cursor to the end of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.266 MoveLeft

Command name: MoveLeft

Format: MoveLeft CHARS/N

Release: Version 1.00

Purpose: Move the cursor left one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.267 MoveMatchBkt

Command name: MoveMatchBkt

Format: MoveMatchBkt

Release: Version 1.00

---

Purpose: Move the cursor on the matching bracket

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.268 MoveNextTabStop

Command name: MoveNextTabStop

Format: MoveNextTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the next tab stop position

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.269 MoveNextWord

Command name: MoveNextWord

Format: MoveNextWord

Release: Version 1.00

Purpose: Move the cursor to the start of the next word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.270 MovePrevTabStop

Command name: MovePrevTabStop

Format: MovePrevTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the previous tab stop

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.271 MovePrevWord

Command name: MovePrevWord

Format: MovePrevWord

Release: Version 1.00

Purpose: Move the cursor to the start of the previous word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.272 MoveRight

Command name: MoveRight

Format: MoveRight CHARS/N

Release: Version 1.00

Purpose: Move the cursor right one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.273 MoveSizeWindow

Command name: MoveSizeWindow

Format: MoveSizeWindow LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

---

Purpose: Change the dimensions and position of the current document window ↔

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.274 MoveSOF

Command name: MoveSOF

Format: MoveSOF

Release: Version 1.00

Purpose: Move the cursor to the start of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

## 1.275 MoveSOL

Command name: MoveSOL

Format: MoveSOL NONBLANK/S

Release: Version 1.00  
Purpose: Move the cursor to the start of the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.276 MoveSOW

Command name: MoveSOW  
Format: MoveSOW  
Release: Version 1.00  
Purpose: Move the cursor to the start of the current word  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.277 MoveUp

Command name: MoveUp  
Format: MoveUp LINES/N

Release: Version 1.00  
Purpose: Move the cursor up one or more lines  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.278 MoveUpScr

Command name: MoveUpScr  
Format: MoveUpScr  
Release: Version 1.00  
Purpose: Move the cursor up one page  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.279 MoveWindow

Command name: MoveWindow  
Format: MoveWindow LEFT/N/A, TOP/N/A

Release: Version 1.00  
Purpose: Change the position of the current document window  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.280 NewShell

Command name: NewShell  
Format: NewShell WINDOW/K, FROM/K  
Release: Version 1.00  
Purpose: Opens a new shell  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.281 Nop

Command name: Nop  
Format: Nop

---

Release: Version 1.00  
Purpose: Absolutely nothing  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.282 OpenClip

Command name: OpenClip  
Format: OpenClip APPEND/S,NAME/F  
Release: Version 1.00  
Purpose: Load the specified file in the clipboard  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.283 OpenDefinitions

Command name: OpenDefinitions  
Format: OpenDefinitions USEDEFAULT/S,MAKEDEFAULT/S,NAME/F

---

Release: Version 1.00  
Purpose: Load the specified definitions file for the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.284 OpenDoc

Command name: OpenDoc  
Format: OpenDoc FILEREQ/S,MACRO/K,WINDOW/K,DEFINITIONS/K,SETTINGS/K,NAME ↔  
/F  
Release: Version 1.00  
Purpose: Open a new document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

## 1.285 OpenFile

Command name: OpenFile  
Format: OpenFile QUIET/S,NAME/F

---

Release: Version 1.00  
Purpose: Load the specified file in the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.286 OpenMacro

Command name: OpenMacro  
Format: OpenMacro NAME/F  
Release: Version 1.00  
Purpose: Load the specified macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.287 OpenPrefs

Command name: OpenPrefs  
Format: OpenPrefs USEDEFAULT/S,MAKEDEFAULT/S,NAME/F

Release: Version 1.00  
Purpose: Load the specified preference file for the current document  
Parameters: None

Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.288 OpenRequester

Command name: OpenRequester  
Format: OpenRequester REQUESTER/A  
Release: Version 1.00  
Purpose: Open the specified requester  
Parameters: None

Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.289 PasteClip

Command name: PasteClip  
Format: PasteClip

---

Release: Version 1.00  
Purpose: Paste the clipboard in the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.290 PlayMacro

Command name: PlayMacro  
Format: PlayMacro COUNT/N  
Release: Version 1.00  
Purpose: Play the recorded macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.291 PrintClip

Command name: PrintClip  
Format: PrintClip QUIET/S

---

Release: Version 1.00  
Purpose: Print the contents of the clipboard  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.292 PrintFile

Command name: PrintFile  
Format: PrintFile QUIET/S  
Release: Version 1.00  
Purpose: Print the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.293 Quit

Command name: Quit  
Format: Quit QUIET/S

---

Release: Version 1.00  
Purpose: Close all the documents and exit  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.294 RecordMacro

Command name: RecordMacro  
Format: RecordMacro QUIET/S  
Release: Version 1.00  
Purpose: Start recording a macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.295 RemakeScreen

Command name: RemakeScreen  
Format: RemakeScreen

---

Release: Version 1.00  
Purpose: Remake the screen  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.296 RequestBool

Command name: RequestBool  
Format: RequestBool TITLE/K,PROMPT/A/F  
Release: Version 1.00  
Purpose: Open a bool requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.297 RequestChoice

Command name: RequestChoice  
Format: RequestChoice TITLE/K,PROMPT/A,CHOICE/A

---

Release: Version 1.00  
Purpose: Open a requester with multiple choices  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.298 RequestFile

Command name: RequestFile  
Format: RequestFile TITLE/K,PATTERN/K,OKGADGET/K,SAVEMODE/S,DRAWERSONLY/ ↔  
S,PATH/F  
Release: Version 1.00  
Purpose: Open a file requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

## 1.299 RequestFont

Command name: RequestFont

---

Format: RequestFont TITLE/K, FONTNAME, FONTSIZE/N, FIXEDWIDTH/S  
Release: Version 1.00  
Purpose: Open a font requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.300 RequestNum

Command name: RequestNum  
Format: RequestNum POSITIVE/S, TITLE/K, DEFAULT/N/K, PROMPT/F  
Release: Version 1.00  
Purpose: Open a number requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.301 RequestStr

Command name: RequestStr

---

Format: RequestStr TITLE/K,PROMPT/K,DEFAULT/F  
Release: Version 1.00  
Purpose: Open a string requester  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.302 RightJustify

Command name: RightJustify  
Format: RightJustify  
Release: Version 1.00  
Purpose: Right justify teh current paragraph  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.303 RunTool

Command name: RunTool

---

Format: RunTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Run asynchronously the selected Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.304 SaveClip

Command name: SaveClip

Format: SaveClip QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the contents of the clipboard in a file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.305 SaveDefPrefs

Command name: SaveDefPrefs

---

Format: SaveDefPrefs  
Release: Version 1.00  
Purpose: Save the preferences on disk, as defaults  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.306 SaveFile

Command name: SaveFile  
Format: SaveFile QUIET/S,NOBACKUP/S,NOICON/S,MODIFIED/S  
Release: Version 1.00  
Purpose: Save the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.307 SaveFileAs

Command name: SaveFileAs

---

Format: SaveFileAs QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F  
Release: Version 1.00  
Purpose: Save the current document with a different filename  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.308 SaveMacro

Command name: SaveMacro  
Format: SaveMacro QUIET/S,NAME/F  
Release: Version 1.00  
Purpose: Save the currently recorded macro  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.309 SavePrefs

Command name: SavePrefs

---

Format: SavePrefs QUIET/S,NAME/F  
Release: Version 1.00  
Purpose: Save the preferences on disk  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.310 Screen2Back

Command name: Screen2Back  
Format: Screen2Back  
Release: Version 1.00  
Purpose: Move the screen to back  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.311 Screen2Front

Command name: Screen2Front

---

Format: Screen2Front  
Release: Version 1.00  
Purpose: Move the screen to front  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.312 ScrollVert

Command name: ScrollVert  
Format: ScrollVert LINE/N/A,RELATIVE/S  
Release: Version 1.00  
Purpose: ...  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.313 ScrollView

Command name: ScrollView

---

Format:            ScrollView LINE/N/A,RELATIVE/S  
Release:            Version 1.00  
Purpose:            Scroll vertically the current view  
Parameters:         None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.314 SelectLine

Command name:     SelectLine  
Format:            SelectLine  
Release:            Version 1.00  
Purpose:            Select the current line  
Parameters:         None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.315 SetBookMark

Command name:     SetBookMark

---

Format: SetBookMark BOOKMARK/N/A  
Release: Version 1.00  
Purpose: Set the specified bookmark  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.316 SetChar

Command name: SetChar  
Format: SetChar CHAR  
Release: Version 1.00  
Purpose: Set the char under the cursor  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.317 SetCurrentDir

Command name: SetCurrentDir

---

Format:            SetCurrentDir NAME/F/A  
Release:            Version 1.00  
Purpose:            Set the current directory  
Parameters:         None  
Description:

RC:                 Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.318 SetDisplayLock

Command name:     SetDisplayLock  
Format:            SetDisplayLock ON/S,OFF/S,TOGGLE/S  
Release:            Version 1.00  
Purpose:            Set the lock on the display of the current file  
Parameters:         None  
Description:

RC:                 Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.319 SetFilePath

Command name:     SetFilePath

---

Format:           SetFilePath NAME/F/A  
Release:           Version 1.00  
Purpose:           Set the path of the curret document  
Parameters:        None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.320 SetInputLock

Command name:     SetInputLock  
Format:            SetInputLock ON/S,OFF/S,TOGGLE/S  
Release:           Version 1.00  
Purpose:           Set the lock on the input in the current document  
Parameters:        None  
Description:

RC:                Always 0  
RESULT:            No result returned.  
See also:  
Page still not complete...

### 1.321 SetPrefs

Command name:     SetPrefs

---

Format: SetPrefs PREFS/A,SETTING/F  
Release: Version 1.00  
Purpose: Set the specified preference  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.322 SetPriority

Command name: SetPriority  
Format: SetPriority PRIORITY/N/A  
Release: Version 1.00  
Purpose: Set the task priority of BED  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.

See also:

Page still not complete...

### 1.323 SetQuoteMode

Command name: SetQuoteMode

---

Format: SetQuoteMode ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the quote mode

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.324 SetStatusBar

Command name: SetStatusBar

Format: SetStatusBar TEXT/F

Release: Version 1.00

Purpose: Display the specified string in the status bar

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

### 1.325 SetWindowSpec

Command name: SetWindowSpec

Format: SetWindowSpec WINDOWSPEC  
Release: Version 1.00  
Purpose: Dimension the current document window according to the ↔  
specification  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.326 ShiftLeft

Command name: ShiftLeft  
Format: ShiftLeft COUNT/N,TABS/S  
Release: Version 1.00  
Purpose: Shift left the current line one or more characters or tabs  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.327 ShiftRight

---

Command name: ShiftRight  
Format: ShiftRight COUNT/N,TABS/S  
Release: Version 1.00  
Purpose: Shift right the current line one or more characters or tabs  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.328 SizeWindow

Command name: SizeWindow  
Format: SizeWindow WIDTH/N/A,HEIGHT/N/A  
Release: Version 1.00  
Purpose: Change the dimensions of the current document window  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.329 StripEOLBlanks

---

Command name: StripEOLBlanks  
Format: StripEOLBlanks  
Release: Version 1.00  
Purpose: Strip all the blanks at the end of the lines  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.330 SwapChars

Command name: SwapChars  
Format: SwapChars  
Release: Version 1.00  
Purpose: Swap the character under the cursor with the next  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.331 Text

---

Command name: Text  
Format: Text TEXT/F  
Release: Version 1.00  
Purpose: Insert the specified string in the current document  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.332 ToggleCharCase

Command name: ToggleCharCase  
Format: ToggleCharCase FORCEUPPER/S,FORCELOWER/S  
Release: Version 1.00  
Purpose: Toggle the upper/lower case of the character under the cursor  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.333 UndeleteLine

---

Command name: UndeleteLine  
Format: UndeleteLine  
Release: Version 1.00  
Purpose: Undelete the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.334 UndoLine

Command name: UndoLine  
Format: UndoLine  
Release: Version 1.00  
Purpose: Undo all the changes on the current line  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.335 Window2Back

---

Command name: Window2Back  
Format: Window2Back  
Release: Version 1.00  
Purpose: Move the current document window to back  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.336 Window2Front

Command name: Window2Front  
Format: Window2Front  
Release: Version 1.00  
Purpose: Move the current document window to front  
Parameters: None  
Description:

RC: Always 0  
RESULT: No result returned.  
See also:  
Page still not complete...

### 1.337 Preferences Reference

---

## Preferences Reference

This is the list of the preferences supported by Blacks Editor 1.0β which can be used in any preference file, and can be modified with the command `SetPrefs <pref_name> <value>`.

Alphabetical order

Functional groupings

### 1.338 Alphabetical List of Preferences

#### Alphabetical List of Preferences

AUTODETECTBINFILES  
AUTOINDENT  
AUTOSAVE  
AUTOSAVECONFIRM  
AUTOSAVEDELAY  
BACKGROUNDCOLOR  
BACKUPTEMPLATE  
CANTBACKUPCONFIRM  
CHANGESTRING  
CONSOLE  
CONVERSIONONLOAD  
CONVERSIONONPRINT  
CONVERSIONONSAVE  
DEFAULTWINDOW  
DEFSDRAWER  
DEFSPATTERN  
DOSDRAWER  
DOSPATTERN  
DOUBLELOADCONFIRM  
FILEPATTERN  
FILEREQUESTER  
FINDBACKWARD  
FINDIGNORECASE  
FINDSTRING  
FINDWHOLEWORD  
FONTREQUESTER  
FREEFORM  
ICONDRAWER  
JUMPSCROLL  
LEFTMARGIN  
MAKEBACKUPS  
MAXBACKUPVERSION  
MENUFONT  
MOUSEBLANKER  
OVERSTRIKE  
OVERWRITECONFIRM  
PALETTE  
PREFSDRAWER  
PREFSPATTERN  
PRINTDEVICE

---

READONLY  
REXXDRAWER  
REXXPATTERN  
RIGHTMARGIN  
RIGHTMARGINWBORDER  
SAVEEOLAS  
SAVEICONS  
SCREEN  
SCREENMODEREQUESTER  
SELBACKGROUNDCOLOR  
SELECTWHENDRAGGING  
SELTEXTCOLOR  
STRIPEOLBLANKS  
TABSGIVESPACES  
TABWIDTH  
TEXTCOLOR  
TEXTFONT  
TOOLSDRAWER  
TOOLSPATTERN  
TRANSLATECRS  
WORDWRAP

### 1.339 Functional Grouping of Preferences

Functional Grouping of Preferences

Autosave Preferences:

AUTOSAVE  
AUTOSAVECONFIRM  
AUTOSAVEDELAY

Backup Preferences:

MAKEBACKUPS  
CANTBACKUPCONFIRM  
BACKUPTEMPLATE  
MAXBACKUPVERSION

Colors Preferences:

TEXTCOLOR  
BACKGROUNDCOLOR  
SELTEXTCOLOR  
SELBACKGROUNDCOLOR  
PALETTE

Display Preferences:

SCREEN

Edit Preferences:

AUTOINDENT  
FREEFORM

---

OVERSTRIKE  
WORDWRAP  
JUMPSCROLL  
RIGHTMARGINWBORDER  
LEFTMARGIN  
RIGHTMARGIN

EOL Preferences:

STRIPEOLBLANKS  
TRANSLATECRS  
SAVEEOLAS

Font Preferences:

TEXTFONT  
MENUFONT

Icon Preferences:

SAVEICONS  
ICONDRAWER

Miscellanea Preferences:

MOUSEBLANKER  
OVERWRITECONFIRM  
DOUBLELOADCONFIRM  
SELECTWHENDRAGGING  
AUTODETECTBINFILES  
PRINTDEVICE  
CONSOLE  
DEFAULTWINDOW

Tabs Preferences:

TABWIDTH  
TABSGIVESPACES  
CONVERSIONONLOAD  
CONVERSIONONSAVE  
CONVERSIONONPRINT

Find Preferences:

FINDSTRING  
CHANGESTRING  
FINDBACKWARD  
FINDIGNORECASE  
FINDWHOLEWORD

Others Preferences:

FILEREQUESTER  
FONTREQUESTER  
SCREENMODEREQUESTER  
FILEPATTERN  
REXXDRAWER

---

REXXPATTERN  
DOSDRAWER  
DOSPATTERN  
TOOLSDRAWER  
TOOLS PATTERN  
PREFSDRAWER  
PREFSPATTERN  
DEFSDRAWER  
DEFSPATTERN  
READONLY

### 1.340 AUTOSAVE

Preference name: AUTOSAVE

Format: AUTOSAVE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.341 AUTOSAVECONFIRM

Preference name: AUTOSAVECONFIRM

Format: AUTOSAVECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.342 AUTOSAVEDELAY

---

Preference name: AUTOSAVEDELAY

Format: AUTOSAVEDELAY DELAY/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.343 MAKEBACKUPS

Preference name: MAKEBACKUPS

Format: MAKEBACKUPS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.344 CANTBACKUPCONFIRM

Preference name: CANTBACKUPCONFIRM

Format: CANTBACKUPCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

---

See also:

Page still not complete...

### **1.345 BACKUPTEMPLATE**

Preference name: BACKUPTEMPLATE

Format: BACKUPTEMPLATE TEMPLATE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.346 MAXBACKUPVERSION**

Preference name: MAXBACKUPVERSION

Format: MAXBACKUPVERSION MAX/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.347 TEXTCOLOR**

Preference name: TEXTCOLOR

Format: TEXTCOLOR PEN/N

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

### **1.348 BACKGROUNDCOLOR**

Preference name: BACKGROUNDCOLOR

Format: BACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.349 SELTEXTCOLOR**

Preference name: SELTEXTCOLOR

Format: SELTEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.350 SELBACKGROUNDCOLOR**

Preference name: SELBACKGROUNDCOLOR  
Format: SELBACKGROUNDCOLOR PEN/N  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### 1.351 PALETTE

Preference name: PALETTE  
Format: PALETTE RGB/M  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### 1.352 SCREEN

Preference name: SCREEN  
Format: SCREEN MODE,DATA/F  
Release: Version 1.00  
Purpose:  
Description:

---

See also:

Page still not complete...

### 1.353 AUTOINDENT

Preference name: AUTOINDENT

Format: AUTOINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.354 FREEFORM

Preference name: FREEFORM

Format: FREEFORM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.355 OVERSTRIKE

Preference name: OVERSTRIKE

Format: OVERSTRIKE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.356 WORDWRAP

Preference name: WORDWRAP

Format: WORDWRAP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.357 JUMPSCROLL

Preference name: JUMPSCROLL

Format: JUMPSCROLL ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.358 RIGHTMARGINWBORDER

Preference name: RIGHTMARGINWBORDER

Format: RIGHTMARGINWBORDER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.359 LEFTMARGIN**

Preference name: LEFTMARGIN

Format: LEFTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.360 RIGHTMARGIN**

Preference name: RIGHTMARGIN

Format: RIGHTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.361 STRIPEOLBLANKS**

Preference name: STRIPEOLBLANKS

Format: STRIPEOLBLANKS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.362 TRANSLATECRS**

Preference name: TRANSLATECRS

Format: TRANSLATECRS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.363 SAVEEOLAS**

Preference name: SAVEEOLAS

Format: SAVEEOLAS MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.364 TEXTFONT**

Preference name: TEXTFONT

Format: TEXTFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.365 MENUFONT**

Preference name: MENUFONT

Format: MENUFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.366 SAVEICONS**

Preference name: SAVEICONS

Format: SAVEICONS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.367 ICONDRAWER**

Preference name: ICONDRAWER

Format: ICONDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.368 MOUSEBLANKER**

Preference name: MOUSEBLANKER

Format: MOUSEBLANKER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.369 OVERWRITECONFIRM**

Preference name: OVERWRITECONFIRM

Format: OVERWRITECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.370 DOUBLELOADCONFIRM**

Preference name: DOUBLELOADCONFIRM

Format: DOUBLELOADCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.371 SELECTWHENDRAGGING**

Preference name: SELECTWHENDRAGGING

Format: SELECTWHENDRAGGING ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.372 AUTODETECTBINFILES

Preference name: AUTODETECTBINFILES

Format: AUTODETECTBINFILES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.373 PRINTDEVICE

Preference name: PRINTDEVICE

Format: PRINTDEVICE DEVICE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.374 CONSOLE

---

Preference name: CONSOLE

Format: CONSOLE CONSOLE/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.375 DEFAULTWINDOW

Preference name: DEFAULTWINDOW

Format: DEFAULTWINDOW WINDOW

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.376 TABWIDTH

Preference name: TABWIDTH

Format: TABWIDTH WIDTH/N

Release: Version 1.00

Purpose:

Description:

---

See also:

Page still not complete...

### **1.377 TABSGIVESPACES**

Preference name: TABSGIVESPACES

Format: TABSGIVESPACES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.378 CONVERSIONONLOAD**

Preference name: CONVERSIONONLOAD

Format: CONVERSIONONLOAD MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.379 CONVERSIONONSAVE**

Preference name: CONVERSIONONSAVE

Format: CONVERSIONONSAVE MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.380 CONVERSIONONPRINT**

Preference name: CONVERSIONONPRINT

Format: CONVERSIONONPRINT MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.381 FINDSTRING**

Preference name: FINDSTRING

Format: FINDSTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.382 CHANGESTRING**

Preference name: CHANGESTRING

Format: CHANGESTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.383 FINDBACKWARD**

Preference name: FINDBACKWARD

Format: FINDBACKWARD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.384 FINDIGNORECASE**

Preference name: FINDIGNORECASE

Format: FINDIGNORECASE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.385 FINDWHOLEWORD

Preference name: FINDWHOLEWORD

Format: FINDWHOLEWORD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.386 FILEREQUESTER

Preference name: FILEREQUESTER

Format: FILEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### 1.387 FONTREQUESTER

Preference name: FONTREQUESTER

Format: FONTREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.388 SCREENMODEREQUESTER**

Preference name: SCREENMODEREQUESTER

Format: SCREENMODEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.389 FILEPATTERN**

Preference name: FILEPATTERN

Format: FILEPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.390 REXXDRAWER**

---

Preference name: REXXDRAWER  
Format: REXXDRAWER DRAWER  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### 1.391 REXXPATTERN

Preference name: REXXPATTERN  
Format: REXXPATTERN PATTERN  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### 1.392 DOSDRAWER

Preference name: DOSDRAWER  
Format: DOSDRAWER DRAWER  
Release: Version 1.00  
Purpose:  
Description:

---

See also:

Page still not complete...

### **1.393 DOSPATTERN**

Preference name: DOSPATTERN

Format: DOSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.394 TOOLSDRAWER**

Preference name: TOOLSDRAWER

Format: TOOLSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.395 TOOLSPATTERN**

Preference name: TOOLSPATTERN

Format: TOOLSPATTERN PATTERN

Release: Version 1.00

---

Purpose:

Description:

See also:

Page still not complete...

### **1.396 PREFSDRAWER**

Preference name: PREFSDRAWER

Format: PREFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.397 PREFSPATTERN**

Preference name: PREFSPATTERN

Format: PREFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

### **1.398 DEFSDRAWER**

---

Preference name: DEFSDRAWER  
Format: DEFSDRAWER DRAWER  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### **1.399 DEFSPATTERN**

Preference name: DEFSPATTERN  
Format: DEFSPATTERN PATTERN  
Release: Version 1.00  
Purpose:  
Description:

See also:

Page still not complete...

### **1.400 READONLY**

Preference name: READONLY  
Format: READONLY ON/S,OFF/S,TOGGLE/S  
Release: Version 1.00  
Purpose:  
Description:

---

See also:

Page still not complete...

## 1.401 Errors Reference

Errors Reference

This is the reference for error codes and messages.

The first list contains the errors caused during the normal use of the program, the second and the third contain errors occurred while parsing, respectively, definitions and preferences files.

Blacks Editor errors

Definitions file errors

Preferences file errors

## 1.402 BED Errors

BED Errors

- 1 Error #1
  - 2 Error #2
  - 3 Error #3
  - 4 Error #4
  - 5 Error #5
  - 6 Error #6
  - 7 Hit document boundary
  - 8 Not on {, [, (, <, «, », >, ), ], }
  - 9 Not allowed in read-only mode
  - 10 User requested abort
  - 11 Bookmark not set
  - 12 No block marked
  - 13 Error #13
  - 14 Error #14
  - 15 Error #15
  - 16 Not currently recording
  - 17 Not found
  - 18 Clipboard is empty
  - 19 Clipboard does not contain text
  - 20 Clipboard device not found
  - 21 ARexx process or library not found
  - 22 Command only allowed in ARexx macros
  - 23 Bookmark not found
  - 24 No macro to play
  - 25 Error #25
  - 26 Error #26
  - 27 Error #27
  - 28 Illegal while recording
-

---

29 Illegal command  
30 Insufficient memory  
31 Load error  
32 Save error  
33 Backup error - not saved  
34 Print error  
35 Clipboard I/O error  
36 ARexx Error  
37 Couldn't execute tool  
38 AmigaGuide error  
39 Couldn't open console  
40 Error #40  
41 AmigaGuide library not found  
42 --- Illegal ---  
43 Definitions file not loaded successfully  
44 Preferences file not loaded successfully  
45 Preferences file not saved successfully  
46 Macro not loaded successfully  
47 Macro not saved successfully  
48 Unknown preference  
49 Invalid template  
50 Command not global  
51 AmigaDOS error  
52 Bad parameter  
53 Parameter out of range  
54 Cannot swap tabs  
55 Cursor not on a word  
56 No string to find  
57 Window is iconified  
58 Input is locked  
59 Line too long  
60 No line to undelete  
61 Cannot undo

### 1.403 Definitions Files Errors

Definitions Files Errors

1 AmigaDOS error  
2 Insufficient memory  
3 Error creating menus  
4 Unknown keyword  
5 Unknown command  
6 Unknown key  
7 Key not mapped on this keyboard  
8 Quoted argument expected

### 1.404 Preferences Files Errors

Preferences Files Errors

1 AmigaDOS error

---

- 2 Insufficient memory
- 3 Unknown preference
- 4 Wrong template for preference

### 1.405 Error #1

Message: Error #1

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.406 Error #2

Message: Error #2

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.407 Error #3

Message: Error #3

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.408 Error #4

Message: Error #4

Fault Level: 1

Probable cause:

---

Recovery:

Page still not complete...

### 1.409 Error #5

Message: Error #5

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.410 Error #6

Message: Error #6

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.411 Hit document boundary

Message: Hit document boundary

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.412 Not on {, [, (, <, «, », >, ), ], }

Message: Not on {, [, (, <, «, », >, ), ], }

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### **1.413 Not allowed in read-only mode**

Message: Not allowed in read-only mode

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### **1.414 User requested abort**

Message: User requested abort

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### **1.415 Bookmark not set**

Message: Bookmark not set

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### **1.416 No block marked**

Message: No block marked

Fault Level: 5

---

Probable cause:

Recovery:

Page still not complete...

### **1.417 Error #13**

Message: Error #13

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### **1.418 Error #14**

Message: Error #14

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### **1.419 Error #15**

Message: Error #15

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### **1.420 Not currently recording**

Message: Not currently recording

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### **1.421 Not found**

Message: Not found

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### **1.422 Clipboard is empty**

Message: Clipboard is empty

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### **1.423 Clipboard does not contain text**

Message: Clipboard does not contain text

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

---

### 1.424 Clipboard device not found

Message: Clipboard device not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.425 ARexx process or library not found

Message: ARexx process or library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.426 Command only allowed in ARexx macros

Message: Command only allowed in ARexx macros

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.427 Bookmark not found

Message: Bookmark not found

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

---

### 1.428 No macro to play

Message: No macro to play

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.429 Error #25

Message: Error #25

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.430 Error #26

Message: Error #26

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.431 Error #27

Message: Error #27

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

---

### 1.432 Illegal while recording

Message: Illegal while recording  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.433 Illegal command

Message: Illegal command  
Fault Level: 10  
Probable cause:  
Recovery:  
Page still not complete...

### 1.434 Insufficient memory

Message: Insufficient memory  
Fault Level: memory  
Probable cause:  
Recovery:  
Page still not complete...

### 1.435 Load error

Message: Load error  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.436 Save error

Message: Save error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.437 Backup error - not saved

Message: Backup error - not saved

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.438 Print error

Message: Print error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.439 Clipboard I/O error

Message: Clipboard I/O error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

---

### 1.440 ARexx Error

Message: ARexx Error

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

### 1.441 Couldn't execute tool

Message: Couldn't execute tool

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.442 AmigaGuide error

Message: AmigaGuide error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

### 1.443 Couldn't open console

Message: Couldn't open console

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

---

### 1.444 Error #40

Message: Error #40  
Fault Level: 1  
Probable cause:  
Recovery:  
Page still not complete...

### 1.445 AmigaGuide library not found

Message: AmigaGuide library not found  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.446 --- Illegal ---

Message: --- Illegal ---  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.447 Definitions file not loaded successfully

Message: Definitions file not loaded successfully  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.448 Preferences file not loaded successfully

Message: Preferences file not loaded successfully  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.449 Preferences file not saved successfully

Message: Preferences file not saved successfully  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.450 Macro not loaded successfully

Message: Macro not loaded successfully  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

### 1.451 Macro not saved successfully

Message: Macro not saved successfully  
Fault Level: 20  
Probable cause:  
Recovery:  
Page still not complete...

---

### 1.452 Unknown preference

Message: Unknown preference

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.453 Invalid template

Message: Invalid template

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.454 Command not global

Message: Command not global

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.455 AmigaDOS error

Message: AmigaDOS error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

---

### 1.456 Bad parameter

Message: Bad parameter

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.457 Parameter out of range

Message: Parameter out of range

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.458 Cannot swap tabs

Message: Cannot swap tabs

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.459 Cursor not on a word

Message: Cursor not on a word

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

---

### 1.460 No string to find

Message: No string to find

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.461 Window is iconified

Message: Window is iconified

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.462 Input is locked

Message: Input is locked

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

### 1.463 Line too long

Message: Line too long

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

---

### 1.464 No line to undelete

Message: No line to undelete

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.465 Cannot undo

Message: Cannot undo

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

### 1.466 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.467 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

---

### 1.468 Error creating menus

Message: Error creating menus

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.469 Unknown keyword

Message: Unknown keyword

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.470 Unknown command

Message: Unknown command

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.471 Unknown key

Message: Unknown key

Fault Level:

Probable cause:

Recovery:

Page still not complete...

---

### 1.472 Key not mapped on this keyboard

Message: Key not mapped on this keyboard

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.473 Quoted argument expected

Message: Quoted argument expected

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.474 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.475 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

---

### 1.476 Unknown preference

Message: Unknown preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

### 1.477 Wrong template for preference

Message: Wrong template for preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

---