

GNU Chess Help Index

This index list all GNU Chess help topics

To learn how to use Help choose "Using Help" from the Help menu or press F1.

How to Play

To move a piece, place the mouse cursor over the piece, click the left mouse button once, move the cursor to the desired square and click again. To enter a move using the keyboard enter F2. A dialog box will be displayed. Enter the move in algebraic notation. To castle enter o-o, for a queen side castle enter o-o-o. To promote a pawn onto the last rank enter the move followed by the first letter of the piece to promote to. (ie q for queen, r for rook, b for bishop, n for knight.) To abort a move or change your mind about what piece to move click on the square the piece was originally at.

When the computer is calculating its move you can abort the look ahead and force it to immediately take a move by entering Control C.

Commands

[GNU Chess menu commands](#)

Background Information

[Article: What is GNU Chess](#)

[Article: Experiences of communal development](#)

[GNU Chess Copyright notice](#)

[GNU Chess move generator](#)

[GNU Chess heuristics](#)

[GNU Chess sample match with MACH](#)

GNU Chess Menu Commands

All the commands to control actions of the game are controlled via menus. Select the specific menu item you require help on.

<u>File</u>	Save and restore a game
<u>Edit</u>	Change board setup
<u>Options</u>	Adjust game options
<u>Skill</u>	Adjust the degree of difficulty of the game
<u>Side</u>	Choose what side to have to computer play
<u>Colors</u>	Sets up screen colors
<u>Hint</u>	Provides a suggested move
Help	Enters the help system

File Menu

The File menu allows the saving and restoring of games. Specific functions available are:

New	Starts a new game.
Save	Saves an in progress game. A dialog box will be opened to enter a file name
Open	Loads a saved game. A dialog box will be opened to enter a file name
List	Lists the moves of a game in print-out format. A dialog box will be opened to enter a file name.
Exit	Exit the game.

Edit Menu

The Edit menu allows the board setup to be changed and moves to be taken back.

Setup Board	Choosing this command places the game into setup mode. A new board setup is provided. You adjust the setup by selecting a piece with mouse and placing it on the desired square. To remove a piece from the board pick it up a blank square and place it on the piece to be removed.
Undo	Removes the last played move
Remove	Removes the last complete move (Basically 2 undo's)
Force	Toggles manual mode. Lets user enter moves for both sides or allows use by two players as an electronic chess board.

Options Menu

The Options menu allows adjustment of the behavior of the game.

Tone	When checked the computer beeps after taking a move. To make the game silent select this option, the check mark will be removed.
Coordinates	When checked the algebraic notation will be printed along the edge of the board
Search Stats	When checked a status box will display the moves GNU chess is evaluating for use.
Test	This selects a speed test. The numbers presented in the results box can be compared to other versions of GNU chess.
Hash	Enables internal move hashing
Book	When checked GNU chess uses its opening book
Both	Auto Play mode. Choose any square to abort. Sometimes after aborting autoplay the game will perform a bogus move. Use UNDO or REMOVE to cancel.
A Window	Sets an internal move generator value
B Window	Sets an internal move generator value
Contemp	Sets an internal move generator value

Skill Menu

Adjusts playing ability of GNU Chess.

Time	Presents a dialog box to choose the time limits for the game.
Random	This cause GNU chess to randomly select among equally rated moves.
Easy	When checked this enables "easy" mode, where the computer not allowed to think while the user takes a move. To have GNU Chess play a stronger game uncheck this option. The look ahead is aborted when the mouse is clicked.
Depth	Presents a dialog box to set the maximum number of moves to look ahead.

Side Menu

Allows the user to choose which side the computer will play

Reverse	Rotates board 180 degrees.
Switch	Switch sides with the computer. (If computer is black it becomes white)
Black	Computer plays black
White	Computer plays white

Colors Menu

Allows the colors of the screen to be set. The color settings are saved in the file CHESS.INI in the windows directory. Choosing "Default Colors" restores color settings to program defaults.

Hint Menu

The Hint menu provides a suggested move. The hint is based on GNU chess's projection of what move the user will take when calculating its look-ahead. The quality of the hint is dependent on the amount of time GNU chess has to think.

Background on GNU Chess

GNU Chess
by Stuart Cracraft
Copyright 1987,1988,1989,1990 Stuart Cracraft

GNU Chess is a communal chess program. Contributors donate their time and effort in order to make it a stronger, better, sleeker program. Contributions take many forms: interfaces to high-resolution displays, opening book treatises, speedups of the underlying algorithms, additions of extra heuristics. These contributions are then distributed to the large user-base so that all may enjoy the fruits of our labor. The original and continuing purpose of this project is to permanently end the rampant hoarding of computer chess software that has been the case for the past 20 years.

Many people have contributed to GNU Chess. Their contributions have improved the program from being a patzer (weak program) to being a grandpatzer (decently strong program). In its growth since initial release, GNU Chess has gone from approximately class D to strong master strength. It beats the Fidelity Mach 3 (USCF 2265) rather handily when run on a Sparc-1 (RISC). Since these types of RISC chips are becoming fairly common, the age of "master chess in your computer lab" is now a reality. From there, it will be a short hop to master chess in your home with FSF software.

GNU Chess's structure is a hybrid of the Shannon Type-A and Type-B methods. It conducts a full-width search to a fixed-depth and then continues with a quiescence search for many more ply. This quiescence search helps the program find positions which can be safely evaluated and which are not too turbulent. If a terminal position is too turbulent, the evaluation will be highly inaccurate. Additional searching by investigating series of captures, checks, and other potentially imbalance-producing moves is quite helpful.

GNU Chess will sacrifice pieces in order to reach known winning endings. Also, it uses a trade-down bonus to encourage the stronger side to trade off certain types of pieces thus reaching a more simplified and therefore ostensibly "clearer" position.

GNU Chess has certain types of knowledge regarding easier endgames. This allows it to play these endings somewhat better than might be expected.

GNU Chess has time heuristics that it uses to improve its handling of time-controls and hasten its making of "obvious" moves. It also thinks on the opponent's time.

GNU Chess is interfaced to the SUN Windows and X Windows display protocols and can display its pieces in elaborate format, similar to chess diagrams.

GNU Chess has an opening book which consists of many variations from MCO (Modern Chess Openings), and some from ECO.

For comparison purposes, GNU Chess running on a VAX 8650 is stronger than the famous Chess 4.5 running on a CDC 6400. On a Sparc-1, GNU 1.55 (or later) is probably about 2350-2400 strength (USCF rating estimated).

We wish to acknowledge the contributions of the following individuals: (in alphabetical order) Jim Aspnes, Wayne Christopher, Steve Dougherty, David Goldberg, Richard Greenblatt, Larry Kaufman, David Kittinger, Hans-Erik Sandstrom, Richard Stallman, John Stanback, Ken Thompson.

Contact information: The author may be reached by a variety of methods. Via U.S. mail: Stuart Cracraft, P.O. Box 2841, Laguna Hills, Ca. 92654-2841. Via Email: cracraft@wheaties.ai.mit.edu. The author may also be contacted via the Free Software Foundation, Inc. 675 Massachusetts Ave., Cambridge MA 02139.

Article: GNU Chess Experiences Learned with Communal Sharing

GNU Chess: Experiences Learned
with Communal Sharing
by Stuart Cracraft
(and contributors to the GNU Project)

Limited sharing has characterized the computer chess community for the past two decades. Occasional research articles give hints and suggestions for useful features, but rarely reveal the real details of the critically important advances. We will here describe an effort underway (titled "GNU Chess") to create a more open and friendly environment of sharing.

GNU Chess is part of Project GNU, a large-scale effort in which the philosophical goals are far-reaching. We will not go into any great depth about these goals as they relate to the larger project, because these are described elsewhere [1]. However, we will mention the basic issues and the changes we hope to encourage.

The start of the GNU Chess project was a natural result of the experiences gleaned in writing a chess program. While the author was at a progressive academic location [2], he was able to conceive the idea of a communal chess program only after much heartache. During the period of writing the initial version (which has since undergone many improvements and whole revisions), it became clear that the best features and most useful hints, the very best of the heuristics, were hidden and difficult to find in the literature.

Sprinkled across many books, research papers, magazine articles, accumulated in the community, during the past 25 years, there was literally a void of true, empirical programs. Locating usable programs was difficult. Many programs were the result of academic work in "ivory towers", and hence were inaccessible to the common man. Other programs were sequestered in research think-tanks. Naturally, developers of commercial programs carefully guarded their source in order to protect their investment. On the other hand, a few chess program source listings had actually been published, but these were not really very strong, often written in a non-general language, and frequently more pedantic than practical.

The idea of a reasonably strong communal program solidified. When we refer to a communal program, we do not regard this as public-domain software. Rather, we refer to a program which is under the shared authority of a number of individuals, the principal contributors. These individuals have experienced and realized the positive results of a sharing community and the rapid improvements that come through contributing in such a community. Further, these individuals devote time and energy to coordinating the contributions of other individuals. While they exercise a certain editorial right, this is usually not exercised arbitrarily; instead, a discussion is often undertaken.

Eventually, a working C program that played chess was available. The coordinating institution for Project GNU, accepted our suggestion of inclusion of a chess program in the GNU distribution. Initial distribution of GNU Chess commenced in October of 1986. Interest in the project increased rapidly.

Contributions came in from many places and people. Interfaces to X-windows and SUN-windows were donated, thus allowing very fancy chess fonts on bit-mapped screens. Also, contributions involving large portions of opening books such as MCO and collections of master games were added to the distribution. Additionally, tree-search modifications and heuristics were provided, and occasionally even entire rewrites.

The program advanced in strength by several USCF class intervals during a period of less than one year. During this time, many unusual features and enhancements were added to the program, usually under the coordination of two or more people, with one working in a distant-advisory capacity to the other. Frequently, graduate students would give up significant time from their thesis work to devote energy to contributing. Their corporate counterparts would often give up project time to make their donation.

Contributors would often enter the project in a very forceful way and then having made their contribution, learn

the viability of communal sharing once others had stepped in and contributed to them, thus providing considerable reinforcement. Frequently, contributors would then go into "hibernation" for a long period of time, but most of them remained open to contributing and were helpful when asked to reprogram their particular contribution in a more recent version.

GNU Chess has made great strides in relatively little time. It has run on many different hardware architectures and has been compiled by a number of C compilers. A sampling of the computers on which the program has run is: National 32032, Vax 11/750, 8550, 8600, 8650, Motorola 68020, CCI 5/32, CCI 6/32 (tahoe), Cray XMP, SUN Sparc-1.

It is our belief that GNU Chess will stimulate graduate research in computer chess theory and practice. When students are able to easily obtain a state-of-the-art program in order to test out their ideas, they will no longer need to reinvent the wheel. The students will be able to investigate their research areas much more thoroughly, because they will spend more time on the specific research areas they are concerned about. Basically, GNU Chess "frees up" time in order to get on to more fundamental issues.

We also feel that as other researchers gain trust in the GNU Chess project, they will be more likely to release their results directly and rapidly, through journal articles, or directly to the GNU project, and in fact become contributors and join the present list. At the very least, a communal, ever-growing program will encourage the few "closeted" researchers to be somewhat more open in their approach to disseminating advances.

In whatever form it takes, the progress toward elaboration of machine chess is ongoing, and we hope that GNU chess will be helpful to the community. Copies of GNU Chess source and "book", as well as additional experimental code are available from the Free Software Foundation [3] or the author [6].

[1] The GNU Manifesto, Richard Stallman, Free Software Foundation, Inc.

[2] University of Southern California, Information Sciences Institute.

[3] Free Software Foundation, Inc. 675 Massachusetts Ave., Cambridge MA 02139.

[4] Stuart Cracraft, P.O. Box 2841, Laguna Hills, California. 92654-2841., cracraft@wheaties.ai.mit.edu.

GNU CHESS GENERAL PUBLIC LICENSE

Copyright (C) 1986,1987 Free Software Foundation, Inc. Everyone is permitted to copy and distribute verbatim copies of this license, but changing it is not allowed.

The license agreements of most software companies keep you at the mercy of those companies. By contrast, our general public license is intended to give everyone the right to share GNU Chess. To make sure that you get the rights we want you to have, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. Hence this license agreement.

Specifically, we want to make sure that you have the right to give away copies of GNU Chess, that you receive source code or else can get it if you want it, that you can change GNU Chess or use pieces of it in new free programs, and that you know you can do these things.

To make sure that everyone has such rights, we have to forbid you to deprive anyone else of these rights. For example, if you distribute copies of GNU Chess, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

Also, for our own protection, we must make certain that everyone finds out that there is no warranty for GNU Chess. If GNU Chess is modified by someone else and passed on, we want its recipients to know that what they have is not what we distributed, so that any problems introduced by others will not reflect on our reputation.

Therefore the Free Software Foundation, Inc. makes the following terms which say what you must do to be allowed to distribute or change GNU Chess.

COPYING POLICIES

1. You may copy and distribute verbatim copies of GNU Chess source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each file a valid copyright notice "Copyright (C) 1986,1987 Free Software Foundation, Inc.", containing the year of last change for the file in question; keep intact the notices on all files that refer to this License Agreement and to the absence of any warranty; and give any other recipients of the GNU Chess program a copy of this License Agreement along with the program.

2. You may modify your copy or copies of GNU Chess source code or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating who last changed such files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains or is a derivative of GNU Chess or any part thereof, to be freely distributed and licensed to all third parties on terms identical to those contained in this License Agreement (except that you may choose to grant more extensive warranty protection to third parties, at your option).

c) if the modified program serves as a text editor, cause it when started running in the simplest and usual way, to print an announcement including a valid copyright notice ("Copyright (C)", the year of authorship, and all copyright owners' names), saying that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License Agreement.

3. You may copy and distribute GNU Chess or any portion of it in compiled, executable or object code form under the terms of Paragraphs 1 and 2 above provided that you do the following:

a) cause each such copy of GNU Chess to be accompanied by the corresponding machine-readable source code; or

b) cause each such copy of GNU Chess to be accompanied by a written offer, with no time limit, to give any third party free (except for a nominal shipping charge) machine readable copy of the corresponding source code; or

c) in the case of a recipient of GNU Chess in compiled, executable or object code form (without the corresponding source code) you shall cause copies you distribute to be accompanied by a copy of the written offer of source code which you received along with the copy of GNU Chess.

4. You may not copy, sublicense, distribute or transfer GNU Chess except as expressly provided under this License Agreement. Any attempt otherwise to copy, sublicense, distribute or transfer GNU Chess is void and your rights to use GNU Chess under this License agreement shall be automatically terminated. However, parties who have received computer software programs from you with this License Agreement will not have their licenses terminated so long as such parties remain in full compliance.

Your comments and suggestions about our licensing policies and our software are welcome! Please contact the Free Software Foundation, Inc., 1000 Mass Ave, Cambridge, MA 02138, or call (617) 876-3296.

NO WARRANTY

BECAUSE GNU CHESS IS LICENSED FREE OF CHARGE, WE PROVIDE ABSOLUTELY NO WARRANTY, TO THE EXTENT PERMITTED BY APPLICABLE STATE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING, FREE SOFTWARE FOUNDATION, INC, AND/OR OTHER PARTIES PROVIDE GNU CHESS "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE GNU CHESS PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW WILL FREE SOFTWARE FOUNDATION, INC., AND/OR ANY OTHER PARTY WHO MAY MODIFY AND REDISTRIBUTE GNU CHESS AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY LOST PROFITS, LOST MONIES, OR OTHER SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH PROGRAMS NOT DISTRIBUTED BY FREE SOFTWARE FOUNDATION, INC.) THE PROGRAM, EVEN IF YOU HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR FOR ANY CLAIM BY ANY OTHER PARTY.

GNU Chess Move Generator

This file contains a description of GNU's new move generation algorithm.
Copyright (C) 1989 Free Software Foundation, Inc.

This file is part of CHESS.

CHESS is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY. No author or distributor accepts responsibility to anyone for the consequences of using it or for whether it serves any particular purpose or works at all, unless he says so in writing. Refer to the CHESS General Public License for full details.

Everyone is granted permission to copy, modify and redistribute CHESS, but only under the conditions described in the CHESS General Public License. A copy of this license is supposed to have been given to you along with CHESS so you can know your rights and responsibilities. It should be in a file named COPYING. Among other things, the copyright notice and this notice must be preserved on all copies.

New move Generation algorithm:

Revision: 1989-09-06

Author: Hans Eric Sandstroem.

This algorithm is the result of an attempt to make an hardware move generator, but since I newer had the time and resources to build the hardware I wrote a software version and incorporated that one into gnu chess. This was the best way I could think of sharing this algorithm with the computer chess community.

If there is anybody out there with the time and resources to build a hardware move generator I will be glad to assist.

The general idea behind this algorithm is to pre calculate a lot of data. The data that is pre calculated is every possible move for every piece from every square disregarding any other pieces on the board. This pre calculated data is stored in an array that looks like this:

```
struct sqdata {
    short nextpos;
    short nextdir;
};
struct sqdata posdata[8][64][64];
/* posdata[pietype][fromsquare][destinationsquare] */
example:
    the first move for a queen at e8 is stored at;
    posdata[queen][e8][e8].nextpos
    suppose this is e7 and e7 is occupied then the next move
    will be found in;
    posdata[queen][e8][e7].nextdir
```

To handle the differences between white and black pawns (they move in opposite directions) an array ptype has been introduced:

```
static const short ptype[2][8] = {
    no_piece,pawn,knight,bishop,rook,queen,king,no_piece,
    no_piece,bpawn,knight,bishop,rook,queen,king,no_piece};
    ^^^^^
```

And it is used like this:

```
    pietype = ptype[side][piece]
```

When generating moves for pieces that are not black pawns, piece can be used directly in posdata. As in the example above.

Thus the only thing one has to do when generating the moves is to check for collisions with other pieces. the move generation to do this looks like this: (for non pawns)

```
p = posdata[piece][sq];
u = p[sq].nextpos;
do {
    if (color[u] == neutral) {
        LinkMove(ply,sq,u,xside);
        u = p[u].nextpos;
    }
    else {
        if (color[u] == xside) LinkMove(ply,sq,u,xside);
        u = p[u].nextdir;
    }
} while (u != sq);
```

- Isn't this just beautiful!

The array posdata is initialized in the routine Initialize_moves. This routine is called just once and it works so no time has been spent on the structure of this code. GenMoves and CaptureList generates the moves but the routines ataks, BRscan, Sqatakd, KingScan and trapped also relies on the move generation algorithm so they have also been rewritten.

GNU Chess heuristics

Copyright (C) 1986, 1987 Free Software Foundation, Inc.

This file is part of CHESS.

CHESS is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY. No author or distributor accepts responsibility to anyone for the consequences of using it or for whether it serves any particular purpose or works at all, unless he says so in writing. Refer to the CHESS General Public License for full details.

Everyone is granted permission to copy, modify and redistribute CHESS, but only under the conditions described in the CHESS General Public License. A copy of this license is supposed to have been given to you along with CHESS so you can know your rights and responsibilities. It should be in a file named COPYING. Among other things, the copyright notice and this notice must be preserved on all copies. */

-- requested by main author

Heuristic descriptions for CHESS.

Revision: 12-16-87

Copyright (c) 1987 by John Stanback

Here is a brief description of the heuristics used in the positional evaluator of the GNU Chess program. Many heuristics are functions of the stage of the game which is based on the total non-pawn material remaining for both sides.

PAWNS

The material value of a pawn is 100 points. Isolated pawns get a penalty depending on which file they occupy: (12,14,16,20,20,16,14,12) for files (a..h). Doubled pawns (which are not also isolated) get a penalty of 12 points. Backward pawns (defined simply as not being defended by a pawn with the square in front also not defended by a pawn) are penalized 6 points. A 4 point penalty is also invoked for each attack by the opponent to a backward pawn and for a backward pawn on a half-open file. Pawn Advancement in the centre is given a bonus of about 4 points per rank in the opening increasing to about 8 points per rank in the ending. Advancement on the edges is given a lower bonus. Pawns on the e and d files and on the 2nd rank are given a 10 point penalty. An additional penalty of 15 points is invoked if these pawns are also blocked. Pawns within 2 squares of the king are given a 10 point bonus. Passed pawns are given a bonus for increasing rank which is a function of stage of the game and of whether the opponent blocks or attacks one or more squares in front of the pawn or if the opponents king is in the square of the pawn. This bonus ranges from about 15 points for a pawn on the second rank up to about 300 points for a passed pawn on the 7th rank which can't be stopped from queening.

KNIGHTS

The material value of a knight is 330 points. The main heuristic for knights is a bonus for proximity to the centre. This varies from 0 points in the corners to 30 points in the centre. Knights are also given a bonus for being within 2 squares of each enemy piece. This bonus is a function of the stage of the game, equalling 4 points in the end game. A penalty of 1 point per square is given for distance from either king. A bonus of up to 8 points (depends on stage) is given for knights which can't be driven away by enemy pawns.

BISHOPS

The material value of a bishop is 330 points. Bishops are given a bonus as material falls off the board equalling 10 points in the end game. Bishops get a bonus for mobility and Xray mobility thru pieces but not pawns. This bonus ranges from -4 points for a totally blocked bishop up to 18 points for a bishop attacking 12 or more squares. Xray attacks on an enemy R,Q,K or any undefended piece are given an 8 point bonus. Bishops are given a bonus of

14 points if they lie on the edge of the board up to 22 points if they lie in the centre. A bishop is given a bonus of up to 5 points for each attack to a square adjacent to the enemy king.

ROOKS

The material value of a rook is 520 points. Rook mobility is handled similarly to bishops with a bonus of 0 points if blocked up to 20 points if attacking 12 squares or more. A bonus of 8 points for X-ray attacks is handled as it is for bishops. Rooks are given a bonus of 10 points for occupying a file with no friendly pawns and a bonus of 4 points if no enemy pawns lie on that file. After the opening Rooks are penalized slightly depending on "taxicab" distance to the enemy king.

QUEENS

The material value of a queen is 980 points. The only heuristic for a queen is that after the opening it is penalized slightly for "taxicab" distance to the enemy king.

KINGS

Kings are given a penalty for proximity to the centre in the opening and a bonus for proximity to the centre in the endgame. The penalty is about 24 points for being in the centre in the opening with a bonus of about 36 points for being in the centre in the endgame. Kings are penalized for lying on an open or half-open file or if the adjacent file closest to the corner is open or half-open. This penalty is up to 23 points in the opening and goes to zero in the end game. The King is penalized up to 8 points if there are no pawns immediately adjacent. A penalty is invoked depending on the number of "safe" checks available by the opponent. This penalty ranges from 6 points for one such check to 50 points for 4 or more. Depending on game stage, Kings are given up to 10 points for castling and a penalty of up to 40 points for moving before castling.

SPECIAL

If more than one piece is "hung" (attacked and not defended or attacked by an enemy piece of lower value) an extra penalty of 10 points is invoked for that side and the search may be extended one ply. Pinned or trapped pieces are treated similarly. A special mating routine is used if one side has only a king and the other has mating material.

GNU Chess Sample Match with MACH

Article 1586 of rec.games.chess:
Path: ai-lab!cracraft
From: cracraft@wheaties.ai.mit.edu (Stuart Cracraft)
Newsgroups: rec.games.chess.gnu.chess
Subject: GNU Chess 1.55 vs. Fidelity Mach 3
Message-ID: <5741@rice-chex.ai.mit.edu>
Date: 3 Jan 90 04:52:50 GMT
Reply-To: cracraft@wheaties.ai.mit.edu ()
Organization: Project GNU
Lines: 181
Xref: ai-lab rec.games.chess:1586 gnu.chess:29

The following is the complete match between GNU Chess 1.55 on Sparc-1 and Fidelity Mach 3. The game header contains the sides with White listed first. The result is listed after the last move of each game. Time control was 60/15. Both sides used transposition tables and thinking on the opponent's time. Opening books were enabled using random openings.
--Stuart Cracraft

P.S. This version of GNU has just been released by FSF.

Match Game GNU_vs_Mach3

1 . e2e4,e7e5	2 . g1f3,b8c6	3 . f1c4,c6d4	4 . f3e5,d4e6	5 . d1h5,g7g6
6 . h5h3,d8g5	7 . e5f3,g5c5	8 . b2b3,f8g7	9 . c2c3,c5c6	10. c4d5,c6b5
11. d2d4,g8f6	12. d5c4,b5a5	13. b3b4,a5b6	14. d4d5,f6e4	15. h3h4,e4c3
16. d5e6,f7e6	17. a2a3,a7a5	18. b4a5,a8a5	19. b1d2,a5h5	20. h4g4,c3e4
21. d2e4,g7a1	22. e1g1,a1g7	23. c1g5,d7d5	24. c4d5,e8g8	25. d5c4,g8h8
26. e4g3,e6e5	27. g4e4,h5g5	28. f3g5,b6f6	29. g5f3,f6e7	30. f1e1,e7c5
31. e4d3,c8g4	32. g3e4,c5a5	33. f3d2,g4f5	34. e1b1,b7b6	35. d3g3,c7c6
36. g3e3,b6b5	37. c4e2,a5d8	38. b1c1,f5d7	39. d2f3,d8e7	40. e3a7,e7f7
41. c1c5,f7e6	42. e2d3,e6b3	43. d3c2,b3e6	44. a3a4,b5a4	45. a7a4,f8b8
46. a4a7,b8b2	47. c2d3,b2b3	48. a7a8,d7e8	49. e4c3,b3b6	50. d3c4,e6e7
51. c5a5,b6b4	52. a5a7,e7f8	53. f3d2,h7h6	54. c3e4,b4b2	55. c4d3,b2b4
56. d2c4,b4b3	57. d3c2,b3b4	58. c4d6,b4e4	59. c2e4,f8d6	60. a8e8,h8h7
61. a7d7,d6f6	62. e8c8,c6c5	63. c8c5,f6f4	64. c5c6,f4g5	65. c6c7,h7h8
66. c7c8,h8h7	67. e4d5,g5c1	68. c8c1,h6h5	69. h2h4,h7h8	70. c1c8,h8h7
71. c8g8,h7h6	72. g8g7 1-0			

Match Game Mach3_vs_GNU

1 . e2e4,e7e5	2 . f2f4,e5f4	3 . g1f3,d7d6	4 . d2d3,g7g5	5 . c1d2,f8g7
6 . d2c3,g7c3	7 . b1c3,g5g4	8 . f3g1,d8h4	9 . e1d2,g8f6	10. d2c1,e8g8
11. d1d2,f6h5	12. c3d5,h5g3	13. d2e1,h4h6	14. h2g3,h6h1	15. d5c7,b8a6
16. e1a5,f7f5	17. a5d5,f8f7	18. c7a8,h1g1	19. c1d2,a6b4	20. d5c4,g1f2
21. f1e2,f2e3	22. d2d1,b4c6	23. a1c1,e3g3	24. e4f5,c8f5	25. c4d5,g3e3
26. c2c3,c6e5	27. d5d6,f4f3	28. g2f3,g4f3	29. e2f1,f3f2	30. d1c2,f5d3
31. f1d3,e5d3	32. d6d8,f7f8	33. d8d3,e3c1	34. c2c1,f2f1	35. d3f1,f8f1
36. c1d2,f1f2	37. d2c1,h7h5	38. a8c7,h5h4	39. c7d5,h4h3	40. d5e7,g8f7
41. e7f5,f2f5	42. c1d2,h3h2	43. d2c2,f5f2	44. c2b3,h2h1	45. a2a3,h1b1
46. b3c4,b1b2	47. a3a4,f2f4	48. c4d3,b2g2	49. a4a5,g2e4	50. d3d2,f4f2
51. d2d1,e4h1 0-1				

Match Game GNU_vs_Mach3

1 . e2e4,c7c5	2 . g1f3,d7d6	3 . d2d4,c5d4	4 . f3d4,g8f6	5 . b1c3,b8c6
6 . d4c6,b7c6	7 . f1c4,a8b8	8 . e4e5,f6d7	9 . e5d6,e7d6	10. e1g1,d6d5
11. f1e1,f8e7	12. c4d5,b8b6	13. d5f3,e8g8	14. c3a4,b6a6	15. e1e4,f7f5

16. e4d4,c6c5	17. d4f4,a6d6	18. d1e1,e7g5	19. f4c4,d7e5	20. c1g5,e5f3
21. g2f3,d8g5	22. g1h1,c8b7	23. e1e3,g5e3	24. f2e3,b7f3	25. h1g1,d6d2
26. h2h3,f8e8	27. c4c5,e8e3	28. c5f5,d2g2	29. g1f1,g2c2	30. h3h4,f3c6
31. b2b3,e3h3	32. f1e1,h3h4	33. e1d1,h4h2	34. d1e1,c2e2	35. e1d1,e2e6
36. f5f1,c6g2	37. f1f2,h2h1	38. d1c2,h1a1	39. f2g2,a1a2	40. a4b2,h7h5
41. b3b4,g7g6	42. c2b3,a2a6	43. b2d3,e6e3	44. b3c4,g8g7	45. c4d4,a6e6
46. d3c5,e6e7	47. g2a2,e3e1	48. a2g2,g7h6	49. g2a2,h5h4	50. a2h2,g6g5
51. b4b5,h6h5	52. c5d3,e1d1	53. h2h3,g5g4	54. h3e3,e7e3	55. d4e3,d1d3
56. e3d3 0-1				

Match Game	Mach3_vs_GNU			
1 . e2e4,c7c5	2 . b2b4,c5b4	3 . a2a3,b8c6	4 . g1f3,g8f6	5 . a3b4,f6e4
6 . d2d3,e4f6	7 . b4b5,c6b4	8 . f1e2,d7d6	9 . c1d2,b4d5	10. c2c4,d5b6
11. e1g1,h7h6	12. b1c3,e7e5	13. f1e1,d8c7	14. d1b3,c8e6	15. d2e3,f8e7
16. c3a4,b6a4	17. b3a4,b7b6	18. d3d4,e5e4	19. f3d2,d6d5	20. c4d5,e6d5
21. e1c1,c7d7	22. f2f3,e4f3	23. d2f3,e8g8	24. f3e5,d7b7	25. a4a6,b7a6
26. a1a6,d5b7	27. a6a2,e7d6	28. e2c4,f6d5	29. e3f2,f8c8	30. a2a1,c8c7
31. a1a2,d5b4	32. a2a1,b7e4	33. f2g3,b4c2	34. a1a4,c2e3	35. c1e1,e4c2
36. a4a2,e3c4	37. a2c2,c4a3	38. c2b2,f7f6	39. e5g6,d6g3	40. h2g3,g8f7
41. g6f4,c7c2	42. b2b3,a3c4	43. b3b1,c4d6	44. g1h2,a8e8	45. e1e8,f7e8
46. h2h3,e8f7	47. b1b4,g7g5	48. f4h5,f6f5	49. h3h2,f7g6	50. g3g4,f5g4
51. h5g3,h6h5	52. h2g1,h5h4	53. g3f1,h4h3	54. g2h3,g4h3	55. b4b3,g5g4
56. b3g3,g6h5	57. g3g4,h3h2	58. f1h2,c2h2	59. g4g7,h2a2	60. g7d7,d6f5
61. g1f1,h5h6	62. f1e1,a2b2	63. d7a7,f5d4	64. a7a6,b2b5	65. e1d2,h6g5
66. d2c3,d4c6	67. c3c4,b5c5	68. c4b3,b6b5	69. b3b2,g5f4	70. a6a3,b5b4
71. a3b3,c5c4	72. b3d3,c6d4	73. b2b1,f4e4	74. d3h3,b4b3	75. h3g3,e4d5
76. g3g5,d5d6	77. g5g3,d6c5	78. g3g5,c5b4	79. g5g4,d4b5	80. g4c4,b4c4
81. b1b2,b5d6	82. b2a3,c4c3	83. a3a4,b3b2	84. a4a5,b2b1	85. a5a6,b1b5
86. a6a7,b5b7 0-1				

Match Game	GNU_vs_Mach3			
1 . e2e4,c7c6	2 . d2d4,d7d5	3 . e4e5,c8f5	4 . f1d3,f5d3	5 . d1d3,b8a6
6 . d3b3,d8a5	7 . c1d2,a5b6	8 . b3b6,a7b6	9 . g1f3,e7e6	10. e1g1,f8e7
11. c2c3,g8h6	12. d2h6,g7h6	13. b1d2,h8g8	14. g1h1,a6c7	15. f1g1,e8d7
16. c3c4,d7c8	17. c4d5,c7d5	18. g1c1,d5b4	19. d2c4,c8b8	20. a2a3,b4d3
21. c1c2,a8a6	22. a1d1,d3f4	23. c4e3,f7f5	24. g2g3,f4h5	25. e3c4,f5f4
26. c2c3,g8d8	27. g3g4,h5g7	28. b2b4,g7e8	29. h2h4,e8c7	30. h1g2,c7d5
31. c3c2,a6a4	32. d1d3,a4a7	33. c2c1,b6b5	34. c4d2,d8g8	35. g2h3,a7a6
36. d2e4,d5c7	37. e4c5,a6a7	38. c1b1,b8a8	39. b1g1,g8d8	40. g1d1,a8b8
41. h3h2,b7b6	42. c5e4,d8g8	43. h2h3,c7d5	44. d1e1,a7d7	45. e1c1,b8c7
46. e4c3,g8a8	47. c3d5,d7d5	48. d3c3,c7d7	49. h4h5,d7e8	50. c3c6,a8a3
51. h3g2,e8f7	52. c6c7,d5d8	53. c1c6,d8g8	54. f3h2,a3d3	55. c6b6,d3d4
56. b6b5,f7e8	57. b5b8,d4d8	58. b8b6,e8f7	59. b6b7,g8e8	60. c7c4,d8b8
61. c4f4,f7g8	62. b7d7,e8f8	63. f4f8,g8f8	64. f2f4,f8e8	65. d7c7,b8b4
66. g2f3,b4b3	67. f3e4,b3b4	68. e4e3,b4b3	69. e3f2,e8d8	70. c7c4,e7h4
71. f2g2,b3b2	72. g2h3,h4e1	73. h2f3,b2b3	74. h3g2,b3b2	75. g2f1,e1g3
76. f3d4,d8d7	77. d4e2,g3h4	78. c4a4,h4e7	79. a4a7,d7e8	80. a7a6,b2b1
81. f1g2,b1b2	82. g2f3,b2b3	83. f3e4,b3b4	84. e4d3,b4b3	85. d3c2,b3e3
86. c2d2,e3a3	87. a6e6,e8d8	88. e6h6,e7b4	89. d2c2,a3e3	90. e2d4,e3c3
91. c2b2,c3c4	92. d4c6,d8d7	93. b2b3,c4c6	94. h6c6,d7c6	95. b3b4,c6d7
96. f4f5,d7e7	97. e5e6,e7f6	98. g4g5,f6e7	99. g5g6,h7g6	100. h5g6,e7f6
101. b4b5,f6f5	102. e6e7,f5g6	103. e7e8,g6f5	104. e8e3,f5g4	105. e3e4,g4g5
106. e4f3,g5h6	107. f3g4,h6h7	108. g4g5,h7h8	109. b5c5,h8h7	110. c5d5,h7h8
111. d5e5,h8h7	112. e5f6,h7h8	113. g5g7 1-0		

Match Game	Mach3_vs_GNU
------------	--------------

1 . d2d4,g8f6	2 . c2c4,g7g6	3 . g2g3,f8g7	4 . f1g2,e8g8	5 . b1c3,d7d6
6 . e2e3,b8d7	7 . g1e2,c7c5	8 . e1g1,d7b6	9 . b2b3,d8c7	10. c3b5,c7d7
11. c1b2,a7a6	12. b5c3,c5d4	13. d1d4,d7c7	14. e2f4,f6h5	15. f4d5,b6d5
16. d4d5,h5f6	17. d5d3,c8f5	18. e3e4,f5d7	19. a1e1,f8e8	20. b2a1,f6g4
21. c3d5,c7a5	22. a1g7,g8g7	23. d3d4,e7e5	24. d4b6,a5b6	25. d5b6,a8d8
26. b6d7,d8d7	27. g2h3,f7f5	28. f2f3,g4h6	29. e1d1,d7d8	30. d1d3,f5e4
31. f3e4,h6f7	32. h3g2,f7g5	33. h2h4,g5e6	34. g1h2,e6d4	35. d3d2,e8f8
36. d2f2,b7b6	37. h2h3,f8f2	38. f1f2,d8d7	39. g2f1,d7f7	40. f2f7,g7f7
41. f1d3,f7e6	42. h3g4,h7h6	43. h4h5,g6g5	44. d3b1,e6d7	45. g4h3,d7c6
46. b3b4,a6a5	47. b4a5,b6a5	48. b1d3,c6c5	49. a2a3,d4b3	50. h3g4,c5d4
51. d3c2,b3d2	52. g4f5,d2c4	53. f5g6,c4a3	54. c2a4,d4e4	55. a4c6,e4d3
56. g6h6,e5e4	57. h6g5,e4e3	58. c6f3,e3e2	59. f3e2,d3e2	60. h5h6,a3c4
61. h6h7,c4e5	62. g5f6,e2f3	63. h7h8,f3g3 1-0		

Match Game GNU_vs_Mach3

1 . d2d4,e7e6	2 . e2e4,d7d5	3 . b1d2,c7c5	4 . g1f3,b8c6	5 . f1b5,c5d4
6 . f3d4,c8d7	7 . b5c6,b7c6	8 . e1g1,a8b8	9 . e4d5,c6d5	10. f1e1,g8f6
11. d2b3,d8c7	12. h2h3,f8d6	13. d4f5,d6h2	14. g1h1,f6e4	15. e1e4,d5e4
16. f5g7,e8e7	17. g2g3,h2g3	18. f2g3,c7g3	19. d1g4,g3g4	20. h3g4,h8g8
21. c1h6,e4e3	22. a1e1,b8b4	23. g4g5,d7c6	24. h1h2,b4h4	25. h2g3,h4e4
26. g7h5,g8d8	27. h5f6,e4c4	28. b3a5,c4c2	29. a5c6,c2c6	30. e1e3,c6a6
31. e3c3,e7d6	32. a2a3,a6c6	33. c3d3,d6c7	34. d3d8,c7d8	35. f6h7,a7a5
36. h6g7,a5a4	37. g3f4,c6c2	38. g7c3,d8e7	39. h7f6,c2f2	40. f4e3,f2h2
41. f6e4,h2h3	42. e3f4,h3h4	43. f4f3,e7f8	44. e4c5,f8g8	45. f3g3,h4c4
46. c3b4,c4d4	47. c5a4,g8h7	48. a4b6,h7g6	49. b4c3,d4d1	50. c3f6,g6h5
51. b6c4,d1a1	52. b2b4,a1h1	53. g3f3,h1h3	54. f3e4,h3b3	55. f6e7,b3c3
56. e4d4,c3f3	57. b4b5,f3f4	58. d4c5,f4f5	59. c5c6,f5f4	60. c4d6,f4f3
61. a3a4,f3a3	62. b5b6,a3c3	63. c6d7,c3b3	64. d6b5,b3b2	65. b6b7,b2a2
66. b7b8,a2a4	67. b8h2,a4h4	68. h2h4,h5h4	69. g5g6,h4h5	70. g6f7,e6e5
71. f7f8,h5g4	72. d7e6,e5e4	73. f8f5,g4g3	74. f5f1,e4e3	75. e6f5,e3e2
76. e7d6,g3h4	77. f1h1 1-0			

Match Game Mach3_vs_GNU

1 . d2d4,g8f6	2 . c1g5,f6e4	3 . g5h4,g7g5	4 . f2f3,g5h4	5 . f3e4,c7c5
6 . e2e3,d8b6	7 . g1f3,b6b2	8 . b1d2,f8g7	9 . d2b3,h4h3	10. b3c5,h3g2
11. f1g2,b2c3	12. e1e2,h8g8	13. g2h3,b7b6	14. c5d3,c8a6	15. h1g1,b8c6
16. h3f5,e8f8	17. d1d2,c3d2	18. e2d2,d7d6	19. f5h7,g8h8	20. h7f5,e7e6
21. f5g4,c6a5	22. a1b1,a5c4	23. d2e2,g7h6	24. d3b4,a6b7	25. e2d3,c4e3
26. d4d5,e6d5	27. e4d5,f7f5	28. g4h5,e3d5	29. b4d5,b7d5	30. f3h4,d5e4
31. d3e2,h8h7	32. b1f1,h6e3	33. h5g6,h7h4	34. e2e3,f8e7	35. g6f5,e4f5
36. f1f5,h4h2	37. e3d3,e7e6	38. g1f1,a7a6	39. a2a4,h2h3	40. d3d4,h3h4
41. f1f4,h4f4	42. f5f4,a8c8	43. c2c4,c8c5	44. f4f3,d6d5	45. c4d5,c5d5
46. d4c4,d5c5	47. c4b3,c5e5	48. f3d3,e5e4	49. d3d8,e4e3	50. b3b4,a6a5
51. b4b5,e3b3	52. b5c6,b3b4	53. d8d6,e6e7	54. d6d7,e7f6	55. d7d2,f6f5
56. d2d5,f5e4	57. d5b5,b4a4	58. c6b6,e4d4	59. b5a5,a4c4	draw

Match Game GNU_vs_Mach3

1 . e2e4,c7c5	2 . g1f3,d7d6	3 . d2d4,c5d4	4 . f3d4,g8f6	5 . b1c3,a7a6
6 . f1c4,g7g6	7 . c1g5,f8g7	8 . e1g1,e8g8	9 . a1c1,d8b6	10. c4b3,b8c6
11. d4c6,b7c6	12. d1d2,c8b7	13. c1e1,c6c5	14. e4e5,d6e5	15. d2e3,h7h6
16. g5h4,b6b4	17. h4g3,f6g4	18. e3e2,a8d8	19. a2a3,b4b6	20. e2g4,d8d4
21. g4e2,c5c4	22. b3c4,b6c6	23. c4f7,f8f7	24. f2f3,c6b6	25. e2e3,e5e4
26. c3e4,b7e4	27. f3e4,f7f1	28. g1f1,b6b2	29. e3b3,b2b3	30. c2b3,d4d3
31. e1b1,d3e3	32. g3f2,e3e4	33. b1c1,e4f4	34. f1e2,g8f7	35. c1c6,f4f6
36. c6c4,f6e6	37. f2e3,g6g5	38. e2d3,e6d6	39. d3e4,g7b2	40. a3a4,d6e6
41. e4f3,b2e5	42. h2h4,g5h4	43. c4h4,e5g7	44. g2g4,e6f6	45. f3e4,f6g6

46. b3b4,g6e6	47. e4d3,e6d6	48. d3c4,d6c6	49. c4d5,c6e6	50. e3c1,e6d6
51. d5c5,g7d4	52. c5c4,d4f6	53. h4h5,d6d4	54. c4b3,d4g4	55. h5h6,g4g3
56. b3a2,g3g1	57. c1a3,g1g2	58. a2b1,e7e5	59. b4b5,a6b5	60. a4b5,e5e4
61. b5b6,e4e3	62. b6b7,e3e2	63. a3b4,f6e5	64. h6h5,e5d6	65. h5h7,f7g6
66. h7h1,g2f2	67. h1c1,f2f1	68. b4d2,f1f7	69. c1g1,g6f6	70. g1g2,f7b7
71. b1c2,b7e7	72. d2e1,d6f4	73. g2f2,f6f5	74. c2d3,e7e3	75. d3d2,e3h3
76. d2e2,f5e4	77. e1d2,f4e5	78. f2g2,e5d4	79. g2g4,e4d5	80. g4g5,d5c4
81. g5g4,h3h2	82. e2d1 draw			

Match Game	Mach3_vs_GNU			
1 . g2g3,g8f6	2 . f1g2,d7d5	3 . g1f3,b8c6	4 . d2d4,e7e6	5 . e1g1,h7h6
6 . b1c3,f8b4	7 . c1f4,b4c3	8 . b2c3,f6e4	9 . d1d3,g7g5	10. f4c1,e8g8
11. c1a3,f8e8	12. f3e5,c6e5	13. d4e5,c7c5	14. g2e4,d5e4	15. d3e4,d8a5
16. a3b2,e8d8	17. f1b1,d8d2	18. a2a3,a5a6	19. c3c4,c8d7	20. b2c3,d7c6
21. e4e3,d2c2	22. e3d3,a6a4	23. b1b2,c2b2	24. c3b2,b7b6	25. f2f3,a7a6
26. e2e4,a8a7	27. d3d6,a7d7	28. d6b8,g8g7	29. a1f1,a4b3	30. f1f2,d7d1
31. g1g2,c6a4	32. b8c8,d1b1	33. b2c3,b3c3	34. c8d8,c3e5	35. d8a8,a6a5
36. a8d8,e5c3	37. e4e5,c3e5	38. d8d3,b1b3	39. d3d8,e5d4	40. f2d2,d4d8
41. d2d8,a4c6	42. d8d6,b3b2	43. g2g1,c6f3	44. a3a4,g5g4	45. g1f1,g7f6
46. f1e1,f6e5	47. d6d2,b2b4	48. d2a2,f7f5	49. a2a3,e5e4	50. e1d2,e6e5
51. h2h3,h6h5	52. h3g4,h5g4	53. a3e3,e4d4	54. e3a3,f3c6	55. a3d3,d4c4
56. d3d6,c6a4	57. d6f6,b4b2	58. d2c1,b2c2	59. c1b1,c2c3	60. b1b2,c3b3
61. b2a2,a4d7	62. f6d6,d7c8 6	3. d6c6,c8b7	64. c6e6,e5e4	65. e6e7,b7d5
66. e7e5,b3f3	67. a2b2,e4e3	68. b2c2,d5e4	69. c2d1,f3g3	70. e5e4,f5e4
71. d1e2,g3f3	72. e2d1,f3f2	73. d1c1,g4g3	74. c1d1,g3g2	75. d1c1,g2g1 0-1
